DAILY RAINFALL 1911- 1920
LINCOLNSHIRE

ALFORD VICARAGE	1914.
ALTHORPE RECTORY	1915 - 1918
BARDNEY RAILWAY ST.	1913 - 1920
* BINBROOK WEST HSE? KIRMOND	1911 - 1920
BISCATHORPE	1911 - 1912
BOSTON	1911 - 1916
BOSTON GRAND SLUICE	1911 - 1920
BOSTON BLACK SLUICE	1911 - 1920
BOSTON MAIN RIDGE	1912.
BOSTON SLEAFORD RD	1911 - 1920.
BOURNE COUNCIL SCH	1911 - 1920.
BOURNE GUTHRAM	1911 - 1920
BRIGG THORNHOLME	1911 - 1920
BRIGG GRAMMAR SCH.	1911 - 1920
BROCKLESBY PARK	1911 - 1920
BUCKNALL	1911 - 1917
BURTON-UPON-STATHER NORMANBY	1911 - 1920
BURTON-UPON-STATHER VICARAGE	1911 - 1919.
CAISTOR GRAMMAR SCH.	1912 - 1913.
CARLTON-LE-MOORLAND.	1911 - 1920
CARLTON SCROOP HALL	1917 - 1918
CARRINGTON GRANGE	1911 - 1920
CLAYPOLE RECTORY	1911-16, 1919.
CRANWELL AERODROME	1917 - 1920.
CROWLAND BAND HSE	1915-16, 1918-20
CROWLE NORTH LEVEL P.S.	1911 - 1920
DENTON MANOR	1911 - 1920
DIGBY MANOR	1917 - 1918
DOWSBY	1916 - 1920
EAST KIRBY HSE	1919 - 1920
EAST KEAL RECTORY	1911 - 1920
FULBECK	1911, 1914, 1916-20.
GAINSBOROUGH NTH SANDSFIELD	1911 - 1914
GATE BURTON HALL	1915 - 1920
GRAINSBY HALL	1917 - 1920
GRANTHAM SALTERSFORD	1911 - 1920.
GRANTHAM HIGH ST.	1911 - 1917
GRANTHAM "BORO' SURVEYOR'S OFFICE"	1911 - 1920
GRIMSBY ABBEY RD.	1911 - 1920

HACKTHORN HALL	1913 - 1920
HAGWORTHINGHAM GLEBE HSE.	1911 - 1920
HALTON HOLGATE	1911 - 1917
HARRINGTON HALL	1911 - 1917
HOLBEACH MARSH ST. MARKS	1911 - 1912
HOLYWELL HALL	1912, 1916
HORKSTOW	1911 - 1920
HORNCASTLE	1911 - 1920
IRBY - ON - HUMBER	1911 - 1912
KEADBY THE HOLLIES	1916
KILLINGHOLME	1919
LINCOLN COTTESFORD PLACE	1911 - 1920
LINCOLN D'ISNEY PLACE	1912-13, 1917-20
LINCOLN SESSIONS HSE	1911-14, 1916-20
LINCOLN BRANSTON HALL	1913 - 1914
LINCOLN BOULTHAM P.S.	1913.
LINCOLN MONKS TOWER	1913 - 1917
LINCOLN DODDINGTON HALL	1911 - 1918
LITTLE PONTON RECTORY	1911 - 1919
LONG SUTTON	1920
LOUTH ELKINGTON HALL	1915 - 1916
LOUTH WEST GATE	1911 - 1920
MABLETHORPE TRUSTHORPE HALL	1912 - 1920
MAREHAM - LE - FEN	1912, 1919-20
MARKET DEEPING	1912.
MARKET DEEPING WILSTHORPE	1911 - 1920
MARKET RASEN	1911 - 1918
NEW LEAKE, LADE BANK ENGINE	1911 - 1920
NORTH OWERSBY	1911.
NORTH WILLINGHAM HSE.	1920
REVESBY RES	1911 - 1920
RIBY THE GROVE GDNS	1920
SCAMPTON HSE.	1911-15 1917
SKEGNESS MARINE GDNS	1911 - 1920
SLEAFORD KESTEVEN MENTAL HOS.	1913 - 1920
SLEAFORD RAUCEBY HALL GDNS	1911- 16- 1918
SLEAFORD	1918
SPALDING PODE HOLE	1911 - 1920
SPILSBY	1911 - 1916
SPILSBY HAGNABY PRIORY	1911 - 1918
SPILSBY ASHBY RD	1911 - 1920

SPRINGTHORPE RECTORY	1911 - 1912
STAINBY RECTORY	1911 - 1920
STAMFORD	1919
STUBTON	1911
SWINDERBY LING MOOR	1912 - 1920
THORNTON CURTIS SCHOOL	1912 - 1917
THORNTON CURTIS VICARAGE	1911 - 1919.
TYDD NORTH LEVEL SLUICE	1912 - 1920
WAINFLEET BRIDGE HSE	1911 - 1920
WALTHAM HALL GDNS	1911 - 1914
WELBOURN	1911 - 1916
WELLINGORE	1919 - 1920
WILLINGHAM BY STOW	1913 1920.
WOODHALL SPA	1914 - 1915
WOODLANDS SPA GALM HSE	1911 - 1920
WROOT SOUTH LEVEL P.S.	1912 - 1920

Cnd/p auth 18.V.15

FORM A.
BRITISH RAINFALL.

MAY 1915

REG

ALFORD VICARAGE

LINCOLNSHIRE

1914

Kept at Alford V

in the County of Linc

by Rev Canon B

5½ East of Meridian of Greenwich

ford, Lincs

5 in.

Ground ft. 8 in.

Sea Level 25 ft.

IMPORTANT NOTE. … e result entered to the previous day. If an Obser… al rule, he is earnestly requested to add the reading … n the space provided for it at the end of this p… of rain, the selection and placing of … Rainfall Organization are given in "R… on application to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	0	0	~~15~~	~~8~~25	52	0	0	20	1	1
2	0	0	0	0	0	0	3	11	0	0	13	9	2
3	0	0	4	0	~~10~~17	0	9	0	0	0	0	0	3
4	3	0	6	26	2	0	0	0	0	0	32	9	4
5	0	0	18	0	6	0	2	1	0	2	0	0	5
6	0	11	0	10	6	0	22	6	0	0	17	8	6
7	0	~~20~~ 0	26	10	5	11	0	0	0	0	0	7	7
8	15	3	3	0	13	79	0	0	0	0	2	0	8
9	25	~~15~~ 1	15	15	0	70	0	0	8	0	0	0	9
10	0	10	0	0	0	0	0	0	6	0	0	0	10
11	60	3	36	0	6	4	0	0	6	0	25	19	11
12	10	2	0	38	0	0	0	0	13	0	0	49	12
13	4	11	24	0	0	0	0	0	1	5	19	9	13
14	0	2	23	0	0	0	5	0	0	0	1	13	14
15	5	0	11	0	0	0	0	0	0	0	49	45	15
16	7	0	3	0	0	0	0	0	6	0	10	0	16
17	0	31	0	0	0	0	5	0	30	6	0	29	17
18	5	0	1	0	0	0	2	0	3	1	3	32	18
19	0	0	26	0	0	0	0	0	23	0	12	0	19
20	1	4	29	0	0	10	0	0	0	0	0	0	20
21	0	18	9	0	~~25~~ 0	0	0	2	0	16	4	33	21
22	0	1	2	3	45	2	~~4~~ 11	0	0	0	0	13	22
23	0	3	3	2	4	5	2	6	0	20	0	15	23
24	0	0	0	4	1	0	0	0	0	7	12	0	24
25	0	6	1	0	0	0	6	0	0	67	0	5	25
26	0	0	0	0	0	0	0	0	0	7	2	38	26
27	0	0	2	0	0	0	2	0	0	0	23	33	27
28	3	5	0	0	0	0	2	20	0	0	29	118	28
29	8	~~0~~	11	0	0	0	0	0	0	50	4	0	29
30	1	X	0	0	0	0	0	0	0	2	19	38	30
31	0	X	0	X	0	X	26	0	X	8	X	10	31
Total	147	111	~~221~~ 2.53	~~107~~ 1.08	105	181	~~105~~ 1.22	98	96	~~201~~ 1.91	~~286~~ 2.86	~~540~~ 5.33	YEAR'S TOTAL ~~2198~~ 22.41
Rain Days.	13	14	20	8	10	7	14	7	9	~~13~~ 12	19	21	~~155~~ 154

W. 8,000. X. 14.

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
MAY 1915

Kept at Alford Vicarage
in the County of Lincoln 4
by Rev Canon Baron

Lat. 53.15" N Long. 5'5 East of Meridian of Greenwich
Time of Observation 9 am
Nearest Railway Station Alford, Lincs
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	0	0	~~15~~	~~8~~25	52	0	0	20	1	1
2	0	0	0	0	0	0	3	11	0	0	13	9	2
3	0	0	4	0	~~4~~17	0	9	0	0	0	0	0	3
4	3	0	6	26	2	0	0	0	0	0	32	9	4
5	0	0	18	0	6	0	2	1	0	2	0	0	5
6	0	11	0	10	6	0	22	6	0	0	17	8	6
7	0	~~26~~ 0	26	10	5	11	0	0	0	0	0	7	7
8	15	3	3	0	13	79	0	0	0	0	2	0	8
9	25	~~15~~ 1	15	15	0	70	0	0	8	0	0	0	9
10	0	10	0	0	0	0	0	0	6	0	0	0	10
11	60	3	36	0	6	4	0	0	6	0	25	19	11
12	10	2	0	38	0	0	0	0	13	0	0	49	12
13	4	11	24	0	0	0	0	0	1	5	19	9	13
14	0	2	23	0	0	0	5	0	0	0	1	13	14
15	5	0	11	0	0	0	0	0	0	0	49	45	15
16	7	0	3	0	0	0	0	0	6	0	10	0	16
17	0	31	0	0	0	0	5	0	30	6	0	29	17
18	5	0	1	0	0	0	2	0	3	1	3	32	18
19	0	0	26	0	0	0	0	0	23	0	12	0	19
20	1	4	29	0	0	10	0	0	0	0	0	0	20
21	0	18	9	0	~~45~~0	0	0	2	0	16	4	33	21
22	0	1	2	3	45	2	~~4~~ 11	0	0	0	0	13	22
23	0	3	3	2	4	5	2	6	0	20	0	15	23
24	0	0	0	4	1	0	0	0	0	7	12	0	24
25	0	6	1	0	0	0	6	0	0	67	0	5	25
26	0	0	0	0	0	0	0	0	0	7	2	38	26
27	0	0	2	0	0	0	2	0	0	0	23	33	27
28	3	5	0	0	0	0	2	20	0	0	29	118	28
29	8	~~0~~	11	0	0	0	0	0	0	50	4	0	29
30	1	╳	0	0	0	0	0	0	0	2	19	38	30
31	0	╳	0	╳	0	╳	26	0	╳	8	╳	10	31
Total	147	111	2·53 ~~221~~	1·08 ~~107~~	105	181	1·22 ~~105~~	98	96	1·91 ~~201~~	2·86 ~~286~~	5·33 ~~540~~	YEAR'S TOTAL 22·41 ~~2198~~
Rain Days.	13	14	20	8	10	7	14	7	9	~~13~~ 12	19	21	~~155~~ 15

W. 8,000. X. 14.

LINCOLN

ALTHORPE RECTORY

1915– 1918

REGIST

FORM A.
BRITISH RAINFALL.

0·43' w.

8 -JAN 1916

Kept at The Rectory,

Althorpe G.C.

in the County of Lincoln

5 in.

by Rev Allan E

ve Ground 1 ft. – in.

Sea Level 0 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observe this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·06	0·27	—	—	0·35	—	—	0·39	0·16	—	0·14	0·03	1
2	0·01	0·05	0·16	0·08	—	0·04	0·06	0·16	0·01	—	—	—	2
3	0·56	—	0·05	0·09	—	—	0·62	0·62	0·01	—	0·03	0·32	3
4	0·35	—	—	—	—	—	1·30	0·02	—	—	0·01	0·99	4
5	0·13	0·06	—	—	0·24	—	—	0·07	—	0·03	0·08	0·40	5
6	0·03	0·19	0·05	0·03	—	—	0·70	0·04	—	—	—	0·04	6
7	0·31	0·26	0·01	0·05	—	—	0·24	0·29	—	—	0·07	0·11	7
8	0·03	0·05	0·02	0·03	—	—	0·02	0·05	—	0·02	0·05	—	8
9	0·03	0·03	—	—	—	—	—	0·10	—	0·01	0·03	S.-R. 0·37	9
10	0·30	—	—	—	—	—	—	0·35	—	0·03	—	0·03	10
11	0·01	—	0·04	0·01	0·25	—	0·09	—	—	—	0·20	S 0·12	11
12	0·04	—	—	0·24	0·09	—	0·15	0·08	—	0·05	1·00	—	12
13	—	0·61	—	—	—	—	—	—	—	—	—	—	13
14	—	0·04	—	—	0·02	—	—	0·18	—	0·02	—	0·18	14
15	0·28	—	—	—	—	—	—	0·28	—	—	S 0·44	0·11	15
16	—	0·22	—	—	0·03	—	0·34	0·01	—	0·03	—	0·01	16
17	0·11	0·12	0·01	—	—	—	0·14	—	—	—	—	0·02	17
18	—	0·05	S 0·27	—	—	—	—	0·01	—	—	0·04	—	18
19	—	—	0·03	—	—	—	0·10	—	—	0·01	—	—	19
20	0·03	—	0·01	—	—	—	—	—	—	—	—	0·43	20
21	S 0·08	0·02	—	0·04	—	—	0·19	—	—	—	—	0·04	21
22	0·01	—	0·17	0·03	—	—	0·02	—	—	—	0·02	0·13	22
23	0·01	S 0·08	0·04	—	—	—	0·04	—	0·11	0·04	0·01	0·01	23
24	0·01	—	0·11	0·03	—	0·06	—	—	0·36	—	—	0·25	24
25	—	—	—	—	—	0·08	—	—	—	0·08	—	0·08	25
26	0·02	0·16	0·01	—	—	0·07	0·08	—	0·02	0·01	S 0·01	0·42	26
27	—	0·07	—	—	—	—	0·33	—	—	0·54	—	0·16	27
28	—	0·07	S 0·06	—	—	0·03	—	0·30	—	0·11	—	0·01	28
29	—	☒	—	—	0·11	—	—	0·02	—	0·02	0·24	0·29	29
30	0·12	☒	—	0·07	—	0·35	0·14	0·02	—	—	0·02	0·02	30
31	0·17	☒	—	☒	—	☒	—	0·11	☒	0·09	☒	0·16	31
Total	2·70	2·35	1·04	0·70	1·09	0·63	4·56	3·10	0·67	1·09	2·39	4·73	YEAR'S TOTAL 25·05
Rain Days.	22	17	15	11	7	6	17	19	6	15	16	25	176

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

REGIST [redacted]

0.43' w.

8 - JAN 1916

Kept at The Rectory,

in the County of Lincoln (Lindsey)

by Rev Allan Ellison

Nearest Railway Station Althorpe G. C. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.06	0.27	—	—	0.35	—	—	0.39	0.16	—	0.14	0.03	1
2	0.01	0.05	0.16	0.08	—	0.04	0.06	0.16	0.01	—	—	—	2
3	0.56	—	0.05	0.09	—	—	0.62	0.62	0.01	—	0.03	0.32	3
4	0.35	—	—	—	—	—	1.30	0.02	—	—	0.01	0.99	4
5	0.13	0.06	—	—	0.24	—	—	0.07	—	0.03	0.08	0.40	5
6	0.03	0.19	0.05	0.03	—	—	0.70	0.04	—	—	—	0.04	6
7	0.31	0.26	0.01	0.05	—	—	0.24	0.29	—	—	0.07	0.11	7
8	0.03	0.05	0.02	0.03	—	—	0.02	0.05	—	0.02	0.05	—	8
9	0.03	0.03	—	—	—	—	—	0.10	—	0.01	0.03	S.-R. 0.37	9
10	0.30	—	—	—	—	—	—	0.35	—	0.03	—	0.03	10
11	0.01	—	0.04	0.01	0.25	—	0.09	—	—	—	0.20	S 0.12	11
12	0.04	—	—	0.24	0.09	—	0.15	0.08	—	0.05	1.00	—	12
13	—	0.61	—	—	—	—	—	—	—	—	—	—	13
14	—	0.04	—	—	0.02	—	—	0.18	—	0.02	—	0.18	14
15	0.28	—	—	—	—	—	—	0.28	—	—	S 0.44	0.11	15
16	—	0.22	—	—	0.03	—	0.34	0.01	—	0.03	—	0.01	16
17	0.11	0.12	0.01	—	—	—	0.14	—	—	—	—	0.02	17
18	—	0.05	S 0.27	—	—	—	—	0.01	—	—	0.04	—	18
19	—	—	0.03	—	—	—	0.10	—	—	0.01	—	—	19
20	0.03	—	0.01	—	—	—	—	—	—	—	—	0.43	20
21	S 0.08	0.02	—	0.04	—	—	0.19	—	—	—	—	0.04	21
22	0.01	—	0.17	0.03	—	—	0.02	—	—	—	0.02	0.13	22
23	0.01	S 0.08	0.04	—	—	—	0.04	—	0.11	0.04	0.01	0.01	23
24	0.01	—	0.11	0.03	—	0.06	—	—	0.36	—	—	0.25	24
25	—	—	—	—	—	0.08	—	—	—	0.08	—	0.08	25
26	0.02	0.16	0.01	—	—	0.07	0.08	—	0.02	0.01	S 0.01	0.42	26
27	—	0.07	—	—	—	—	0.33	—	—	0.54	—	0.16	27
28	—	0.07	S 0.06	—	—	0.03	—	0.30	—	0.11	—	0.01	28
29	—		—	—	0.11	—	—	0.02	—	0.02	0.24	0.29	29
30	0.12		—	0.07	—	0.35	0.14	0.02	—	—	0.02	0.02	30
31	0.17		—		—		—	0.11		0.09		0.16	31
Total	2.70	2.35	1.04	0.70	1.09	0.63	4.56	3.10	0.67	1.09	2.39	4.73	YEAR'S TOTAL 25.05
Rain Days.	22	17	15	11	7	6	17	19	6	15	16	25	176

W.7,000, XI. 13

2665

FORM A.
BRITISH RAINFALL
12 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Althorpe Rectory
in the County of Lincoln
by Rev Allan Ellison

Lat. 53° 38' Long. 0° 43' W
Time of Observation 9 am G.M.T.
Nearest Railway Station Althorpe G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	·14	—	—	·10	·08	—	—	—	·20	—	1
2	·08	·08	R.S ·25	—	·34	—	—	—	·15	·09	·03	—	2
3	—	·34	S ·03	·05	—	—	·12	—	·32	·12	·09	—	3
4	·02	·10	S ·01	—	·57	·19	—	—	·15	·13	·27	—	4
5	·02	—	S ·06	·03	·04	·27	—	—	—	·24	·17	—	5
6	·02	·30	S ·21	·03	·33	—	·14	—	—	—	·29	·05	6
7	—	—	S ·23	—	·09	—	·58	—	—	·04	·04	·21	7
8	—	—	·40	—	—	—	—	—	—	—	—	·10	8
9	—	—	·10	—	·45	·32	—	—	·07	—	·02	·14	9
10	—	·05	·03	·08	—	·39	·11	—	·14	·02	—	·07	10
11	·15	·51	·26	·11	·01	·16	·03	—	·04	·02	—	—	11
12	·03	—	·31	·02	·48	·12	·12	—	—	·03	—	·07	12
13	—	·07	·14	—	·32	—	·17	·18	—	·22	·02	·02	13
14	—	·08	·01	—	·10	—	—	·12	—	·05	—	—	14
15	—	·07	·60	—	—	—	·04	·54	·01	·01	—	—	15
16	—	·05	·09	·12	—	—	·09	·32	—	·07	—	·02	16
17	·05	·01	—	·30	—	—	·11	·91	·12	·11	—	—	17
18	—	·22	—	·14	—	—	—	·48	·24	·09	S.R ·75	—	18
19	·17	—	·10	·07	—	—	—	·07	·04	·01	·20	·15	19
20	·05	·03	·17	·19	·02	—	·03	·36	—	—	·01	·01	20
21	—	—	S ·08	·01	—	—	·22	·04	—	—	—	·41	21
22	—	S ·04	S ·02	·01	—	·02	—	—	—	·06	·01	·17	22
23	—	S ·06	—	·06	—	·07	—	·01	—	—	·09	·35	23
24	—	S ·43	—	·10	—	·07	—	·19	—	—	—	·11	24
25	—	S ·13	R.S ·32	—	—	—	—	·18	—	·09	·07	·03	25
26	—	S ·11	S ·03	—	—	—	—	·02	—	·03	·05	—	26
27	—	S.R ·24	S ·02	—	—	—	·05	·03	—	·13	—	—	27
28	—	·17	S ·09	—	·02	·02	—	—	—	—	—		28 2 days reading gauge not read on 29th
29	—	·08	—	—	—	·43	—	·53	·01	·16	·01	·32	29
30	—	✕	—	—	·01	·04	—	·01	—	·27	—	·01	30
31	—	✕	—	✕	—	✕	—	·01	✕	·04	✕	—	31
Total	·63	3·17	3·70	1·82	2·78	2·20	1·89	4·00	1·29	2·03	2·32	2·24	YEAR'S TOTAL 27·57
Rain Days.	10	21	24	15	13	13	14	17	11	22	17	18	195

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

18 JAN

Kept at Althorpe Rectory

in the County of Lincoln

by Rev Allan Ellison

Lat. ______ Long. ______

Time of Observation 9 am G. M. Time

Nearest Railway Station Althorpe 1 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	S ·21	—	·01	—	·39	·06	—	·09	·03	1
2	·07	—	—	S ·10	—	·16	—	·19	—	—	—	—	2
3	—	S ·01	—	—	—	·06	—	·35	—	·13	—	—	3
4	—	—	S ·10	—	—	—	—	·01	—	·23	—	—	4
5	·28	—	S ·07	S ·12	—	—	—	·01	·02	·04	·03	—	5
6	—	—	—	—	—	·07	—	—	·01	·10	·02	—	6
7	·44	—	S ·02	—	—	·03	—	—	—	·62	—	—	7
8	RS ·64	—	—	RS ·11	—	—	—	1·40	—	·74	·04	—	8
9	S ·20	—	S ·03	S ·08	—	—	—	·23	—	—	·28	—	9
10	S ·29	—	·46	S ·16	·19	—	—	·25	—	·08	·11	—	10
11	RS ·23	—	—	S ·56	—	—	—	·01	—	·44	—	—	11
12	S ·26	—	—	·08	·43	—	—	·49	—	·13	—	·02	12
13	S ·13	—	—	·02	—	—	—	·17	·15	·04	—	·01	13
14	S ·22	·01	—	—	·05	—	—	·23	—	—	—	—	14
15	S ·12	—	—	—	·01	—	·17	·33	—	·02	—	·12	15
16	S ·08	·11	—	RS ·08	—	—	·04	·07	—	—	—	SR ·54	16
17	S ·01	·05	·04	SR ·19	·38	—	—	·09	·02	·04	—	S ·09	17
18	S ·08	·01	—	·02	·04	—	·37	—	·34	—	—	—	18
19	S ·07	·10	·07	—	·09	·10	·01	—	·02	—	—	—	19
20	S ·03	·34	S ·02	·01	—	·24	—	·03	—	—	·48	—	20
21	S ·01	·08	S ·08	—	·01	—	—	·02	—	—	—	—	21
22	—	—	S ·10	—	—	—	—	·05	·01	·11	—	—	22
23	—	·01	—	—	·08	—	—	·14	—	·01	—	—	23
24	—	—	·01	—	—	·30	—	·06	—	·28	·12	—	24
25	—	·03	S ·05	—	—	·01	·07	·02	—	·05	—	S ·12	25
26	—	—	S ·07	—	—	·17	·01	·43	·08	·04	S ·30	S ·08	26
27	—	—	S ·02	—	—	·01	·21	·36	—	—	—	·07	27
28	—	—	·06	—	—	·16	·05	·41	—	·01	·01	·14	28
29	—	—	—	—	—	—	·06	—	—	·23	—	·08	29
30	S ·01	X	·03	—	—	—	·06	·09	—	—	·03	—	30
31	—	X	S ·15	X	—	X	·03	·04	X	—	X	—	31
Total	3·19	·75	1·38	1·74	1·28	1·32	1·08	5·87	·71	3·34	1·51	1·30	YEAR'S TOTAL 23·47
Rain Days.	19	10	17	13	9	12	11	26	9	19	11	11	167

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

108

Price 2d.

See back

82

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
31. 1. 19

Kept at Althorpe Rectory

in the County of Lincoln

by Rev Allan Ellison

Lat. 53·38 Long. 0·43 W.

Time of Observation 9 am G.M.T.

Nearest Railway Station Althorpe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	·04^{S}	·07	—	—	—	—	·20	·02	·23	—	1
2	·03	·23	·01^{S}	·06	—	—	—	·07	·17	·02	—	·52	2
3	—	·03	·05	—	·47	—	—	1·00	—	—	·47	—	3
4	—	·01	·01	—	—	—	—	·03	·30	·04	·23	·36	4
5	—	—	·02	·02	·11	—	—	·56	·02	·08	—	·02	5
6	—	·28	—	·49	·01	·11	—	—	·01	—	—	·02	6
7	·13^{S}	·01	—	·13	—	—	—	—	—	·05	·11	·07	7
8	—	·01	·03	·01	—	—	·28	—	·16	·05	·05	—	8
9	·04^{S}	·21	—	·03	—	·07	·07	—	·36	·39	·01	·06	9
10	—	·06	—	—	—	—	·12	—	·13	·03	—	·06	10
11	·13^{SR}	·09	—	·02	·49	—	·10	·01	·01	—	—	·07	11
12	—	·13	—	·02	·05	·01	·63	—	·03	·07	—	·03	12
13	—	—	—	·01	·06	—	—	—	·31	·07	—	—	13
14	·19^{S}	—	·01	·05	—	—	·04	—	·28	·12	—	·18	14
15	·12^{S}	—	—	—	·01	—	·17	—	·53	—	—	·27	15
16	—	—	—	·02	—	—	·66	—	·43	·11	—	·05	16
17	·21^{S}	—	—	—	1·24	·01	1·04	·03	·02	—	—	·24	17
18	·19	—	—	·01^{S}	—	·01	·28	—	·68	—	—	·33	18
19	·06	—	·03	·01^{S}	—	—	·07	·01	—	·08	—	·60	19
20	·04	·14	—	—	—	·07	·33	—	·06	·02	—	—	20
21	·07	—	—	—	·39	·16	—	—	·18	·21	—	—	21
22	·05	—	—	—	·01	·01	·03	—	·18	·02	—	·27	22
23	·12	—	—	—	·30	—	·06	—	—	—	—	—	23
24	·01	·05	—	—	·02	—	·07	—	·11	·02	·01	—	24
25	—	—	—	—	—	·30	—	·26	·01	·01	·07	·05	25
26	—	—	—	—	—	—	·22	·01	·21	·01	—	·04	26
27	—	—	—	—	—	·05	·04	·51	·04	—	See back	·03	27
28	—	·19^{S}	·21	—	—	—	—	—	·01	—	·41	·48	28
29	—	—	·01	—	—	—	—	—	·09	—		·11	29
30	·01	X	·28	—	—	—	—	·02	·04	—	·08	·18	30
31	—	X	·04	X	—	X	—	·04	X	—	X	·03	31
Total	1·40	1·46	·74	·95	3·16	·80	4·21	2·55	4·57	1·42	1·67	4·07	YEAR'S TOTAL 27·00
Rain Days.	15	14	12	14	12	10	17	12	26	19	12	23	186

1st half year 8·51 on 77 days

2nd half year 18·49 on 109 days

W, 6,500, VII. 18. W W C

S made ✓

REGISTE

FORM A.
BRITISH RAINFALL.

LINCOLN.

RAILWAY
BARDNEY STATION.

1913 – 1920

Kept at Bardney Rai

in the County of Linc

by

ndon 0°, 20′ W

m

At Bardney Railway Station

8 in.

e Ground 7 ft. 6 in.

~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observe versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·13	·01	–	–	–	–	·45	–	·02	–	1
2	–	·01	·02	·08	·05	–	·02	–	·02	–	–	–	2
3	·03	–	·07	–	·34	–	–	–	·01	–	–	–	3
4	·45	–	·01	–	·05	·18	·08	–	·02	·75	·21	·03	4
5	·02	–	–	–	–	·08	·01	–	·03	1·75	–	–	5
6	·01.	·04	·01	–	·60	·03	·01	–	–	·33	–	–	6
7	–	·08	–	–	·02	·02	–	–	–	·73	–	·01	7
8	–	–	·03	–	·46	·11	–	–	–	·02	·07	·01	8
9	–	·20	·03	·01	·17	·02	–	·03	–	–	·08		9
10	–	·01	–	·03	·02	–	–	–	–	–	·46		10
11	melted snow ·20	–	–	melted snow ·26	–	·03	–	–	–	–	·22		11
12	melted snow ·15	·02	–	–	–	·03	–	–	–	–	·14		12
13	·04	–	·02	·11	–	–	–	·02	·04	–	·28		13
14	·02	·02	·25	–	–	–	–	–	–	·04	·01		14
15	·13	–	·28	·18	–	–	–	–	–	–	·05		15
16	·01	·01	melted snow ·21	·13	–	–	–	–	1·76	·01	·02		16
17	·01	·02	melted snow ·17	·07	–	·16	–	–	·18	–	·01		17
18	·01	–	·06	·05	–	·01	·03	–	·01	–	–	·02	18
19	·06	–	·05	–	–	–	–	–	–	–	–		19
20	·20	·01	·03	·02	–	–	–	–	·05	·31	·02		20
21	·04	–	·14	–	·01	–	·20	–	–	–	·15		21
22	·05	–	·22	–	–	·01	·01	·56	·10	–	–		22
23	·02	–	–	–	–	·03	·01	·05	·08	–	–		23
24	·01	–	–	·03	–	·11	–	–	–	–	·02		24
25	–	·01	–	·08	–	·01	–	–	–	–	·01	·01	25
26	–	·18	·06	·02	·12	·01	–	–	–	·40	·02	·15	26
27	–	·02	T	–	–	·11	–	–	–	–	·01	–	27
28	·10	–	·17	·16	·01	·11	–	–	·01	·03	–	snow + rain ·05	28
29	·01		·11	·30	·02	–	–	·02	–	–	–	Snow ·04	29
30	·20		–	·01	–	–	–	–	–	–	·01	Snow ·02	30
31	–		–		–		–	–		–		–	31
Total	1·77	·63	2·07	1·55	1·87	1·06	·37	·68	2·76	4·37	1·81	·34	YEAR'S TOTAL 19·28
Rain Days.	21	13	20	17	12	17	8	5	13	10	19	9	164

W. 7,500, XI. ·12

S. made ✓

FORM A.
BRITISH RAINFALL

REGIST

Kept at Bardney Railway Station

in the County of Lincoln 4 BR 3

by

ndon 0°. 20' W

Time of Observation 9 a.m

Nearest Railway Station At Bardney Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 6 in.

" " " ~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·13	·01	–	–	–	–	·45	–	·02	–	1
2	–	·01	·02	·08	·05	–	·02	–	·02	–	–	–	2
3	·03	–	·07	–	·34	–	–	–	·01	–	–	–	3
4	·45	–	·01	–	·05	·18	·08	–	·02	·75	·21	·03	4
5	·02	–	–	–	–	·08	·01	–	·03	1·75	–	–	5
6	·01.	·04	·01	–	·60	·03	·01	–	–	·33	–	–	6
7	–	·08	–	–	·02	·02	–	–	–	·73	–	·01	7
8	–	–	·03	–	·46	·11	–	–	–	·02	·07	·01	8
9	–	·20	·03	·01	·17	·02	–	·03	–	–	·08		9
10	–	·01	–	·03	·02	–	–	–	–	–	·46		10
11	melted snow ·20	–	–	melted snow ·26	–	·03	–	–	–	–	·22		11
12	melted snow ·15	·02	–	–	–	·03	–	–	–	–	·14		12
13	·04	–	·02	·11	–	–	–	·02	·04	–	·28		13
14	·02	·02	·25	–	–	–	–	–	–	·04	·01		14
15	·13	–	·28	·18	–	–	–	–	–	–	·05		15
16	·01	·01	melted snow ·21	·13	–	–	–	–	1·76	·01	·02		16
17	·01	·02	melted snow ·17	·07	–	·16	–	–	·18	–	·01		17
18	·01	–	·06	·05	–	·01	·03	–	·01	–	–	·02	18
19	·06	–	·05	–	–	–	–	–	–	–	–		19
20	·20	·01	·03	·02	–	–	–	–	·05	·31	·02		20
21	·04	–	·14	–	·01	–	·20	–	–	–	·15		21
22	·05	–	·22	–	–	·01	·01	·56	·10	–	–		22
23	·02	–	–	–	–	·03	·01	·05	·08	–	–		23
24	·01	–	–	·03	–	·11	–	–	–	–	·02		24
25	–	·01	–	·08	–	·01	–	–	–	–	·01	·01	25
26	–	·18	·06	·02	·12	·01	–	–	–	·40	·02	·15	26
27	–	·02	–	–	–	·11	–	–	–	–	·01	–	27
28	·10	–	·17	·16	·01	·11	–	–	·01	·03	–	Snow + rain ·05	28
29	·01		·11	·30	·02	–	–	·02	–	–	–	Snow ·04	29
30	·20		–	·01	–	–	–	–	–	–	·01	Snow ·02	30
31	–		–		–		–	–		–		–	31
Total	1·77	·63	2·07	1·55	1·87	1·06	·37	·68	2·76	4·37	1·81	·34	YEAR'S TOTAL 19·28
Rain Days.	21	13	20	17	12	17	8	5	13	10	19	9	164

W. 7,500, XI. ·12

Cwdly min stats 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

JAN 15

Taken ~~Kept~~ at Bardney
in the County of Lincolnshire 3
by A. Burridge

Lat. 53° 12' 20" Long. 0° 20' 0" W.
Time of Observation 9 am
Nearest Railway Station At Bardney Ry Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 6 in.
" " " " Ordnance Datum ~~Sea Level~~ 25·50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	1·42	·28	—	·01	—	—	1
2	—	—	—	—	—	—	·05	·13	—	—	·08	·08	2
3	—	—	·16	—	·20	—	·04	·02	—	—	·02	·01	3
4	·11	—	·04	·25	·02	—	—	·01	—	—	·19	·18	4
5	—	—	·10 ~~·01~~	·01	·02	·01	·07	·08	—	—	·02	—	5
6	—	·06	—	·08	·06	—	·15	—	—	—	·02	·02	6
7	—	·10	·25	·06	·04	·25	—	—	—	—	—	·03	7
8	·15	·04	—	—	·10	·55	·01	·15	·28	—	—	—	8
9	·23	—	·05	·10	—	·58	—	—	—	—	—	—	9
10	·28	·04	—	·02	·01	—	—	—	·05	—	—	·01	10
11	—	·01	·22	·30	·01	·02	—	—	·10	—	·30	·11	11
12	Snow ·02	·01	·01	—	—	—	·02	—	·14	—	—	·05	12
13	Snow ·02	·08	·14	—	—	—	—	—	—	·08	·11	·08	13
14	·01	·01	·04	—	—	—	·06	—	—	·12	Snow ·07	·08	14
15	·02	—	·09	—	—	—	—	—	—	—	Snow & rain ·25	·60	15
16	·02	—	·03	—	—	—	·06	—	·01	—	·02	—	16
17	·03	·06	—	—	—	—	—	—	·10	—	·01	·10	17
18	—	—	·01	—	—	·01	·16	—	—	—	—	·32	18
19	—	—	Snow ·06	—	—	—	·09	—	—	—	·08	·10	19
20	—	·05	·15	—	—	—	—	—	—	·10	—	—	20
21	—	·14	·14	—	—	—	—	—	—	·05	·02	·06	21
22	—	—	—	—	1·02	—	·22	·09	—	·11	—	—	22
23	—	·04	·03	—	·08	·10	·02	—	—	—	—	·08	23
24	—	—	—	·06	·01	—	—	·01	—	·04	·23	—	24
25	—	—	—	—	—	—	·05	—	—	·70	·01	·12	25
26	—	—	·06	—	—	—	·03	·18	—	·15	·17	·38	26
27	·01	—	—	—	—	—	—	—	—	—	—	·30	27
28	·01	—	—	—	—	—	—	—	—	—	·13	·90	28
29	·05	—	·11	—	·01	—	—	—	—	·40	—	—	29
30	—		—	—	—	—	—	—	—	—	15	·18	30
31	—		—		—		·39	—		·07		·11	31
Total	·96	·64	1·69	·88	1·58	1·52	2·84	·95	·68	1·83	1·88	3·90	YEAR'S TOTAL 19·35
Rain Days.	13	12	18	8	12	7	16	9	6	11	18	22	152

W.7,000, XI. 13

2683

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

JAN 1916

Taken ~~Kept~~ at Bardney
in the County of Lincoln
by A. Burridge

Lat. 53° 12' 20" Long. 0° 20' 0" W.
Time of Observation 9 a.m.
Nearest Railway Station At Bardney R^y. Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 6 in.
" " " ~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·19	—		·50	—	—	·50	·14	—	·15	·14	1
2	—	·01	·17	·05	—	·02	—	·25	·14	—	·06	—	2
3	·31	—	·01	·06	—	—	·35	·25	·02	—	·14	·25	3
4	·26	—	·01	—	—	—	·70	—	—	—	·01	·75	4
5	·02	·02	—	—	·12	—	—	·07	—	—	·08	·40	5
6	·01	·14	·05	·01	—	—	·81	—	—	—	—	·03	6
7	·23	·17	·08	—	—	·02	·25	·17	—	—	·03	·25	7
8	·01	·01	·01	—	—	—	·02	·02	—	—	·03	—	8
9	·02	·09	—	·01	—	—	—	·01	—	·01	·02	·28	9
10	·24	—	·01	—	—	—	—	—	—	—	—	·01	10
11	·02	—	·02	—	·26	—	·09	·03	—	—	·14	·04	11
12	·15	—	·01	·20	·15	—	·01	·55	—	·01	·65	—	12
13	·01	·45	—	—	·16	—	—	·35	—	—	—	—	13
14	—	·10	—	—	·06	—	—	·31	—	·01	—	snow & rain ·32	14
15	·26	—	—	—	—	—	·06	·54	—	—	snow ·40	·10	15
16	—	·22	—	—	—	—	·80	—	—	—	—	·01	16
17	·01	·10	—	—	—	—	·06	—	—	·01	—	·01	17
18	—	·11	snow ·07	—	—	—	—	—	—	—	·05	·04	18
19	—	·01	—	—	—	—	·06	—	—	·11	—	—	19
20	·07	—	—	·01	—	—	—	—	—	—	—	·38	20
21	snow ·10	·10	—	—	·30	—	·14	—	—	—	—	·06	21
22	·02	—	·13	—	—	—	·01	—	—	—	—	·14	22
23	—	·03	—	—	—	—	·11	—	·06	·01	·01	—	23
24	—	—	·14	—	—		—	—	·39	·01	—	·13	24
25	—	—	—	—	—	·35	·01	—	—	·07	—	·07	25
26	·02	·11	—	—	—	·02	·05	—	—	—	—	·28	26
27	—	·05	—	—	—	—	·01	—	—	·46	—	·09	27
28	—	·02	snow ·05	—	—	·18	—	·14	—	·22	—	—	28
29	—		—	—	·01	·44	—	·02	—	—	·29	·20	29
30	·07		—	·02	—	·08	·08	—	—	—	—	·06	30
31	snow & rain ·06		—		—		—	·09		·05		·12	31
Total	2·01	1·93	·76	·36	1·56	1·11	3·62	3·30	·75	·97	2·06	4·16	YEAR'S TOTAL 22·59
Rain Days.	20	18	13	7	8	7.	18	15	5	11	14	24	160

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Taken ~~Kept~~ at Bardney
in the County of Lincoln
by A. Burridge.

Lat. 53° 12′ 20″ Long. 0° 20′ 0″ W
Time of Observation 9 a.m
Nearest Railway Station At Bardney Railway Stn
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 6 in.
" " " " ~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	–	·02	–	–	·09	·16	–	–	–	·18	–	1
2	·15	·03	·18	–	·55	–	·06	–	·02	–	·03	–	2
3	–	·11	Snow ·02	–	–	–	·22	–	·31	·15	·01	–	3
4	·15	·26	–	–	·24	·20	–	–	·29	·15	·20	–	4
5	·02	–	–	–	·01	·12	–	–	–	·18	·02	·08	5
6	·01	·11	Snow ·14	·13	·11	–	·14	–	–	·01	·27	–	6
7	–	·02	·13	–	·12	–	·30	–	–	–	·15	·18	7
8	–	–	·09	–	–	–	–	–	–	–	·02	·12	8
9	–	–	·10	–	·69	·07	–	–	·02	–	–	·12	9
10	–	·01	·03	·03	–	·13	–	–	·02	·01	–	·05	10
11	·05	·52	–	·17	–	·10	·01	–	–	–	–	·02	11
12	–	·02	–	–	·26	·25	·03	–	–	·01	–	·02	12
13	–	·07	·08	·05	·72		·01	·03	–	–	–	Snow ·01	13
14	–	·03	–	–	·03		–	·13	–	·03	–	–	14
15	–	·07	·52	·02	–		·05	·06	·01	–	–	–	15
16	–	·04	·07	·13	·01		·02	·30	–	–	–	·15	16
17	–	–	–	·49	–		·10	·03	·18	·11	·01	–	17
18	–	12	–	·03	–		–	·48	·03	·12	·63	–	18
19	·13	–	·02	·20	–		–	·02	·12	–	·16	–	19
20	·02	–	·10	·02	–		–	–	–	–	·03	Snow + rain ·07	20
21	–	–	·01	–	·15		·02	·13	–	–	–	Snow + rain ·42	21
22	–	Snow ·07	–	–	·03	·11	–	–	–	·05	–	·17	22
23	–	·15	–	–	–	·15	–	·02	–	–	·11	Snow ·45	23
24	–	·78	–	·01	–		–	·06	–	·05	–	·11	24
25	–	·04	·09	–	–		–	·13	–	·15	·10	·01	25
26	–	·08	–	–	–		–	·38	–	·01	·05	–	26
27	–	·05	Snow ·26	–	–		–	–	–	·04	–	–	27
28	–	·11	·32	–	–		–	–	–	·01	–	·11	28
29	–	·08	–	–	–	·26	–	·82	–	·07	–	·13	29
30	–		–	–	–	·02	–	·22	–	·15	–	–	30
31	–		–		–		–	·01		–		·02	31
Total	·58	2·77	2·18	1·28	2·92	1·50	1·12	2·82	1·00	1·30	1·97	2·24	YEAR'S TOTAL 21·68
Rain Days.	8	21	17	11	12	11	12	15	9	17	15	18	166

W. 8,000, VIII. 16

2484

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4. JAN

Taken ~~Kept~~ at Bardney
in the County of Lincolnshire
by A. Burridge

Lat. N 53°·12'·20" Long. 0°·20'·0" W
Time of Observation 9 a.m
Nearest Railway Station At Bardney Ry Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 6 in.
" " " ~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	Snow ·01	-	Snow ·05	-	-	-	·75	·22	-	·04	-	1
2	·15	-	-	Snow ·01	-	·04	-	·15	-	-	·03	-	2
3	-	Snow ·01	-	-	-	·01	-	·64	-	·15	-	-	3
4	-	Snow ·02	Snow ·02	-	-	-	-	·01	-	·45	-	-	4
5	Snow+rain ·32	-	·03	·09	-	-	-	-	-	-	·04	-	5
6	-	-	-	-	-	-	-	-	·03	-	·07	-	6
7	·35	-	Snow ·02	-	-	·08	-	-	-	·45	-	-	7
8	·40	-	-	Snow ·15	-	-	-	·85	-	·36	·05	·04	8
9	Snow+rain ·10	-	Snow ·20	Snow ·03	-	-	-	·05	-	-	·18	-	9
10	Snow ·07	-	·33	Snow ·03	·10	-	-	·07	·05	·12	·03	·01	10
11	·05	-	·06	Snow ·25	-	-	-	·07	-	·18	-	-	11
12	Snow+rain ·08	·05	-	Snow+rain ·12	·18	-	-	·09	-	·20	·02	-	12
13	Snow ·03	-	-	-	-	-	-	·19	·03	·02	-	-	13
14	Snow ·08	-	-	·17	-	-	-	-	-	-	-	-	14
15	Snow ·05	-	-	-	·01	-	-	·07	-	·02	-	-	15
16	Snow ·07	·18	-	Snow ·12	-	-	·02	-	-	·02	-	-	16
17	Snow ·02	·02	·02	Snow+rain ·17	·66	-	-	·04	·02	·07	-	Snow ·52	17
18	·03	-	-	Snow ·01	-	·01	·49	-	·38	-	-	Snow ·03	18
19	·07	·06	·08	-	·04	-	-	-	·06	-	-	-	19
20	-	·25	·05	-	-	-	-	-	·03	-	·37	-	20
21	-	-	Snow ·02	-	-	·31	-	-	-	-	-	·02	21
22	-	-	Snow ·15	-	-	-	-	·06	-	·07	-	-	22
23	-	-	-	-	·16	·01	-	·08	-	·03	-	-	23
24	-	-	Snow ·15	-	-	·39	·13	·02	-	·11	·05	·05	24
25	-	-	-	-	-	-	-	-	-	-	·05	-	25
26	-	-	Snow ·01	-	-	·07	-	·46	·07	-	·28	Snow ·02	26
27	-	-	·03	-	-	-	·04	·31	-	-	·01	Snow ·02	27
28	-	-	Snow ·06	-	-	·12	-	·03	-	-	-	Snow ·03	28
29	-	X	-	-	-	·12	·01	-	-	·20	-	·06	29
30	Snow ·02	X	-	·06	-	-	·12	·17	-	-	-	·04	30
31	Snow ·02	X	-	X	-	X	·02	·05	X	-	X	-	31
Total	1·91	·60	1·23	1·26	1·15	1·16	·83	4·16	·89	2·45	1·22	·85	YEAR'S TOTAL 17·71
Rain Days.	17	8	15	13	6	10	7	20	9	15	13	11	144

W. 8,000, IX. 17.

1.69

Exd

36

FORM A.
BRITISH RAINFALL.

9. 1.

REGISTER OF RAINFALL IN 1918

~~Kept~~ Taken at Bardney

in the County of Lincolnshire

~~by~~ for The Great Northern Railway Co.

Lat. 53°12'20" Long. 0°20'0" W.

Time of Observation 9 a.m.

Nearest Railway Station At Bardney Ry. Station.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 6 in.

" " " " ~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	–	·04	–	–	–	–	·18	·03	·08	·12	1
2	–	–	–	·07	–	–	–	–	·03	–	–	·29	2
3	–	·21	·05	–	·28	–	–	·15	–	·01	·74	–	3
4	–	·03	–	–	–	–	·06	·13	·53	–	·25	·03	4
5	–	·04	·02	–	·14	–	–	·05	·02	–	–	–	5
6	–	–	–	·24	–	–	–	·50	–	·01	–	·02	6
7	–	·02	–	·09	–	·08	–	–	·02	·03	·09	–	7
8	–	–	–	–	–	–	·07	–	·15	–	–	·05	8
9	–	·25	–	·04	–	–	·11	–	·21	·49	–	·02	9
10	–	–	–	·08	–	–	·27	–	–	·03	–	·06	10
11	–	·02	–	·07	·37	–	·30	–	·02	·31	–	·11	11
12	Snow + rain ·12	·16	·02	–	·02	–	·08	–	·11	·03	–	·02	12
13	–	·02	–	–	·12	–	–	–	·05	–	–	–	13
14	–	–	–	·10	–	–	·15	–	·11	·06	–	·14	14
15	Snow ·11	–	–	·07	–	–	·11	–	·20	–	–	·11	15
16	Snow ·25	–	–	·06	–	–	–	–	·12	–	–	–	16
17	–	–	–	–	·37	·06	·50	–	·02	·03	–	·19	17
18	·15	–	–	Snow ·02	–	·01	·14	–	·50	–	–	·12	18
19	·05	–	·04	·02	–	–	–	–	–	·05	–	·46	19
20	·03	·10	–	–	–	·04	–	–	·01	–	–	–	20
21	·02	–	–	–	–	·05	–	–	·20	·05	–	–	21
22	·11	–	–	–	·02	–	–	–	·01	·01	–	36	22
23	·10	–	–	–	·67	–	·08	–	·02	–	–	–	23
24	–	·11	–	–	·03	–	·12	–	·01	·01	·08	–	24
25	–	–	–	–	–	–	·02	·17	–	–	·15	–	25
26	–	–	–	–	–	·50	·21	–	·05	·01	·11	–	26
27	–	–	–	–	–	–	·01	·32	·04	–	·10	·04	27
28	–	·20	·17	·02	–	·02	·07	–	–	–	·18	·26	28
29	–		–	–	–	·01	–	–	·28	–	–	·02	29
30	–	✕	·27	·02	–	–	–	–	·09	–	·05	·05	30
31	–	✕	·02	✕	–	✕	–	–	✕	–	✕	02	31
Total	·96 ✓	1·16 ✓	·59 ✓	·94 ✓	2·02 ✓	·77 ✓	2·30 ✓	1·32 ✓	2·98 ✓	1·16 ✓	1·83 ✓	2·49 ✓	YEAR'S TOTAL 18·52 ✓
Rain Days.	10 ✓	11 ✓	7 ✓	14 ✓	9 ✓	8 ✓	16 ✓	6 ✓	24 ✓	15 ✓	10 ✓	20 ✓	150 ✓

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Taken ~~Kept~~ at Bardney

in the County of Lincolnshire

by Arthur Burridge

Lat. 53° 12' 20" Long. 0° 20' 0 W

Time of Observation 9 a.m.

Nearest Railway Station At Bardney Ry. Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 6 in.

" " " " ~~Sea Level~~ Ordnance Datum 25.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	—	·05	—	·20	—	1·03	—	—	·05	·20	·15	1
2	·15	·07	—	—	·01	—	·40	—	·28	—	·11	·17	2
3	·40	—	·02	—	·01	—	·54	—	·13	—	·26	·01	3
4	·03	—	·35	—	—	·12	—	·03	·05	—	·03	·08	4
5	·01	·05	—	—	—	—	—	—	·51	—	—	·11	5
6	·01	—	·01	—	—	—	—	—	—	—	·02	·23	6
7	—	—	·07	—	·01	—	—	—	—	—	—	·01	7
8	·04	—	—	·13	—	—	—	—	—	—	·03	·02	8
9	—	—	—	—	—	—	—	—	—	—	·01	—	9
10	—	—	·11	·02	·10	—	—	—	—	—	Snow ·11	·11	10
11	—	—	·33	·01	·15	—	·20	—	—	—	Snow ·05	—	11
12	—	—	·15	—	—	·06	·10	—	—	—	—	—	12
13	·22	—	—	·20	—	—	—	—	·26	·10	Snow ·04	—	13
14	·36	—	—	·15	—	—	—	—	·15	—	Snow ·06	—	14
15	·65	—	·04	·28	—	—	—	—	—	—	Snow ·02	·19	15
16	—	Snow + rain ·80	—	·02	—	—	—	—	—	—	—	—	16
17	—	Snow ·20	—	—	·15	·09	—	—	—	—	·25	—	17
18	—	—	—	—	—	—	—	·08	—	—	—	·05	18
19	—	·12	·30	—	—	·02	·50	·52	·06	—	·06	·02	19
20	·37	·10	·12	—	—	·08	·42	·39	·03	—	—	·11	20
21	·28	·40	Snow ·05	—	—	—	·16	—	—	—	·01	·09	21
22	—	·14	Snow ·04	—	—	·02	·08	—	·52	—	·03	·39	22
23	—	—	—	—	—	·11	·02	·05	·06	·59	—	·02	23
24	·12	—	—	·12	·31	·29	—	—	—	·15	·02	—	24
25	·02	·04	—	·18	·06	·01	—	·58	—	—	—	·12	25
26	·12	—	·05	·03	—	—	—	·07	—	·01	·28	·38	26
27	—	·04	—	Snow ·26	—	—	—	—	—	·28	·02	—	27
28	Snow ·08	—	—	·05	—	—	—	·62	—	·30	—	·24	28
29	·10		—	—	—	·06	—	·18	—	·35	Snow ·20	·38	29
30	—		—	·20	—	·19	—	—	—	·05	·09	·21	30
31	—		—		—		·16	—		·25		·01	31
TOTAL	3·14	1·96	1·69	1·65	1·00	1·05	3·61	2·52	2·05	2·13	1·90	3·10	YEAR'S TOTAL 25·80
Days with ·01 in. or more	17	10	14	13	9	11	11	9	10	10	21	22	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

8 JAN 192

REGISTER OF RAINFALL IN 1920.

~~Kept~~ Taken at Bardney

in the County of Lincolnshire

by A. Burridge

Lat. 53°12′20″ Long. 0°20′0″W

Time of Observation 9 a.m.

Nearest Railway Station at Bardney Rly Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 6 in.

" " " " ~~Sea Level~~ Ordnance Datum 25·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·08	·36	–	·24	–	–	·40	·04	·01	1
2	–	–	–	·11	–	–	·01	–	·07	·08	–	·17	2
3	–	–	–	·18	–	·05	·30	–	·10	·03	–	·05	3
4	–	–	–	·15	–	–	·02	·50	·02	·18	–	–	4
5	–	–	·08 snow	–	·22	–	–	·16	·05	–	–	·06	5
6	–	–	·04 snow	–	·03	–	–	–	–	–	–	·10	6
7	·01	–	·06	·09	–	–	·20	–	–	–	–	·02	7
8	·01	·05	–	·35	–	–	–	–	–	–	·01	–	8
9	·15	·02	–	·45	–	–	–	·22	–	–	–	–	9
10	·11	·07	·07	·02	–	–	·01	·05	–	–	–	·05	10
11	·17	–	·02	·15	·09	–	–	·01	–	–	–	snow ·33	11
12	·02	–	·04	·17	–	–	–	·02	–	–	–	–	12
13	–	·03	·04	·30	–	·39	–	–	–	–	–	snow ·12	13
14	–	–	·37 snow & rain	·20	–	·20	·03	–	·38	–	·05	–	14
15	·01	·03	·92	·24	–	–	·01	–	·13	·05	·01	snow ·02	15
16	–	–	–	·01	·02	–	–	–	·18	·26	–	–	16
17	–	–	–	–	·05	–	–	–	·05	·01	–	·05	17
18	·05	–	–	–	–	–	·01	·03	·20	–	–	·02	18
19	·08	snow & rain ·92	–	·14	–	–	–	·15	·18	–	–	–	19
20	–	·23	–	·45	–	·40	·03	–	·01	–	·02	·01	20
21	–	–	–	·02	–	–	·10	·08	–	–	–	·02	21
22	·01	–	–	·12	–	–	–	–	·05	–	–	–	22
23	·01	–	–	–	–	–	·03	–	–	–	–	·22	23
24	–	–	·18	·04	–	–	–	–	–	–	–	·08	24
25	–	·06	·04	·07	–	·07	·59	–	–	–	–	–	25
26	·05	–	·02	·02	·20	–	·04	–	–	–	–	·01	26
27	·06	–	–	·09	·03	·43	–	–	–	–	·16	·15	27
28	·29	–	·05	·10	·10	–	·04	–	–	–	·02	·02	28
29	·03	–	·17	–	·53	·02	–	–	–	–	·05	·44	29
30	–		·02	·15	–	·01	–	–	·13	–	·06	·16	30
31	·10		–		–		–	–		·13		·30	31
Total	1·16	1·41	2·12	3·70	1·63	1·57	1·66	1·22	1·55	1·14	·42	2·41	YEAR'S TOTAL 19·99
Days with ·01 in. or more	16	8	15	24	10	8	15	9	13	8	9	22	157
Days with ·04 in. or more	8	5	12	20	7	6	7	6	11	6	5	14	108

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLNSHIRE

KIRMOND

BINBROOK WEST HSE

1911 –1920

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

911

Kept at Kirmon

in the County of Li

by Charles F

…p 5 in.

…bove Ground 1 ft. 2 in.

„ Sea Level 309 ft.

a.m.

Name Market Rasen

Distance 6 mile Direction W.

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and p … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, …

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13							.14		.10	.04	.04	1
2	.22		.01	.02	.05			.01		.01	.01	.05	2
3	.02	.05		.10	.06			.18		.11	.03		3
4	.11	.02		.18				.01	.07	.60		.32	4
5	.05	.01	.13	.08				.09		.12	.16	.11	5
6	.28		.05					.10		.10	.18	.13	6
7		.02	.01								.06	.23	7
8	.18		.25						.02		.04	.10	8
9			.06	.01							.01		9
10	.02	.28	.05	.03		.01					.13	.19	10
11	.45	.06			.02							.02	11
12	.16		.16		.04	.13			.60		.26	.01	12
13			.43			.30				.12	.02	.29	13
14		.12	.14		.34	.08	.03				.02	.38	14
15		.17	.37						.06	.02	.01 ~~.18~~	.08	15
16			.14			.10	.02				.18		16
17		.02	.05			.13	.02				.02	.12	17
18		.06				.20				.01	.45	.02	18
19		.02	.03	.02	.02	.12	.09	.05	.03	.07	.50	.02	19
20		.06		.11			.03	.55	.01	.01	.03	.40	20
21		.21						.10	.06	.10	.12	.05	21
22	.04	.01		1.05		2.75		.36		.12	.11	.15	22
23	.02	.07	.17		.01	.40			.43	.01	.02		23
24		.04	.08	1.09		.34				.45		.23	24
25			.02	.32		.34			.03	.01	.24	.17	25
26		.04		09 .06	.01					.23	.68	.26	26
27	.01	.11	.24	.19			.12	.59	.36	.07		.04	27
28		.11	.03	.36							.05	.15	28
29	.02		.02	.10		.10	.05		.50	.20	.02	.03	29
30			.01		.14	.11			.18	.20	.01		30
31			.07							.03		.04	31
Total	1.71	1.48	2.82	1.45	.69	5.61	.36	2.18	2.35	2.69	3.~~69~~70	3.63	TOTAL for year 28.97
No. of Rain Days	14	19	22	15	9	14	7	11	12	21	25	268	196

9,000, IX. '10.

REGISTER OF RAIN 911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Virmond

in the County of Linch 4

by Charles Fieldsend

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 309 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Market Rasen
Distance 6 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13							.14		.10	.04	.04	1
2	.22		.01	.02	.05			.01		.01	.01	.05	2
3	.02	.05		.10	.06			.18		.11	.03		3
4	.11	.02		.18				.01	.07	.60		.32	4
5	.05	.01	.13	.08				.09		.12	.16	.11	5
6	.28		.05					.10		.10	.18	.13	6
7		.02	.01								.06	.23	7
8	.18		.25						02		.04	.10	8
9			.06	.01							.01		9
10	.02	.28	.05	.03		.01					.13	.19	10
11	.45	.06			.02							.02	11
12	.16		.16		.04	.13			60		26	.01	12
13			.73			30				.12	.02	.29	13
14		.12	.14		.34	.08	.03				02	38	14
15		.17	.37						.06	.02	.01 ~~18~~	.08	15
16			.14			.10	.02				18		16
17		.02	.05			.13	02				.02	.12	17
18		.06				.20				.01	.75	.02	18
19		.02	.03	.02	.02	.12	.09	.05	.03	07	.50	.02	19
20		.06		.11			.03	.55	.01	.01	.03	.40	20
21		.21						.10	.06	10	.12	.05	21
22	.04	.01		105		.75		.36		.12	.11	.15	22
23	.02	.07	.17		.01	.40			.43	.01	.02		23
24		.04	.08	.09		.34				45		.23	24
25			.02	.32		.34			.03	.01	.24	.17	25
26		.04		09 .06	.01					.23	.68	.26	26
27	.01	.11	.24	.19			.12	.59	.36	07		.04	27
28		.11	.03	.36							.05	.15	28
29	.02		.02	.10		.10	.05		.50	20	.02	.03	29
30			.01		.14	.11			.18	.20	.01		30
31			.07							.03		.04	31
Total	1.71	1.48	2.82	1.45	.69	5.61	.36	2.18	2.35	2.69	3.~~79~~ 70	3.63	TOTAL for year 28.97
No. of Rain Days	14	19	22	15	9	14	7	11	12	21	26	268	196

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Kirmond

in the County of Lincoln 4

by Charles Fieldsend

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 309 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Market Rasen
Distance 6 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.06					.23	.03	.05	.01		.28	1
2	.01	.06		.01		.23	.79			.03		.02	2
3	.23	.02	.04		.03	.80		.40	.15	.03		.07	3
4	.07		.33		.03	.17		.40		.	.61	—	4
5		.02	.01		.01	.20		.03			.01		5
6	.78	.14	.01		.11	.02		.19	.12	.01			6
7	.03	.02			.02	.03	.18	.04	.13				7
8	.09	.10	.12	.04		.04	.02		.50			.06	8
9	.07	.15	.22	.13		.09			.02	.02		.05	9
10	.01		.03	.02		.19		.14	.20		.09		10
11	.12	.03	.01	.02					.02		.04	.77	11
12	.06	.30	.12		.02	.36	.28				1.10		12
13	.02	.04	.01		.01	.04		.04	.	.16	.59	.01	13
14	.01	.01	.45			.15		.15	.01		.03	.05	14
15	~~.06~~	.01	.40		.50	.20		.01					15
16	.06		.15		.15	.27		.11		.27			16
17	.10		.20		.01	.26		.15				.09	17
18	.12		.09			.03	.05	.01		.11		.05	18
19	.31	.22	.05			.09	.30	.31	.04	.08	.02	.01	19
20	.11	.05	.01		.21	.03	.26	.02		.20			20
21	.02		.31		.54		.30			.01	.04		21
22		.07	.02		.86	.04	.33	.21				.31	22
23	.06	.02	.10		.15	.04	.52	.41			.38	.02	23
24	.26		.05			.13	.11	.01				.10	24
25	.09		.01			.39	.13	.03			.13	.17	25
26	.03	.02	.10			.11	.10	1.75		.60	.19	.26	26
27						.05	.22	.01		.50 X.		.10	27
28				.03	.20	.06		.33		.17	1.00	.45	28
29		.01	.01		.01		.21		.77	.30	.21		29
30	.05		.02		.02				.17	.12		—	30
31			.18		.09		.45	.30		.05		.04	31
Total	2.72	1.35	3.08	.25	2.97	4.05	4.48	5.08	2.18	2.67	4.46	2.91	TOTAL for year 36.20
No. of Rain Days.	24	19	26	6	18	25	17	23	12	17	14	19	220

W. 8,000, X. '11.

Ex 7/2

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Kirmond
in the County of Lincoln
by Charles Fieldsend

4

Lat. 53° 25′ Long. 0° 12′
Time of Observation 9 a.m.
Nearest Railway Station Market Rasen
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10	.02				.70				1
2	.01	.02	.18	.10	.02						.07		2
3		.01	.16		.27		.08		.02	.04		.08	3
4	.02	.12	.01	.01			.04		.13		.38	.19	4
5	.02		.02			.05	.01		.02	.83	.04		5
6		.01	.03	.01	.35	.09		.03		1.00	.02		6
7	.01	.02			.01		.02			.55		.01	7
8					.57	.15			.04	.24	.07	.01	8
9		.33	.08	.03	.10	.06	~~.30~~	.10			13	.05	9
10		.12	.03	.06	.01		.32			.02	47		10
11	.17			.23		06							11
12						.05	.01			.01	.19		12
13	.07	.02	.01	.04			.01		.01		.34		13
14	.02	.03	.33	.02			.01	.09		.06	.05		14
15	.16		.21	.12					.05		.10	.01	15
16	.03	.02	.30	.11					.06		.10		16
17	.03	.04	.34	.20		.08	.03		.01		.02	.02	17
18			.12	.11	.37	.01			.01			.07	18
19	.10		.03					.01		.01		.01	19
20	.21		.03	.01					.05	.45	.04	~~.03~~	20
21	.15		.06		.10		.19	.02			.16		21
22	.01		.12		.01		.09	.82	06	.03			22
23	.72					.06	.12	.06	.06		.02		23
24	.04			.05		.16	.01	.04			.02		24
25				.13						.02	.01	.03	25
26		.17	.03	.01	.01	.01			01	.46	.10	.20	26
27	.01	.06				.11				.01	.02		27
28	.13	.01	.13	.20						.02		.07	28
29	.08	x	.12	.28				.06				.20	29
30	.20		.01							.03	.05	.01	30
31					.01								31
Total	2.30	.78	2.35	1.84	1.85	.89	.94	1.23	1.27	3.80	242	.96	YEAR'S TOTAL 20.63
Rain Days.	20	14	21	19	13	.12	13	9	14	16	21	14	186

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Kirmond
in the County of Lincs 4
by Charles Fieldsend

Lat. 53° 25' Long. 0° 12'
Time of Observation 9 a.m.
Nearest Railway Station Market Rasen
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02				1.17	.26		.02		.01	1
2			.01				.07	.20		.01	.22	.02	2
3			.21		.14		.08	.04			.02	.04	3
4	.10		.11	.03	.14						.22	.14	4
5	.01		.22	.22	.43	.02	.04	.14		.01	.01	.04	5
6		.06		.04	.10		.14	.01			.01	.06	6
7		.15	.25	.04	.29	.28			.01		.01	.19	7
8	.43			.04	.09	.66			.01				8
9	.33	.01	.01	.04	.01	.76		.12	.02			.01	9
10	.39	.04		.05	.01				.07			.03	10
11		.01	.30	.26	.12	.09			.20	.01	.25	.29	11
12	.05		.01			.01	.05		}		.01	.56	12
13	.05	.02	.11				.54		.17		.14	.33	13
14	.02						.05			.22	.20	.22	14
15	.07		.14			.01				.01	.40	.90	15
16	.07	.03	.08				.05		.10		.09		16
17	.03		.01						.23		.01	.13	17
18	.01		.04								.04	.33	18
19	.01		.06				.12				.12	.12	19
20	.02	.02	.34			.02			.04	.13		.03	20
21	.01	.15	.16			.01		.30	.01	.07	.03	.08	21
22			.02	.04	1.50		.26			.11		.04	22
23		.09	.03	.04	.15	.17	.10	.07				.09	23
24		.02	.05	.09	.05		.01	.02			.34		24
25		.05						.04		.48	.02	.07	25
26			.01				.10			.19	.16	.10	26
27	.01	.01	.03				.01	.47			.01	.40	27
28	.01	.02								.16	.04	1.28	28
29	.05		.17	.01	.03					.95			29
30	.01		.01					.02		.01	.25	.12	30
31					.01		.41			.06		.13	31
Total	1.68	.68	2.44	.92	3.07	2.03	3.20	1.69	.86	2.64	2.60	5.78	YEAR'S TOTAL 27.59
Rain Days.	19	14	24	12	14	10	16	12	10	15	22	27	195

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Kirmond

in the County of Lincolnshire 4

by Annie E. Haywood

Lat. 53° 25' Long. 0° 12'

Time of Observation 9 a.m.

Nearest Railway Station Market Rasen

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				1·17	·26		·02		·01	1
2			·01				·07	·20		·01	·22	·02	2
3			·21		·14		·08	·04			·02	·04	3
4	·10		·11	·03	·14						·22	·14	4
5	·01		·22	·22	·43	·02	·04	·14		·01	·01	·04	5
6		·06		·04	·10		·14	·01			·01	·06	6
7		·15	·25	·04	·29	·28			·01		·01	·19	7
8	·43			·04	·09	·66			·01				8
9	·33	·01	·01	·04	·01	·76		·12	·02			·01	9
10	·39	·04		·05	·01				·07			·03	10
11		·01	·30	·28	·12	·09			·20	·01	·25	·29	11
12	·05		·01			·01	·05				·01	·58	12
13	·05	·02	·11				·54		·17		·14	·33	13
14	·02						·05			·22	·20	·22	14
15	·07		·14			·01				·01	·40	·90	15
16	·07	·03	·08				·05		·10		·09		16
17	·03		·01						·23		·01	·13	17
18	·01		·04								·04	·33	18
19	·01		·06				·12				·12	·12	19
20	·02	·02	·34			·02			·04	·13		·03	20
21	·01	·15	·18			·01		·30	·01	·07	·03	·08	21
22			·02	·04	1·50		·26			·11		·04	22
23		·09	·05	·04	·15	·17	·10	·07				·09	23
24		·02	·05	·09	·05		·01	·02			·34		24
25		·05						·04		·68	·02	·07	25
26			·01				·10	·47		·19	·16	·10	26
27	·01	·01	·03				·01				·01	·40	27
28	·01	·02								·16	·04	1·28	28
29	·05		·17	·01	·03					·95			29
30	·01		·01					·02		·01	·25	·12	30
31					·01		·41			·06		·13	31
Total	1·68	·68	2·44	·92	3·07	2·03	3·20	1·69	·86	2·64	2·60	5·78	YEAR'S TOTAL 27·59
Rain Days.	19	14	24	12	14	10	16	12	10	15	22	27	195

W.7,000, XI. 13

10

ex 1093

2708

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at Kirmond

in the County of Lincoln

by Charles Fretwell

Lat. 53° 25′ Long. 0° 12′

Time of Observation 9 a.m.

Nearest Railway Station Market Rasen

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12	.14	.01		.86			.17	.16		.19	.04	1
2	.01	.03	.18		.01	.02	.01	.47	.50		.06		2
3	.40		.10	.12			1.00	.01	.07	.04	.16	.27	3
4	.16		.02	.08			.56	.03			.05	1.00	4
5	.04	.03			.18			.16		.05	.20	.27	5
6	.07	.23	.11	.03 3	.10		.86	.21				.04	6
7	.48	.40	.20				.95	.40			.05	.26	7
8	.02	.01	.01				.02			.02	.03		8
9		.10		.01			.03	.01		.01	.04	.23	9
10	.26		.01				.02	1.12		.03		.01	10
11	.03		.01		.44		.18				.19	.13	11
12	.09			.33	.13		.50	.30		.13	1.25		12
13	.01	.50			.13						.03	~~.26~~	13
14	.01	.45			.11		.01	.64		.05		.26	14
15	.47						.01	.46		.02	.30	.07	15
16	.01	.19			.02		.68	.02				.02	16
17	.19	.10	.01				.18					.02	17
18		.10	.19								.10	.03	18
19			.03				.11			.03			19
20	.15									.02		.54	20
21	.12	.04					.20					.04	21
22	.19		.08	.04	.04		.06			.01	.03	.16	22
23	.03	.08	.03				.76		.09		.05	.03	23
24	.02		.15			.06	.04		.32	.02		.23	24
25	.02		.02	.01		.25				.22		.15	25
26	.02	.09	.02	.02		.06	.02		.02	.04	.02	.35	26
27	.02	.10				.02	.05			.50	.01	.07	27
28	.02	.15	.09					.20		.25		.01	28
29	.01				.07			.05	.04		.22	.21	29
30		X		.03	.03		.01	.02			.01	.08	30
31	.48	X	~~1.27~~	X		X		.14	X	.16	X	.07	31
Total	3.45	2.74	1.27	.67	2.12	.41	6.26	4.51	1.20	1.70	2.99	4.59	YEAR'S TOTAL 31.91
Rain Days.	~~196~~ 27	17	18	9	12	5	22	17	7	17	19	26	196

W. 8,000. X. 14.

2708

FORM A.
BRITISH RAINFALL.
10. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kirmond.

in the County of Lincoln.

by ~~Chas~~ Annie E. Haywood.

Lat. 53°25′ Long. 0° 12′

Time of Observation 9 a.m.

Nearest Railway Station Market Rasen.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·14	·01		·86			·17	·16		·19	·04	1
2	·01	·03	·18		·01	·02	·01	·47	·50		·06		2
3	·40		·10	·12			1·00	·01	·07	·04	·16	·27	3
4	·16		·02	·08			·56	·03			·05	1·00	4
5	·04	·03			·18		~~86~~	·16		·05	·20	·27	5
6	·07	·23	·11	·03	·10		·86	·21				·04	6
7	·48	·40	·20				·95	·40			·05	·26	7
8	·02	·01	·01				·02			·02	·03		8
9		·10		·01			·03	·01		·01	·04	·23	9
10	·26		·01				·02	1·12		·03		·01	10
11	·03		·01		·44		·18				·19	·13	11
12	·09			·03	·13		·50	·30		·13	1·25		12
13	·01	·50			·13						·03		13
14	·01	·45			·11		·01	·64		·05		·26	14
15	·47						·01	·46		·02	·30	·07	15
16	·01	·19			·02		·68	·02				·02	16
17	·19	·10	·01				·18					·02	17
18		·10	·19								·10	·03	18
19			·03				·11			·03			19
20	·15									·02		·54	20
21	·12	·04					·20					·04	21
22	·19		·08	·04	·04		·06			·01	·63	·16	22
23	·03	·08	·03				·76		·09		·05	·03	23
24	·02		·15			·06	·04		·32	·02		·23	24
25	·02		·02	·01		·25				·22		·15	25
26	·02	·09	·02	·02		·06	·02		·02	·04	·02	·35	26
27	·02	·10				·02	·05			·50	·01	·07	27
28	·02	·15	·09					·20		·25		·01	28
29	·01				·07			·05	·04		·22	·21	29
30		✕		·03	·03		·01	·02			·01	·08	30
31	·48	✕		✕		✕		·24	✕	·26	✕	·07	31
Total	3·45	2·74	1·27	·67	2·12	·41	6·26	4·51	1·20	1·70	2·99	4·59	YEAR'S TOTAL 31·91
Rain Days.	196 27	17	18	9	12	5	22	17	7	17	19	26	196

W. 8,000. X. 14.

2642

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Kirmond

in the County of Lincoln

by Charles Fieldsend

Lat. 53° 25′ Long. 0° 12′

Time of Observation 9 a. m.

Nearest Railway Station Market Rasen

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.13			.22	.16				.24		1
2	.09	.12	.35		.63		.01		.10	.07	.12 ~~.24~~		2
3	.01	.07	.04	.02			.01	·01	42	.13	.01		3
4	.20		.02	.02	.34	.71			32	.30	.30	.01	4
5	.06		.10		.04	.44				.20	.02	.28	5
6	.05	.36	.34		.10	.01	.13				.36		6
7			.44	.13	.34		.24			.10	.10	.17	7
8			.13		.17					.03	.01	.13	8
9			.15		.85	.25			.08		.02	.22	9
10		.03	.10	.12		.35	.04		.30	.01	.01	.04	10
11	.09	.54	.30	.12	.02	.36	.07		.01			.04	11
12	.03	.04	.28	.04	.21	.48	.22		.01	.01		.32	12
13		.05	.08		.35	.02	.03	·07		.07		.03	13
14		.08	.02	.01	.20	.01	.02	·08				.01	14
15		.20	.47	.03				·12	.12	.12			15
16		.05	.06	.28	.01		.09	·15		.16		.05	16
17	.03		.01	.60			.17	·10	.32	.10	.03	.04	17
18		.13	.01	.24				·57	.15	.19	1.00		18
19	.10	.02	.06	.07				·07	.19	.01	.41	.07	19
20	.04		.25			.01		·30	.01		.04		20
21		.07	.31	.21			.13				.02	.54	21
22	.04	.09	.02	.02	.01	.08				.05	.01	.28	22
23		.07				.08	.02	·02			.08	.44	23
24		.53		.03				·23		.10	.01	.28	24
25		.16	.15		.02			·13		.27	.20	.08	25
26	.01	.13	.01			.01				.01	.02		26
27		.10	.47						.01	.06			27
28		.31	.40	.01	.02	.05		·07	.01	.01	.01	.12	28
29		.08				.70		·82		.10		.25	29
30		X			.01	.02		.16		.14		.01	30
31	.01	X		X		X	.01	.07	X	.01	X	.03	31
Total	.81	3.23	4.70	1.65	3.32	3.80	1.35	2.97	2.05	2.25	3.02	3.44	YEAR'S TOTAL 32.89
Rain Days.	14	21	26	16	16	17	15	16	14	23	21	22	221

W. 8,000. X. 15.

2570

7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Kirmond

in the County of Lincoln

by Charles Sutherland

Lat. 53° 25′ Long. 0° 12′

Time of Observation 9 a.m.

Nearest Railway Station Market Rasen

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02		.03				1.38	.16		.04	.01	1
2	.10		.01	.05		.04		.37	.02	.01	.03		2
3	.01	.06		.02		.07		.57		.14			3
4		.05	.05							.43			4
5	.12		.03	.17				.01		.01	.10		5
6						.01			.03		.03		6
7	.45		.07			.34				.56			7
8	.51		.01	.21				.94		.63	.16		8
9	.14		.02	.14				.05			.16	.05	9
10	.16		.45	.03	.31			.05	.09	.07	.09		10
11	.04	.02		.43				.10		.32			11
12	.25			.05	.17			.13		.12	.01	.01	12
13	.08			.01		.03	.01	.18	.19	.03	.01	.01	13
14	.40	.01	.01	.15				.01				.04	14
15	.10			.05	.02		.05	.78		.05	.01		15
16	.25	.27	.01	.25			.03	.01		.51		.50	16
17	.03	.02	.06	.16	.54		.01	.18	.02	.09		.14	17
18	.07			.06	.04		.57	.01	.46	.01			18
19	.10	.07	.21	.01	.01		.06		.04				19
20	.01	.22	.08			.25			.23		.54	.04	20
21		.09	.10	.01	.02	.22			.01		.05		21
22	.02	.01	.24					.11		.09			22
23	.01	.02			.16	.02		.08		.01		.02	23
24					.05	.35	.10	.04		.33	.15	.02	24
25		.02	.05				.01			.01	.05	.16	25
26			.15			.05		.56	.16		.25	.16	26
27			.02			.05	.10	.50				.03	27
28		.02	.09			.39		.25		.01		.26	28
29						.08	.01	.01		.17		.15	29
30	.09	X	.03				.17	.06					30
31	.04	X	.15	X	~~1.32~~	X	.02	.06	X	.01	X	.08	31
													YEAR'S TOTAL
Total	2.98	.90	1.64	1.83	1.32	1.90	1.14	6.44	1.41	3.11	1.68	1.68	26.23
Rain Days.	21	14	20	17	9	13	12	24	11	21	15	16	173

2.52.

Excd 92

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7.1.19

Kept at Kirmond
in the County of Lincoln
by Charles Treadwell

Lat. 53° 25' Long. 0° 12'
Time of Observation 9 a.m.
Nearest Railway Station Market Rasen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.02	.01					.36	.03	·06	.05	1
2	.03	.10	.01	.12				.13	.11	.03		.47	2
3	.09	.02	.06		.17			.20		.01	·78		3
4		.02	.06		.12		.01	.12	.42	.01	·17	.08	4
5			.02	.03	.04			.62	.03	.05			5
6		.11		.20	.01	.04						.02	6
7	.09	.03		.11		.15			.01	.08	·05		7
8		.02	.02	.02			.02		.48		·05	.09	8
9	.11	.40		.04		.05	.05		.30	·34		.01	9
10	.06	.04		.04			.13			·06	·01	.04	10
11	.09	.19		.05	.45		.13		.03	·31		.15	11
12	.01	.22	.05	.07	.04		.33	.01	.04	·06		.04	12
13		.03		.05	.20								13
14	.19	.01		.13		.08	.11		.45	·02	·02	.14	14
15	.20		.01	.20		.01	.09		.25			.30	15
16	.01			.45			.01	.01	.17			.08	16
17	.16			.01	.05		.45	.01	.11	·12		.18	17
18	.29			.13		.01	.14		.53			.47	18
19	.10	.04	.06	.20		.01	.01	.05		·12		.70	19
20	.09	.10				.06	.09			·13			20
21	.02				.06	.09			.27	·04			21
22	.12		.01	.02	.08	.01	.01			·05		.37	22
23	.14				1.34	.01	.26		.01		·04		23
24	.01	.15		.01	.05		.02		.05	.04	·05		24
25						.17	.10	.22			·05	.01	25
26							1.13	.08	.15		·06	.03	26
27						.14	.01	.42	.10	·01	·10	.06	27
28		.22	.16					.01	.02		·04	.40	28
29	.01								.43		·01	.12	29
30		X	.20	.01					.05		·04	.30	30
31	.02	X	.10	X		X		.05	X		X	.03	31
Total	1.85	1.70	.78	1.96	2.61	.83	3.10	1.93	4.37	1·51	1·53	4.14	YEAR'S TOTAL 26.31
Rain Days.	21	16	13	20	12	13	19	13	22	18	15	23	205

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

5 JAN 20

Kept at Kirmond

in the County of Lincoln

by Charles Fieldend

Lat. 53° 25′ Long. 0° 12′

Time of Observation 9 a.m.

Nearest Railway Station Market Rasen

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	.04	.04		.24		1.00		02	.06	11	.12	1
2	.11	.05					.49		.18		.20	.15	2
3	.56		.01		.01		.81		.10		.39	.01	3
4	.01		.50			.09		.06	.07		.10	.01	4
5	.25	.06	.01		.15				.46	.07	.02	.25	5
6	.03		.06								.10	.30	6
7			.10										7
8	.04			.13						.03	.07	.11	8
9			.01							.02	.10		9
10			.20	.03							.29	.06	10
11			1.10	.07	.04		.28				.13	.01	11
12	.03		.80	.04		.11	.06		.35	.10	.01		12
13	.12		.01	.07			.06		.20	.12	16		13
14	.40		.01	.15			.01	.01	.02	.03	.13		14
15	.50	.05	.01	.26				.01			.10	.18	15
16		1.10	.01	.08							.04		16
17		.83		.02	.01	.16		.04			.25	.02	17
18		.02			.01			.16	.01			.06	18
19		.14	.14	.01		.08	.34	.53	.07		.16		19
20	.22	.17	.12			.08	.20	.38	.11		.01	.05	20
21	.19	.46	.16			.05	.14		.02		.02	30	21
22		.09	.02				.06		.49		.02	.48	22
23		.06	.03	.03		.05	.02		.01	.46		.01	23
24			.02	.03	.23	.07				.12	.02	.05	24
25	.10	.03		.10	.02	.14		.50			.02	.02	25
26	.08	.03	.09	.10				.44	06	.13		.40	26
27	.06	.10		.43		.01				.86	.07	.05	27
28	.03		.01	.04			.11	.90		.56		.21	28
29	.13					.06		.22		.71	.18	.08	29
30	.10	X	.03	.29		.15				.15	.02	.25	30
31	.10	X	.03	X		X	.12		X	.21	X	.03	31
Total	3.19	3.23	3.49	1.88	.71	1.05	3.70	3.25	2.17	3.63	2.42	3.21	YEAR'S TOTAL 32.23
Rain Days.	20.	15.	24.	17.	8.	12.	14.	11.	15.	15.	25.	24.	200

W. 8,000, IX. 17.

Exd WMD

5 JAN 1921

2260

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Kirmond

in the County of Lincs

by Charles Fieldsend

Lat. 53° 25′ Long. 0° 12′

Time of Observation 9 a.m.

Nearest Railway Station Market Rasen

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.09	.22		.31	.01	~~.07~~	1.30		.01	1
2			.03	.13			.09		.07	.03		.08	2
3		.01		.16		.05	.17		.09	.06		.03	3
4				.40	.07		.20	.53	.01	.12		.02	4
5		.01	.02	.05	.54		.32	.13	.04			.11	5
6			.09	.04	.12		.28	.01			.01	.11	6
7	.01		.04	.08			.22					.09	7
8	.01	.08		.45	.05		.01	.01			.03		8
9	.23	.03		.50			.03	.27	.01				9
10	.20	.09	.06	.08			.04					.12	10
11	.18	.03		.20	.03							.20	11
12	.01		.07	.18			.02				.02	.17	12
13	.02	.06	.10	.16		.42			.03			.11	13
14		.01	.40	.30		.11	.03		.48	.11	.06	.02	14
15		.05	1.45	.08			.08		.13	.37		.04	15
16				.02	.03		.01		.02	.02		.09	16
17					.13		.03		.41	.01		.05	17
18	.20				.22	.45		.01	.12			.02	18
19	.10	1.65		.21		.01	.01	.55	.01				19
20	.12	.33		.23		.49	.02		.01			.02	20
21		.01		.25			.34	.10	.01				21
22	.03			.12			.01	.02	.12				22
23							.08		.01		.04	.35	23
24	.05	.03	.10	.04			.07	.01		.03		.04	24
25		.03	.01	.07		.03	.63						25
26	.07	.01	.02	.14	.15	.01	.04					.01	26
27	.05	.14		.24	.29	.26					.08	.13	27
28	.52		.16	.14	.05		.02				.02	.04	28
29	.04		.28		1.82		.03				.01	.40	29
30	.01	✕		.21	.04	.04	.01		.12		.06	.21	30
31	.29	✕		✕		✕	.55		✕	.09	✕	.11	31
Total	2.14	2.57	2.83	4.60	3.78	1.67	3.65	1.65	1.69	2.14	.33	2.58	YEAR'S TOTAL 29.83
Days with ·01 in. or more	18	16	14	26	14	10	27	11	17	10	9	25	~~196~~ 197
	10	7	10	25	12	7	15	5	9	8	4	18	130

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~LINCOLN~~

BISCATHORPE

1911 – 1912

REGIST

FORM A2.
BRITISH RAINFALL.
- 4 JUL 1912

Kept at Biscathorpe

in the County of Lincoln

by R. Fieldsend

in.

und ft. in.

Level 317 ft.

me Donington-on-Bain

tance 2 miles Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·01	·06	–	·02	·05	·09	1
2							·04	–	–	–	·06	·12	2
3							–	·23	–	·13	·06	·02	3
4							–	–	·07	·41	·26	·21	4
5							–	·11	–	·10	–	·22	5
6							–	·10	–	·08	·16	·25	6
7							–	–	–	–	·06	·26	7
8							–	–	·02	·02	·02	-11	8
9							–	–	–	·01	–	–	9
10							–	–	–	·01	·05	·29	10
11							–	–	–	–	·26	–	11
12							–	–	·42	–	·06	·02	12
13							–	–	–	·05	·02	·33	13
14							·01	–	–	–	·05	·25	14
15							–	–	·10	·05	·03	·08	15
16							–	–	–	·01	·21	·12	16
17							–	–	–	–	·03	·11	17
18							–	–	–	–	·44	·03	18
19							·09	·14	–	·07	·41	·03	19
20							·02	·56	·05	–	·04	·35	20
21							–	·09	–	·10	·08	·05	21
22							–	·16	–	·37	·19	·21	22
23							–	–	·47	–	·04	·07	23
24							–	–	–	·46	–	·11	24
25							–	–	·02	–	·13	·13	25
26							–	–	–	·23	·58	·22	26
27							·16	·46	·30	·11	–	·05	27
28							–	·02	–	–	·08	·11	28
29							·06	–	·41	·39	·02	·04	29
30							–	–	·25	·21	–	·02	30
31							–	–		·02		·02	31
Total							·39 ✓	1·93 ✓	2·11 ✓	2·85 ✓	3·39 ✓	3·92 ✓	TOTAL for year
No. of Rain Days.							7 ✓	10 ✓	10 ✓	20 ✓	25 ✓	29 ✓	

W. 8,000, X. '11.

✓

REGIST

FORM A2.
BRITISH RAINFALL.
-4 JUL 1912

Kept at Biscathorpe
in the County of Lincoln
by R. Fieldsend

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 317 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Donington-on-Bain
Distance 2 miles Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·01	·06	–	·02	·05	·09	1
2							·04	–	–	–	·06	·12	2
3							–	·23	–	·13	·06	·02	3
4							–	–	·07	·41	·26	·21	4
5							–	·11	–	·10	–	·22	5
6							–	·10	–	·08	·16	·25	6
7							–	–	–	–	·06	·26	7
8							–	–	·02	·02	·02	·11	8
9							–	–	–	·01	–	–	9
10							–	–	–	·01	·05	·29	10
11							–	–	–	–	·26	–	11
12							–	–	·42	–	·06	·02	12
13							–	–	–	·05	·02	·33	13
14							·01	–	–	–	·05	·25	14
15							–	–	·10	·05	·03	·08	15
16							–	–	–	·01	·21	·12	16
17							–	–	–	–	·03	·11	17
18							–	–	–	–	·44	·03	18
19							·09	·14	–	·07	·41	·03	19
20							·02	·56	·05	–	·04	·35	20
21							–	·09	–	·10	·08	·05	21
22							–	·16	–	·37	·19	·21	22
23							–	–	·47	–	·04	·07	23
24							–	–	–	·46	–	·11	24
25							–	–	·02	–	·13	·13	25
26							–	–	–	·23	·58	·22	26
27							·16	·46	·30	·11	–	·05	27
28							–	·02	–	–	·08	·11	28
29							·06	–	·41	·39	·02	·04	29
30							–	–	·25	·21	–	·02	30
31							–	–		·02		·02	31
Total							·39 ✓	1·93 ✓	2·11 ✓	2·85 ✓	3·39 ✓	3·92 ✓	TOTAL for year
No. of Rain Days.							7 ✓	10 ✓	10 ✓	20 ✓	25 ✓	29 ✓	

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. H

Kept at Biscathorpe

in the County of Lincoln 3

by R. S. Fieldsend

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station Donington-on-Bain

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 3 in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	—	—	·27	·55	·03	·15	·02	—	·45	1
2	—	·03	·02	—	·02	·04	·68	—	—	·05	—	—	2
3	·26	·02	·03	—	·05	·91	—	·20	·13	·06	—	·11	3
4	·08	—	·40	—	·05	·22	—	·24	—	—	·57	—	4
5	·02	·03	—	—	·02	·42	—	·02	—	—	·05	—	5
6	·62	·20	—	—	·07	·01	·24	·29	·16	—	—	·05	6
7	·08	—	·01	—	·02	·12	—	·22	·18	—	—	·01	7
8	·19	·14	·15	·05	—	·05	·03	—	·31	—	—	·05	8
9	·01	·12	·14	·12	—	·19	—	—	·02	—	—	·10	9
10	·01	—	·03	·07	—	·31	—	·23	·19	·01	·09	—	10
11	·12	·03	·03	—	·03	·01	—	·01	·04	·01	·08	·57	11
12	·12	·30	·12	—	—	·23	·05	·02	—	—	·96	—	12
13	·05	·08	·01	—	—	·02	—	·01	—	·12	·59	·01	13
14	·06	—	·36	—	—	·15	—	·13	·02	·01	·04	·03	14
15	—	·02	·34	—	·43	·50	—	—	—	—	·01	—	15
16	·09	—	·17	—	·12	·10	—	·12	—	·21	·01	—	16
17	·09	—	·23	—	—	·29	—	·21	—	·01	—	·11	17
18	·14	·01	·10	—	—	·03	·06	·05	—	·11	·02	·07	18
19	·30	·25	·01	—	—	·03	·17	·28	·07	·03	·03	·02	19
20	·10	·03	·01	—	·22	·02	·35	·04	—	·20	—	—	20
21	·01	—	·27	—	·42	—	·07	—	—	·02	·06	·01	21
22	—	·10	·01	—	·74	·04	·50	·11	—	·03	—	·26	22
23	·02	·05	·11	—	·05	·03	·32	·50	—	—	·87	·03	23
24	·30	—	·05	—	—	·19	·11	·04	—	·02	·01	·11	24
25	·04	·01	—	—	—	·31	·14	·05	—	·02	·13	·19	25
26	·01	·07	·11	—	—	·06	·07	1·84	—	·47	·10	·20	26
27	—	—	—	—	—	·06	·18	·02	—	·76	—	·15	27
28	—	—	—	—	·15	·07	·06	·41	—	·27	·77	·41	28
29	—	·02	·08	·01	—	—	·16	—	·66	·27	·21	—	29
30	·05		—	—	·04	—	—	—	·17	·09	—	—	30
31	—		·26		·06		·49	·25		·07		·01	31
Total	2·77	1·54	3·05	·25	2·49	4·68	4·23	5·32	2·10	2·86	4·10	2·95	YEAR'S TOTAL 36·34
Rain Days.	23	19	24	4	16	27	18	24	12	22	18	21	228

W. 7,500, XI. ·12

R 1911

LINCOLN

BOSTON.

1911 – 1916

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at BO

in the County of L

by BOROUGH

GLAISHER'S

of top 8 in.

top above Ground 1 ft. – in.

„ „ Sea Level 10 ft. O.D.

n 9 A.M

tation Name G.N.R.

Distance 250 yds Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	–	–	–	–	–	·01	·08	–	–	·05	·03	1
2	·25	–	–	–	·06	·03	–	–	–	–	·02	·05	2
3	·02	·05	–	·06	·07	–	–	·16	–	–	·03	·01	3
4	·10	·02	·10	·09	–	–	–	–	·10	·58	·07	·28	4
5	·03	–	–	·03	–	–	–	·04	–	·12	–	·17	5
6	·35	–	·02	–	–	–	–	·04	–	·09	·07	·28	6
7	·01	–	–	–	–	–	–	–	–	–	·14	·27	7
8	·27	–	·12	–	–	–	–	–	·01	–	·09	·09	8
9	·04	–	·05	·04	–	–	–	–	–	·01	·26	·01	9
10	–	·04	·08	–	–	–	–	–	–	–	·04	·25	10
11	·21	·03	–	–	–	–	–	–	–	–	·30	–	11
12	·20	–	·32	–	–	–	–	–	·36	–	·05	·01	12
13	·02	–	·46	–	–	·15	–	–	·11	·04	·02	·39	13
14	–	·03	·08	–	·47	·06	·01	–	–	–	·01	·41	14
15	–	·06	·17	–	–	–	–	–	–	·01	·09	·03	15
16	–		·07	–	–	·05	–	–	–	–	·19	·11	16
17	–		·01	–	–	·01	–	–	–	–	·11	·10	17
18	–	·12	·01	–	–	·13	–	–	–	–	·34	·10	18
19	–	·04	–	–	·03	·25	·02	·01	–	·03	·15	·02	19
20	–	·03	–	·05	–	·01	·06	1·43	·36	·03	·01	·33	20
21	·02	·36	–	–	–	·01	–	·73	·01	·02	·03	·03	21
22	·03	–	·01	–	–	·02	–	·11	–	·39	·03	·19	22
23	–	·03	·29	–	·01	1·20	–	·03	·56	–	·01	–	23
24	–	·11	·04	·03	–	·84	–	·01	–	·54	–	·20	24
25	–	·08	·02	·11	·03	·05	–	·17	–	–	·05	·07	25
26	–	–	–	·10	–	–	–	[illegible]	–	·30	·41	·34	26
27	–	·11	·09	·05	–	–	–	·10	·22	·06	–	·05	27
28	–	·13	–	·22	–	·08	–	·12	–	·05	·05	·11	28
29	–	–	·01	–	–	·05	·02	–	·32	·27	·01	·03	29
30	–	–	·01	–	·21	·02	–	–	·14	·07	·01	–	30
31	–	–	·02	–	·02	–	–	–	–	–	–	·02	31
Total	1·69	1·24	1·98	·78	·90	2·96	·12	3·03	2·19	2·61	2·64	3·98	TOTAL for year
No. of Rain Days.	14	15	20	10	8	16	5	13	10	16	27	28	24·12 Rai 182 Days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

R [redacted] 1911

Kept at BOSTON

in the County of LINCOLNSHIRE 3

by BOROUGH SURVEYOR

RAIN GAUGE
Pattern GLAISHER'S
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 10 ft. O.D.

Time of Observation 9 A.M.

Nearest Railway Station
Name G.N.R.
Distance 250 yds Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	–	–	–	–	–	·01	·08	–	–	·05	·03	1
2	·25	–	–	–	·06	·03	–	–	–	–	·02	·05	2
3	·02	·05	–	·06	·07	–	–	·16	–	–	·03	·01	3
4	·10	·02	·10	·09	–	–	–	–	·10	·58	·07	·28	4
5	·03	–	–	·03	–	–	–	·04	–	·12	–	·17	5
6	·35	–	·02	–	–	–	–	·04	–	·09	·07	·28	6
7	·01	–	–	–	–	–	–	–	–	–	·14	·27	7
8	·27	–	·12	–	–	–	–	–	·01	–	·09	·09	8
9	·04	–	·05	·04	–	–	–	–	–	·01	·26	·01	9
10	–	·04	·08	–	–	–	–	–	–	–	·04	·25	10
11	·21	·03	–	–	–	–	–	–	–	–	·30	–	11
12	·20	–	·32	–	–	–	–	–	·36	–	·05	·01	12
13	·02	–	·46	–	–	·15	–	–	·11	·04	·02	·39	13
14	–	·03	·08	–	·47	·06	·01	–	–	–	·01	·41	14
15	–	·06	·17	–	–	–	–	–	–	·01	·09	·03	15
16	–		·07	–	–	·05	–	–	–	–	·19	·11	16
17	–		·01	–	–	·01	–	–	–	–	·11	·10	17
18	–	·12	·01	–	–	·13	–	–	–	–	·34	·10	18
19	–	·04	–	–	·03	·25	·02	·01	–	·03	·15	·02	19
20	–	·03	–	·05	–	·01	·06	1·43	·36	·03	·01	·33	20
21	·02	·36	–	–	–	·01	–	·73	·01	·02	·03	·03	21
22	·03	–	·01	–	–	·02	–	·11	–	·39	·03	·19	22
23	–	·03	·29	–	·01	1·20	–	·03	·56	–	·01	–	23
24	–	·11	·04	·03	–	·84	–	·01	–	·54	–	·20	24
25	–	·08	·02	·11	·03	·05	–	·17	–	–	·05	·07	25
26	–	–	–	·10	–	–	–	–	–	·30	·41	·34	26
27	–	·11	·09	·05	–	–	–	·10	·22	·06	–	·05	27
28	–	·13	–	·22	–	·08	–	·12	–	·05	·05	·11	28
29	–	–	·01	–	–	·05	·02	–	·32	·27	·01	·03	29
30	–	–	·01	–	·21	·02	–	–	·14	·07	·01	–	30
31	–	–	·02	–	·02	–	–	–	–	–	–	·02	31
Total	1·69	1·24	1·98	·78	·90	2·96	·12	3·03	2·19	2·61	2·64	3·98	TOTAL for year 24·12
No. of Rain Days.	14	15	20	10	8	16	5	13	10	16	27	28	182

W. 8,000, X. '11.

cooly own stats 10.11.13

FORM A.
BRITISH RAINFALL.

2 - JAN 1913

REGISTER OF RAINFALL IN 1912

3

Kept at B O S T O N.

in the County of Lincolnshire

by G.E.Clarke Borough Surveyor.

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station G.N.Ry. Boston.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 12' 6" O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·01		·14	·03		·12			·43	1
2	·01	·	·01		·01	·10	·58		·04	·01		·02	2
3		·06	·01		·13	·33		·35	·05			·09	3
4	·23	·10	·03		·04	·31		·06			·36	·01	4
5	·03		·33			·22		·01	·01		·02		5
6	·05	·06	·01		·07	·05	·42	·09				·05	6
7	·61	·04	·		·01	·14		·08	·11				7
8	·	·	·	·01		·06			·30			~~·20~~ .02	8
9	·27	·10	·10	·10		·30			·01			·25	9
10	·	·15	·01						·09		·06		10
11	·02	·	·01	·01	·01			·05	·04		·01	·59	11
12	·12	·03	·		·02	·04		·08			·32		12
13	·06	·22	·20				·01	·07			·30		13
14	·01	·08			·03	·16		·10		·03	·01		14
15	·01		·07		·49	·14		·01				·01	15
16		·01	·13		·04	·17		·12		·08			16
17	·17		·10			·19		·12			·01	·15	17
18	·25	·01	·21			·01	·07	·03		·04	·05	·07	18
19	·15		·14				·07	·35	·02	·03	·02		19
20	·31	·12			·05		·87	·17		·18			20
21	·13	·01	·03		·37		·40	·04			·04	·02	21
22		·01	·19		·85		·42	·20				·14	22
23		·07			·01	·01	·08	·74				·15	23
24	·10	·08	·17			·04	·05	·07			·14	·12	24
25	·15		·01			·15	·10	·59				·21	25
26	·04						·12	2·00		·39	·20	·34	26
27		·03					·01	·02		·36	·23	·09	27
28		·01	·01	·02		·07	·01	·44		·29	·27	·38	28
29		·01		·01		·07	·57	·03	·40	·22	·30		29
30					·14	·38	·28		·17	·06			30
31			·16		·08			·21		·01			31
													YEAR'S TOTAL
Total	2·72	1·20	1·93	·16	2·35	3·08	4·09	6·03	1·36	1·70	2·34	3·14 ✓	30·10 ✓
Rain Days.	19	19	20	6	16	21	17	25	12	12	16	19	202

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

17 JUL 1914

REGISTER OF RAINFALL IN 1913

Ex. mg.

3

Kept at BOSTON
in the County of LINCOLNSHIRE
by MR G. E. CLARKE

Lat. 52°58' N Long. 0°2' W.
Time of Observation 9 a.m
Nearest Railway Station Boston
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 12' 6" O.D ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02	·06				·37		·05		1
2	·01	·05		·01	·01		·09		·06		·01		2
3			·05		·43				·01			·02	3
4	·41				·12		·03			·05	·20	·08	4
5		·01					·01		·15	3·56	·04		5
6			·03		·45	·27		·05		·42			6
7					·15	·08				·79			7
8			·07		·46	·18			·01	·18	·08		8
9		·26	·03	·03	·06	·02		·12			·09		9
10				·09	·18		·29				·40		10
11	1·02	·01		·50	·02						·01		11
12		·01				·01					·23		12
13	·04		·03	·01				·05			·27		13
14	·03	·01	·56	·01						·12			14
15	·13			·19					·10		·05		15
16	·07	·04	·54	·15					·38		·05		16
17	·01	·05	·17	·04		·10	·02		·04		·01	·09	17
18	·02		·16	·05			·04	·01				·02	18
19	·08		·07				·02	·01	·19				19
20	·41		·05	·01					·07	·42			20
21	·07		·13		·05		·16				·17		21
22	·12		·10				·11	·02	·13				22
23						·02	·05	·04	·05				23
24	·04			·14		·11		·02					24
25		·12		·09								·01	25
26		·05	·10	·03	·01	·02				·52	·07	·06	26
27			·01		·04	·07					·01		27
28	·24	·08	·08	·08						·08			28
29	·10		·11	·35	·01					·05		·26	29
30	·18			·02				·01		·05		·03	30
31								·27					31
													YEAR'S TOTAL
Total	2·98	·69	2·31	1·82	2·05	·88	·82	·60	1·56	6·24	1·74	·57	22·26
Rain Days.	17	11	18	18	14	10	10	10	12	11	16	8	155

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 JAN 1915

Kept at Boston

in the County of Lincolnshire

3

by Mr G. E. Clarke, M. I. C. E.

Lat. 52° 58' N. Long. 0° 4' W.
Time of Observation 9 a.m.
Nearest Railway Station Boston
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 12' 6" O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01			·14	·31			·10		1
2							·05	·18			·04	·08	2
3			·12		·13		·02				·02		3
4	·16		·02	·28	·01						·33	·05	4
5			·09	·06	·04		·05	·23			·01		5
6		·06		·01	·12		·14				·11	·01	6
7		·05	·30		·05	·17				·01	·01	·01	7
8	·23	·02	·02	·05	·08	·79		·13	·30				8
9	·37		·22	·13	·01	1·05							9
10	·53	·05	·03						·05	·03		·01	10
11		·04	·38	·17	·05	·13			·20		·23	·21	11
12	·08	·01	·01				·15		·21		·01	·23	12
13		·10	·27							·33	·04	·14	13
14			·15				·01			·12	·26	·26	14
15			·12			·01					·11	·55	15
16			·04				·03		·03		·01		16
17	·03	·13					·02		·20		·01	·09	17
18			·02				·03			·02	·03	·35	18
19		·07	·24			·33	·05		·19		·09	·01	19
20	·01	·04	·24							·19		·01	20
21	·04	·11	·16					·07		·11	·02	·13	21
22		·01	·01	·02	·34		·13	·02		·12		·01	22
23		·02	·03		·02	·18	·05			·03		·15	23
24				·09			·07	·03		·08	·23		24
25							·05	·06		·53	·01	·16	25
26			·01				·01	·36		·07	·13	·32	26
27											·01	·15	27
28	·03	·02								·02	·21	1·25	28
29	·03		·07		·01					·34	·01		29
30				·02	·01	·01				·02	·25	·29	30
31							·12			·05		·07	31
													YEAR'S TOTAL
Total	1·51	·73	2·55	·84	·87	2·67	1·12	1·39	1·18	2·07	2·28	4·54	21·75
Rain Days.	10	14	21	10	12	8	17	9	7	16	24	23	171

W. 8,000. X. 14.

G. E. Clarke

2664

EX MJ

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

15. JAN 1916

Kept at BOSTON.

in the County of Lincolnshire.

by Mr. G.E. Clarke. Borough Surveyor.

Lat. 52° 58' Long. 0° 2'

Time of Observation 9 a.m.

Nearest Railway Station Boston.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 12' 6" ft. O.D.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·14	—	—	·34	—	·01	—	·42	—	·15	·06	1
2	·04	·05	·24	·05	—	·01	—	1·00	·14	—	·08	·01	2
3	·22		·05	·05	—	—	·28	·02	·02	—	·03	·21	3
4	·18	—	—	—	—	—	1·58	·21	—	·01	·01	·83	4
5	·05	·06	—	—	·17	·03	·01	·04	—	—	·12	·20	5
6	·11	·10	·06	·05	·01	—	·60	—	—	·01	—	·02	6
7	·22	·20	·26	—	—	·01	·58	·26	—	—	·02	·76	7
8	·02	·07	—	·02	—	—	·01	·01	—	—	·03	—	8
9	·10	·07	·02	—	—	·02	—	·01	—	—	·03	·37	9
10	·20	—	—	—	—	—	—	·21	—	—	—	—	10
11	·01	—	—	—	·20	—	·08	—	—	—	·34	·14	11
12	·13	—	—	·13	·13	—	·02	·20	—	·01	·95	—	12
13	·01	·45	—	—	·55	—	—	—	—	—	—	—	13
14	—	·15	—	—	·04	—	—	—	—	·03	—	·28	14
15	·16	·02	—	—	·02	—	·03	·21	—	·01	·54	·08	15
16	—	·24	—	—	—	—	·63	·01	—	—	—	·11	16
17	·07	·07	—	—	—	—	·03	—	—	—	—	·02	17
18	·03	·02	·21	—	—	—	—	—	—	—	·06	·02	18
19	—	—	—	—	—	—	·05	—	—	·01	·01	—	19
20	·22	—	·01	·03	—	—	—	—	—	—	—	·40	20
21	·08	·04	—	—	·33	—	·16	—	—	—	—	·06	21
22	—	—	·20	·01	—	—	·24	—	—	—	—	·18	22
23	·04	·16	—	—	—	—	·58	—	·05	·09	·02	·17	23
24	—	—	·19	—	—	—	·14	—	·35	·29	—	·21	24
25	·03	—	·01	—	—	·29	·13	—	—	·10	—	·15	25
26	—	·10	—	—	—	—	·05	—	·02	·01	—	·32	26
27	·01	·10	·02	—	—	·12	·32	—	—	·56	—	·02	27
28	—	·04	·02	—	—	·09	·01	·21	·01	·12	—	—	28
29	—	—	—	—	—	·04	—	·08	—	—	·26	·32	29
30	·07	X	—	·02	—	·07	—	·01	—	·01	—	·02	30
31	·03	X	—	X	—	X	—	·27	X	·02	X	·08	31
Total	2·28	2·08	1·29	·36	1·49	·68	5·54	2·75	1·01	1·28	2·65	5·04	YEAR'S TOTAL 26·75
Rain Days.	23	18	12	8	9	9	21	15	7	14	15	25	176

W. 8,000. X. 15.

2599

FORM A. BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Boston

in the County of Lincolnshire

by Mr G. E. Clarke. M.I.C.E. Borough Surveyor.

Lat. 52° 58' N. Long. 0° 2' W.

Time of Observation 9 o'clock a.m.

Nearest Railway Station G.N.R. Boston.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 12½ O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·03			·15	·15				·33		1
2	·20	·04	·03		·19	·08	·10		·02	·16	·10		2
3		·12	·01				·58		·55	·32	·03		3
4	·24	·20	·01		·12	·24	·01		·18	·05	·24		4
5	·04		·02		·01	·05	·06			·14	·04	·10	5
6	·05	·08	·24	·16	·04		·10			·02	·30		6
7	·01		·18		·24		·25			·06	·52	·08	7
8			·23		·01					·01		·20	8
9	·01		·12		·34	·21			·01		·01	·12	9
10			·14	·02		·02	·11		·10	·01		·05	10
11	·04	·52	·24	·21		·32	[illegible]		·01			·01	11
12		·03	·02	·03	·23	·34	·08			·02		·01	12
13		·10	·10		·15	·08		·08					13
14		·22	·02		·09	·02	·04	·10		·08			14
15		·21	·60	·04	·05			·01	·02	·06			15
16		·06	·06	·29	·01		·04	·04				·12	16
17	·03		·02	·26			·09	·30	·18	·18			17
18		·12		·03		·01		·38	·04	·15	·84		18
19	·03		·02	·24				·01	·10		·23	·13	19
20	·16		·13	·14					·01		·13	·26	20
21			·14	·04		·01	·04	·02				·60	21
22		·15	·01		·08	·01				·01		·42	22
23	·01	·50				·50		·02		·05	·08	·36	23
24		snow melted. 1·00		·04		·20	·01	·02		·10		·09	24
25		·23	·15		·03			·22		·04	·09	·01	25
26	·01	·20				·01				·04	·04		26
27		·06	·32							·15			27
28		·25	snow melted. 1·30			·05						·14	28
29		·15				·21		1·06		·16		·16	29
30		X				·02		·30		·02			30
31		X		X	·01	X		·05	X		X		31
Total	·93	4·24	4·20	1·59	1·66	2·53	1·69	2·61	1·25	1·86	3·04	2·89	YEAR'S TOTAL 28·52
Rain Days.	13	19	24	12	15	19	14	14	11	21	14	17	193

W. 8,000, VIII. 16

LINCOLNSHIRE

BOSTON - GRAND SLUICE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REC

Kept at Boston (G

in the County of Linc

by J. Healey John

in.

round 8 ft. 0 in.

~~a Level~~ nce Datum 18 ft.

ame Boston.

istance ¼ mile. Direction S.

*IMPORTANT NOTI … he result entered to the previous day. If an Obs … rsal rule, he is earnestly requested to add the read … r in the space provided for it at the end of this paragraph. Full instructions … ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

* General rule adopted as from Jany 1st 1911.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	—	—	—	—	—	·05	—	—	·03	·03	1
2	·24	—	—	—	·04	·04	·01	—	—	—	·01	·04	2
3	·02	·04	—	Snow ·04	·05	—	—	·15	—	·05	·01	—	3
4	·10	·02	·11	Snow. ·07	—	—	—	—	·09	·59	·06	·15	4
5	·02	—	—	—	—	—	—	·04	—	·12	—	·26	5
6	·31	—	·02	—	—	—	—	·02	—	·11	·06	·22	6
7	·01	—	—	—	—	—	—	—	—	—	·13	·27	7
8	·26	—	·10	—	—	—	—	—	—	—	·08	·01	8
9	·05	—	·04	·05	—	—	—	—	—	·02	·23	—	9
10	—	·04	·04	—	—	—	—	—	—	—	·05	·21	10
11	·22	·03	—	—	—	—	—	·02	—	—	·30	—	11
12	·20	—	·30	—	—	—	—	—	·39		·04	·02	12
13	—	—	·20	—	—	·14	—	—	·12	·03	—	·39	13
14	—	·03	Rain & Snow. ·28	—	·48	·05	—	—	—	—	·02	·43	14
15	—	·05	·17	—	—	—	—	—	—	·01	·07	·01	15
16	—	—	·05	—	—	·05	—	—	—	—	·20	·09	16
17	—	—	·03	—	—	—	—	—	—	—	·10	·08	17
18	—	—	·01	—	—	·13	—	—	—	—	·33	·10	18
19	·03	—	—	—	·04	·19	·02	—	·02	·04	·16	·02	19
20	—	·17	—	·03	—	—	·06	1·53	·38	·03	—	·32	20
21	—	·39	—	—	—	—	—	·84	·01	03	·03	·02	21
22	·03	—	—	—	—	·02	—	·11	—	·36	·03	·18	22
23	—	·02	·32	—	—	1·18	—	·04	—	—	—	·07	23
24	·01	·11	·04	·02	—	·81	—	—	·53	·48	—	·11	24
25	—	·07	·01	·10	·03	·04	—	·20	—	—	·05	·06	25
26	—	—	—	·08	—	—	—	—	—	·30	·42	·33	26
27	—	·09	·11	·05	—	—	—	·09	·21	·06	—	·04	27
28	—	·10	—	·22	—	·07	—	·12	~~·30~~	·06	·05	·10	28
29	—		·01	—	—	·05	·03	—	·30	·24	·02	·03	29
30	—		—	—	·18	·02	—	—	·12	·07	—	—	30
31	—		·03					—		—		·02	31
Total	1·61	1·16	1·87	·66	·82	2·79	·12	3·21	2·17	2·60	2·48	3·61	TOTAL for year 23·10
No. of Rain Days.	14	13	18	9	6	13	4	12	10	17	23	27	166

23.10

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 191

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Boston (Grand Sluice.)
in the County of Lincoln 3
by J. Healey Johnson, M. Inst: C. E.

RAIN GAUGE
Pattern Funnel
Diameter of top 8 in.
Height of top above Ground 8 ft. 0 in.
„ „ „ ~~Sea-Level~~ Ordnance Datum 18 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Boston.
Distance ¼ mile. Direction S.

* General rule adopted as from Jany 1st 1911.

* IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	—	—	—	—	—	·05	—	—	·03	·03	1
2	·24	—	—	—	·04	·04	·01	—	—	—	·01	·04	2
3	·02	·04	—	Snow ·04	·05	—	—	·15	—	·05	·01	—	3
4	·10	·02	·11	Snow. ·07	—	—	—	—	·09	·59	·06	·15	4
5	·02	—	—	—	—	—	—	·04	—	·12	—	·26	5
6	·31	—	·02	—	—	—	—	·02	—	·11	·06	·22	6
7	·01	—	—	—	—	—	—	—	—	—	·13	·27	7
8	·26	—	·10	—	—	—	—	—	—	—	·08	·01	8
9	·05	—	·04	·05	—	—	—	—	—	·02	·23	—	9
10	—	·04	·04	—	—	—	—	—	—	—	·05	·21	10
11	·22	·03	—	—	—	—	—	·02	—	—	·30	—	11
12	·20	—	·30	—	—	—	—	—	·39		·04	·02	12
13	—	—	·20	—	—	·14	—	—	·12	·03	—	·39	13
14	—	·03	Rain & Snow. ·28	—	·48	·05	—	—	—	—	·02	·43	14
15	—	·05	·17	—	—	—	—	—	—	·01	·07	·01	15
16	—	—	·05	—	—	·05	—	—	—	—	·20	·09	16
17	—	—	·03	—	—	—	—	—	—	—	·10	·08	17
18	—	—	·01	—	—	·13	—	—	—	—	·33	·10	18
19	·03	—	—	—	·04	·19	·02	—	·02	·04	·16	·02	19
20	—	·17	—	·03	—	—	·06	1·53	·38	·03	—	·32	20
21	—	·39	—	—	—	—	—	·84	·01	03	·03	·02	21
22	·03	—	—	—	—	·02	—	·11	—	·36	·03	·18	22
23	—	·02	·32	—	—	1·18	—	·04	—	—	—	·07	23
24	·01	·11	·04	·02	—	·81	—	—	·53	·48	—	·11	24
25	—	·07	·01	·10	·03	·04	—	·20	—	—	·05	·06	25
26	—	—	—	·08	—	—	—	—	—	·30	·42	·33	26
27	—	·09	·11	·05	—	—	—	·09	·21	·06	—	·04	27
28	—	·10	—	·22	—	·07	—	·12	~~·30~~	·06	·05	·10	28
29	—		·01	—	—	·05	·03	—	·30	·24	·02	·03	29
30	—		—	—	·18	·02	—	—	·12	·07	—	—	30
31	—		·03					—		—		·02	31
Total	1·61	1·16	1·87	·66	·82	2·79	·12	3·21	2·17	2·60	2·48	3·61	TOTAL for year 23·10
No. of Rain Days.	14	13	18	9	6	13	4	12	10	17	23	27	166

W. 8,000, X. '11.

23.10

1

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

30 MAY 1913

Kept at Boston (Grand Sluice)
in the County of Lincoln. 3
by J. Healey Johnson, M. Inst. C. E.

Lat. 52° 59′ Long. 0° 2′ W.
Time of Observation 9 a.m.
Nearest Railway Station Boston
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " Sea Level O.D. 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-		·14	·03		·12			Snow ·40	1
2	-	-	-	·01		·10	·56		·03			·02	2
3	·21	-	·03	-	·13	·31		·33	·05			·06	3
4	·03	-	·28	-	·03	·30		·05			·34		4
5	·05	-	-	-		·21					·02		5
6	·61	·11	-	-	·08	·04	·41	·10				·05	6
7	-	-	-	-	·01	·12		·09	·15				7
8	·25	·09	·09	-		·05	·17		·25	·01		·01	8
9	·01	·14	·02	·13		·30						·23	9
10	-	-	-	-					·08		·05		10
11	·12	·03	·01	-				·05	·03	·03	·01	·57	11
12	·06	·23	·14	-	·02	·04		·10			·33		12
13	-	·06	-	-				·06			·30		13
14	·02	-	·06	-	·05	·17		·10					14
15	-	·01	·13	-	·49	·13						·02	15
16	·18	-	·09	-	·04	·17		·12		·08			16
17	-	-	·19	-		·19		·11			·01	·17	17
18	snow ·40	·01	·13	-			·04	·03		·04	·07	·06	18
19	·32	·12	-	-			·06	·34	·01	·02	·02		19
20	·12	·01	-	-	·04		·89	·16		·18			20
21	-	-	·19	-	·37		·42	·04			·04	·01	21
22	-	·05	-	-	·84		·43	·21				·13	22
23	·13	·08	·17	-		·01	·08	·66			·13	·14	23
24	·12	-	-	-		·03	·04	·05				·10	24
25	·05	-	-	-		·25	·11	·66			·24	·22	25
26	-	·02	-	-			·12	2·01		·42	·25	·35	26
27	-	-	-	-		·06				·33		·07	27
28	-	-	-	·03				·47		·31	·29	·38	28
29	-	-	-	-			·57	·03	·51	·21	·28		29
30	·02		-	-	·14	·41			·23	·07			30
31	-		·13		·07		·30	·20					31
Total	2·70	·95	1·66	·17	2·31	3·03	4·23	5·97	1·46	1·70	2·38	2·99	YEAR'S TOTAL 29·58
Rain Days.	17	13	14	3	13	19	15	22	10	11	15	18	170

W. 7,500, XI. 12

√

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Ex. Hbk

3

Kept at Boston (Grand Sluice)
in the County of Lincoln
by J. Healey Johnson, M. Inst. C. E.

Lat. 52° 59' Long. 0° 2' W.
Time of Observation 9 a. m.
Nearest Railway Station Boston
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " O.D. ~~Sea Level~~ 18 : 0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·02	·05				·40		·05		1
2	·01	·04	·02		·01		·08						2
3			·06		·41				·06				3
4	·37				·09		·02			·06	·20	·07	4
5					·04				·13	3·73	·04		5
6					·44	·27		·04		·48			6
7					·15	·08				·77		·01	7
8			·10		·45	·19				·16	·06		8
9		·26	·02	·02	·07	·01		·12			·10		9
10				·09	·19		·28				·40		10
11	·99			·47	·02								11
12		·01									·23		12
13	·02		·02	·01				·06		·01	·27		13
14	·02		·51							·11			14
15	·13		·09	·15					·10		·06		15
16	·06	·04	·64	·13					·42		·05		16
17	·01	·04	·06	·03		·08	·02		·03	·02		·08	17
18	·01		·13	·05			·04					·02	18
19	·08		·07				·01	·01	·19				19
20	·37		·04	·01					·08	·41			20
21	·06		·13		·05		·16				·16		21
22	·10		·10				·10	·02	·11				22
23						·01	·05	·03	·05		·01		23
24	·03			·14		·11		·02					24
25				·08								·01	25
26		·11	·09	·03	·01	·01				·52	·06	·08	26
27		·03	·01		·03	·05					·01		27
28	·23		·07	·08					·01	·08			28
29	·10		·16	·37	·02			·03		·04		·21	29
30	·15			·02				·01	·01	·04	·01	·06	30
31								·25					31
Total	2·74	·53	2·39	1·70	2·03	·81	·76	·59	1·59	6·43	1·71	·54	YEAR'S TOTAL 21.82
Rain Days.	17	7	19	16	15	9	9	10	12	13	15	8	150

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Boston (Grand Sluice)

in the County of Lincoln 3

by J. Healey Johnson, M. Inst: C. E.

Lat. 52° 59′ Long. 0° 2′ W.

Time of Observation 9 a. m.

Nearest Railway Station Boston

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·01			·14	·31			·10		1
2							·05	·18			·04	·07	2
3			·12		·12		·01				·01		3
4	·16		·01	·27	·01			·02			·33	·05	4
5			·09	·05			·05	·18			·01		5
6		·05			·15		·13				·12	·01	6
7		·03	·28		·04	·22						·01	7
8	·22	·02	·01	·05	·08	·75		·11	·31				8
9	·36		·19	·14		1·05							9
10	·50	·04	·04						·05	·03		·01	10
11		·02	·28	·16	·04	·12			·17		·22	·19	11
12	·06	·03	·02				·14		·22			·18	12
13	·05	·09	·22							·34	·05	·15	13
14			·14							·10	Snow + rain ·09	·24	14
15	·05		·11			·01					do: ·28	·52	15
16			·05				·02		·03				16
17	·03	·12					·03		·16			·07	17
18			·02				·03			·02	·04	·32	18
19		·05	·20			·33	·04		·17		·09		19
20	·01	·03	·24							·16		·01	20
21	·03	·10	·17					·06		·11	·01	·00	21
22		·01	·01	·02	·34		·13	·02		·11		·02	22
23		·01	·03		·02	·18	·05			·02		·05	23
24		·01		·09		·01	·08	·03		·07	·23		24
25							·05	·05		·50		·16	25
26			·01					·33		·06	·11	·32	26
27							·01					·15	27
28	·02	·02								·03	·21	1·35	28
29	·02		·06							·31	·01		29
30		╳		·03		·01				·02	·24	·25	30
31		╳		╳	·01	╳	·12		╳	·04	╳	·08	31
Total	1·51	·63	2·30	·82	·82	2·68	1·08	1·29	1·11	1·92	2·18	4·31	YEAR'S TOTAL 20·65
Rain Days.	12	15	21	9	9	9	16	10	7	15	18	22	163

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Boston (Grand Sluice)

in the County of Lincoln

by J. Healey Johnson, M. Inst: C.E.

Lat. 52°59′ Long. 0°2′ W.

Time of Observation 9 a.m.

Nearest Railway Station Boston.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " O.D. ~~Sea Level~~ 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·12			·33				·43		·15	·05	1
2	·03	·05	·22	·06		·01		·90	·14		·12		2
3	·23		·06	·04			·28	·01	·01		·04	·23	3
4	·16						1·69	·23		·01	·01	·78	4
5	·05	·05			·19	·02		·04			·12	·20	5
6	·10	·11	·06	·05			·62			·02		·02	6
7	·20	·18	·25			·01	·55	·24			·01	·76	7
8	·02	·02		·03							·02		8
9	·11	·11				·02		·01			·03	·36	9
10	·18		·03					·26					10
11	·01				·19		·08				·33	snow ·12	11
12	·12	·01		·12	·11		·02	·22			·93		12
13	·01	·43			·46								13
14		·15			·02					·01		·25	14
15	·15	·02			·02		·02	·19		·01	Snow+rain ·49	·07	15
16		·21					·63						16
17	·09	·07					·03					·13	17
18		·02	Snow ·03								·08	·02	18
19							·06			·02			19
20	·22									·01		·36	20
21	Snow+rain ·09	·04			·37		·15					·06	21
22	·18		·19				·22					·17	22
23	·03	·17					·61		·05	·09	·02	·14	23
24			·18				·12		·38	·30		·24	24
25	·03		·01			·29	·14		·02	·10		·13	25
26		·07		·01			·05				·02	·30	26
27	·01	·10	·01			·12	·33			·55		·06	27
28		·04	·01			·10		·25		·16			28
29						·05		·05		·01	·24	·25	29
30	·06	X		·01		·06						·02	30
31	·03	X		X		X		·26	X		X	·07	31
Total	2·34	1·97	1·05	·32	1·69	·68	5·60	2·66	1·03	1·29	2·61	4·79	YEAR'S TOTAL 26·03
Rain Days.	23	19	11	7	8	9	17	12	6	12	15	23	162

W. 8,000. X. 15.

2600

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Boston (Grand Sluice)

in the County of Lincoln

by J. Healey Johnson, M. Inst. C.E.

Lat. 52°59′ Long. 0°2′W.

Time of Observation 9 a.m.

Nearest Railway Station Boston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·03			·17	·15				·34		1
2	·20	·04	·03		·19	·08	·10		·02	·16	·11		2
3		·11	·02				·60		·55	·30	·03		3
4	·27	·20	snow ·01		·16	·21	·01		·18	·05	·22		4
5	·04		snow ·02	·01		·05	·05			·13	·07	·09	5
6	·06	·09	Sn + rain ·28	·14	·07		·10			·02	·25		6
7	·01		Sn + rain ·19		·26		·26			·10	·50	·09	7
8			·11							·01		·19	8
9			·08		·32	·20			·01	·01	·01	·13	9
10		·01	·17	·02		·01	·12		·08			·06	10
11	·04	·47	·22	·19		·30			·01			·01	11
12		·02	·02	·03	·20	·27	·08			·02			12
13		·10	·11		·14	·07		·08					13
14		snow ·20	·01		·09	·01	·03	·10		·11			14
15		·22	·61	·04	·04		·02		·02	·07		·05	15
16		·09	·06	·27			·07	·04				·04	16
17	·02		·01	·26			·09	·36	·17	·17		·04	17
18		·11		·02				·38	·07	·15	·72	·01	18
19	·03		·02	·25				·02	·09		·29	·09	19
20	·17	·01	·13	·17							·13	·24	20
21		·01	·13	·06		·01	·03	·02				·57	21
22		snow ·14				·01				·02	·01	·41	22
23	·01	snow ·45				·55	·01	·02		·05	·07	·38	23
24		snow ·74		·04		·21		·01		·10		·08	24
25		snow ·16	·15					·21		·08	·09	·02	25
26	·01	Sn + rain ·10								·05	·07		26
27		Sn + rain ·05	·66							·15		·02	27
28		·24	Sn + rain ·78			·05					·01	·12	28
29		·15	snow			·20		1·05		·14		·15	29
30		×				·01		·24		·03			30
31		×		×	·07	×		·04	×		×	·02	31
Total	·94	3·71	3·85	1·50	1·54	2·41	1·72	2·57	1·20	1·92	2·92	2·81	YEAR'S TOTAL 27·09
Rain Days.	12	22	23	13	10	17	15	13	10	21	16	21	193

W. 8,000, VIII. 16

2469

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Boston (Grand Sluice)
in the County of Lincoln
by J. Healey Johnson, M. Inst. C.E. M.C.I., F.R. Met. Soc.

Lat. 52°59′ Long. 0°2′ W
Time of Observation 9 a.m.
Nearest Railway Station Boston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " ~~Sea Level~~ O.D. 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03 snow		·13 snow				·80	·10		·03		1
2	·03			·11 snow		·12		·17			·05		2
3		·10 snow		·05 snow				·67		·33			3
4		·02 snow	·07 snow	·01				·01		·55			4
5	·25		·03 snow	·10 snow &c.				·02	·09		·12		5
6						·13			·01	·04	·01		6
7	·33		·01 snow			·17				·39			7
8	·71			·05			·20	·29		·30	·07		8
9	·08		·03 snow	·11 snow				·07			·08	·03	9
10	·23	·02	·29	·09 snow				·17	·04	·08	·05		10
11	·05		·02	·76 snow &c.				·05		·18			11
12	·07	·10	·01	·01	·34					·16	·01	·01	12
13	·17 snow			·02			·03	·18	·05	·01	·01		13
14	·13 snow			·18				·02				·02	14
15	·07 snow			·01			·01	·24		·04		·08 snow & rain	15
16	·09 snow	·19	·01	·15						·11	·01	·20 snow & rain	16
17	·02 snow	·01	·03	·22	·60	·13	·04		·04	·05		·04 snow	17
18	·11			·03	·01		·52	·04	·41				18
19	·06	·09	·11		·01				·05				19
20	·01	·28	·10		·02				·01		·19		20
21		·02	·09 snow		·02					·01	·01		21
22			·05 snow					·02		·13			22
23		·01			·14			·07	·03			·01	23
24					·02	·46	·02			·10	·05		24
25		·01	·02								·03	·17 snow	25
26			·09 snow			·03		·24	·07		·38 snow & rain	·18 snow	26
27						·03	·02	·46				·03	27
28		·01	·10		·03	·44		·19		·01		·08	28
29					·09	·04	·05			·40		·01	29
30	·04 snow	X					·09	·11					30
31	·02 snow	X		X		X	·02	·12	X		X	·11	31
Total	2·47	·89	1·06	2·03	1·28	1·55	1·00	3·94	·90	2·83	1·10	·97	YEAR'S TOTAL 20·02
Rain Days.	18	13	16	16	10	9	10	20	11	17	15	13	168

W. 8,000, IX. 17.

180

18

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

28. 8. 19

Kept at Boston (Grand Sluice)

in the County of Lincoln

by J. Staley Johnson, M. Inst. C.E., M.C.I., F.R. Met. Soc.

Lat. 52° 59′ Long. 0° 2′ W.

Time of Observation 9 a.m.

Nearest Railway Station Boston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " ~~Sea Level~~ O.D 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·18

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02							·10	·02	·13	·05	1
2	snow ·06	·11		·18				·33		·02	·03	·30	2
3	·04	·01	·04		·32			·09	·01		·80		3
4		·03	·05				·11	·03	·75		·32	·02	4
5		·01	·01	·03	·03			·28	·16	·01			5
6		·05		·16		·01		·03	·01	·03		·03	6
7	snow ·14	·03		·03		·08			·04	·07	·08		7
8		·02							·09		·02	·13	8
9	snow ·06	·36		·06		·08	·01		·28	·36		·01	9
10	·04			·01			·26			·11		·06	10
11	snow & rain ·08	·02		·09	·35		·06		·02	·61		·07	11
12		·19	·01		·11		·12			·02		·06	12
13		·01			·15	·01			·15				13
14	snow & rain ·25			·03			·29		·11	·09	·01	·03	14
15	snow ·61			·57		·04	·37		·15			·15	15
16				·16		·04			·62	·01			16
17	snow & rain ·16			·04	1·24		1·01	·02	·02	·01		·18	17
18	·17			·01			·12		·27			·09	18
19	·08	·03	·04	snow ·02						·10		·27	19
20	·02	·08		·01		·04	·08		·01	·03	fog ·02		20
21						·08			·19	·13		·01	21
22	·07			·02	·04					·01	fog ·03	·34	22
23	·10				·95		·05			·01			23
24		·22		·01	·18		·13		·03	·02	fog ·02		24
25						·48	·13	·13		·01	·04		25
26							·11	·09	·04		·11	·03	26
27				·07		·04		·16	·05		·07	·08	27
28	·01	·11	·09								·15	·36	28
29	·01								·65		·01	·03	29
30		X	·16	·02 ·02					·05		·08	·06	30
31		X	·04	X		X			X	·07	X	·04	31
Total	1·90	1·30	·44	1·52	3·37	·90	2·90	1·16	3·80	1·74	1·92	2·40	YEAR'S TOTAL 23·35
Rain Days	16	16	8	18	9	10	14	9	22	20	16	22	180

W. 6,500, VII. 18. W W C

2321

Form A, 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 FEB 20

Kept at Boston (Grand Sluice)
in the County of Lincoln
by J. Healey Johnson, M. Inst. C.E., M.C.I. F.R. Met. Soc.

Lat. 52°59' Long. 0° 2' W
Time of Observation 9 a.m.
Nearest Railway Station Boston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " ~~Sea Level~~ O.D. 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·02	·01	snow & rain ·03	·18		·21			·04	·05	·48	1
2	·13		·01				·25		·02		·20	·29	2
3	·47		·04				·09		·06		·31	·02	3
4	·02		·35			·09	·02	·04			·02	·09	4
5	·11	·01						·02	1·01			·06	5
6			·03								·03	·24	6
7			·13				·01				·02	·04	7
8	·08		·01	·06							·02	snow & rain ·04	8
9										·02	·03		9
10			·19	·02							snow ·18	·06	10
11	·11		·17	·04	·02		·57				do: ·08	·01	11
12			·37			·05	·06			·07			12
13	·13			·25			·02			·04	snow ·05		13
14	·29			·28					·03	·03	do: ·01	·01	14
15	·24	·05	·02	·19							do: ·12	·21	15
16		·98		·02							do: ·03	·02	16
17		snow & rain ·33		·01	·09	·01					·23	·01	17
18							·02	·17				·06	18
19	·01	·15	·38			·06	·20	·35	·04		·01	·03	19
20	·25	·09	·21			·12	·41	·30			·01	·03	20
21	·30	·43	snow & rain ·08				·36				·02	·20	21
22		·14					·05		·32		·03	·38	22
23			snow ·04	·04		·07	·06	·02	·03	·15	·01	·01	23
24				·09	·20	·14				·05	·03		24
25	·15	·01		·13	·19	·03		·71				·01	25
26	·03	·03	·10	·05				·10	·05	·01		·33	26
27	snow ·09	·18		snow & rain ·57						·53		·03	27
28	do: ·09			·04			·01	·66	·02	·44		·31	28
29	·05			·05		·10	·01	·20		·22	snow & rain ·16	·09	29
30	snow ·01	✕	·03	·23		·22				·09	·10	·23	30
31	·02	✕		✕		✕	·05		✕	·07	✕	·06	31
Total	2·76	2·42	2·17	2·10	·68	·89	2·40	2·57	1·58	1·76	1·70	3·45	Year's Total 24·48
Days with ·01 in. or more	20	12	17	17	5	10	17	10	9	13	23	27	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2227

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at B O S T O N (Granc Sluice)

in the County of L I N C O L N.

by J. Healey Johnson. M.Inst:C.E. M.C.I.
F.R.Met:Soc:

Lat. 52 .59' Long. 0 .2' W.

Time of Observation 9 a.m.

Nearest Railway Station Boston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 8' ft. 0 in.

" " " " ~~Sea~~ Level 18 ft. O.D.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.22		.27	.01		1.04		.02	1
2				.19			.23		.09	.05		.09	2
3		.01		.19		.08	.37		.09	.02		.04	3
4			.01	.13	.01		.02	.35	.04	.13		.09	4
5			.03	.05	.30		.24	.15	.04			.04	5
6				.01	.02		.16	.02				.12	6
7			snow .21	.10			.23				dew .01	.04	7
8		.03		.33	.02		.01					dew .01	8
9	.21			.69				.08					9
10	.10	.02	.06	.13							dew .01	sleet .05	10
11	.15		.05	.22	.12		.01				dew .02	snow .20	11
12	.07		.01	.15				.02			.03	snow .13	12
13	.01		.03	.10		.99			.07		.01	snow .05	13
14		.01	.40	.15		.24			.10		.15	.02	14
15		.03	snow .87						.26	.02	.01	snow .09	15
16				.01					.08	.01		.02	16
17					.10				.22			.05	17
18	.05				.04			.12	.07				18
19	.08	.21		.10				.49			fog .02	.03	19
20	.08	snow .38		.42		.39	.02		.02				20
21				.03			.24	.05	.04		.01		21
22	.01			.11				.07	.22		fog .02		22
23		.01					.08				dew .01	.24	23
24		.01	.19	.02							dew .01	.06	24
25		.04	.01	.10	.07	.04	.45				dew .01		25
26	.11		.03	.03	.34		.15					.01	26
27	.05	.03		.11	.02	.51				dew .03	.12	.18	27
28	.38		.14	.06	.26		.02			dew .02	.02	.04	28
29	.04		.18		.54		.06			dew .01	.06	.27	29
30	.01	╳		.10		.02	.02		.13		.08	.23	30
31	.10	╳		╳	.01	╳	.01		╳	.05	╳	.11	31
TOTAL	1.45	.78	2.22	3.53	2.07	2.27	2.59	1.36	~~1.37~~ 1·47	1.38	.60	2.23	YEAR'S TOTAL 21.95
Days with ·01 in. or more	15	11	14	24	14	7	18	10	14	10	17	25	179
Days with ·04 in. or more	12	3	8	19	9	6	11	7	13	4	4	19	115

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLNSHIRE

BOSTON - BLACK SLUICE

1911 - 1920

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

RE

Kept at Black Slu ... in.

in the County of L ... round 1 ft. 3 in.

a Level 11 ft.

by pp F. S. Robin ... me ~~[illegible]~~ Boston

tance 1½ Direction N.W.

IMPORTANT NOTE. ... he result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the readi ... in the space provided for it at the end of this ... t of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05							02			04	02	1
2	21				04		01			03	02	05	2
3	02	05		02	07			23		04	03	03	3
4	11	02	11	09						57	07	24	4
5	03			02				05	09	15		17	5
6	35		01					03		05	05	24	6
7	03										25	30	7
8	28		11						01	02	09	10	8
9	04		05	04						02	28	01	9
10	01	05	07							01	04	21	10
11	20	04								01	34		11
12	14		34						26	01	07	02	12
13	03		16			10			12	03		39	13
14		02	04		37	07	01			01	03	43	14
15		05	15						01	03	07	03	15
16			05			04				01	22	09	16
17						01					08	10	17
18		27	02			03					30	04	18
19		04			02	11	02		02	04	15	02	19
20	02	03		03		02	06	91	25	01	01	30	20
21		34				01		99	01	03	03	03	21
22	03	02				02		12		39	03	19	22
23	01	01	29		01	1.16		06	53		02	07	23
24		07	04	02		79				47	05	12	24
25	01	07	02	10	01	05		13			03	05	25
26				09						30	45	36	26
27		09	11	05			01	11	22	09	01	05	27
28		12	01	22		09		13		06	06	12	28
29		X	01			06	02		32	25	02	02	29
30		X	01		19	03			11	13			30
31		X	02	X	02	X			X	01	X	03	31
Total	1.57	1.29	1.62	.68	.73	2.59	.13	2.78	1.95	2.77	2.84	3.83	TOTAL for year 22.78
No. of Rain Days	17	16	19	10	8	15	6	11	12	25	27	29	195

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Black Sluice Skirbeck Quarter

in the County of Lincoln 3 Boston

by pp F. S. Robbins J Collins

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 11 ft.

Time of Observation 9 am

Nearest Railway Station
Name ~~Skirbeck Quarter~~ Boston
Distance 1¼ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05							02			04	02	1
2	21				04		01			03	02	05	2
3	02	05		02	07			23		04	03	03	3
4	11	02	11	09						57	07	24	4
5	03			02				05	09	15		17	5
6	35		01					03		05	05	24	6
7	03										25	30	7
8	28		11						01	02	09	10	8
9	04		05	04						02	28	01	9
10	01	05	07							01	04	21	10
11	20	04								01	34		11
12	14		34						26	01	07	02	12
13	03		16			10			12	03		39	13
14		02	04		37	07	01			01	03	43	14
15		05	15						01	03	07	03	15
16			05			04				01	22	09	16
17						01					08	10	17
18		27	02			03					30	04	18
19		04			02	11	02		02	04	15	02	19
20	02	03		03		02	06	91	25	01	01	30	20
21		34				01		99	01	03	03	03	21
22	03	02				02		12		39	03	19	22
23	01	01	29		01	1·16		06	53		02	07	23
24		07	04	02		79				47	05	12	24
25	01	07	02	10	01	05		13			03	05	25
26				09						30	45	36	26
27		09	11	05			01	11	22	09	01	05	27
28		12	01	22		09		13		06	06	12	28
29		X	01			06	02		32	25	02	02	29
30		X	01		19	03			11	13			30
31		X	02	X	02	X			X	01	X	03	31
Total	1.57	1.29	1.62	·68	·73	2.59	·13	2.78	1.95	2.77	2.84	3.83	TOTAL for year 22.78
No. of Rain Days	17	16	19	10	8	15	6	11	12	25	27	29	195

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Black Sluice Boston
in the County of Lincoln 3
by Jno Collins pp F S Robins

Lat. 52 deg N Long. 2 minutes west
Time of Observation 9 am
Nearest Railway Station Boston
Diameter of Rain Gauge 5½ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	01		01	01		16	06		11			37	1
2		03	01	02	01	05	53		02			03	2
3	23	01	02		08	28		34	06			08	3
4	03		32		03	25		05			37	01	4
5	03	06	02			26		02			02		5
6	65	05			05	05	44	10				03	6
7	01	01			02	14		05	12				7
8	22	09	10	02		07	16	01	26			02	8
9	02	15	02	12		31			01			25	9
10	01		01	01		01		01	08		07	01	10
11	13	02	01	01	01			02	03		02	53	11
12	07	24	18		04	03		17			31		12
13	01	06	01			01		15		07	32	01	13
14	01		07		03	15		09		01	01	03	14
15		02	10		51	12		02				02	15
16	18	01	10		03	33		11		09			16
17	15	02	19			19		12		01	02	18	17
18	17	01	13				07	07		04	04	07	18
19	33	11					06	40	01	03	02	01	19
20	13	02	01		06		89	19		21		01	20
21	01	02	23		37		20	04			05	02	21
22	01	07			91	01	59	21		01		11	22
23	12	04	18		02	01	07	70			15	17	23
24	13		01			11	11	07		03		12	24
25	04					23	03	63		02	20	25	25
26			01				13	2.00		44	21	34	26
27					01	06		03		37	01	08	27
28		01		03			02	45	01	31	29	40	28
29				01		11	52	03	52	23	26		29
30	01	X	01	01	16	37			21	09			30
31		X	13	X	08	X	28	22	X	01	X	01	31
Total	2.71	1.05	1.88	-24	2.42	3.31	4.16	6.30	1.44	1.97	2.37	3.18	YEAR'S TOTAL 31.03
Rain Days.	~~24~~	20	23	9	17	23	16	27	12	16	17	~~24~~ 25	~~228~~

W. 7,500, XI. 12

229

Ex 9

FORM A. BRITISH RAINFALL.

3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Black Sluice Boston

in the County of Lincoln 3

by Jno Collins pp F. S. Robins

Lat. 52 deg 55 Long. 2 mins west

Time of Observation 9 am

Nearest Railway Station Boston

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			09	03	04				40		05		1
2			03		04		09		13		04		2
3	01	06	05		47							01	3
4	4 40				08	01	03		01	03	22	09	4
5	01 & 44						03		15	3.14	05	01	5
6	& 4th	01	02		46	39		06		45	01		6
7		01		01	16	11				68	02	02	7
8			07	01	47	15			01	30	09		8
9		26	04	03	06	02		17	01	01	09		9
10				07	21		23		01		30		10
11	78	01		50	01						02		11
12		01				01				01	26		12
13	03	01	04	02				06	01	01	28		13
14	03	02	52	01			02			11	01		14
15	12		12	19					12		10		15
16	07	03	45	09					36	02	06		16
17	02	05	09	05		07	03		06	01		09	17
18	02		17	07			05	01				03	18
19	08		07				02	01	19	01			19
20	46		06	02	01				10	37	01		20
21	07		15		05		14	01			21		21
22	12		12				10	03	10				22
23	01					02	05	04	06	01	01		23
24	04			14		15		05		01	02		24
25				08						01	05	03	25
26		09		03	01	02				50	02	10	26
27		04	01	01	02	07					01		27
28	23		08	11					01	08			28
29	11	X	17	40	03			03	01	05	01	21	29
30	18	X		03				01	01	07	03	03	30
		X		X		X		42	X	01	X		31
Total	[illegible]	-60	2.35	1.90	2.12	1.02	-79	-90	1.75	5.89	2.17	-62	YEAR'S TOTAL 22.90
Rain Days.	19	12	19	20	15	11	11	12	18	21	24	10	192

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

5 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Black Sluice Boston

in the County of Lincoln 3

by Jno Collins pp F S Robins

Lat. 52. 58 Long. 2 mins west Gr

Time of Observation 9 am

Nearest Railway Station Boston

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ „ „ „ Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				02			20	34		01	10		1
2	01						05	18			05	10	2
3			12		14		02	01			02		3
4	14		03	30	01			01			37	05	4
5			10	11	05		05	24			02		5
6		06		04	13		14				13	03	6
7		04	30	01	04	15					02	02	7
8	23	03	02	03	09	87	02	13	17				8
9	36		19	14	02	1.05							9
10	53	05	04	02					04	02		01	10
11	01	04	29	17	04	13			17		24	20	11
12	07	03	02				13		20			19	12
13	04	10	25							15	04	15	13
14	01		17				02		01	14	16	28	14
15	04		14			02					19	54	15
16			04				02		03		03		16
17	03	13					02		15	01	02	10	17
18			03				03			01	03	30	18
19		07	24			25	05		16		07		19
20	02	07	25							24		03	20
21	03	11	15					35		11	03	10	21
22		01	01	03	22		19	03		17		04	22
23		03	04		04	08	05			06		15	23
24	02	02	01	09	01	01	06	03		09	24		24
25		01	01					05		50	01	13	25
26		01	01				02	30		08	12	28	26
27	04		01				02			02	01	16	27
28		02								03	19	1 24	28
29	03	✕	06							37	02		29
30		✕	01	02	02	01				03	23	29	30
31		✕		✕	01	✕	13		✕	04	✕	9	31
Total	1.63	83	2.54	.98	82	2.57	1.22	1.67	93	2.08	2.34	4.48	YEAR'S TOTAL 22.09
Rain Days.	16	17	25	12	13	9	18	11	8	18	28	22	192

W. 8,000. X. 14.

2662

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Black Sluice Boston

in the County of Lincoln

by Jno Collins pp 78 Robin

Lat. 52.58 Long. 2 Min

Time of Observation 9 am

Nearest Railway Station Boston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24	14			32		03		54		19	07	1
2	04	07	24	10		01		79	11		16	02	2
3	24		06	05			32	02	04		04	24	3
4	17		01				1.38	15				78	4
5	06	07			15	02	11	03		02	10	21	5
6	12	12	05	07	02		64			02		03	6
7	20	19	28	01		04	15	22			02	56	7
8	04	04	01	03			02	01			05		8
9	10	13				02					03	39	9
10	19		04					11		02	01	01	10
11	01	02	01		22		09				36	10	11
12	14	01		13	12		01	23			1.03		12
13	02	44	01		51				05				13
14		14		01	05				01	05		28	14
15	17				02		05	38		02	43	08	15
16		23					66					12	16
17	08	07					03					02	17
18		03	13								09	02	18
19			01				07			03			19
20	22			03						01		40	20
21	09	05			18		15					06	21
22	19		20	01			22		02		02	19	22
23	03	19		01			37		06	07	02	14	23
24	01		15				15		36	31		25	24
25	02		02			31	11			13	01	13	25
26		07		01		01	07		04		01	32	26
27	03	10	02			22	34			56		08	27
28	01	04	01			05	01	16		19			28
29		X				09		13			28	28	29
30	09	X		02		11			01	02	01	02	30
31	04	X		X		X		33	X	03	X	10	31
Total	2.53	2.15	1.25	48	1.59	88	4.98	2.56	1.24	1.48	2.86	4.90	YEAR'S TOTAL 26.92
Rain Days	25	19	16	12	9	10	21	12	10	14	18	26	192

W. 8,000. X. 15.

2597

FORM A. BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Black Sluice Skirbeck Quarter
in the County of Lincoln
by Jno Collins pp F. S. Robins

Lat. 52-58 North Long. 2 minutes
Time of Observation 9 am
Nearest Railway Station Boston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06		06			13	13				38		1
2	19	05	04		20	10	09		02	11	17		2
3	27	12	01	01			46		56	36	04		3
4	07	21	01		17	23	05		18	06	20		4
5	06	01	03	01	01	06	10		01	14	09	12	5
6		10	21	15	07		09		01	03	26		6
7			23		28		28			07	48	09	7
8			12									22	8
9	02		13		35	47			02		02	11	9
10		02	18	03		05	04		07			08	10
11	05	47	21	22	01	30			02			02	11
12	01	03	05	04	19	23	10	04		03		01	12
13		06	11	01	13	08		05					13
14		23	03		10		07	09					14
15		21	62	04	06	01	07		01	11		06	15
16		10	06	24	02		03	06	01			06	16
17	03		02	25			09	62	20	18		03	17
18	01	13		05		04		30	09	15	87		18
19	06		03	22				06	08		29	10	19
20	15		17	15							13	26	20
21	01		12	08			04	03				61	21
22		15	03		11	01				02	02	43	22
23	03	49				42	02	02		10	08	33	23
24		58		05		19		02		10		09	24
25		21	16		03		01	22		08	10	02	25
26		11				03				06	07		26
27		06	75					01		16			27
28	01	25	88			06					01	18	28
29		15	01			21		1.05		17		16	29
30		✕				03		25	01	04			30
31	02	✕		✕	02	✕		06	✕	02	✕	02	31
Total	1.05	3.74	4.27	1.55	1.75	2.65	1.67	2.88	1.29	1.99	3.21	3.00	YEAR'S TOTAL 29.05
Rain Days.	16	21	25	15	15	18	16	15	14	19	16	20	210

W. 8,000, VIII. 16

2466

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Black Sluice Boston
in the County of Lincoln
by pp F. S. Robins Jno Collen

Lat. 52 dg 58 Long. 2 [illegible] W
Time of Observation 9 am
Nearest Railway Station Boston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		02		11				84	12		04		1
2	04			10		12		15		02	06		2
3		12		05				66		28			3
4		01	06	01				02		56			4
5	26		03	11				03	06		17		5
6						21				01	02	02	6
7	34		01			16				42			7
8	59			05			20	27		35	10		8
9	08	01	03	11				21			07	04	9
10	15		31	07	01			13	09	05	03		10
11	05	01	02	73				16		21			11
12	06	10		02	32			03		17	01	02	12
13	13		02	05			03	14	07	01	02		13
14	19			18				04				04	14
15	05			02	02		04	38		06		09	15
16	16	18	02	14		03				13		18	16
17	01	01	03	23	59	11	06		04	07		04	17
18	11			03	02		53	06	44		01		18
19	05	10	09		02				06		02		19
20		27	10		04				03		22	01	20
21	01	02	08								01		21
22			05		02			02		16			22
23		02			16			12	05				23
24		01			02	62	03			15	06		24
25		02	03								04	06	25
26			09			05		26	08		48	14	26
27			02			13	03	52				05	27
28			06		09	42		19		02		09	28
29		X			07		05			44		02	29
30	06	X	01				07	11					30
31	02	X		X		X	04	13	X	01	X	09	31
Total	2.36	.90	1.06	2.01	1.38	1.85	1.08	4.47	1.04	3.12	1.36	89	YEAR'S TOTAL 21.52
Rain Days.	18	14	18	16	12	9	10	21	10	18	16	14	176

W. 8,000, IX. 17.

Dl

Esc Dl

4/13 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

22·1·19

Kept at Boston, Black Sluice

in the County of Lincoln

by F. S. Robins

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02	·01	·02					·11	·01	·13	·05	1
2	·02	·11		·24				·34		·03	·04	·33	2
3	·06	·01	·06		·39			·13	·01		·78	·01	3
4		·03	·06				·09	·04	·71	·01	·42	·02	4
5		·02	·02	·04	·03			·33	·20	·04		·01	5
6		·07		·18				·02		·03		·03	6
7	·02	·03		·04		·12			·04	·06	·10	·02	7
8		·03					·04		·10		·02	·13	8
9	·08	·47		·08		·05	·01		·29	·40	·01	·01	9
10	·04	·01		·02	·33		·28			·11		·07	10
11	·08	·03		·08	·09		·08		·05	·63		·08	11
12		·23	·03	·01	·13		·12		·01	·03		·08	12
13		·02		·01		·02			·14			·01	13
14	·27	·01		·04			·30		·14	·12		·03	14
15	·36			·56		·05	·40		·15	·01		·16	15
16				·21		·07			·60			·01	16
17	·20			·03	1·43		·99	·01	·01	·02		·20	17
18	·18			·01			·08		·28			·09	18
19	·09	·07	·07	·02			·01			·10		·23	19
20	·02	·08				·04	·11		·02	·03			20
21	·02			·01		·07	·01		·42	·14			21
22	·07			·02	·05	·01				·02	·04	·35	22
23	·11				·97		·07			·01	·06		23
24		·23		·02	·17		·10		·04	·02		·01	24
25						·35	·07	·13	·01		·05		25
26							·09	·10	·06	·01	·11	·02	26
27			·02	·07		·03		·17	·08		·08	·09	27
28	·02	·10	·10								·15	·41	28
29	·02	X							·69		·02	·03	29
30		X	·19	·03			·01		·05		·10	·10	30
31	·01	X	·04	X		X			X	·08	X	·04	31
Total	1·68	1·57	·60	1·74	3·59	·81	2·86	1·27	4·21	1·91	2·11	2·62	YEAR'S TOTAL 24·97
Rain Days.	19	18	10	21	9	10	18	9	23	21	15	27	200

W. 8,000, VIII. 16

16

endby ctB Excd gre

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

→Boston Beach Sluice

Kept at ~~Guthram~~

in the County of Lincolnshire

by H Hackford

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	02	01	02					11	01	13	05	1
2	02	11		24				34		03	04	33	2
3	06	01	06		39			13	01		78	01	3
4		03	06				09	04	71	01	42	02	4
5		02	02	04	03			33	20	04		01	5
6		07		18				02		03		03	6
7	02	03		04		12			04	06	10	02	7
8		03					04		10		02	13	8
9	08	47		08		05	01		29	40	01	01	9
10	04	01		02			28			11		07	10
11	08	03		08	33		08		05	63		08	11
12		23	03	01	09		12		01	03		08	12
13		02		01	13	02			14			01	13
14	27	01		04			30		14	12		03	14
15	36			56		05	40		15	01		16	15
16				21		07			60			01	16
17	20			03	143		99	01	01	02		20	17
18	18		07	01			08		28			09	18
19	09	07		02			01			10		23	19
20	02	08				04	11		02	03			20
21	02			01		07	01		42	14			21
22	07			02	05	01				02	04	35	22
23	11				97		07			01	06		23
24		23		02	17		10		04	02		01	24
25						35	07	13	01		05		25
26							09	10	06	01	11	02	26
27			02	07		03		17	08		8	09	27
28	02	10	10								15	41	28
29	02	×							69		2	03	29
30		×	19	03			01		05		10	10	30
31	01	×	04	×		×			×	08	×	04	31
Total	168	157	60	174	359	81	286	127	421	191	211	262	YEAR'S TOTAL 2497
Rain Days.	19	18	10	21	9	10	18	9	23	21	15	27	200

W, 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Black Sluice, Skirbeck Quarter Boston.
in the County of Lincolnshire
by F. Sanderson Robins. M.I.C.E.

Lat 52. 58 N. Long 0. 1. 31 W.
Time of Observation 9 a.m.
Nearest Railway Station Boston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 11 ft. O.D

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
day previous

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20	02	01	03	19	-	15	-	-	05	12	63	1
2	13	-	01	-	-	-	18	-	03	.01	32	24	2
3	48	-	04	-	01	-	18	-	04	-	33	01	3
4	03	-	37	-	-	09	02	04	-	-	03	22	4
5	10	01	03	-	-	-	-	63	96	-	-	06	5
6	01	-	01	-	-	-	01	-	-	-	05	22	6
7	01	-	11	-	-	-	-	-	-	-	02	03	7
8	08	-	-	06	-	-	-	-	-	01	02	04	8
9	-	-	01	-	-	01	-	-	-	02	04	-	9
10	02	-	21	01	-	-	-	-	-	01	18	08	10
11	12	-	18	05	03	-	62	-	-	04	03	01	11
12	61	-	38	01	-	09	04	-	-	04	01	-	12
13	13	-	-	27	-	-	03	-	-	05	11	01	13
14	36	-	-	32	-	-	-	-	02	05	01	02	14
15	27	04	07	19	-	-	-	-	-	-	15	24	15
16	-	1.00	-	02	-	-	-	-	-	-	05	-	16
17	-	30	01	02	11	01	-	-	-	-	22	02	17
18	-	-	-	-	-	-	02	16	-	-	01	08	18
19	01	15	43	-	-	10	17	42	04	-	01	03	19
20	25	07	26	-	-	08	40	22	02	-	-	05	20
21	30	43	11	-	-	-	51	-	-	-	03	18	21
22	-	17	03	-	-	01	04	-	32	-	-	42	22
23	-	-	02	09	-	06	06	03	02	16	06	01	23
24	-	-	02	06	22	12	-	-	-	05	03	01	24
25	11	-	-	13	11	04	-	71	-	-	-	03	25
26	07	03	12	05	-	-	-	10	05	01	-	33	26
27	08	18	-	55	-	-	-	05	-	52	-	04	27
28	08	-	-	05	-	-	01	67	02	43	-	34	28
29	05		-	05	-	07	01	15	-	23	20	10	29
30	01		03	24	-	23	-	-	-	11	06	25	30
31	03		01		-		05	-		07		05	31
TOTAL	2.94	2.40 ~~2.23~~	2.47	2.20	0.67	0.91	2.50	2.58	1.52	[illegible] 1.86	2.09	3.75	YEAR'S TOTAL 25.89 ~~24.71~~
Days with ·01 in. or more	24	11 ~~10~~	22	18	6	12	17	11	10	17	23	28	199

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at BOSTON

in the County of Lincoln

by F. Sandison Robins M. Inst. C. E.

Lat. 52°-58′N Long. 0-1′-31″W

Time of Observation 9 A.M.

Nearest Railway Station [redacted] Boston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Previous day.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·24		·54	·01		1·26		·03	1
2				·20			·07	·01	·10	·01		·10	2
3		·01		·16		·08	·73		·13	·02		·05	3
4			·02	·12	·01		·09	·38	·05	·14		·09	4
5			·04	·04	·38		·24	·21	·06			·05	5
6			·06	·04	·01		·15	·02				·14	6
7			·19	·10			·22					·03	7
8	·01	·05		·37	·04		·02						8
9	·22	·01		·75			·01	·24					9
10	·10	·04	·08	·15			·01					·02	10
11	·16	·01	·06	·20	·13		·01				·03	·24	11
12	·07		·02	·15				·03			·03	·09	12
13			·03	·13		1·06			·06		·01	·05	13
14		·02	·41	·09		·19			·17		·20	·02	14
15	·01	·03	·77	·01					·12	·03	·01	·08	15
16				·02	·01				·07	·01		·04	16
17					·11				·29			·06	17
18	·06				·03	·02		·11	·09			·01	18
19	·07	·21		·14		·09		·57	·01		·02	·02	19
20	·09	·39		·43		·38	·02		·02				20
21				·06			·20	·05	·13			·01	21
22	·01			·12			·03	·09	·15				22
23							·07					·26	23
24			·23	·03								·08	24
25		·03	·02	·09	·15	·05	·46						25
26	·11		·04	·03	·27		·16						26
27	·05	·03	·01	·11	·03	·56					·14	·21	27
28	·40		·13	·04	·25		·04				·04	·04	28
29	·04		·20		·33		·07				·07	·30	29
30	·02			·09		·03	·03		·12		·09	·25	30
31	·10				·01		·01			·03	[redacted]	·12	31
Total	1·52	·83	2·31	3·67	2·00	2·46	3·18	1·72	1·57	1·50	·64	2·39	Year's Total 23·79
Days with ·01 in. or more	16	11	16	25	15	9	21	11	15	7	10	25	181
Days with ·04 in. or more	12	4	11	21	9	7	13	7	13	2	5	18	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S made

REC 1912

LINCOLN.
BOSTON.
"5, MAIN RIDGE"
1912

FORM A2.
BRITISH RAINFALL.

7 FEB 1913

Kept at 5 Main R

p 5 in.

bove Ground 2 ft. in.

in the County of

„ Sea Level ft.

by Frank G. B

9 am

Name Boston

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
ests.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·17	—	·08	·35	·29	·21	·19	—	—	1
2	—	—	—	—	—	·17	·03	—	·11	—	—	·40	2
3	—	—	—	—	·01	·05	·69	—	·02	—	—	·02	3
4	·22	—	·03	—	·13	·31	—	·32	·05	—	—	·07	4
5	—	—	·29	—	·04	·25	—	·05	—	—	·36	—	5
6	·07	—	·01	—	·05	·21	—	—	—	—	·02	—	6
7	·60	—	—	—	—	·06	·41	·09	—	—	—	·03	7
8	—	—	—	—	—	·14	—	·04	·14	—	—	—	8
9	·21	·32	·09	·01	—	·06	·15	—	·25	—	—	—	9
10	—	·14	·01	·12	—	·36	—	—	~~·07~~	—	—	·24	10
11	—	—	—	—	—	—	—	—	·07	—	·06	—	11
12	·14	—	—	—	—	—	—	·04	·03	—	—	·54	12
13	·06	·29	·19	—	·02	·02	—	·12	—	—	·32	—	13
14	—	·06	—	—	—	—	—	·05	—	—	·31	—	14
15	—	—	·07	—	—	·16	—	·09	—	—	—	·03	15
16	—	—	·13	—	·56	·14	—	·01	—	—	—	·01	16
17	·17	—	·10	—	·03	·15	—	·12	—	·10	—	—	17
18	—	·02	·19	—	—	·18	—	·12	—	—	·01	·18	18
19	·38	—	·14	—	—	—	·06	·05	—	·03	·04	·07	19
20	·32	·12	—	—	—	—	·06	·43	—	·03	·01	—	20
21	·12	—	—	—	·07	—	·78	·19	—	·18	—	—	21
22	—	—	·19	—	·36	—	·33	·04	—	—	·04	·03	22
23	·01	·07	—	—	·83	—	·39	·24	—	—	—	·12	23
24	·13	·07	·17	—	—	—	·08	·71	—	—	·17	·15	24
25	·11	—	—	—	—	·04	·05	·06	—	—	—	·11	25
26	·04	—	—	—	—	·27	·07	·62	—	·01	·24	·18	26
27	—	·03	—	—	—	—	·13	1·92	—	·40	·26	·38	27
28	—	—	·01	—	—	·05	—	·02	—	·36	—	·08	28
29	—	—	—	—	—	—	—	·43	—	·31	·30	·40	29
30	—		—	—	—	·13	·56	·03	·47	·21	·27	—	30
31	—	—	·17	—	·15 ·08	·35	·29	·01 ·21	·19	·07		—	31
Total	~~2·59~~	~~1·12~~	~~1·62~~	~~·30~~	~~2·25~~	~~2·83~~	~~4·14~~	~~6·09~~	~~1·35~~	~~1·89~~	~~2·41~~	~~3·04~~	TOTAL for Year ~~29·62~~
No. of Rain Days.	~~15~~ 14	9	~~14~~ 15	~~3~~ 2	~~11~~ 12	19	15	25	9	~~11~~ 10	14	18	~~163~~ 162
W. 8,000, X-11.	2·58	1·12	1·79	·13	2·33	3·10	4·08	6·01	1·33	1·70	2·41	3·04	29·62

made

FORM A2.
BRITISH RAINFALL.

7 FEB 1913

REC[redacted]912

Kept at 5 Main Ridge Boston

in the County of Lincs 3

by Frank L. Bothamley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Boston
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
ests.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·17	—	·08	·35	·29	·21	·19	—	—	1
2	—	—	—	—	—	·17	·03	—	·11	—	—	·40	2
3	—	—	—	—	·01	·05	·69	—	·02	—	—	·02	3
4	·22	—	·03	—	·13	·31	—	·32	·05	—	—	·07	4
5	—	—	·29	—	·04	·25	—	·05	—	—	·36	—	5
6	·07	—	·01	—	·05	·21	—	—	—	—	·02	—	6
7	·60	—	—	—	—	·06	·41	·09	—	—	—	·03	7
8	—	—	—	—	—	·14	—	·04	·14	—	—	—	8
9	·21	·32	·09	·01	—	·06	·15	—	·25	—	—	—	9
10	—	·14	·01	·12	—	·36	—	—	~~·07~~	—	—	·24	10
11	—	—	—	—	—	—	—	—	·07	—	·06	—	11
12	·14	—	—	—	—	—	—	·04	·03	—	—	·54	12
13	·06	·29	·19	—	·02	·02	—	·12	—	—	·32	—	13
14	—	·06	—	—	—	—	—	·05	—	—	·31	—	14
15	—	—	·07	—	—	·16	—	·09	—	—	—	·03	15
16	—	—	·13	—	·56	·14	—	·01	—	—	—	·01	16
17	·17	—	·10	—	·03	·15	—	·12	—	·10	—	—	17
18	—	·02	·19	—	—	·18	—	·12	—	—	·01	·18	18
19	·38	—	·14	—	—	—	·06	·05	—	·03	·04	·07	19
20	·32	·12	—	—	—	—	·06	·43	—	·03	·01	—	20
21	·12	—	—	—	·07	—	·78	·19	—	·18	—	—	21
22	—	—	·19	—	·36	—	·33	·04	—	—	·04	·03	22
23	·01	·07	—	—	·83	—	·39	·24	—	—	—	·12	23
24	·13	·07	·17	—	—	—	·08	·71	—	—	·17	·15	24
25	·11	—	—	—	—	·04	·05	·06	—	—	—	·11	25
26	·04	—	—	—	—	·27	·07	·62	—	·01	·24	·18	26
27	—	·03	—	—	—	—	·13	1·92	—	·40	·26	·38	27
28	—	—	·01	—	—	·05	—	·02	—	·36	—	·08	28
29	—	—	—	—	—	—	—	·43	—	·31	·30	·40	29
30	—		—	—	—	·13	·56	·03	·47	·21	·27	—	30
31	—	—	— ·17	—	·15 ·08	·35	·29	·01 ·21	·19	·07		—	31
Total	~~2·59~~	~~1·12~~	~~1·62~~	~~·30~~	~~2·25~~	~~2·83~~	~~4·14~~	~~6·09~~	~~1·35~~	~~1·89~~	~~2·41~~	~~3·04~~	TOTAL for year ~~29·62~~
No. of Rain Days.	~~15~~ 14	9	~~11~~ 15	~~3~~ 2	~~11~~ 12	19	15	25	9	~~11~~ 10	14	18	~~163~~ 162
W. 8,000, X-11.	2·58	1·12	1·79	·13	2·33	3·10	4·08	6·01	1·33	1·70	2·41	3·04	29·62

LINCOLN.

BOSTON.

"SLEAFORD RD."

1911 – 1920

FORM A2.
BRITISH RAINFALL.
19 FEB 1912

REG 911

Kept at Sleaford Ro

in the County of Linc

by John Shaw

owdon

p 5 in.

bove Ground 1 ft. 6" in.

„ Sea Level 10 ft.

9 am

Name Boston

Distance 300 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17						.01	.09			.04	.02	1
2	.30				.04	.05	.01			.01	.01	.05	2
3	.03	.04		.05	.05			.14		.04	.03	.01	3
4	.11	.02	.12	.10					.09	.61	.06	.21	4
5	.03			.04				.05		.12		.21	5
6	.35		.02					.03		.09	.07	.21	6
7	~~.27~~										.15	.29	7
8	.27		.12						.01		.08	.10	8
9	.05		.06	.04						.02	.26	.01	9
10		.05	.06								.04	.22	10
11	.22	.04						.01			.31		11
12	.23		.33						.34		.05	.01	12
13			.50			.14			.12	.03	.01	.41	13
14		.03	.09		.50	.06	.01			.01	.02	.47	14
15		.05	.20							.01	.08	.03	15
16			.08			.06					.23	.10	16
17			.01								.08	.09	17
18		.15	.01			.11					.36	.10	18
19	.02	.05			.03	.24	.02	.01	.02	.02	.17	.01	19
20		.02		.04		.01	.07	1.43	.35	.02	.02	.35	20
21		.36						.73	.01	.02	.03	.03	21
22	.03					.02				.45	.03	.19	22
23		.02	.33		.01	1.23		.11	.53		~~.01~~	.08	23
24		.12	.04	.03		.91		.03		.52		.12	24
25		.09	.03	.11	.04	.05		.01			.05	.07	25
26				.09				.17		.30	.44	.34	26
27		.10	.10	.06				.10	.23	.07		.05	27
28		.10		.23		.08		.12		.04	.01	.11	28
29			.02	.01		.05	.02		.32	.25	.05	.03	29
30			.01		.22	.03			.17	.08			30
31			.02							.01		.02	31
Total	1.81	1.24	2.15	.80	.89	3.04	.14	3.03	2.19	2.72	~~26.9~~ 2.69	3.94	TOTAL for year 24.64
No. of Rain Days.	12	15	19	11	7	14	6	14	11	20	26	29	184

W: 8,000, X. '11.

✓

REC IN 1911

FORM A2.
BRITISH RAINFALL.
19 FEB 1912

Kept at Sleaford Road Boston

in the County of Lincoln 3

by John Shaw

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6" in.
" " " Sea Level 10 ft.

Time of Observation 9 am

Nearest Railway Station
Name Boston
Distance 300 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17						.01	.09			.04	.02	1
2	.30				.04	.05	.01			.01	.01	.05	2
3	.03	.04		.05	.05			.14		.04	.03	.01	3
4	.11	.02	.12	.10					.09	.61	.06	.21	4
5	.03			.04				.05		.12		.21	5
6	.35		.02					.03		.09	.07	.21	6
7	~~.27~~										.15	.29	7
8	.27		.12						.01		.08	.10	8
9	.05		.06	.04						.02	.26	.01	9
10		.05	.06								.04	.22	10
11	.22	.04						.01			.31		11
12	.23		.33						.34		.05	.01	12
13			.50			.14			.12	.03	.01	.41	13
14		.03	.09		.50	.06	.01			.01	.02	.47	14
15		.05	.20							.01	.08	.03	15
16			.08			.06					.23	.10	16
17			.01								.08	.09	17
18		.15	.01			.11					.36	.10	18
19	.02	.05			.03	.24	.02	.01	.02	.02	.17	.01	19
20		.02		.04		.01	.07	1.43	.35	.02	.02	.35	20
21		.36						.73	.01	.02	.03	.03	21
22	.03					.02				.45	.03	.19	22
23		.02	.33		.01	1.23		.11	.53		.01	.08	23
24		.12	.04	.03		.91		.03		.52		.12	24
25		.09	.03	.11	.04	.05		.01			.05	.07	25
26				.09				.17		.30	.44	.34	26
27		.10	.10	.06				.10	.23	.07		.05	27
28		.10		.23		.08		.12		.04	.01	.11	28
29			.02	.01		.05	.02		.32	.25	.05	.03	29
30			.01		.22	.03			.17	.08			30
31			.02							.01		.02	31
Total	1.81	1.24	2.15	.80	.89	3.04	.14	3.03	2.19	2.72	2.69 ~~[illegible]~~	3.94	TOTAL for year 24.64
No. of Rain Days.	12	15	19	11	7	14	6	14	11	20	26	29	184

W: 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
-5 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Sleaford Road Boston
in the County of Lincoln 3
by John Shaw

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	[illegible]			.01		.13	.05		.13			.46	1
2	[illegible]	.10		.01	.01	.11	.62		.03			.02	2
26 3	.24	.05	.03		.13	.32		.34	.06			.08	3
4	.03		.28		.03	.38		.07			.33		4
5	.05	.08	.02			.25					.03		5
6	.57	.05			.07	.06	.43	.09				.05	6
7					.02	.13	.01	.09	.12				7
8	.30	.09	.09	.02		.08	.20		.32			.01	8
9		.14	.02	.13		.29			.02			.25	9
10	.01			.02					.09		.06		10
11	.12	.03			.01			.03	.03		.01	.56	11
12	.08	.24	.21		.02	.05		.09			.39	.01	12
13	.01		.01			.01		.05		.01	.36		13
14	.01	.08	.07		.04	.18		.09		.01	.01	.04	14
15		.01	.14		.52	.14				.08			15
16	.20		.09		.03	.29		.08					16
17	.28	.01	.19			.20		.12			.01	.21	17
18	.26		.14				.05	.03		.04	.06	.07	18
19	.34	.12					.09	.35		.04	.01		19
20	.13	.01	.02		.05		.89	.25	.02	.20			20
21	.01	.01	.21		.40		.39	.04			.04	.02	21
22		.08			.88		.43	.20				.13	22
23	.11	.08	.18			.01	.07	.73			.18	.16	23
24	.14					.04	.04	.09				.13	24
25	.05					.24	.12	.60			.25	.22	25
26		.03					.10	2.03		.46	.33	.41	26
27						.07		.03		.35		.08	27
28				.03	.01			.43		.33	.30	.40	28
29		.01				.07	.60	.03	.53	.21	.34		29
30	.02		.01		.15	.49		.01	.24				30
31			.17		.08		.30	.22					31
Total	2.96	1.22	1.88	.22	2.45	3.54	4.39	6.09	1.59	1.73	2.76	3.31	YEAR'S TOTAL 32.14
Rain Days.	20	18	17	6	16	21	16	24	11	10	16	19	194

W. 7,500, XI. 13

FORM A.
BRITISH RAINFALL.

10 FEB 1914

REGISTER OF RAINFALL IN 1913

Exd SS

3

Kept at 2 Sleaford Rd
in the County of Lincoln
by John Shaw

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Boston
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.08	.03	.09				.40				1
2	.01	.06	.03	.01	.01		.08		.08		.04		2
3			.05		.48	.01					.01	.01	3
4	.40				.08		.03			.06	.21	.07	4
5	.01						.01		.14	3.54	.04		5
6		.01	.03		.46	.36		.06		.41			6
7					.18	.10				.71			7
8			.07		.46	.20				.26	.08		8
9		.28	.04	.03	.06	.01		.15			.10		9
10				.09	.18		.34				.40		10
11	✡ 1.05			.52	.01						.01		11
12		.02				.01					.23		12
13	.04		.03	.01				.07			.30		13
14	.03		.59						.10	.13			14
15	.18		.15	.17					.42		.12		15
16	.06	.04	✡ .57	.16					.02		.05		16
17	.02	.05	✡ .35	.04		.10	.02					.08	17
18			.13	.07			.04	.01	.18			.02	18
19	.08		.12				.02	.01					19
20	.40		.05	.01					.06	.41			20
21	.10		.15		.05		.15				.18		21
22	.12		.11				.10	.02	.15				22
23	.01					.01	.08	.03	.06			.01	23
24	.04			.09		.15		.02			.01		24
25				.10									25
26		.12	.10	.03	.01	.02				.52	.06	.10	26
27		.04	.01	.11	.03	.07					.01	~~.01~~	27
28	.23		.06	.40						.08		✡ .05	28
29	.11		.17	.04				.03		.04		✡ .25	29
30	.20							.01		.05	.03	✡ .05	30
31								.30					31
Total	3.09	.62	2.89	1.91	2.10	1.04	.87	.71	1.61	6.21	1.88	.64	YEAR'S TOTAL 23.57
Rain Days.	18	8	20	17	13	11	10	11	10	11	17	9	155

W.7,000, XI. 13

✡ = Snow

6&MX

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
19 FEB 1915

Kept at 2 Sleaford Rd Boston
in the County of Lincoln 3
by J Shaw

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Boston G N
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.01			.19	.31			.09		1
2							.05	.20			.06	.09	2
3			.13		.12		.02	.01					3
4	.18		.03	.26				.01				.05	4
5			.10	.08	.05		.05	.23					5
6		.05		.03	.11		.17				.13	.02	6
7		.03	.30	.01	.08	.18						.01	7
8	.25	.03	.03	.04		.82		.13	.22				8
9	.39		.23	.14		1.05							9
10	.60	.04	.03						.05	.02			10
11	.02	.04	.31	.16	.05				.20		.28	.21	11
12	.07	.09	.01			.13	.15		.22		.01	.21	12
13	.06	.02	.23							.33	.04	.13	13
14			.15				.01			.11	.29	.27	14
15	.05		.13			.01					.11	.58	15
16			.05				.03		.03		.01		16
17	.04	.12					.03		.22			.08	17
18			.02				.04			.02	.01	.34	18
19		.08	.24			.33	.04				.11		19
20	.03	.04	.25						.21	.20			20
21	.02	.10	.18					.07		.10	.02	.13	21
22		.02	.01	.01	.33		.13			.15		.03	22
23		.02	.03		.02	.17	.05	.01		.05		.17	23
24				.09			.06	.03		.09	.26		24
25							.07	.05		.54		.16	25
26			.01				.01			.08	.15	.33	26
27												.16	27
28	.03	.02								.03	.24	1.37	28
29	.02		.06							.35	.01		29
30		×		.02	.02	.01				.02	.26	.27	30
31		×		×	.02	×	.12		×	.05	×	.10	31
Total	1.77	.70	2.53	.85	.80	2.70	1.22	1.05	1.15	2.14	2.08	4.71	YEAR'S TOTAL 21.70
Rain Days.	14	14	21	11	9	8	17	10	7	15	17	20	163

W. 8,000. X. 14.

2663

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 FEB 1916

Kept at Sleaford Road Boston
in the County of Lincoln
by J Shaw

Lat. Long.
Time of Observation 9 am
Nearest Railway Station ~~New Bolingbroke~~ Boston
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24	.13			.35		.01		.51		.16	.07	1
2	.43	.05	.25	.08		.01		.82	.15		.12		2
3	.23		.05	.04			.28	.02	.01		.02	.23	3
4	.18						1.75	.27	.02			.80	4
5	.05	.05			.20		.02	.03			.08	.22	5
6	.10	.13	.05	.05		.02	.61			.01		.02	6
7	.22	.20	.28			.01	.58	.26			.02	.75	7
8	.03	.03	.03	.03				.01			.03		8
9	.12	.11				.01					.03	.45	9
10	.20							.20					10
11	.01				.20		.10				.35	.15	11
12	.09			.14	.13		.03	.23			1.00		12
13	.02	.45			.47				.01				13
14		.19			.03					.03		.27	14
15	.18	.02			.01		.04	.32		.01	.62	.08	15
16		.20					.64					.12	16
17	.17	.08					.04					.02	17
18		.01	.28								.35		18
19							.07			.02			19
20	.23		.01	.03								.41	20
21	.11	.05			.24		.16					.05	21
22	.19		.20	.01			.22					.20	22
23	.04	.19					.52		.06	.10	.03	.13	23
24			.18				.12		.36	.32		.30	24
25	.03		.01			.31	.16			.10	.01	.07	25
26		.06		.01			.05		.03		.01	.33	26
27	.01	.10	.01			.13	.38			.55		.07	27
28		.04	.01			.08	.03	.17	.01	.22			28
29				.01		.05		.15			.27	.28	29
30	.08	X				.08		.26				.01	30
31	.03	X		X		X			X	.02	X	.07	31
Total	2.59	2.11	1.36	.40	1.63	.70	5.81	2.74	1.16	1.38	3.10	5.10	YEAR'S TOTAL 28.08
Rain Days.	23	18	12	9	8	9	20	12	9	10	15	23	168

W. 8,000. X. 15.

2598

FORM A.
BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sleaford Road Boston
in the County of Lincoln
by John Shaw

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Boston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.05			.14	.15				.35		1
2	.20	.04	.03		.21	.10	.08		.02	.16	.13		2
3		.10	.03				.60		.50	.36	.03		3
4		.21			.16	.20	.03		.19	.07	.23	.01	4
5	.28		.03		.01	.05	.07			.10	.07	.11	5
6	.04		.36	.16	.07		.11			.04	.25		6
7	.06		.24		.27		.29			.13	.49	.10	7
8	.01		.14							.04		.21	8
9			.10		.33	.25	.24		.01	.01		.13	9
10		.01	.19	.03		.03	.12		.09			.06	10
11	.04	.50	.20	.21		.33			.01				11
12		.03	.05	.02	.20	.30	.09			.02			12
13		.11	.14		.16	.07		.11					13
14		.30	.01		.09	.02	.05	.10		.10			14
15		.19	.61	.04	.05		.09		.01	.11		.04	15
16		.10	.07	.26			.03	.05				.04	16
17	.03		.01	.30			.09	.43	.19	.18		.05	17
18		.13		.04		.03		.41	.09	.15	.86		18
19	.04		.02	.37					.11		.30	.10	19
20	.17		.14	.22							.16	.23	20
21			.15	.08				.01				.63	21
22		.20	.01		.09	.01				.01		.43	22
23		.65				.58		.02		.05	.08	.41	23
24		1.01		.03		.22		.01		.10		.08	24
25		.19	.18		.03			.21		.08	.11		25
26		.15				.03				.05	.08	.01	26
27		.06	.65							.15			27
28		.24	1.16			.05						.15	28
29		.15				.20		1.15		.16		.18	29
30		X				.02		.28		.05			30
31	.01	X		X		X		.04	X		X	.02	31
Total	.98	4.37	4.57	1.76	1.67	2.63	2.04	2.82	1.22	2.12	3.14	2.99	YEAR'S TOTAL 3031
Rain Days.	11	19	23	12	12	18	14	12	10	21	13	19	184

2467

FORM A. BRITISH RAINFALL. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Sleaford Road Boston

in the County of Lincoln

by John Shaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Boston (GNR)

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.16				.83	.10		.03		1
2	.04			.09		.13		.19		.01	.07		2
3		.13		.05				.62		.28			3
4		.01	.08					.06		.57			4
5	.26		.03	.11				.02	.10		.15		5
6			.05			.11			.03				6
7	.34					.19				46			7
8	.66			.05			.28	.25		34	.09		8
9			.03	.13				.15				.03	9
10	.25	.02	.31	.12				.13	.06	.05	.04		10
11	.05	.01	.01	.94				.06		.19			11
12	.08	.11		.02	.32					.17		.01	12
13	.20			.03			.02		.06	.01			13
14	.15			.23				.01				.02	14
15	.08			.01			.02	.30		.04		.03	15
16	.10	.19		.19		.03				.13		.23	16
17	.02		.03	.24	.63	.12	.03		.03	.06		.05	17
18	.12			.05	.01		.52	.04	.42				18
19	.07	.10	.13		.01				.03		.01		19
20		.30	.10		.03				.02		.25		20
21		.01	.10		.02					.01			21
22			.08					.02		.14			22
23					.14			.09	.04			.01	23
24					.03	.46	.01			.13	.06		24
25			.03				.01				.05	.20	25
26			.15			.04		.26	.06		.50	.29	26
27			.01			.03	.02	.46				.03	27
28		.03	.08		.02	.47		.22		.01	.01	.10	28
29					.09	.05	.05			.45		.02	29
30	.08	×					.10	.11					30
31	.01	×		×		×	.17	.13	×		×	.11	31
Total	2.51 ✓	.94	1.22 ✓	2.42 ✓	1.30 ✓	1.63 ✓	1.23 ✓	3.95 ✓	.95 ✓	3.05 ✓	1.26 ✓	1.13 ✓	YEAR'S TOTAL 21.59 ✓
Rain Days.	16 ✓	11 ✓	15 ✓	15 ✓	10 ✓	10 ✓	11 ✓	19 ✓	11 ✓	17 ✓	11 ✓	13 ✓	159 ✓

W. 8,000, IX. 17.

17

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
122.18

Kept at 2 Sleaford Road Boston

in the County of Lincoln

by J Shaw

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
												·05	
1			.01						·11	·01	.10	·30	1
2	.02	·12		.18				·34			·03	·01	2
3	.08		.05		·30			·10	.01	.03	·64		3
4		·03	·04	[illegible]			·13	·03	·78		·34		4
5			·01	·03	·06			·32	·18	·02			5
6		.08		·20		·02		·04		·03		·03	6
7		·04		·05		·09			·02	·12	·08		7
8	·17						·02		·11	[illegible]		·12	8
9	·11	·48		·06		·09	·01		·28	·35	·03		9
10	·04			·02		[illegible]	·27			·10		·05	10
11	·07	·02		·09	·35		·06		·01	·66		·07	11
12		·21	.02		·09		·13		·02	·03		·07	12
13		·01			·09				·14				13
14	·26			·05			·27		·13	·10		·03	14
15	·61			·63		·04	·35		·18			·15	15
16				·88		·05	·01		·60				16
17	·22			·05	1·15		·94	·01	·02	·01		·18	17
18	·18			·01			·09		·27			·08	18
19	·08	·04	.05	·02						·09			19
20	.02	·08				·04	·10		·01	.03	·01		20
21						·08			·20	·13			21
22	·08			·01	·05	·01				·01		·35	22
23	·09				1·00		·06				·01		23
24					·20				·04	·02	·02		24
25						·35	·15	·12			·04		25
26							·12	·11	·05	·01	·10		26
27				·08		·04		·16	·05		·07	·01	27
28		·10	·09					·02	[illegible]		·16	·39	28
29									·68		·03	·03	29
30		✕	·17	·02					·05		·11	·07	30
31		✕	·05	✕		✕			✕	·08	✕	·04	31
Total	2.03	1·21	.49	1.68	3.29	·8[illegible]	2.71	1.25	3.94	[illegible]*	1.97	2·03	YEAR'S TOTAL 23·24
Rain Days.	14	11	9	16	9	[illegible] 10	15	10	22	18	15	16	167

1·83

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

10 JA 20

Kept at Sleaford Road Boston

in the County of Lincoln

by John Shaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Boston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·03	·01	·03	·18		·21			·08	·06	·50	1
2	·13	·01	·01				·23				·24	·30	2
3	·48		·05				·09		·04		·33	·01	3
4	·03		·38			·15	·01	·04			·02	·25	4
5		·01	·01					·03	·99		·03	·04	5
6			·02				·01				·02	·30	6
7			·12								·01		7
8	·07			·08		·04					·02	·07	8
9										·02	·02	·01	9
10			·21	·01						·01	·18	·06	10
11	·10		·17	·04	·02		·60			·04	·03		11
12			·39	·02		·05	·09			·04			12
13	·13			·22			·03				·04		13
14	·31			·33					·01		·02		14
15	·27	·05	·03	·17							·14	·28	15
16		·99		·08							·03		16
17		·35		·06	·09	·01	·01				·23	·02	17
18							·01	·16			·01	·06	18
19		·13	·42			·05	·20	·39	·02			·02	19
20	·25	·10	·23			·14	·42	·29	·02		·01	·04	20
21		·44	·10			·01	·41				·02	·22	21
22		·12	·05			·01			·30		·04	·44	22
23			·01	·05		·05	·07	·03	·05	·16		·01	23
24			·01	·09	·15	·14				·07	·03		24
25	·10	·01		·15	·23	·04		·69				·01	25
26	·10	·02	·10	·05				·11				·33	26
27	·10	·17		·58						·49		·05	27
28	·08			·05		·01		·72	·01	·44		·33	28
29	·08			·06		·08	·02	·21		·24	·25	·10	29
30	·03		·04	·23		·25				·09	·04	·25	30
31	·02						·05			·06		·06	31
TOTAL	2.47	2.43	2·36	2·30	0.67	1.03	2·46	2·67	1·44	1·74	1.82	3·76	YEAR'S TOTAL 25.15
Days with ·01 in. or more	17	13	19	18	5	14	16	10	8	12	23	24	179

2226

5 MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sleaford Road Boston

in the County of Lincoln

by John Shaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Boston G.N

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·23		·29			1·12		·01	1
2		·01		·22			·22		·10	·11		·09	2
3				·22		·09	·52		·11	·03		·04	3
4				·15			·03	·35	·06	·15		·10	4
5			·03	·05	·30		·30	·19	·08			·05	5
6			·04		·02		·17	·02				·13	6
7			·17	·09			·28					·04	7
8		·01		·35	·02		·01			·01		·01	8
9	·21			·70				·15		·02		·01	9
10	·12		·07	·14			·01	·01					10
11	·20	·03	·04	·22	·13		·01					·23	11
12	·08		·03	·14			·01	·02		·01		·15	12
13			·01	·12		1·08			·07	·01		·10	13
14			·43	·12		·23			·10	·16		·09	14
15			1·13	·01					·24			·11	15
16				·01					·08			·03	16
17				·01	·08				·23			·06	17
18	·05			·11	·03			·13	·08			·01	18
19	·09	·21		·43		·01		·65				·02	19
20	·09	·43		·01		·42	·02		·03		·04		20
21				·04			·23	·07	·06				21
22				·12			·01	·08	·25				22
23							·08					·24	23
24			·19	·04								·06	24
25		·04		·11	·07	·05	·45				·03		25
26	·11		·04	·03	·35		·16					·01	26
27	·04	·03		·19	·03	·52	·02				·12	·18	27
28	·39		·02	·07	·25		·07				·03	·06	28
29			·30	·02	·54		·02				·06	·30	29
30	·01	✕		·09	·01		·01		·13		·09	·23	30
31	·10	✕		✕		✕	·01		✕	·05	✕	·11	31
Total	1·49	·76	2·50	3·81	2·06	2·40	2·93	1·67	1·62	1·67	·37	2·47	Year's Total 23·75
Days with ·01 in. or more	12	7	13	27	13	7	22	10	14	10	6	26	167
Days with ·04 in. or more	11	3 5	10	21	8	6	11	7	13	5	4	19	~~120~~ 118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Corrected for wrong glas REGISTE

LINCOLN.

BOURNE COUNCIL SCHOOL.

1911 – 1920

FORM A2.
BRITISH RAINFALL.
~~21 MAY 1912~~

Kept at Bourne Council

in the County of Lincolnsh

by Oliver Davies

n.
d 1 ft. 6 in.
evel 23 ft.
— Bourne
ce ¼ mile Direction S W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	-	-	·01	-	-	-	-	-	-	-	1
2	·04	-	-	-	·02	-	-	-	-	-	·26	-	2
3	-	-	-	-	·10	-	-	·05	-	-	-	·02	3
4	·07	·06	·05	·03	-	-	-	-	·02	·17	-	-	4
5	-	-	-	·12	-	-	-	-	-	·15	·01	·26	5
6	·42	-	·01	·08	-	-	-	·01	-	·02	-	-	6
7	-	-	-	-	-	-	-	-	-	·18	-	·46	7
8	-	-	·08	-	-	-	-	-	-	-	-	-	8
9	·23	-	·10	-	-	-	-	-	-	-	·20	·21	9
10	-	·04	-	-	-	-	-	-	-	-	·03	·11	10
11	·02	-	-	-	-	-	-	-	-	-	-	-	11
12	·08	-	·17	-	-	-	-	-	·25	-	·37	·07	12
13	-	-	-	-	-	·06	-	-	-	-	·02	-	13
14	-	-	-	-	-	·02	-	-	-	-	·06	·80	14
15	-	-	·13	-	·31	-	-	-	-	·01	·22	·01	15
16	-	·07	·02	-	·10	-	-	-	-	-	·06	·09	16
17	-	-	-	-	-	·09	-	-	-	-	·38	·02	17
18	-	·07	-	-	-	·02	-	-	-	·01	·02	-	18
19	-	·07	-	-	·14	-	-	-	-	·03	-	·33	19
20	-	-	-	-	·02	-	-	·37	·29	·03	·02	·10	20
21	-	·04	-	·01	-	-	-	1·25	·01	·17	·01	·21	21
22	-	-	-	-	-	·02	-	·10	-	-	-	·09	22
23	-	·29	·29	-	-	·23	-	·12	-	·17	·01	·10	23
24	-	·02	-	-	-	·64	-	-	·46	·37	-	·19	24
25	-	-	·02	·05	-	·35	-	-	-	·08	-	·39	25
26	-	-	-	·02	·35	-	-	-	-	·21	-	-	26
27	-	·13	·12	·36	-	·02	-	·02	-	·02	·22	·01	27
28	-	·10	·01	·05	-	-	·08	·04	·17	·12	·04	·06	28
29	-		-	·10	-	-	-	-	-	·21	-	-	29
30	-		-	·08	·07	·10	·24	·08	·17	-	·01	-	30
31	-		-		-		-	-		·10		-	31
Total	·88	·89	1·00	·90	1·12	1·55	·32	2·04	1·37	2·05	1·94	3·53	TOTAL for year 17·59
No. of Rain Days.	7	10	11	10	9	10	2	9	7	17	17	19	128

✓ Corrected for wrong glas

REGISTER OF RAIN

FORM A2.
BRITISH RAINFALL.
~~21 MAY 1912~~

Kept at Bourne Council School
in the County of Lincolnshire
by Oliver Davies

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 23 ft.
Time of Observation 9 pm
Nearest Railway Station
Name Bourne
Distance ¼ mile Direction S W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	-	-	·01	-	-	-	-	-	-	-	1
2	·04	-	-	-	·02	-	-	-	-	-	·26	-	2
3	-	-	-	-	·10	-	-	·05	-	-	-	·02	3
4	·07	·06	·05	·03	-	-	-	-	·02	·17	-	-	4
5	-	-	-	·12	-	-	-	-	-	·15	·01	·26	5
6	·42	-	·01	·08	-	-	-	·01	-	·02	-	-	6
7	-	-	-	-	-	-	-	-	-	·18	-	·46	7
8	-	-	·08	-	-	-	-	-	-	-	-	-	8
9	·23	-	·10	-	-	-	-	-	-	-	·20	·21	9
10	-	·04	-	-	-	-	-	-	-	-	·03	·11	10
11	·02	-	-	-	-	-	-	-	-	-	-	-	11
12	·08	-	·17	-	-	-	-	-	·25	-	·37	·07	12
13	-	-	-	-	-	·06	-	-	-	-	·02	-	13
14	-	-	-	-	-	·02	-	-	-	-	·06	·80	14
15	-	-	·13	-	·31	-	-	-	-	·01	·22	·01	15
16	-	·07	·02	-	·10	-	-	-	-	-	·06	·09	16
17	-	-	-	-	-	·09	-	-	-	-	·38	·02	17
18	-	·07	-	-	-	·02	-	-	-	·01	·02	-	18
19	-	·07	-	-	·14	-	-	-	-	·03	-	·33	19
20	-	-	-	-	·02	-	-	·37	·29	·03	·02	·10	20
21	-	·04	-	·01	-	-	-	1·25	·01	·17	·01	·21	21
22	-	-	-	-	-	·02	-	·10	-	-	-	·09	22
23	-	·29	·29	-	-	·23	-	·12	-	·17	·01	·10	23
24	-	·02	-	-	-	·64	-	-	·46	·37	-	·19	24
25	-	-	·02	·05	-	·35	-	-	-	·08	-	·39	25
26	-	-	-	·02	·35	-	-	-	-	·21	-	-	26
27	-	·13	·12	·36	-	·02	-	02	-	·02	·22	·01	27
28	-	·10	·01	·05	-	-	·08	·04	·17	·12	·04	·06	28
29	-		-	·10	-	-	-	-	-	·21	-	-	29
30	-		-	·08	·07	·10	·24	·08	·17	-	·01	-	30
31	-		-		-		-	-		·10		-	31
Total	·88	·89	1·00	·90	1·12	1·55	·32	2·04	1·37	2·05	1·94	3·53	TOTAL for year 17·59
No. of Rain Days.	7	10	11	10	9	10	2	9	7	17	17	19	128

W. 8,000, X. '11.

[illegible]

Rut RR

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 JAN 1913

Kept at Bourne

in the County of Lincolnshire 2

by Oliver Davies

RAIN GAUGE
Pattern Cylindrical
Diameter of top 5·15 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 23 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bourne (G. N. R / M. R.)
Distance 4 m. Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·16	—	—	·37	·02	—	·11	·04	·11	—	1
2	—	·06	—	·03	·03	·64	·37	—	—	—	—	·37	2
3	—	—	·02	—	—	·46	—	—	·03	—	—	—	3
4	—	—	·34	—	·07	·24	—	·91	—	—	—	·08	4
5	·16	—	·03	—	—	—	—	—	—	—	·46	—	5
6	·50	·08	·18	—	·01	·09	—	·12	—	—	·02	—	6
7	·02	·18	—	—	—	·12	·42	·10	—	—	—	—	7
8	·23	—	·07	—	—	·16	·11	—	·08	—	—	—	8
9	·11	·19	—	·01	—	·42	—	·21	—	—	—	·03	9
10	·01	—	—	·03	—	·06	—	—	·10	—	·07	·16	10
11	·09	·01	—	—	—	—	—	—	·02	—	·06	—	11
12	—	·21	—	—	·15	·18^{17}	·06	—	—	—	·01	·20	12
13	·09	·06	—	—	—	·11^{18}	—	—	—	—	·12	—	13
14	—	—	·07	—	—	·01^{19}	—	—	—	—	·16	—	14
15	·03	·01	—	—	·09	—^{20}	—	—	—	·08	—	—	15
16	·10	—	—	—	·37	—^{21}	—	·08	—	—	—	—	16
17	·07	—	·07	—	—	—^{22}	—	—	—	—	—	·41	17
18	·47	—	·21	—	—	—^{23}	—	·14	—	—	·03	—	18
19	·12	·07	—	—	—	—^{24}	·12	·23	—	—	—	—	19
20	·16	·06	·02	—	·04	·12^{25}	·87	·25	—	—	—	—	20
21	·13	·13	·16	—	—	·34^{26}	·37	·21	—	·22	—	—	21
22	—	·01	—	—	1·38	·03^{27}	·85	—	—	·08	·04	·02	22
23	—	—	·04	—	—	—^{28}	1·37	·62	—	—	·09	·20	23
24	·18	—	·15	—	—	·02^{29}	·20	·05	—	—	—	·10	24
25	—	—	—	—	—	·12^{30}	·16	—	—	—	·34	·28	25
26	—	—	—	—	—	·30^{12}	·03	1·87	—	—	·17	·35	26
27	—	—	—	—	—	·04^{13}	·54	—	—	—	—	·21	27
28	—	—	—	—	·10	·05^{14}	—	—	—	·55	—	·15	28
29	—	—	—	—	—	·01^{15}	·52	·49	·22	·31	·34	—	29
30	—		—	—	·36	—^{16}	—	—	·34	·34	·08	—	30
31	—		·04	—	1·76		·34	—		·16		—	31
Total	2·47	1·07	1·56	·07	4·36	3·89	6·37	5·28	·90	1·78	2·09	2·56	TOTAL for year
No. of Rain Days.	16	12	~~13~~ 14	3	11	21	16	13	7	8	15	13	32·40 148 ✓ 149

Cor. by obsr. 16.III.14.

Inspected [illegible] 3.4.14

FORM A.
BRITISH RAINFALL.

11 FEB. 1914.

REGISTER OF RAINFALL IN 1913

Kept at Bourne Council School.
in the County of Lincs. (Kesteven)
by the Scholars. Teacher J. Langsford.

Lat. 52° 46 Long. 28' W.
Time of Observation 9. a.m.
Nearest Railway Station Bourne. G.N.R.
Diameter of Rain Gauge 5 1/5 in.
Height of top of Gauge above Ground 1 ft. 1 1/5 in.
" " " " Sea Level 30(?) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·08										1
2		·03			·10		·11		1.00		·07		2
3			·06		·51								3
4	·36				·04		·01				·14	·10	4
5						·09	·03			1.325	·025	·02	5
6		·02			·75	·12	·10		·025	·15			6
7					·09					·625			7
8					·28	·13				·01	·1		8
9		·22				·10	·03				·12		9
10					·32		·64				·6		10
11	·90			·24				·22			·1		11
12				·04				·10			·51		12
13			·01	·02							·275		13
14	·19	·01	·72	·01						·075			14
15			·15	·22					·10				15
16		·01	·47						·15		·075		16
17		·04	·20	·05		·08					·05	·05	17
18			·21	·04			·04						18
19	·18		·01										19
20	·16		·01	·01						·325	·28		20
21			·19		·08		·07		·10				21
22			·21					·05	·25				22
23	·14		·01			·03			·025				23
24						·04		·045					24
25				·17		·01							25
26		·08	·12	·02	·04					·31	·05		26
27		·01	·06									·12	27
28			·04	·16	·03	·01				·03			28
29			·13	·38									29
30	·15							·15		·20	·15		30
31	·03		·02		·01			·025				·15	31
Total	2·15	·42 ~~·62~~	2·70	1·36 ~~1·56~~	2·25	·61	1.03	·59 ~~·025~~	1.65	3.05	2·545 ~~2·55~~	·44	YEAR'S TOTAL ~~19·2~~
Rain Days.	9	8	18	12	11	9	8	6	7	9	14	5	116

18·795

W.7,000, XI. 13

end fr auth 2.IV.15 ~~W~~ DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 - JAN 1915

Kept at Bourne C. School.
in the County of Linc^s. (Kesteven 2
by 1^st Class Boys.

Lat. 52° 45' N. Long. 23' W
Time of Observation 9. am.
Nearest Railway Station Bourne. GN.
Diameter of Rain Gauge 5.2 in.
Height of top of Gauge above Ground 1 ft. 1¼ in.
" " " " Sea Level 23.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·03		·05	·55	·31			·1		1
2				·15			·03	·06			·07	·07	2
3			·04		·13		·2	·02			·04		3
4				·15							·68	·09	4
5	·125		·09	·25	·14		·15	·24			·01		5
6			·45	·1	·05	·01	·24					·1	6
7		·67		·04	·02						·02	·02	7
8	·05	·06	·05	·05			·04	·16					8
9		·01	·21		·12	·65			·52				9
10	·4	·04		·1	·03	1.09							10
11	·45	·06	·02	·06	·18	·24			·09		·4	·23	11
12	·11		·29				·84		·22			·3	12
13	·03		·04	·15						·25	·05	·25	13
14	·01	·11	·2				·05			·38	·1	·28	14
15	·02		·26								·1	·15	15
16							·03		·02				16
17		·12	·04									·07	17
18	·02		·01			·28	·04		·15				18
19		·06	·05				·18				·04	·28	19
20			·15						·02	·03			20
21	·01	·07	·25			·05				·04		·09	21
22		·1	·2	·06	·16		·11	·02		·15			22
23		·03	·05		·04		·04	·05					23
24			·11	·04	·05					·15	·2		24
25		·02					·01	·03		·83			25
26			·18					·06		·1	·1	·25	26
27								·27					27
28										·15	·2		28
29	·01		·14		·05					·25	·1	1.9	29
30		X				·03				·25			30
31		X		X	·02	X			X		X	·25	31
Total	1.235	1.35	2.85 2.85	1.18	·99	2.40	2.51	1.22	1.02	2.58 2.58	2.21	~~4.33~~ 4.33	YEAR'S TOTAL 23.875 23.875
Rain Days.	11	12	21	12	12	8	14	10	6	11	15	15	147

W. 8,000. X. 14.

2652

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bourne.
in the County of Kesteven
by 1st Class. Boys: Teacher. J. Langsford

Lat. 52° 45' N Long. 23' W.
Time of Observation 9. am.
Nearest Railway Station Bourne. G.N.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1. ft. 1¼ in.
" " " " Sea Level 23.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·17			·28				·10		·05	·07	1
2		·1	·2	·08		·05		1·52	·02		·04	·02	2
3	·20		·07	·14				·25				·2	3
4	·15						1.12	·01		·02		·73	4
5	·25				·22		·33	·01			·06	·34	5
6	·02	·09		·15			·88	·1		·01		·01	6
7	·05	·15	·2				·65	·04				·25	7
8	·09	·25		·02			·15	·02			·04		8
9	·12	·15				·1					·05	·58	9
10	·33		·05								·02		10
11			·04		·21		·23	·03			·43	·15	11
12	·05				·3			·34					12
13		·09		·08	·8						1.35		13
14		·2						·15	·01			·21	14
15	·15							·48			·22	·13	269 15
16		·2	·0		·02		1·01					·01	16
17		·15	·1				·05						17
18		·02									·05		18
19							·06						19
20	·1											·37	20
21	·1	·05			·2		·09						21
22	·05		·15				·22					·15	22
23	·1	·09	·01						·05	·15	·01	·17	23
24	·1		·58				·35		·45	·2		·2	24
25			·02			·26	·3			·07		·15	25
26		·05					·09		·01			·4	26
27		·1	·07			·72	·48			·65		·06	27
28		·15				·17				·2	·18		28
29			·01			1·53		·28				·02	29
30		×				1·16						·03	30
31	·07	×		×		×		·15	×	·14	×	·12	31
Total	1·93	2·01	1·5	·47	2·03	3·99	6·01	3·38	·64	1·44	2·5	4·37	YEAR'S TOTAL 30·27
Rain Days.	16	16	12	5	7	7	15	13	6	8	12	22	139

W. 8,000. X. 15.

2587

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Bourne.

in the County of Lincolnshire (Kesteven)

by J Langsford. - (Teacher. 1st Class. Boys' School).

Lat. 52°.45 N. Long. 23'. W.

Time of Observation 9. am.

Nearest Railway Station Bourne. G.N.R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1¼ in.

" " " " Sea Level 23.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03.		·03			·13	·13		·02.		·34		1
2	·2	·02	·1				·11			·18	·04		2
3		·14			·49		·68			·24	·04		3
4		·35	·02			·24			·45	·06	·39		4
5	·2.			·01	·15	·12	·08		·38	·15	·05		5
6	·12	·07	·15	·07			·25				·29		6
7			·22		·2		·43				·42	·07	7
8			·04								·01	·28	8
9			·08		·52	·25				·06		·04	9
10			·1	·02.		·09						·15	10
11	·07	·48	·14	·13	·02.	·11			·09			·04	11
12	·02	~~18~~	·2		·49	·19	·04			·02			12
13		·15	·11	·02	·15	·02	·11	·04					13
14		·57	·06		·06			·12					14
15		·29	·4		·01		·04						15
16		·1	·13	·18	·03		·06	·05				·01	16
17	·01	·07		·1			·06	1·28		·41			17
18		·09	·02	·03				·39	·18	·04	1·22.		18
19	·02		·07	·21				·1	·7		·47	·27	19
20	·09		·37	·05				·05	·4		·15	·2	20
21			·19	·07			·04					·75	21
22		·03	·03		·08	·05				·02	·01	·57	22
23	·04	·4				·43	·02.				·11	·42.	23
24		·47		·09				·03		·01		·15	24
25		·34	·2					·08		·05	·05	·01	25
26	·01						·04	·25		·04			26
27	(·02)	·23	·75							·1			27
28		·25	·32.					·06		·01		·22	28
29		·14				·26				·29		·12	29
30		✕				·04		{1·87}		·08			30
31		✕		✕		✕		·12	✕	·07	✕		31
Total	·83 ✓	4.19	3.73	·98	2.20	1.93	2.09	4.44	2.22	1.83	3.59	3.30	YEAR'S TOTAL 31.33
Rain Days.	12	18	22	12	11	12.	14	13	7	17	14	15	167

W. 8,000, VIII. 16

2456

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Bourne.

in the County of Lincoln. (Kesteven)

by J Langsford.

Lat. 52°45' N. Long. 23' W.

Time of Observation 9 am.

Nearest Railway Station Bourne G N R

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1¼ in.

" " " " Sea Level 23'4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05		·28				1·12			·01	·02	1
2						·12		·18					2
3				·14				·55	·1	·12			3
4		·05	·08					·02		·55			4
5	·19		·05							·01	·2		5
6				·2					·1	·06	·09		6
7	·4		·01			·07				·47	·06		7
8	·32			·1			·29	1·05		·34			8
9	·12		·07	·02				·31					9
10	·28		·41	·06	·01			·11		·13.			10
11	·07		·05	·25						·18			11
12	·05	·07			·21			·1		·25	·07	·01	12
13	·07		·04				·02			·01	[illegible]		13
14	·2			·23				·25	·01				14
15	·02			·01			·15	·15		·04		·27	15
16	·07	·14		·11				·03		·15			16
17		·02		·19	·49	·12	·07			·44		·01	17
18	·04		·05	·04	·03		·3						18
19	·05	·09	·05		·02				·57				19
20		·35	·16		·12				·12		·26		20
21			·05		·01	·01							21
22			·15						·1	·16			22
23					·12			·02		·08			23
24		·01	·06			·91		·1		·2	·21		24
25			·04					·01			·02		25
26									·11				26
27			·01			·21		·6			·24	·02	27
28			·22		·05	·35		·68				·11	28
29					·16	·1	·07	·11		·47		·07	29
30	·02.	✕					·2						30
31		✕	·05	✕		✕	·06	·31	✕		✕	·08	31
Total	1.90	·78	1.55	1.63	1.22	1.89	1.16	5.70	1.11	3.66	1.16	·59	YEAR'S TOTAL 22.35
Rain Days.	14	8	17	12	10	8	8	18	7	17	9	8	136

2.00

W. 8,000, IX. 17.

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

. 1. 19

Kept at Bourne.
in the County of Lincolnshire
by J Langsford.

Lat. 52° 45' Long. 2 3'
Time of Observation 9. a.m.
Nearest Railway Station Bourne. G.N.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 23.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02								.05	1
2		.21		.08				.39		.02		.2	2
3		.04	.09		.66			.74					3
4		.01	.03					.05	.95			.05	4
5		.02			.22			.19	.3	.05			5
6		.03		.13		.02				.02			6
7	.05	.05		.1		.05				.03	.44		7
8		.02								.01			8
9	.02	.21		.08		.04	.1			.24		.08	9
10	.07			.02			.35		.78	.19	.04	.02	10
11	.01	.07		.01	.36		.36			.36		.09	11
12		.18			.15							.1	12
13				.01	.31		.4				.05		13
14	.35	.01		.03			.32			.09		.06	14
15	.55			.49			.06					.2	15
16	.02			.25									16
17	.36			.13	.07		.81						17
18	.31					.06	.02		.19			.25	18
19	.04	.01	.07	.01								.15	19
20	.02	.03		.04		.07	.3			.05		.14	20
21	.03			.1									21
22	.07				.35		.02		.69			.36	22
23	.09				.2		.1		.02	.15			23
24		.11					.01				.02		24
25											.13		25
26							.32		.03		.15	.14	26
27						.01		.23	.09	.8	.31	.05	27
28		.1	.08				.3	.32			.19		28
29								.25	.83			.27	29
30		X	.26						.02		.05	.19	30
31		X	.12	X		X			X		X	.02	31
Total	1.99	1.10	.65	1.5	2.32	.25	3.47	2.17	3.9	2.01	1.38	2.42	YEAR'S TOTAL 23.16
Rain Days.	14	15	6	15	8	6	14	7	10	12	9	18	~~134~~

23.09

20 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Bourne
in the County of Lincolnshire
by J Langsford

Lat. 52° 45' Long. 23' W.
Time of Observation 9 am.
Nearest Railway Station Bourne. G.N.R
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 23.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·08	·03		·1		·25			·03	·28 }	·55	1
2	·14		·02				·09		·12			·21	2
3	·75		·02				·03		·05		·26		3
4	·63		·48					·26			·02	·22	4
5	·02	·07				·08			·82			·02	5
6					·16						·05	·07	6
7	·02												7
8	·06		·21										8
9				·05		·02					·18		9
10			·28							·01		·08	10
11	·64		·3	·07	·04		·91				·04		11
12	·08		·22							·03	·02		12
13	·16			·14						·04	·01		13
14	·3			·29					·1				14
15	·27	·15		·15							·17	·28	15
16		1.12	·06								·07		16
17		·42		·01							·20		17
18							·02	·05				·12	18
19		·19	·72			·09	·62	·26	·19		·07		19
20	·6	·02	·22			·12	·63	·75	·09		·02		20
21	·39	·49	·1				·31					*	21
22		·11							·23				22
23				·04		·03	·06		·11	·49			23
24			·01	·08	·05	·13	·02			·09			24
25				·1	·16	·01						*1.95	25
26	·1		·15	·01				·62					26
27	·35	·21		·65				·07		·18			27
28				·06				·92					28
29	·06			·02		·01		·19	·07	·17	·27		29
30		X		·23		·2		·02		·03			30
31	·06	X		X		X			X	·08	X		31
Total	3.70	2.86	2.82	1.90	·51	·69	2.94	3.14	1.78	1.15	1.66	3.50	Year's Total 26.65
Days with ·01 in. or more	18	10	14	14	5	9	10	9	9	10	14	(15)	(137)

*7 days inclusive & fall from 21st to 31st Dec. 1919.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cnd by mm totals

2215

12 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bourne.

in the County of Lincolnshire

by J. Langford.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	1·45	·59	2·74	3·83	2·56	2·15	2·83	·75	1·53	·87 ·78	·76	2·15	YEAR'S TOTAL 22·51.
Days with ·01 in. or more	15	7	12	23	10	7	16	7	14	5	7	23	146
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLNSHIRE

Bourne – Guthram

1911 – 1920

REG 1

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

Kept at Guthra 8 in.

e Ground 1 ft. 3 in.

in the County of Lin Sea Level 18 ft. 6

by G. Mickel gam

Name Twenty

Distance 1 mile Direction South

IMPORTANT NOTE. l the result entered to the previous day. If an Obse versal rule, he is earnestly requested to add the readir ar in the space provided for it at the end of this ment of rain, the selection and placing itish Rainfall Organization are given in " application to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

Date.	Jan.	Feb.	March.							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1								01				04	1
2	07				03						02	03	2
3				01	08			05					3
4	08	04	08	05				07	03	44	15	17	4
5										06	01	09	5
6	29		04							17		22	6
7											08	30	7
8	28		10						07		08	08	8
9	04										09	01	9
10		03	06									19	10
11	12					01					34		11
12	01		24						07		03	02	12
13			05						14		01	38	13
14			01		29	02						33	14
15		06	09			06					07	02	15
16			02			02					25	04	16
17											09	05	17
18		09				10					15	01	18
19					03	23		01	02	09	07	02	19
20								45	16			32	20
21		18				02		30		03		04	21
22		03	04			06		07		15	02	26	22
23			19			86			35			08	23
24			03			40				42		17	24
25		01	02	03							05	02	25
26				06	04					19	38	35	26
27		10	09	25			10	12	17	08		02	27
28		10		14		02		11			06	08	28
29				03	06	07	07		18	22		01	29
30				01		04		19	02	07			30
31										12			31
Total	-89	-64	1·06	-58	-53	1·91	-17	1-38	1-21	2·04	1-95	3-35	TOTAL for Year 15·71
No. of Rain Days	7	9	14	8	6	13	2	10	10	12	18	27	136

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Guthram

in the County of Lincoln 2

by G Michelson

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
„ „ „ Sea Level 18 ft. 6 in.

Time of Observation 9 am

Nearest Railway Station
Name Twenty
Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								01				04	1
2	07				03						02	03	2
3				01	08			05					3
4	08	04	08	05				07	03	44	15	17	4
5										06	01	09	5
6	29		04							17		22	6
7											08	30	7
8	28		10						07		08	08	8
9	04										09	01	9
10		03	06									19	10
11	12					01					34		11
12	01		24						07		03	02	12
13			05						14		01	38	13
14			01		29	02						33	14
15		06	09			06					07	02	15
16			02			02					25	04	16
17											09	05	17
18		09				10					15	01	18
19					03	23		01	02	09	07	02	19
20								45	16			32	20
21		18				02		30		03		04	21
22		03	04			06		07		15	02	26	22
23			19			86			35			08	23
24			03			40				42		17	24
25		01	02	03							05	02	25
26				06	04					19	38	35	26
27		10	09	25			10	12	17	08		02	27
28		10		14		02		11			06	08	28
29				03	06	07	07		18	22		01	29
30				01		04		19	02	07			30
31										12			31
Total	–89	–64	1-06	–58	–53	1.91	–17	1-38	1-21	2.04	1-95	3-35	TOTAL for Year 15.71
No. of Rain Days	7	9	14	8	6	13	2	10	10	12	18	27	136

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Guthram

in the County of Lincoln 2

by G Michelson pp F S Robins

Lat. 52 deg N Long. 18 Minutes

Time of Observation 9 am

Nearest Railway Station Bourne 5 Mls

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ „ „ „ Sea Level 18 ft. 6

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					02	22			04			15	1
2						13	39		01			01	2
3	13		02	02	02	57	01	25	03			06	3
4	02		25		02	12		33			34		4
5	01		21			04		02			02		5
6	41	09			01	11	47	15				09	6
7						20	01	02					7
8	12	11	08			03	12		03			01	8
9		15	03	06		43		02				15	9
10				01		10		14	06		08		10
11	11	05				01					01	19	11
12	05	20	05		09	04					10		12
13	01	08				03		05			20		13
14	02		07		03	05		02		02			14
15	18	01	02		38	11		01				03	15
16			07		10	03		06		09			16
17			13			13		16			04	06	17
18	07	01	06					02					18
19	22	09					14	07	02		03		19
20	21		02		03		97	36		20			20
21			10		31		02	22		05	04	01	21
22		07	02		1.20	01	71	26				04	22
23	07	10	24				56	40			07	25	23
24	11					06	08	05				07	24
25	01					20		40			19	23	25
26		03					22	1.64		45	13	27	26
27					01	05	71	02		26		09	27
28					01		02	39	02	32	16	34	28
29					02	09	17	01	34	19	17		29
30					75				15	06			30
31			07		45		33	16					31
Total	1.75	99	1.44	09	3.45	2.76	4.93	5.23	~70	1.64	1.58	2.05	YEAR'S TOTAL 26.61
Rain Days.	16	12	16	3	16	22	16	25	9	9	14	17	175

W. 7,500, XI. '12

FORM A. BRITISH RAINFALL.

3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Guthram

in the County of Lincoln 2

by G Mickelson pp F B Robin

Lat. 48 min Long. 52 deg 32

Time of Observation 9 am

Nearest Railway Station Counter Drain Bourne

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 18 ft. 6

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05		08	01					75		03		1
2		04	02		36		10						2
3	03		03		59								3
4			01		05	03				04	16	07	4
5	26					29	01			94	03		5
6		05			68	06	01		01	11			6
7		02			14	15	01			57		02	7
8			01		38	06			02	06	08		8
9		23	01		01		05				07		9
10					19		18				41		10
11				40	01			15			04		11
12											57		12
13	12		03					05	03		23		13
14	02	04	75	01			06			06	01		14
15	19		15	13					07		03		15
16	03	03	20	06		12			30				16
17			28	05			02		01		03	08	17
18		05	15	07			06						18
19	06		02						04				19
20	27		05	01			01		31	34			20
21			15		05		18				20		21
22	09		13				01	04	16				22
23								01	01				23
24	02			07				01			03		24
25				10		01							25
26		09	13	03						43	03	09	26
27		01	01		03						01		27
28	13		07	10		03		06		06			28
29	08		14	46	02					03		05	29
30	14							02		05	03		30
31								22					31
Total	1.49	-56	2.42	1.50	2.57	-75	-70	-56	1.71	2.63	1.93	-31	YEAR'S TOTAL 17.07
Rain Days.	14	9	20	13	12	8	12	8	11	11	17	5	140

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Guthram
in the County of Lincoln 2
by G Michelson pp F S Robins

Lat. 52 deg 32 Long. 18 min west
Time of Observation 9 am
Nearest Railway Station Counter Drain
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 18 ft 6

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1914

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			01	04	01		82	22		02	06		1
2	02			07			05	15			04	08	2
3			04	01	11		04	03			04		3
4	10			16				07			49	05	4
5			07	08	10		10	20			01		5
6		05		02	05		15				08	01	6
7		02	41	03	15	08						02	7
8	06	02	02	03	14	61	01	13					8
9	49		19	12	01	97			03				9
10	23	05	03	02	12				06				10
11		05	23	15		04			06		18	21	11
12	03	01	02			01	60		23			18	12
13	07	09	11							14	08	16	13
14			16				02			26	04	24	14
15	03		12			01					09	17	15
16			01				02		01		02		16
17	03	15							07			06	17
18						14	14					24	18
19		07	18				04		08		07		19
20		03	23						01	07			20
21	01	10	09					06		04	01	08	21
22				03	21		16	07		13		01	22
23		03	03		01		06			02		11	23
24				05				05		11	20		24
25		03						05		49	01		25
26			15				02	18		09	10	25	26
27	03		01				02				01	12	27
28		01			02					05	12	75	28
29			08		07					31	03		29
30		X				04					10	18	30
31		X		X	02	X	08		X	03	X	06	31
													YEAR'S TOTAL
Total	1-10	-71	2-19	-81	1-02	1-90	2-33	1.21	55	1-76	1-78	2-98	18.34
Rain Days.	11	14	20	13	13	8	16	11	8	13	20	19	166

W. 8,000. X. 14.

ext 95

2653

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. ©

Kept at Guthram

in the County of Lincoln

by J Hodson pp F. S. Robins

Lat. 52 - 32 m Long. 18 min

Time of Observation 9 am

Nearest Railway Station Counter Drain

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 18 ft. 6

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	20	13			25				14		08	08	1
2	09	06	18	06		03		86	14		03		2
3	21		06				45	25	11		02	21	3
4	21						53					60	4
5		05			21		26				06	25	5
6	07	12	06	11			63			11		02	6
7	07	12	14				38					16	7
8	01	06					16	03			02		8
9		05									08	48	9
10	24		06					17			06		10
11			03		18		12				38		11
12	05			16	22			30					12
13		46			65						1.20		13
14		01						39				86	14
15	16							41			15	11	15
16		10					80					02	16
17		07					18					04	17
18		01	01				03				12	06	18
19		01					05						19
20	10											32	20
21	03	03			09		09					02	21
22	09		12	03			21			04		15	22
23	01	08	01				15			06	02	24	23
24			16				28		48	22		18	24
25			02			30	18			07		18	25
26		08	02				06					20	26
27		02				15	56			38		08	27
28		08	03			12				22			28
29						44		28			18	31	29
30	06	X				12						03	30
31	01	X		X		X		16	X	08	X	08	31
Total	1.61	1.54	90	36	1.60	1.16	5.12	2.85	87	1.18	2.40	4.68	YEAR'S TOTAL 24.27
Rain Days.	16	18	13	4	6	6	18	9	4	8	13	23	138

W. 8,000. X. 15.

2588

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Guthram Nr Bourne
in the County of Lincoln
by G Michelson & R H Wooley

Lat. 52 - 32 Min Long. 18 Minutes
Time of Observation 9 am
Nearest Railway Station Counter Drain
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 18ft-6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08		02			17	12				38		1
2	19	03	05		04	03	08			15	03		2
3		12				06	1.28		74	17	03		3
4	20	29			28	06			36	04	22		4
5					02	20	36			14	06		5
6	12	11	12	22			18				25		6
7	02		09		17		54				23	09	7
8			08									20	8
9			06		38	25				02		06	9
10			11			16			09			08	10
11	07	48	14	16	01	14			01			02	11
12		06		03	48	16	01			03			12
13		10	04		15	06	11	03					13
14		12	03		08			04					14
15		38	41		02		04						15
16		08	09	17	09		05	09					16
17	03	01		08			20	17	15	27			17
18		10		01				29	05	02	81		18
19	06		07	19				05	04		21	08	19
20	07		41	03							11	20	20
21			19	05			03					70	21
22		12	02		02	04				05	02	41	22
23	06	18				24	01	02			08	24	23
24		30		07		08		09				12	24
25		23	03		02			30		05	03	01	25
26	02	06								04	01		26
27		12	62			02		01		07			27
28		21	56							09		19	28
29		12				29		1.27		27		07	29
30		X				05		20		06		01	30
31		X		X		X		01	X	08	X		31
													YEAR'S TOTAL
Total	.90	3.22	3.14	1.01	1.76	2.01	3.01	2.57	1.44	1.55	2.47	2.48	25.56
Rain Days.	11	20	19	10	13	16	13	13	7	16	14	15	167

2457

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Guthram
in the County of Lincoln
by pp F. S. Robinie R H Wooley
Jno Cole

Lat. 52 d 32 m Long. 18 m west
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 18ft. 6in ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		02		15			10	60	06			02	1
2		01		02		10		06			03		2
3	20	01						45		14			3
4		02	02	01						45			4
5				11				03			15		5
6						02				06		01	6
7	30		01			08				36	01		7
8	36			07			17	22		31	05		8
9	08		01					33			04	03	9
10	13		24	06				06		12	01		10
11	02	01	05	22				08		15	01		11
12	02	04		01	20			10		20			12
13	08		05				03	19		01		02	13
14	10			10				25				02	14
15	01		01				22	04		04		01	15
16	09	12		07		07				15		10	16
17		01		18	37	12	09			09		02	17
18	02			01	02		16		53				18
19	01	08	04		03				08				19
20		26	10		32						12		20
21			01										21
22			05					02	04	13			22
23		03			11			14	06				23
24						50				09	08	02	24
25		01									02	02	25
26			02					48	07		29	04	26
27						10		57				04	27
28		02	12		02	32		05		04		06	28
29					02	10	11			37		03	29
30	01	X					15	17		01			30
31	02	X		X		X	05	13	X		X	04	31
Total	1.45	·64	·73	1.01	1·09	1.41	1·08	3.97	·86	2.72	·81	48	YEAR'S TOTAL 16.25
Rain Days.	15	13	13	12	8	9	9	19	6	17	11	15	147

W. 8,000, IX. 17.

cond by B tr Exd

6

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
4. 1. 19

Kept at ~~Black Sluice Boston~~ Guthram

in the County of Lincolnshire

by H. Hackford.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 26

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	04		02					01		11	03	1
2	01	15		09				110	01		03	15	2
3		03	07		46				03	01	73	.	3
4		03	02					02	90		28	03	4
5		02		01	12			24	20			.	5
6		01		11		01		01	03	03		01	6
7	04	05		15		06			02	02	07	.	7
8		02		01					14			14	8
9		14		12		03	07		27	33		02	9
10		.		01			26			11		08	10
11	05	03			34		34		09	39	01	09	11
12		19	03		11		19		02	03		02	12
13					17		23		13	01		01	13
14	26			05			05		05	10		02	14
15	31			48					12	01		14	15
16	05			21		15			51			.	16
17	27			08	64		74		01			19	17
18	22					03	20		34			13	18
19	06	05	05	03						09		16	19
20	02	04		03		08	19		01	05		.	20
21	03								12	18		.	21
22	07				20		02			01		28	22
23	07				26		22				03		23
24		11								01	02	.	24
25							03			02	15	.	25
26							21		02		09	04	26
27						05			06		19	02	27
28		07	06				13				22	37	28
29	02			02					70		02	01	29
30		X	21								09	23	30
31		X	07	X		X			X	05	X	01	31
Total	149	98	51	142	230	41	288	137	379	145	204	218	YEAR'S TOTAL 2082
Rain Days.	15	15	7	15	8	7	14	4	22	17	14	22	160

W, 6,500, VII. 18. W W Q

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at Guthram, Bourne

in the County of Lincolnshire

by F. Sanderson Robins. M.I.C.E.

Lat. 52.47.15 N. Long. 0. 15. 48 W.

Time of Observation 9 a.m.

Nearest Railway Station Twenty (M & G.N.R)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 19 ft. O.D

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. day previous.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	03	05	–	07	–	35	–	–	09	08	52	1
2	11	–	–	–	–	–	17	–	05	01	31	21	2
3	43	–	02	–	–	–	02	–	04	–	21	–	3
4	05	–	34	–	–	07	–	15	–	–	02	12	4
5	05	03	–	–	–	–	–	03	83	–	–	02	5
6	–	–	01	–	07	–	–	–	–	–	04	05	6
7	01	–	20	–	–	–	–	–	–	–	01	–	7
8	04	–	–	09	–	–	–	–	–	01	07	–	8
9	–	–	01	61	–	–	–	–	–	–	06	–	9
10	–	–	19	03	–	–	–	–	–	01	04	08	10
11	12	–	21	01	04	–	83	–	–	–	02	–	11
12	–	–	18	03	–	02	–	–	–	02	01	–	12
13	16	–	–	10	–	–	–	–	–	04	–	–	13
14	22	–	–	22	–	–	–	–	–	–	–	–	14
15	15	08	05	14	–	–	–	–	–	07	18	21	15
16	01	68	–	03	01	–	–	–	–	–	04	–	16
17	–	16	01	–	–	01	–	–	–	–	17	01	17
18	–	–	03	–	–	–	–	13	–	–	–	08	18
19	–	13	48	–	–	13	58	42	17	–	06	01	19
20	33	02	17	–	–	10	32	26	–	–	–	02	20
21	26	35	03	–	–	07	29	–	02	–	01	14	21
22	–	12	–	–	–	–	01	–	19	–	02	32	22
23	–	–	01	10	–	07	03	–	03	34	–	01	23
24	–	–	–	07	06	11	–	–	–	07	–	–	24
25	06	–	–	03	15	09	–	48	–	–	–	–	25
26	05	–	14	09	–	–	–	12	–	–	–	23	26
27	23	14	–	35	–	–	–	06	–	11	–	–	27
28	–	–	–	04	–	–	–	53	–	(20)	02	33	28
29	04		–	04	–	04	–	11	–	22	11	14	29
30	–		02	17	–	19	–	–	–	05	03	25	30
31	04		–		–		–	–		11		02	31
TOTAL	2.62	1.74	2.15	1.55	0.40	0.90	2.60	2.29	1.33	1.35	1.51	2.77	YEAR'S TOTAL 21.21
Days with ·01 in. or more	19	10	18	17	6	11	9	10	7	14	20	19	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible]

5 JAN 1921

2216

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at GUTHRAM
in the County of Lincoln
by F Sandeman Robins M. Inst. C. E.

Lat. 52°-47′-15″ N Long. 0°-15′-48″ W
Time of Observation 9 A.M.
Nearest Railway Station Twenty
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Previous day.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·17		·19			·66		·08	1
2				·14			·02		·10	·07		·07	2
3		·01		·16		·04	·98		·07	·05			3
4			·03	·14	·03		·06	·43	·07	·08		·03	4
5				·02	·20		·57	·10	·04			·03	5
6			·04	·02	·01		·15					·08	6
7			·05	·07			·05					·02	7
8	·03	·05		·29	·02								8
9	·26			·69									9
10	·08	·03	·02	·18			·02				·04		10
11	·10		·04	·23	·12		·02	·03				·15	11
12	·07		·02	·17		·10					·02	·06	12
13	·01		·11	·18		·60			·05		·01	·02	13
14		·01	·40	·08		·09			·14	·18	·19	·01	14
15		·01	·32	·02					·14	·07		·03	15
16				·03	·01				·06				16
17					·12				·21			·09	17
18	·05					·16		·12	·07			·02	18
19	·05	(10) ·01		·08		·10		·04				·03	19
20	·07	·25		·30		·40			·03				20
21				·12			·16	·05	·11				21
22				·14			·04						22
23		·02					·08		·12			·33	23
24			·15										24
25		·05	·01	·05	·65	·06	·39						25
26	·08		·04	·02	·43		·02					·02	26
27	·07	·01		·06	·02	·65					·13	·15	27
28	·28		·20		·16		·07					·05	28
29	·04		·05		·08		·04		·02		·05	·27	29
30	·02		·01	·06	·02	·04			·16		·07	·19	30
31	·05		·07				·06			·17			31
TOTAL	1·26	·54	1·56	3·26	2·04	2·24	2·92	·77	1·39	1·28	·51	1·73	YEAR'S TOTAL 19·50
Days with ·01 in. or more	15	10	16	24	14	10	17	6	15	7	7	20	161
Days with ·04 in. or more	12	4	11	18	8	10	13	5	13	7	5	11	117

FORM A2.
BRITISH RAINFALL.

13 FEB 1912

LINCOLNSHIRE
BRIGG
THORN~~H~~OLME
1911 – 1920

11

Kept at Brigg…

in the County of a…

by Alfred At…

…Carshin…

…8 in.

…ove Ground 1 ft. 2 in.

…, Sea Level ↑ 11 ft.

… a.m

Name ~~Brigg~~

Distance 5/8 m Direction S. E.

IMPORTANT N… …nd the result entered to the previous day. If an… …niversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … …urement of rain, the selection and placing of rain gauges, and particulars … British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·06							0·05					1
2	·19	0·01			0·01	} 0·15	0·08	·02				0·07	2
3	·04			0·17	·05			·12	0·01	0·19	0·04	·24	3
4	06		0·16	·14				·01	·09	·13	·10	·03	4
5	·04		·01	·05				·03		·07			5
6	·31		02	·05				·08			·35	·29	6
7	·03		} 22								·02	·09	7
8	·07								·01	·01	·01	·13	8
9	·01			·01								·02	9
10	·05	·01	·03	04								·37	10
11	·41	02									·22	·01	11
12	·08		·20		·09	·06			·42		·07		12
13			·41			·12						·36	13
14	·01	·25	·11		·25	·02				·01	·08	·27	14
15		·14	·18						·02	·03		·04	15
16	·01		·13			·02	·02			·02	·16	·09	16
17	·01	·01	·03			·21	·01			·01	·02	·09	17
18		·05	·04			·09	·01			·01	·30	·07	18
19	·01	·01		·01	·02	·06	·07	·08	·03	·04	} ·31	·09	19
20	} ·02	·16	·01	·14			·07	·16	·06			·33	20
21		·25						·06		·07	·03	02	21
22		·01	} ·21	·02				·19		·05	·05	·06	22
23		·18		} ·15		·85			·50			·13	23
24	·01	·03	·02			1·40			·02	·14			24
25		·04	·01	·33		·17				·01	·09	·16	25
26	·02	·02	} ·16	·07	·10 ~~·04~~					·27	·52	·19	26
27		} ·19		09			·06	·48	·33	·01	·02	·02	27
28			·03	·25		·02			·41			·11	28
29	·01		·02	·08	·07	·03	·17	·02	·10	·35	·01	·04	29
30			·01			·13				·13			30
31			·05							·02		·01	31
Total	1·45	1·38	2·06	1·60	0·59	3·33	0·49	1·30	2·00	1·57	2·40	3·33	TOTAL for year 21·50
No. of Rain Days.	21	17	24	16	7	15	8	12	12	19	19	26	196

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
13 FEB 1912

Kept at Brigg

in the County of Lincoln 5

by Alfred Atkinson, C.E.

RAIN GAUGE
Pattern Glaishers
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level ↑ 11 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Brigg
Distance 5/8 m Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·06							0·05					1
2	·19	0·01			0·01	} 0·15	0·08	·02				0·07	2
3	·04			0·17	·05			·12	0·01	0·19	0·04	·24	3
4	06		0·16	·14				·01	·09	·13	·10	·03	4
5	·04		·01	·05				·03		·07			5
6	·31		02	·05				·08			·35	·29	6
7	·03		} 22								·02	·09	7
8	·07								·01	·01	·01	·13	8
9	·01			·01								·02	9
10	·05	·01	·03	04								·37	10
11	·41	02									·22	·01	11
12	·08		·20		·09	·06			·42		·07		12
13			·41			·12						·36	13
14	·01	·25	·11		·25	·02				·01	·08	·27	14
15		·14	·18						·02	·03		·04	15
16	·01		·13			·02	·02			·02	·16	·09	16
17	·01	·01	·03			·21	·01			·01	·02	·09	17
18		·05	·04			·09	·01			·01	·30	·07	18
19	·01	·01		·01	·02	·06	·07	·08	·03	·04	} ·31	·09	19
20	} ·02	·16	·01	·14			·07	·16	·06			·33	20
21		·25						·06		·07	·03	02	21
22		·01	} ·21	·02				·19		·05	·05	·06	22
23		·18		} ·15		·85			·50			·13	23
24	·01	·03	·02			1·40			·02	·14			24
25		·04	·01	·33		·17				·01	·09	·16	25
26	·02	·02	} ·16	·07	·10 ~~·04~~					·27	·52	·19	26
27		} ·19		09			·06	·48	·33	·01	·02	·02	27
28			·03	·25		·02			·41			·11	28
29	·01		·02	·08	·07	·03	·17	·02	·10	·35	·01	·04	29
30			·01			·13				·13			30
31			·05							·02		·01	31
Total	1·45	1·38	2·06	1·60	0·59	3·33	0·49	1·30	2·00	1·57	2·40	3·33	TOTAL for year 21·50
No. of Rain Days.	21	17	24	16	7	15	8	12	12	19	19	26	196

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Brigg.

in the County of Lincoln 5

by Alfred Atkinson, C.E.

Lat. 53° 33′ Long. 0° 30′

Time of Observation 9 a.m.

Nearest Railway Station Brigg

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	~~July~~.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0·02			0·25	0·25	0·02	0·16			0·31	1
2		0·08	·03	0·02		·08	·43		·12				2
3	0·13	·03				·73		·26				·10	3
4	·17		·32		0·04	·32		·23			0·36		4
5	·01	·02			·10	·86		·04	·03				5
6	·61	·19			·07	·02	·05	·47					6
7	·18				·01	·03	·16	·04	·13			·01	7
8		·12	·20	·05					·34		·03	·01	8
9	·01	·05	·03	·08		·25						·02	9
10				·01		·47		·07	·06		·08		10
11	·19										·05	·61	11
12	·12	·16	·08			·47	·18			0·02	·58		12
13	·02	·02						·05		·26	·18		13
14	·08		·42			·10		·06					14
15		·01	·21	~~·44~~	·44	·14							15
16	·11		·11	~~·18~~	·18	·05		·12		·19		·01	16
17	·11	·01	·23			·19	·01	·18				·14	17
18	·15	·01	07			·02				·03	·02		18
19	·36	·20				·02	·42	·23		·06	·02		19
20	·16	·01		~~·25~~	·25	·02	·16	·02		·19			20
21			·37	~~·42~~	·42		·15			·07	·02	·06	21
22		·08		~~·56~~	·58		·12	·21				·20	22
23	·02		·16			·03	·17	·43			·14	·03	23
24	·27					·04		·05				·13	24
25	·01					·40	·04	·10			·12	·15	25
26		·05	·07			·01	·21	1·07		·66	·13	·20	26
27			·01			·10	·18			1·05		·08	27
28				~~·05~~	·05	·12	·06	·45	·02	·19	·77	·29	28
29			·06			·04	·07	·01	·58	·21	·27		29
30			·12	~~·05~~	·03				·06	·05			30
31				~~·10~~	·10		·34	·24		·01			31
Total	2·71	1·04	2·51	0·16	2·27	4·76	3·00	4·35	1·50	2·99	2·77	2·35	YEAR'S TOTAL 30·41
Rain Days.	18	15	17	4	12	24	17	21	9	13	14	16	180

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913-

[illegible]

FORM A.
BRITISH RAINFALL.

17 FEB 1914

Kept at Brigg
in the County of Lincoln
by Alfred Atkinson, C.E.

5

Lat. 53° 33 N Long. 0° 30 W
Time of Observation 9 a.m.
Nearest Railway Station Brigg
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01		0·17	0·11					0·67		0·07		1
2		0·02	·02	·07	0·03		0·01				·06		2
3			·15		·14				·01	0·07		0·09	3
4	·92	·02	·01		·05	0·02	·09		·03	·17	·37	·20	4
5	·01		·02			·01	·02	0·01		·51			5
6	·02		·03		·42	·05			·04	·35	·01		6
7		·08			·03	·19	·01			·39			7
8		·01			·54	·06	·05		·02	·04	·07		8
9		·27	·06	·02	·15	·04					·08	·02	9
10		·01	·02	·06	·05						·48		10
11	·52	·01		·46		·01					·17		11
12				·01		·07					·08		12
13	·02			·03				·06	·05		·18		13
14	·03	·01	·35				·04			·08			14
15	·19		·29	·10							·12	·05	15
16	·01		·26	·02					·62		·04		16
17	·04	·03	·15	·11		·02			·01		·02		17
18	·01		·09	·04	·08	·02	·01					·06	18
19	·10		·03							·14			19
20	·06			·01					·06		·05		20
21	·04				·08		·15	·02	·03		·11		21
22	·03		·19				·01	·59	·09		·01		22
23	·07					·03		·12	·10				23
24	·07			·03		·04					·01		24
25		·07		·09		·01			·03			·01	25
26		09	·03	·06		·04			·02	·37	·05	·14	26
27		·03		·02		·05					·01		27
28	·33	·01	·14	·23	·02					·02		·18	28
29	·05		·12	·20	·20					·01		·31	29
30	·25									·05	·04	·02	30
31													31
Total	2·78	0·66	2·13	1·67	1·79	0·66	0·39	0·80	1·78	2·20	2·03	1·08	YEAR'S TOTAL 17·97
Rain Days.	20	13	18	18	12	15	9	5	14	12	20	10	166

W.7,000, XI. 13

Small ✓

? X ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 FEB 1915

Kept at Brigg

in the County of Lincoln 5

by Alfred Atkinson, C. E.

Lat. 53° 33′ Long. 0° 29′ 40″ W
Time of Observation 9 a.m.
Nearest Railway Station Brigg
Diameter of Rain Gauge 8 in (Glaisher)
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00						·41	·27		·01		·01	1
2							·10	·68			·12	·04	2
3			·23		·10		·19				·03	·20	3
4	·18		·04	·21	·06			·03			·25	·27	4
5	·04		·20	·11	·11	·01	·05	·03			·02	·03	5
6		0·06		·01	·10		·12	·02			·01	·06	6
7		·10	·20	·09	·08	·12	·01	·01			·01	·18	7
8	·29				·05	·42		·19	·01				8
9	·35	·01	·02			·69		·02	·01			·01	9
10	·38	·08		·05	·01				·04	·01			10
11		·02	·23	04	·01	·20			·11		·27	·25	11
12			·01	04			·01		·20		·01	·22	12
13	·06	·04	·17				·01				·18	·15	13
14	·05	·08					·08			·31	·32	·14	14
15	·08	·01	·17				·06		·01		·05	·23	15
16	·03	·03	·02				·12		·05		·04		16
17	·04		·03						·34		·01	·16	17
18	·01		·07			·42	·04				·03	·32	18
19			·14				·06		·07	·01	·03	·11	19
20	·02	·02	·27							·12	·02		20
21	·03	·14	·05			·16	·02	·29		·14	·02	·15	21
22	·01		·04	·03	·59	·10	·02	·07		·20		·03	22
23		·02	·03		·43	·09	·02					·04	23
24				·08	·04		·01	·70		·01	·23		24
25								·09		·66	·03	·42	25
26			·22				·05	20		·15		·12	26
27	·01						·01				·01	·39	27
28	·01	·03	·10							·04	·01	·61	28
29	·03				·03					·65			29
30		X						·01			·27	·16	30
31	·01	X	·01	X		X	·20		X	·08	X	·05	31
Total	1·63	0·64	2·25	0·66	1·61	2·21	1·59	2·61	0·84	2·39	1·97	4·35	YEAR'S TOTAL 22·75
Rain Days.	16	13	20	9	12	9	20	14	9	13	22	25	184

W. 8,000. X. 14.

2714

FORM A.
BRITISH RAINFALL.
18. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brigg

in the County of Lincoln,

by Alfred Atkinson C. E.

Lat. 53° 33' N Long. 0° 30' W.
Time of Observation 9. a. m
Nearest Railway Station Brigg 5/8 m SE
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.10	0.32			0.47			1.02	0.10		0.09	0.03	1
2		.05	0.19	0.12	.01	0.01	0.03	.42	.04		.02		2
3	.36		.03	.11			.65	.18	.05		.05	.28	3
4	.20		.01				1.58				.03	.92	4
5	.12	.05			.35			.08		0.02	.04	.40	5
6	.03	.14	.06	.08	.03		.67	.10				.04	6
7	.28	.28	.01	.02			.43	.34			.05	.14	7
8	.02	.04	.03	.05			.02	.02		.01	.02		8
9		.05					.03	.10		.03	.03	.39	9
10	.32				.27			.16		.02		.02	10
11	.01		.03		.08		.07	.09			.18	.10	11
12	.06			.21			.07	.04		.04	.86		12
13		.56									.01		13
14	.38	.07			.05			.35		.01		.20	14
15		.02					.03	.38		.02	.62	.10	15
16	.07	.28			.01		.66	.02		.01	.04	.01	16
17		.20					.22					.01	17
18		.35	.23							.01	.10	.02	18
19		.01	.03				.10			.02	.01		19
20	.14		.01	.01								.44	20
21	.08	.01		.01			.14					.05	21
22	.06		.10	.02			.06				.02	.11	22
23	.01	.04	.02				.08		.07		.01	.01	23
24	.01	.01	.09	.02		.10			.41	.01		.28	24
25						.12				.08		.11	25
26	.01	.17				.06	.03			.01	.01	.35	26
27	.01	.05	.03			.01	.22			.50		.17	27
28		.05	.06		.08	.15		.19		.15			28
29								.04			.23	.19	29
30	.22	X		.03	.01		03	.04	.01	.02	01	.01	30
31	.18	X		X		X		.14	X	.13	X	.14	31
Total	2.67	2.75	0.93	0.68	1.36	0.45	5.12	3.71	0.68	1.11	2.43	4.52	YEAR'S TOTAL 26.41
Rain Days.	21	20	15	11	10	6	19	18	6	17	20	25	188

W. 8,000. X. 15.

2647

FORM A.
BRITISH RAINFALL.
28 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Brigg
in the County of Lincoln
by Alfred Atkinson C.E.

Lat. 53° 33 Long. 0° 29' 44"
Time of Observation 9 a.m. (G.M.T.)
Nearest Railway Station Brigg
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04		0·10		0	0·10	0·07	- -			0·17		1
2	·11	0·08	·23		0·46				0·08	0·09	·24		2
3		·33	·07				·06		·15	·14	·06		3
4	·06	·10	·02		·38	·27			·10	·27	·19		4
5	·04	·01	·09	0·01	·09	·39	·01			·22	·17	0·03	5
6	·01	·32	·22	·04	·38		·09				·31		6
7			·25		·10		·10			·09	·06	·26	7
8			·20								·18	·07	8
9			·15		·73	·40	·02		·04		·01	·10	9
10		·05	·05	·08		·11			·08			·05	10
11	·12	·42	·31	·09	·01	·22	·06		·01	·04		·07	11
12	·03	·01	·28	·02	·41	·22	·14	0·01		·01		·01	12
13		·05	·08		·22		·60	·16	·01	·24		·02	13
14		·11	·01		·13		·01	·37		·05			14
15		·15	·33				·02	·20	·03	·04			15
16		·04	·07	·17			·05	·11		·01		·07	16
17	·02			·59			·07	·57	·17	·09	·01		17
18	·01	·18	·01	·10		·01		·80	·10	·17	·83	·17	18
19	·06	·01	·07					·10	·03		·23	·03	19
20	·04		·20	·01		·01		·17			·01		20
21	·03	·09	·11	·05			·08				·01		21
22		·16				·02				·09		·52	22
23		·06		·04		·37		·01			·09	·32	23
24		·30		·07		·27		·13		·07		·10	24
25		·12	·33					·13		·09	·08		25
26		·14	·02			·01		·14		·03	·02		26
27		·22	·13			·01				·12			27
28		·17	·18			·01		·06		·01		·16	28
29	·01	·05			·03	·46		·63		·14		·24	29
30		X			·01	·03		·01		·22			30
31		X		X		X		·01	X	·01	X	·03	31
Total	0·58	3·17	3·51	1·27	2·95	2·91	1·38	3·61	0·80	2·24	2·67	2·25	YEAR'S TOTAL 27·34
Rain Days.	13	23	24	12	12	17	14	17	11	22	17	17	199

W. 8,000, VIII. 16

2515

FORM A. BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Brigg

in the County of Lincoln –

by Alfred Atkinson, C. E.

Lat. 53° 33 N Long. 0° 30' W

Time of Observation 9-0 a.m., G.m.

Nearest Railway Station Brigg

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ↑ 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·01		0·09				·89	0·10		0·09	0·02	1
2	·03			·02		·04		·17			·01		2
3		·02		·01		·07		·44		·15			3
4		·01	·04	·01						·27			4
5	·16		·02	·13				·02		·02	·06		5
6						·02			·05				6
7	·31		·04			·04				·69			7
8	·57			·14				1·78		·64	·05		8
9	·10		·02	·10				·30			·30	·01	9
10	·31		·44	·17	·60			·23	·05	·21	·10		10
11	·02			·52				·06		·44	·02		11
12	·21			·03	·23			·06		·13		·02	12
13	·28			·05		·01		·15	·15	·06	·03		13
14	·39	·01		·02				·02				·02	14
15	·10				·11		·06	·38		·07	·03	·08	15
16	·15	·15		·22			·01	·04				·39	16
17	·10	·04	·02	·22	·21		·06	·13	·03	·08		·03	17
18	·12			·01	·02		·39	·03	·34	·03			18
19	·10	·12	·12		·05	·02	·10		·03				19
20	·03	·37	·09			·02			·01		·53	·01	20
21		·07	·17			·02		·06		·03		·01	21
22	·01		·12					·16		·10			22
23	·01				·18	·03		·12			·01		23
24						·46	·06	·10		·29	·21		24
25			·07				·02	·01		·03	·01	·07	25
26			·17			·05		·57	·16	·01	·35	·15	26
27			·01			·15	·21	·31				·07	27
28			·08			·18		·29		·26		·18	28
29	·02						·05					·10	29
30	04	X	·04				·33	·08					30
31	·03	X	·19	X		X	·05	·06	X		X		31
Total	3·10	0·80	1·64	1·74	1·40	1·11	1·34	6·46	0·92	3·51	1·80	1·16	YEAR'S TOTAL 24·98
Rain Days.	22	9	16	15	7	13	11	25	9	18	14	14	173.

W. 8,000, IX. 17.

Ex D7

65

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

✓

Kept at Brigg.
in the County of Lincoln.
by Alfred Atkinson, C.E.

Lat. 53° 33' N Long. 0° 29' 44 W.
Time of Observation 9 a.m. 22
Nearest Railway Station Brigg 2.
Diameter of Funnel of Rain Gauge 8 in. 10
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ↑ 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·06	0·01	0·06					0·23	0·05	0.11	0·03	1
2	·02	·21		·05				·06	·16		·04	·42	2
3		·05	·05		·40			·67			·47		3
4		·02	·01					·04	·34		·31	·28	4
5			·05	·03	·08			·66	·01	·04			5
6		·17		·45		·08				·06		·04	6
7	·14	·02		·09					·02	·04	·17		7
8	·03		·07	·02			·09		·22	·04	·01	·04	8
9	·04	·16		·01		·07 }	·35		·31	·46		·05	9
10	·03	·10							·08	·05		·03	10
11	·10	·07		·03	·48		·20					} ·09	11
12		·12	·03				·69		·10	·06			12
13		·01		·05	·31		·03		·34				13
14	·24			·06			·03		·22	·10		·25	14
15	22			·03		·03	·10		·51			·36	15
16	·02			·11					·21			·09	16
17	·17				2·36		·61	·02	·11	·10		·27	17
18	·15			·09		·07	·36		·39			·36	18
19	·00 ~~·07~~	·02	·04	·11			·05	·04		·09		·38	19
20	·07 ~~·04~~	·06					·08		·04	·03			20
21	·04 ~~·10~~				·38	·16			·14	·07			21
22	·10				·04	·04				·12		·30	22
23	·12				·61		·11						23
24		·10					·29		·07	·05	·06		24
25						·20	·17	·24	·12		·15		25
26							·24	·09	·05	·01	·12	·05	26
27		·02				·04	·03	·45	·22		·20	·05	27
28		·38	·25						·03		·02	·45	28
29									·17			·08	29
30		×	·36					·02	·05		·09	·14	30
31		×	·04	×		×		·05	×		×	·06	31
Total	1·50	1·57	0·91	1·19	4·66	0·69	3·43	2·34	4·14	1·37	1·75	3·82	YEAR'S TOTAL 27·37
Rain Days.	16	16	10	14	8	8	17	11	24	16	12	~~25~~ 22	~~173~~ 174

W. 6,500. VII. 18. W W C

Ex. 486

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

27 JAN 20

Kept at Brigg
in the County of Lincoln
by Alfred Atkinson, C.E.

Lat. 53° 33 N Long. 0° 30' W.
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Brigg
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft 2 in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·30	0·06	-	-	0·27	-	0·27	-	0·09	0·11	0·18	0·16	1
2	·04	·09	·07	-	-	-	·46	-	·22	·01	·34	·02	2
3	·47	-	-	-	·03	-	·30	-	·02	-	·43	·06	3
4	·04	·03	·45	-	-	·08	-	·05	·09	-	·09	·05	4
5	·08	-	-	-	-	-	-	-	·19	-	·04	·05	5
6	·02	-	·06	-	-	-	-	-	-	·03	·12	·12	6
7	·02	-	·15	-	·21	-	-	-	-	-	-	·05	7
8	·12	-	-	·03	-	-	-	-	-	-	·06	·09	8
9	-	-	·04	-	-	-	-	-	-	-	·17	·03	9
10	·01	-	·15	·03	·10	-	-	-	-	·02	·05	·11	10
11	·02	-	·78	·06	·07	-	·16	-	-	·05	·05	-	11
12	-	-	·52	·02	-	·17	·27	-	·06	·10	·02	-	12
13	·30	-	-	·07	-	-	·06	-	·36	·14	·17	-	13
14	·48	-	-	·16	-	-	·04	·01	·05	·04	·23	·01	14
15	·09	·09	·10	·14	-	-	-	-	-	-	·16	·32	15
16	·05	·94	-	·03	-	-	-	-	-	-	·05	·01	16
17	-	·26	-	·03	·01	·09	-	·06	-	-	·21	·02	17
18	-	-	-	-	-	-	·01	·25	·03	-	-	·03	18
19	·01	·18	·33	-	-	·05	·46	·43	·07	-	·07	·02	19
20	·26	·15	·05	-	-	·04	·21	·16	·07	-	-	·21	20
21	·21	·34	·11	-	-	·11	·17	-	·04	-	·03	·11	21
22	-	·12	-	-		-	·11	-	·16	-	·04	·38	22
23	-		·04	·05	·06	·10	·02	-	-	·78	·03	·03	23
24	-		·02	-	·10	·09	-	-	-	·14	·04	·16	24
25	·10	·01	-	·14	-	·01	-	·49	-	-	·08	·03	25
26	-	-	·14	·02	-	·02	-	·36	-	·10	·03	·47	26
27	·11	-	-	·62	-	·02	-	-	-	·37	-	·04	27
28	·03	-	-	·04	-	·06	·04	·62	-	·40	-	·33	28
29	·12		-		-	-	-	·03	-	·70	·18	·13	29
30	·06		-	·24	-	·17	-	-	-	·12	·08	·24	30
31	·06		·04		-		·10	-		·37		·04	31
TOTAL	3·00	2·27	3·05	1·68	0·85	1·01	2·68	2·46	1·45	3·48	2·95	3·32	YEAR'S TOTAL 28·20
Days with ·01 in. or more	23	11	16	15	8	13	15	10	13	16	25	28	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

By RR

2265

9 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Brigg

in the County of Lincoln

by Alfred Atkinson C. E.

Lat. 53° 33′ N. Long. 0° 29′ 40″ W.

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Brigg

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·23	·27		·38			·43	·03	·03	1
2			·01	·04			·23		·08	·24		·23	2
3				·19	·06	·06	·48		·06	·15		·04	3
4	0·05			·09	·12		·15	·49	·04	·40		·03	4
5			·02	·04	·52		·14	·09	·04			·10	5
6			·08	·13	·14		·15					·06	6
7			·04	·06	·04		·16					·01	7
8	·03	·09		·33	·05		·04						8
9	·24	·06		·36			·02	·09	·02				9
10	·17	·27	·07	·29			·05						10
11	·32		·05	·18	·03		·01					·21	11
12	·05			·23			·01	·01			·03	·12	12
13	·03	·06	·16	·26					·04			·17	13
14	·02		·32	·12		·49	·10		·70	·04	·04	·03	14
15		·05	1·45	·24		·07			·05	·20	·02	·03	15
16				·03	·06		·27		·04	·02		·01	16
17					·12				·63	·04		·04	17
18	·15				·24	·59	·07	·05	·06				18
19	·04	1·15		·24	·04	·19		·13					19
20	·13	·13		·50			·05					·03	20
21				·14		49	·25	·13					21
22	·04	·02		·21			·05						22
23		Fog.		·02			·32					·22	23
24	·01		·25	·02			·04				·03	·07	24
25		·05	·14	·06		·06	·63						25
26	·10	·04	·05	·08	·59		·07					·01	26
27	·12	·17		·09	·74	·16					·12	·18	27
28	·60		·06	·05	·05		·04		·01		·15	·05	28
29	·11		·18		·72	·03	·07				·09	·38	29
30	·15			·12	·02	·02			·14		·14	·37	30
31	·15		·06		·02		·23			·14		·09	31
TOTAL	2·51	2·09	2·94	4·35	3·83	2·16	4·01	0·99	1·91	1·66	0·65	2·51	YEAR'S TOTAL 29·61
Days with ·01 in. or more	19	11	16	27	18	10	25	7	13	9	9	23	187
Days with ·04 in. or more	15	10	13 14	24	15	8	22	6	11	8	5	15	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE 1911

FORM A2. BRITISH RAINFALL. 20 JAN 1912

LINCOLN.

BRIGG

"THE GRAMMAR SCHOOL".

1911 – 1920

Kept at The Gran

in the County of

by a.m.

Snowdon

top 5 in.

p above Ground 1 ft. – in.

„ Sea Level 25 ft.

8·45 a.m.

tion { Name Brigg (G.C.R.)
Distance ½ mil. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	–	·05	–	–	–	·01	·03	1
2	·06	–	–	–	–	–	·04	–	–	–	–	·05	2
3	·80	–	–	·09	·05	·14	–	·05	–	·19	·04	·01	3
4	·03	–	·13	·12	·06	–	–	·40	–	·14	–	·24	4
5	·04	–	–	·04	–	–	–	·02	·20	·07	·11	·02	5
6	·05	–	·01	–	–	–	–	·04	–	–	·35	·30	6
7	·31	–	·02	–	–	–	–	·09	–	–	·02	·10	7
8	–	–	·19	–	–	–	–	–	–	·01	·02	·20	8
9	·08	–	·01	·03	–	–	–	–	·02	–	–	–	9
10	–	·01	·01	–	–	–	–	–	–	–	·01	·40	10
11	·02	·01	–	–	–	–	–	–	–	–	·12	·03	11
12	·41	–	·19	–	·06	·03	–	–	–	–	·07	·12 (?)	12
13	·02	–	·36	–	–	·22	–	–	·45	–	·05	·35	13
14	·03	·22	·07	–	·26	·07	–	–	–	–	–	·25	14
15	–	·14	·19	–	–	–	–	–	–	·03	·01	–	15
16	–	–	·12	–	–	·03	·02	–	–	–	·15	·17	16
17	–	–	·11	–	–	–	·02	–	–	–	·03 ~~·07~~	·10	17
18	–	·04	·02	–	–	·26	·02	–	–	–	·07	·02	18
19	–	–	–	–	·01	–	·08	–	·05	·04	·36	·05	19
20	·01	·07	–	–	–	–	·07	·08	·04	–	·01	·34	20
21	–	·30	–	·16	–	–	–	·15	·01	·05	·02	·03	21
22	–	·01	–	–	–	–	–	·05	–	·05	·04	–	22
23	–	·08	·13	–	–	·97	–	·20	·51	–	–	·04	23
24	–	·02	·08	–	–	1·38	–	–	–	·14	–	·07	24
25	–	·02	–	·12	–	·16	–	–	·02	·01	·07	·70	25
26	–	–	–	·26	·11	–	–	–	–	·28	·54	·20	26
27	–	·11	·17	·13	–	–	–	–	·31	·01	–	·03	27
28	–	·09	·02	·10	–	·02	–	·50	–	·01	·02	·12	28
29	·01		·01	·18	–	–	–	–	·44	·37	·02	·05	29
30	–		–	·15	·08	·11	·15	–	·11	·17	–	–	30
31	–		·03		–		–	–		·02		·01	31
Total	1·87	1·12	1·87	1·38	·63	3·39	·45	1·58	2·16	1·59	2·14	4·03	TOTAL for year 22·21
No. of Rain Days	13	13	19	11	7	11	8	10	11	16	22	27	168

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

RE 1911

Kept at The Grammar School, Brigg
in the County of Lincolnshire (Lindsey)
by A. M. Dell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 25 ft.

Time of Observation 8·45 a.m.

Nearest Railway Station
Name Brigg (G.C.R.)
Distance ½ mil. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
None.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	·05	—	—	—	·01	·03	1
2	·06	—	—	—	—	—	·04	—	—	—	—	·05	2
3	·80	—	—	·09	·05	·14	—	·05	—	·19	·04	·01	3
4	·03	—	·13	·12	·06	—	—	·40	—	·14	—	·24	4
5	·04	—	—	·04	—	—	—	·02	·20	·07	·11	·02	5
6	·05	—	·01	—	—	—	—	·04	—	—	·35	·30	6
7	·31	—	·02	—	—	—	—	·09	—	—	·02	·10	7
8	—	—	·19	—	—	—	—	—	—	·01	·02	·20	8
9	·08	—	·01	·03	—	—	—	—	·02	—	—	—	9
10	—	·01	·01	—	—	—	—	—	—	—	·01	·40	10
11	·02	·01	—	—	—	—	—	—	—	—	·12	·03	11
12	·41	—	·19	—	·06	·03	—	—	—	—	·07	·12 (?)	12
13	·02	—	·36	—	—	·22	—	—	·45	—	·05	·35	13
14	·03	·22	·07	—	·26	·07	—	—	—	—	—	·25	14
15	—	·14	·19	—	—	—	—	—	—	·03	·01	—	15
16	—	—	·12	—	—	·03	·02	—	—	—	·15	·17	16
17	—	—	·11	—	—	—	·02	—	—	—	·03 ~~·07~~	·10	17
18	—	·04	·02	—	—	·26	·02	—	—	—	·07	·02	18
19	—	—	—	—	·01	—	·08	—	·05	·04	·36	·05	19
20	·01	·07	—	—	—	—	·07	·08	·04	—	·01	·34	20
21	—	·30	—	·16	—	—	—	·15	·01	·05	·02	·03	21
22	—	·01	—	—	—	—	—	·05	—	·05	·04	—	22
23	—	·08	·13	—	—	·97	—	·20	·51	—	—	·04	23
24	—	·02	·08	—	—	1·38	—	—	—	·14	—	·07	24
25	—	·02	—	·12	—	·16	—	—	·02	·01	·07	·70	25
26	—	—	—	·26	·11	—	—	—	—	·28	·54	·20	26
27	—	·11	·17	·13	—	—	—	—	·31	·01	—	·03	27
28	—	·09	·02	·10	—	·02	—	·50	—	·01	·02	·12	28
29	·01		·01	·18	—	—	—	—	·44	·37	·02	·05	29
30	—		—	·15	·08	·11	·15	—	·11	·17	—	—	30
31	—		·03		—		—	—		·02		·01	31
Total	1·87	1·12	1·87	1·38	·63	3·39	·45	1·58	2·16	1·59	2·14	4·03	TOTAL for year 22·21
No. of Rain Days	13	13	19	11	7	11	8	10	11	16	22	27	168

9,000, IX. '10.

Cord for pt W.D. 10.III.13

Cord fr [illegible] 25.III.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 11 JAN 1913

Kept at Brigg Grammar School

in the County of Lincolnshire

by P. A. Margetts

5—

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 32 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brigg
Distance ½ m. Direction S of School

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·32	·25	—	—	·3	1
2								—	·16	—	—	—	2
3								—	—	—	—	·09	3
4								·29	·13	—	·37	—	4
5								—	—	—	—	—	5
6								·14	—	—	—	—	6
7								·42	·05	·01	—	—	7
8								·04	·11	—	·015	·04	8
9								—	·36	—	—	·02	9
10								—	—	—	·075	—	10
11		—						·07	—	—	·14	·62	11
12								—	—	—	·56	—	12
13								—	—	·17	—	—	13
14								—	—	—	·005	—	14
15								·14	—	—	—	—	15
16								—	—	·18	—	—	16
17								·13	—	—	·01	—	17
18								·17	—	·07	—	·13	18
19									—	·07	—	—	19
20								·25	—	·2	—	—	20
21								·02	—	·08	·02	·11	21
22								—	—	—	—	—	22
23								·23	—	—	·15	·34	23
24								·43	—	—	—	·2	24
25								·07	—	—	·14	—	25
26								·05	—	·63	—	·36	26
27								1·06	—	1·09	·005	·09	27
28							·19	—	—	·2	·47	·28	28
29							·13	·45	·61	·21	—	—	29
30							·11	—	~~·05~~	·05	—	—	30
31							·32	— ·25	—	·02	—	·03	31
Total							~~·43~~	4·28	~~1·75~~ 1·80	2·98	1·96	2·63 2·61	TOTAL for year
No. of Rain Days.								17	8	13	11	13	

W. 8,000, X. '11.

Copd for auth 25.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

6 SEP 1912

Kept at The Grammar School, Brigg

in the County of Lincolnshire (Lindsey) 5

by A. M. Dell.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 25 ft. about

Time of Observation 8·45 a.m

Nearest Railway Station
Name Brigg
Distance ½ ml Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	·01	·01	·14	·30	.	.16			·30	1
2	·01	–	·03	·01	–	·14	·52	.					2
3	–	–	·02	–	–	·70	–	.29	.13			·09	3
4	–	–	·30	–	·03	–	–	.			·37		4
5	·30	·04	–	–	·13	–	–	·14					5
6	·18	·17	–	–	·07	·03	·04	42	.05				6
7	–	·11	·01	–	·03	·03	–	·04	.11	.01			7
8	·55	–	·20	·04	–	–	·16		.36		.015	04	8
9	·05	·04	·02	·01	–	–	–					·02	9
10	·15	·01	·02	–	–	–	–	·07			.075		10
11	·01	–	–	–	–	–	–				.14	.62	11
12	–	·18	·07	–	–	–	·14				.56		12
13	·20	·02	–	–	–	–	–			·17			13
14	·01	–	·42	–	–	–	–	·14			.005		14
15	·03	·02	·22	–	·42	·12	–						15
16	·07	–	·10	–	·14	–	–	.13		·18			16
17	·01	–	·22	–	–	–	·01	·17			.01		17
18	·30	–	·06	–	–	–	–			·07		.13	18
19	–	·19	–	–	–	–	·40	.25		·07			19
20	–	·02	–	–	·23	–	·15	.02		·20			20
21	·14	–	·35	–	–	–	·15			.08	.02	.11	21
22	–	·09	–	–	·55	·03	·09	.23					22
23	–	–	·13	–	–	–	·17	.43			·15	·34	23
24	–	–	–	–	–	–	·01	·07				.20	24
25	–	–	–	–	–	–	·05	.05			·14		25
26	–	·06	·07	–	–	·03	·24	1.06		.63		·36	26
27	–	–	·02	–	–	–	.19			1.09	.005	.09	27
28	–	–	–	–	·02	·04	.13	.45		·20	.47	.28	28
29	–	–	–	–	–	·02	.11		61	.21			29
30	–		·04	–	·03	–	.	.	.08	.05			30
31	–		·12		·09		.32	25		.02		·03	31
Total	2·01	·95	2·44	·07	1·75	1·28	3·18	4·21	1·50	2 98	1·96	2.68 2·61	TOTAL for year 24·94
No. of Rain Days.	14	12	20	4	12	10	18	17	7	13	11	13	151

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

18 MAR 1915

Dec 28 est.d 19.IV.15

referred 12.IV.15

corrd per cards — WD 3.IV.15

REGISTER OF RAINFALL IN 1914

Kept at Brigg Grammar School
in the County of Lincolnshire
by B. Heading for H. E. Bryant

Lat. 53 5 N Long. 5° W.
Time of Observation 9. A. M.
Nearest Railway Station Brigg.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
— nil —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
			~~1·575~~										
1	—	—	·15	—	—	—	—	·20	—	—	—	·24	1
2	—	—	—	—	—	—	·35	·23	—	·015	—	·02	2
3	—	—	—	—	~~·10~~	—	·21	·64	—	·20	—	·06	3
4	—	—	·23	—	·10	—	·04	—	—	—	·03	·19	4
5	·35	—	—	·23	·06	—	—	—	—	—	·18	·26	5
6	—	—	·215	·12	·07	—	·05	—	—	—	·04	·19	6
7	—	·08	—	·005	·135	—	·13	—	—	—	·01	·26	7
8	—	—	·20	·085	·02	·08	—	—	—	—	·01	·01	8
9	·17	—	—		·04	·2	—	·20	—	—	—	·01	9
10	·52	·005	·01	·06	—	·71	—	·22	—	—	·01	·02	10
11	·50	—	—		·01	—	—	—	—	—	—	·25	11
12	—	·01	·23	·09	—	·2	—	·40	—	·005	·24	·235	12
13	—	—	—	—	—	—	·01	—	·38	—	·02	·215 ~~·235~~	13
14	·01	·03	·17 ·17	—	—	—	·1	—	—		·15	18	14
15	—	·09	—	—	—	—	·12	—	—	·28	·03	·05	15
16	·13	—	·16	—	—	—	—	—	—	—	—	·21	16
17	·051	—	·01	—	—	—	·12	—	—	—	—	—	17
18	·04	·025	·03	—		·4	—	—	·41	—	·01	·04	18
19	·016	—	—	—	—	·12	·03	—	—	·005	·03	·29	19
20	—	—	·18	—	—	—	—	—	·08	—	·04	·28	20
21	·02	·01	—	—	—	—	—	—	—	·14	—	·12	21
22	·015	·16	·38	—	—	—	—	·24	—	·13	—	·14	22
23	—	—	·05	·04	·55	·21	—	—	—	·32	·04	·04	23
24	—	—	·02	—	·4	—	—	—	—	·01	—	—	24
25	—	—	—	—	·15	—	—	·55	—	~~·01~~	·22	—	25
26	—	—	—	—	—	—	·1	—	—	·68	·03	·32	26
27	—	—	·20	—	—	—		·27	—	·15	·14	·16	27
28	—	—	—	—	—	—		—	—	~~·04~~	·01	·36	28
29	·018	—	—	—	—	—		—	—	—	—	(60)	29
30	·03	—	·09	—	·02	—		—	—	·64	·01	—	30
31	—	—	—		—	—		—	—	—	—	·21	31
		·15					·20		·87		·24		YEAR'S TOTAL.
Total	1·864	~~·41~~ ·56	~~2·325~~ 2·175	·63	1·555	1·92	~~1·26~~ 1·46	~~2·95~~ 2·75	~~·49~~ ·87	2·615	~~1·25~~ 1·49	~~1·36~~ (4·72)	~~21·61~~ 22·61
Rain Days.	13	8	16	7	~~10~~ 11	7	11	9	2 3	13	19	26	~~74~~

22·61

W. 7,500, XI. 12

FORM C.
BRITISH RAINFALL
W., 10,000 X. 14.

RAINFALL at Brigg Grammar School in the Month of December 1914.

PLEASE fill in name of place and month.

DATE	Brigg School Inches	~~REMARKS ON~~ THE DAYS. Brigg.
1	·24	
2	·02	
3	·06	
4	·19	
5	·26	
6	·19	
7	·26	
8	·01	
9	·01	
10	·02	
11	·25	
12	·235	
13	·215	
14	·18	
15	·05	
16	·21	
17	–	
18	·04	
19	·29	
20	·28	
21	·12	
22	·14	
23	·04	For comparison
24	–	
25	–	–
26	·32	·42
27	·16	·12
28	·36	·39
29	– ?	·61
30	–	–
31	·21	16
TOTAL	4·36	No. of Days with Rain

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED..

No writing on this side of the line.

POSTAGE
ONE
HALFPENNY.

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

GRAMMAR SCHOOL,
BRIGG.

17 APR. 1915

15 . 4 . 15

Dear Sir,

My original record of the rainfall of last year has unfortunately been mislaid. I had the items for the Xmas holidays from my gardener on a slip of paper, I may have omitted an entry, or he may have done so. I have no doubt the other local entry is right.

Yours faithfully,

H. E. Bryant

Carle Salter Esq.

corrected for W.D. 17.IV.16

Ex MY

2713

FORM A.
BRITISH RAINFALL.

26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brigg

in the County of Lincoln

by H. E. Bryant

Lat. 53·5° N Long. 0·5° W

Time of Observation 9 a.m.

Nearest Railway Station Brigg

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·37	·18	–	–	–	–	–	·15	–	·15	·03	1
2	–	·35	–	–	–	–	–	·63	·07	–	·12	–	2
3	–	·06	·29	–	–	–	–	·40	·03	–	–	–	3
4	–	·01	·32	–	–	–	·75	·13	·14	–	–	·31	4
5	–	–	–	–	–	–	1·62	–	–	–	–	·66	5
6	–	·07	·01	–	·24	–	~~·68~~ nil	·10	–	–	–	·34	6
7	–	·23	·03	·20	–	–	·68	·09	–	–	–	·06	7
8	–	·24	–	–	–	–	·43	·31	–	–	·13	–	8
9	–	·03	·46	·05	–	–	–	·03	–	–	–	–	9
10	–	·06	·02	–	–	–	·05	·09	–	–	–	·37	10
11	–	–	–	–	–	–	–	·13	–	–	–	–	11
12	–	–	·05	–	·27	–	·07	·08	–	–	·07	–	12
13	·09	·06	–	·20	·08	–	–	·03	–	–	·30	·13	13
14	·01	–	·34	–	–	–	–	–	–	–	–	–	14
15	·01	·60	–	–	·32	–	·05	·23	–	–	–	–	15
16	·38	–	–	–	–	–	–	·44	–	–	·68	·08	16
17	·01	·38	·16	–	–	–	·48	·03	–	·05	·07	–	17
18	·03	·23	·13	–	–	–	·48	–	–	–	–	–	18
19	·07	·32	·54	–	–	–	·25	–	–	–	–	·11	19
20	–	·16	~~·18~~ nil	–	–	–	·11	–	–	–	·13	–	20
21	·14	–	·18	–	–	–	–	–	–	–	–	–	21
22	–	·03	–	–	–	–	·19	–	–	–	–	·13	22
23	·14	–	–	–	–	–	–	–	–	–	–	·08	23
24	·01	·07	–	–	–	·03	·07	–	·08	–	–	–	24
25	–	·32	–	·05	–	–	–	–	·16	·05	–	–	25
26	·01	–	–	–	–	·08	–	–	–	–	–	·11	26
27	·01	·06	–	–	–	–	·04	–	–	–	–	·41	27
28	·19	–	–	–	–	·01	·21	–	–	–	–	·18	28
29	·01	·15	·06	–	–	–	–	·04	–	·40	–	·05	29
30	–	✕	–	·48	·07	–	–	–	–	·01	·23	·21	30
31	–	✕	–	✕	–	✕	–	·06	✕	–	✕	·05	31
Total	~~1·11~~ 1·11	~~3·80~~ 3·43	·37 ~~2·77~~ 2·96	~~0·98~~ ·98	~~0·98~~ ·98	~~0·12~~ ·12	~~5·48~~ 5·48	·15 ~~2·82~~ 2·97	~~0·63~~ ·48	·15 ~~0·51~~ ·66	·03 ~~1·88~~ 1·76	~~3·31~~ 3·28	YEAR'S TOTAL ~~24·39~~ 24·21
Rain Days.	14	~~20~~ 19	14	5	5	3	15	~~16~~ 17	~~6~~ 5	~~4~~ 5	~~9~~ 9	~~17~~ 16	~~128~~ 127

W. 8,000. X. 15.

Escd FW 2646

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

26. JAN. 1917

Kept at Brigg

in the County of Lincoln

by H. E. Bryant

Lat. 53·5°N Long. 0·5°W

Time of Observation 9 a.m

Nearest Railway Station Brigg

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·12	–	0·11	–	–	0·14	–	–	–	0·02	–	–	1
2	–	0·13	0·06	–	0·45	–	–	–	0·07	0·10	0·45	–	2
3	–	0·33	–	–	–	–	0·11	–	0·21	0·16	0·08	–	3
4	0·10	0·12	–	–	0·51	0·28	–	–	0·15	0·14	0·20	–	4
5	0·06	–	0·03	–	0·11	0·46	–	–	–	0·24	0·21	–	5
6	0·02	0·28	0·45	–	0·32	–	0·10	–	–	–	0·39	0·02	6
7	0·10	–	0·39	–	0·07	–	0·28	–	–	~~0~~	0·10	0·29	7
8	–	–	0·25	–	–	–	–	–	–	0·09	0·17	–	8
9	–	–	0·15	–	0·75	0·45	–	–	0·03	–	–	–	9
10	–	0·05	0·03	–	–	0·13	0·09	–	–	0·05	–	–	10
11	0·07	0·25	0·33	0·17	–	0·21	0·07	–	0·01	–	–	–	11
12	–	–	0·26	–	0·44	0·22	0·13	–	–	–	–	–	12
13	–	0·08	0·03	–	0·27	–	0·67	0·02	–	0·27	–	0·05	13
14	–	0·02	–	–	0·14	–	–	0·47	–	0·07	–	–	14
15	–	0·22	0·11	–	–	–	–	0·27	–	0·08	–	–	15
16	–	0·05	0·10	0·52	–	–	–	0·09	–	0·02	–	–	16
17	0·04	–	–	–	–	–	0·46	0·27	–	0·10	–	–	17
18	–	0·16	–	–	–	–	–	0·47	–	0·17	0·93	–	18
19	–	–	0·07	–	–	–	–	–	–	–	0·13	0·20	19
20	0·02	–	0·21	0·09	–	–	–	0·10	–	–	–	0·05	20
21	0·08	–	0·15	0·03	–	–	0·09	–	–	–	–	–	21
22	–	0·33	–	–	–	–	–	–	–	0·11	–	0·07	22
23	–	0·05	–	0·04	–	–	–	0·06	–	–	0·11	0·85	23
24	–	0·15	–	0·09	–	–	–	0·18	–	0·09	–	0·15	24
25	–	0·49	0·32	–	–	–	–	0·20	–	0·10	0·10	–	25
26	–	0·12	0·02	–	–	–	–	0·14	–	–	0·14	–	26
27	–	0·19	0·16	–	–	–	0·09	0·05	–	0·14	–	–	27
28	–	0·18	–	–	–	–	–	0·12	–	–	–	–	28
29	–	–	–	–	–	0·51	–	0·67	–	0·15	–	0·36	29
30	–	╳	–	–	0·02	–	–	0·06	–	0·25	–	–	30
31	–	╳	–	╳	–	╳	–	0·04	╳	0·03	╳	0·02	31
Total	0·61	3·20	3·23	0·94	3·08	2·40	2·09	3·21	0·47	2·38	3·01	2·06	YEAR'S TOTAL 26·68
Rain Days.	9	18	19	6	10	8	10	16	5	20	12	10	143

W. 8,000, VIII. 16

2514

Cont for WD

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Brigg.

in the County of Lincoln

by H. E. Bryant

Lat. 53·5° N Long. 0·5° W

Time of Observation 9 a.m.

Nearest Railway Station Brigg

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·13	–	–	–	·03	·03	–	–	–	1
2	~~0~~	–	–	·08	–	–	–	1·13	·10	–	·08	–	2
3	·08	–	–	–	–	–	–	·12	–	–	–	–	3
4	–	–	–	–	–	·11	–	·50	–	–	–	–	4
5	–	–	–	–	–	–	–	–	–	·18	–	–	5
6	·17	–	–	–	–	–	–	–	–	–	–	–	6
7	–	–	–	–	–	–	–	–	·06	–	–	–	7
8	·35	–	–	–	–	–	–	–	–	·73	–	–	8
9	·55	–	–	·21	–	–	–	·19	·04	·51	–	–	9
10	–	–	·06	·05	–	–	–	·28	–	–	·22	–	10
11	·05	–	·42	·18	·60	–	–	·21	–	·11	·13	–	11
12	·27	–	–	·35	–	–	–	·05	–	·61	–	–	12
13	·31	–	–	–	·22	–	–	·06	–	·16	–	–	13
14	·19	–	–	·22	–	–	–	·16	·13	·05	–	–	14
15	·36	–	–	–	–	–	–	·02	–	–	–	–	15
16	·08	–	–	–	·10	–	·09	·38	–	·09	–	–	16
17	·18	·18	–	·19	–	–	–	·04	–	·07	–	–	17
18	·06	–	–	·20	·24	–	·16	·14	·02	–	–	–	18
19	·05	·12	·02	–	·02	–	·41	·01	·35	·04	–	–	19
20	–	–	·13	–	–	–	·09	–	·02	–	–	–	20
21	·11	·38	–	–	–	–	–	–	–	–	·51	–	21
22	–	–	·03	–	–	–	–	·09	–	–	–	–	22
23	–	–	·14	–	–	–	–	·20	–	–	–	–	23
24	–	–	–	–	·16	–	–	·15	–	–	–	–	24
25	–	–	–	–	–	·52	·06	·08	–	·27	·23	–	25
26	–	–	–	–	–	–	·02	–	–	–	–	·22	26
27	–	–	·12	–	–	–	–	·52	·20	–	·21	·26	27
28	–	–	–	–	–	·11	·21	·32	–	–	–	–	28
29	–	–	·08	–	–	·19	–	·27	–	–	·38	·11	29
30	–	X	–	–	–	–	–	–	–	·22	–	·16	30
31	–	X	·05 ·13	X	–	X	·38 ·03	·09 ·03	X	–	X	–	31
Total	~~2·83~~ 2·81	~~0·68~~ ·68	~~1·05~~ 1·18	~~1·61~~ 1·48	~~1·34~~ 1·34	~~0·93~~ ·93	~~1·42~~ 1·45	~~5·04~~ 5·04	~~0·95~~ ·92	~~3·04~~ 3·04	~~1·76~~ 1·76	~~0·75~~ ·75	YEAR'S TOTAL ~~21·40~~ 21·38
Rain Days.	15	3	9	9	6	4	8	23	9	12	7	4	107

1.66

W. 8,000, IX. 17.

exact 9 am

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

18. 1 19

Kept at Brigg
in the County of Lincoln (Lindsey)
by H. E. Bryant.

Lat. 53·5° N. Long. 0·5° W.
Time of Observation 9 a.m
Nearest Railway Station Brigg
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·08					·15	·04	·14		1
2		·25							·13			·42	2
3		·05			·40			·67			·47		3
4		·02						·05	·28		·29	·26	4
5	·02		·12		·12			·54		·03			5
6		·16		·26						·06		·04	6
7				·09					·03				7
8							·10		·22	·08		·08	8
9		·18		·02		·14	·15		·29	·28			9
10	·09	·12					·17		·09	·08		·02	10
11		·08		·01	·50		·15			·03		·08	11
12		·11		·01			·94		·10				12
13				·04	·30				·22	·03			13
14	·30			·07			·05		·33	·08		·27	14
15	·17			·05			·11		·51			·31	15
16				·11					·17	·07		·08	16
17	·16			·08	2·13		·50		·08			·26	17
18	·17						·31		·44			·28	18
19	·03	·02	·13	·12			·05			·11		·37	19
20	·07	·04				·04	·12	·04	·02	·04			20
21					·47	·06			·14				21
22	·14				·08							·28	22
23	·13				·54		·11						23
24							·26		·06				24
25						·20	·20	·22	·05				25
26							·26	·07	·06		·53	·07	26
27						·04	·07	·42	·23		·19		27
28		·45									·02	·46	28
29			·25						·18			·05	29
30			·30					·03	·07		·08	·16	30
31			·14					·04				·04	31
Total	1·28	1·48	0·96	0·94	4·54	0·48	3·55	2·08	3·85	0·93	1·72	3·53	YEAR'S TOTAL 25·34
Rain Days.	10	10	6	12	8	5	16	9	22	12	7	18	136

W. 6,500, VII. 18. W W C

covered for WD

~~1886~~

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

JAN 20

Kept at BRIGG

in the County of LINCOLN

by H. E. Bryant.

Lat. 53°·5' N. Long. 0·5' W

Time of Observation 9 a.m.

Nearest Railway Station BRIGG

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·11	-	-	·24	-	·16	·08	-	-	·42	·25	1
2	·33	·06	-	-	·26	-	·17	-	·05	-	·10	·16	2
3	·05	·10	·04	-	-	-	·50	-	·16	-	·20	-	3
4	·52	-	-	-	-	-	·25	-	·06	-	·34	·09	4
5	·04	-	·42	-	-	·06	-	·06	·11	-	-	-	5
6	·08	-	-	-	-	-	-	-	·05	-	-	·08	6
7	-	-	·06	-	-	-	-	-	-	-	·12	·13	7
8	-	-	·16	-	·22	-	-	-	-	-	-	·08	8
9	·12	-	-	-	-	-	-	-	-	-	·06	-	9
10	-	-	-	-	-	-	-	-	-	-	·10	-	10
11	-	-	·16	-	·09	-	-	-	-	-	·05	·18	11
12	-	-	·60	-	·06	-	·16	-	-	-	·14	-	12
13	-	-	·62	-	-	·19	·18	-	·07	·06	·09	-	13
14	·32	-	-	-	-	-	·09	-	·31	·19	-	-	14
15	·48	-	-	·17	-	-	·03	-	·05	·06	·11	-	15
16	·09	-	·05	·28	-	-	-	-	-	-	·20	·30	16
17	·05	·88	-	·05	-	-	-	-	-	-	·21	-	17
18	-	·31	-	-	-	·06	-	-	-	-	·24	-	18
19	-	-	-	-	-	-	-	·08	-	-	-	-	19
20	·01	·17	·23	-	-	-	·42	·52	-	-	·10	-	20
21	·21	·16	-	-	-	·08	·17	·23	·13	-	-	·23	21
22	·20	·30	·02	-	-	·04	·18	-	-	-	·05	·11	22
23	-	·16	-	-	·02	-	·11	-	·16	-	-	·33	23
24	-	-	·03	-	-	·18	·03	-	-	·61	-	-	24
25	-	-	-	-	·14	·08	-	-	-	·32	·05	·18	25
26	·10	-	-	·13	-	-	-	·46	-	-	·08	-	26
27	-	·10	-	-	-	-	-	·28	-	-	-	·45	27
28	·02	·03	-	·61	-	-	-	-	-	·45	-	·30	28
29	·11	-	-	-	-	-	·02	·41	-	·44	-	·32	29
30	·13	X	-	-	-	·06	-	·26	-	·53	·52	-	30
31	·03	X	-	X	-	X	-		X	·16	X	-	31
Total	·11 ~~2·93~~	- ~~2·38~~	- 2·39	·24 ~~1·24~~	- ~~1·03~~	·16 ~~0·75~~	·08 ~~2·47~~	- ~~2·38~~	- 1·15	·42 ~~2·82~~	·25 ~~3·18~~	- 3·19	25·87 YEAR'S TOTAL ~~25·91~~
Rain Days.	3·00 19	2.27 10 ~~11~~	11	1·48 ~~5~~ 6	·79 ~~7~~ 6	·91 ~~8~~ 9	2.39 14	2.30 ~~9~~ 8	10	2·24 ~~9~~ 10	3·01 19	2·94 ~~15~~ 14	~~137~~ 136 ~~25·91~~

25·87

W. 6,500, VII. 18. w w c

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brigg

in the County of Lincoln

by H. E. Bryant

Lat. 53° 5' N. Long. 0° 5' W

Time of Observation 9 a.m.

Nearest Railway Station Brigg

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·37		·32			·43	·16	·03	1
2				·05			·21		·05	·16		·25	2
3	·04			·17			·31	·02	·12	·10		·06	3
4				·09	·12		·13	·49	·01	·40		·03	4
5					·47		·12	·17	·03			·11	5
6			·09	·10	·11		·08					·07	6
7			·03	·10	·03		·22					·02	7
8		·04		·30	·03		·03						8
9	·22	·09		·35			·02	·19	·01				9
10	·12	·25	·09	·24									10
11			·05	·17	·02							·08	11
12				·23		·47		·02					12
13			·03	·15		·05				·02			13
14	·04		·51	·15			·10		·40	·21	·09	·15	14
15	·02		1·18						·30			·19	15
16									·05	·05			16
17					·15		·32		·53			·06	17
18	·12				·27	·46			·13			·01	18
19	·04	1·24		·19	·04			·14				·05	19
20		·06		·52		·57	·19						20
21				1·15			·03	·16					21
22				·16			·07						22
23	·04						·21					·25	23
24	·01			·64			·02					·07	24
25		·06		·05			·66						25
26			·03	·08	·52		·05						26
27	·09			·08	·86	·16					·14		27
28	·58		·07	·03							·16	·07	28
29	·07		·15	·07	·66		·06					·43	29
30	·14	✕			·02				·16		·14	·32	30
31	·15	✕	·04	✕		✕	·22		✕	·02	✕	·16	31
Total	1·68	1·74	2·27	4·66	3·67	1·71	3·37	1·19	1·79	1·39	0·69	2·41	Year's Total 26·57
Days with ·01 in. or more	14	6	11	23	14	5	20	7	11	8	5	19	143
Days with ·04 in. or more	12	6	8	22	10	5	16	5	8	6	5	15	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

BATCHSLIP

STD JOB: MET-ARCH

BATCH : METZ003B

ENTRY 128 VERIFY X

totals 13.W.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Brockles

in the County of Lu

by F. C. Stain

in.

Ground 2 ft. in.

Sea Level 108 ft. 2577

m

Name Brocklesby

Distance 2 Direction N.

IMPORTANT NOT… the result entered to the previous day. If an Ob… …rsal rule, he is earnestly requested to add the read… …ar in the space provided for it at the end of this… …ment of rain, the selection and placin… …tish Rainfall Organization are given in… …pplication to Dr. H. R. Mill, 62, Cam…

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.							Oct.	Nov.	Dec.	Date.
1				·02		(·05)	·18			·10			1
2	·25				·03		·15	·02			·03	·03	2
3	·15				·04	·07		·11		·06	·04	·05	3
4	·04	·03	·17	·10					·09	·27	·03	·03	4
5	·05			·16	·05			·04		·03	·14	·36	5
6	·30		·03	·08				·08		·10	·16		6
7	·05										·08	·43	7
8		·02									·04	·02	8
9	·07		·33			·02			·03		·02	·10	9
10			·02	·03		·07		·02		·02	·15	·25	10
11	·07	·17	·06								·07	·23	11
12	·58		·20		·03						·40	·07	12
13	·17		·09			·29			·46		·10	·03	13
14	·07	·08	·55		·07	·25			·02		·04	·23	14
15		·08	·21		·18		·02		·02	·02	·02	·36	15
16		·18	·22							·05	·07	·03	16
17			·12			·07	·04				·20	·09	17
18			·03			·20						·06	18
19	·02	·08				·09				·04	·57	·04	19
20	·07			·09			·14	·14	·04	·04	·35	·29	20
21	·07	·31		·10				·21	·05	·09	·07		21
22		·08	·07					·60	·18	·03	·15	·04	22
23		·10	·04	·05		·02		·35		·06	·07	·07	23
24		·03	·03	·03		2·28		·67	^	·11		·09	24
25		·06	·08	·18		·66				·13			25
26		·04		·15		·21			·03	·25	·31	·08	26
27		·02	·03	·14			·08	·28	·16	·03		·19	27
28		·25	·16	·03				·45	·25	·07	·07	·03	28
29			·03	·35		·03	·15				·02	·17	29
30						·05			·06	·46	·02	·06	30
31			·04		·25					·03		·03	31
	–	–	~~·02~~	–	(·05)	~~18~~	–	–	·10	–	–	(–)	
Total	1·78	1·53	2·45	1·51	·70	4·25	·76	2·30	2·66	1·99	3·04	3·40	TOTAL for year 26·37
No. of Rain Days.	1·78 14	1·53 15	2·47 ~~20~~ 21	1·49 ~~17~~ 13	·70 8	4·43 ~~17~~ 15	·58 ~~7~~ 6	2·30 11	2·76 ~~13~~ 14	1·89 ~~20~~ 19	3·04 25	3·40 27	188

W. 8,000, X. '11.

stats 13.IV.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

LINCOLNSHIRE.

BROCKLESBY PARK
2577

1911 - 1920 (10

Kept at Bro
in the County of L
by F. C. Stain

in.
Ground 2 ft. in.
Sea Level 108 ft. 2577
m
Name Brocklesby
Distance 2 Direction N.

IMPORTANT NOT | the result entered to the
previous day. If an Ob | ersal rule, he is earnestly
requested to add the rea | ear in the space provided
for it at the end of thi | nent of rain,
the selection and placi | itish Rainfall
Organization are given i | application to
Dr. H. R. Mill, 62, Ca

Jan. 1, following.
(–)

Date	Jan.	Feb.	Marc							Oct.	Nov.	Dec.	Date.
1				·02		(·05)	·18			·10			1
2	·25				·03		·15	·02			·03	·03	2
3	·15				·04	·07		·11		·06	·04	·05	3
4	·04	·03	·17	·10					·09	·27	·03	·03	4
5	·05			·16	·05			·04		·03	·14	·36	5
6	·30		·03	·08				·08		·10	·16		6
7	·05										·08	·43	7
8		·02									·04	·02	8
9	·07		·33			·02			·03		·02	·10	9
10			·02	·03		·07		·02		·02	·15	·25	10
11	·07	·17	·06								·07	·23	11
12	·58		·20		·03						·40	·07	12
13	·17		·09			·29			·46		·10	·03	13
14	·07	·08	·55		·07	·25			·02		·04	·23	14
15		·08	·21		·18		·02		·02	·02	·02	·36	15
16		·18	·22							·05	·07	·03	16
17			·12			·07	·04				·20	·09	17
18			·03			·20						·06	18
19	·02	·08				·09				·04	·57	·04	19
20	·07			·09			·14	·14	·04	·04	·35	·29	20
21	·07	·31		·10				·21	·05	·09	·07		21
22		·08	·07					·60	·18	·03	·15	·04	22
23		·10	·04	·05		·02		·35		·06	·07	·07	23
24		·03	·03	·03		2·28		(·67)	^	·11		·09	24
25		·06	·08	·18		·66				·13			25
26		·04		·15		·21			·03	·25	·31	·08	26
27		·02	·03	·14			·08	·28	·16	·03		·19	27
28		·25	·16	·03				·45	·25	·07	·07	·03	28
29			·03	·35		·03	·15				·02	·17	29
30						·05			·06	·46	·02	·06	30
31			·04		·25					·03		·03	31
	–	–	·02	–	(·05)	·18	–	–	·10	–	–	(–)	
Total	1·78	1·53	2·45	1·51	·70	4·25	·76	2·30	2·66	1·99	3·04	3·49	TOTAL for year 26·37
	1·78	1·53	2·47	1·49	·70	4·43	·58	2·30	2·76	1·89	3·04	3·40	
No. of Rain Days.	14	15	~~20~~ 21	~~17~~ 13	8	~~14~~ 15	~~7~~ 6	11	~~13~~ 14	~~20~~ 19	25	27	188

W. 8,000, X. '11.

tals 13.11.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brocklesby Park Gardens

in the County of Lincoln 5

by F. C. Stimsley

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 108 ft. 2577

Time of Observation 5 p.m

Nearest Railway Station { Name Brocklesby
Distance 2 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02		(.05)	.18			.10			1
2	.25				.03		.15	.02			.03	.03	2
3	.15				.04	.07		.11		.06	.04	.05	3
4	.04	.03	.17	.10					.09	.27	.03	.03	4
5	.05			.16	.05			.04		.03	.14	.36	5
6	.30		.03	.08				.08		.10	.16		6
7	.05										.08	.43	7
8		.02									.04	.02	8
9	.07		.33			.02			.03		.02	.10	9
10			.02	.03		.07		.02		.02	.15	.25	10
11	.07	.17	.06								.07	.23	11
12	.58		.20		.03						.40	.07	12
13	.17		.09			.29			.46		.10	.03	13
14	.07	.08	.55		.07	.25			.02		.04	.23	14
15		.08	.21		.18		.02		.02	.02	.02	.36	15
16		.18	.22							.05	.07	.03	16
17			.12			.07	.04				.20	.09	17
18			.03			.20						.06	18
19	.02	.08				.09				.04	.57	.04	19
20	.07			.09			.14	.14	.04	.04	.35	.29	20
21	.07	.31		.10				.21	.05	.09	.07		21
22		.08	.07					.60	.18	.03	.15	.04	22
23		.10	.04	.05		.02		.35		.06	.07	.07	23
24		.03	.03	.03		2.28		(.67)	∧	.11		.09	24
25		.06	.08	.18		.66				.13			25
26		.04		.15		.21			.03	.25	.31	.08	26
27		.02	.03	.14			.08	.28	.16	.03		.19	27
28		.25	.16	.03				.45	.25	.07	.07	.03	28
29			.03	.35		.03	.15				.02	.17	29
30						.05			.06	.46	.02	.06	30
31			.04		.25					.03		.03	31
	–	–	.02	–	(.05)	18	–	–	.10	–	–	(–)	
Total	1.78 1.78	1.53 1.53	2.45 2.47	1.51 1.49	.70 .7[illegible]	4.25 4.43	.76 .58	2.30 2.30	2.66 2.76	1.99 1.89	3.04 3.04	3.49 3.40	TOTAL for year 26.37
No. of Rain Days.	14	15	~~20~~ 21	~~17~~ 13	8	~~15~~ 15	7 6	11	~~13~~ 14	~~20~~ 19	25	27	188

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

JAN 1913

Kept at Brocklesby Park

in the County of Lincoln 5

by F. C. Stainsby

Lat. Long.

Time of Observation 5 p.m

Nearest Railway Station Habrough 1½ miles

Diameter of Rain Gauge 5 in. 2077

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·07			·21			·05	·20	·24	·02			1
2		·06				·30	·43		·11	·05		·24	2
3		·04	·04		·07	·60	·07		·06			·05	3
4	·15	·04	·28			·41		·92	·09			·08	4
5	·18		·05		·04	·10		·10			·34		5
6	·40	·19	·02		·04	·25		·11	·07				6
7	·59	·03			·10		·10	·22	·10				7
8	·03	·12	·14	·07		·05	·07		·50			·03	8
9	·25	·07	·04	·10		·63			·08			·03	9
10	·02	·02	·02			·25		·09	·12		·03	·03	10
11	·15				·04			·10	·05		·08		11
12	·07	·24				·50					·40	·06	12
13	·07	·06	·15			·10	·41				·50		13
14	·07	·03						·07		·20	·28		14
15	·06	·02	·55		·09	·22		·04	·07		·02	·12	15
16	·03		·40		·65	·36						·07	16
17			·11		·04			·10		·17			17
18	·32		·14			·30		·10				·12	18
19	·07	·04	·05			·12	·11	·27			·07	·03	19
20	·40	·31	·02		·16		·37	·07		·09			20
21	·06		·36		·11	·03	·42			·18	·03		21
22	·07	·08	·04		·85		·27			·09	·02	·26	22
23		·02	·07		·61	·09	·02	·45				·04	23
24	·25		·14			·05	·40	·20			·22	·12	24
25	10 ·10					·18	·14	·02			·10	·12	25
26	·04					·19		1·17		·10	·28	·37	26
27	·04	·09	·08				·03	·12		·53	·03	·02	27
28			·05		·27	·16	·29			1·38		·06	28
29				·07	·04	·23	·06	·47		·08	1·02	·42	29
30							·10		·90	·20		·07	30
31	04		·17		·14		07			·03			31
Total	3·29	1·46	2·86	·45	3·19	5·12	3·41	4·82	2·39	3·12	3·36	2·82	YEAR'S TOTAL 36·29
Rain Days.	23 4	17	21	4	15	21	18	19	12	13	15	20	198

W. 7,500, XI. ·12

199

✓

REGISTER OF RAINFALL IN 1913

Ex. H.O.P

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

2577

Kept at Brocklesby Park

in the County of Lincoln

by F. C. Stainsby. The Gardens.

5

Lat. Long.

Time of Observation 5 p.m.

Nearest Railway Station Brocklesby 2 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07	·09				·15			·03	1
2		·06	·18				·02		1·20		·05		2
3			·21		·10						·06		3
4	·30	·02			·19		·08		·02	·07			4
5	·35		·03		·06		·02		·05	·81	·30	·10	5
6			·03			·01		·18	·05	·25	·04		6
7	·02	·07	·04		·23	·04	·01			·76			7
8		·02		·02	·11	·21				·06	0'3		8
9			·04		·64	·03		·04	·03	·02	·01	·03	9
10		·25		·10	·08	·05				·03	·11		10
11	·25		·04	·02		·03	·04				·42		11
12	1·00			·46							·18		12
13				·08		·03		·04		·01	·37		13
14	·09		·30	·03			·04		·01	·06	·16		14
15	·09	·02	·03										15
16	·09		·31	·20					·05		·10	·01	16
17	·04	·02	·65	·03					·45		·08	·01	17
18	·04	·02	·07	·08	·07	·05					·03	·02	18
19	·04		·17	·05		·07	·02	·01				·09	19
20	·10		·03						·03				20
21	·23	·02		·02	·21				·01	·25	·18		21
22	·03	·02	·03				(Gam Tot?) ·14	(·13) ·24					22
23	·05		·20			·02	·07	(·60) ·49	·15	·02			23
24	·16					·24	·04	·06	·03				24
25	·11			·01							·03		25
26		·06		·15		·03			·01	·07		·06	26
27		·10	·04							·30	·12	·08	27
28		·04	09			·08				·02			28
29	·26		·05	·21	·10			·16		·02		·30	29
30	·20		·16	·20				·03				·05	30
31	·30									·06			31
Total	3·75	·72	2·70	1·73	1·88	·89	·48	1·25	2·24	2·81	2·27	·78	YEAR'S TOTAL 21·50 ✓
Rain Days.	20	13	20	16	11	13	10	9	14	16	17	11	170 ✓

W. 7,500, XI. ·12

Ex W.G.

Written 8.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
16 JAN 1915

2577

Kept at Brocklesby Park Gardens

in the County of Lincoln 5

by F. C. Grainsby

Lat. Long.

Time of Observation 5 p.m.

Nearest Railway Station Habrough 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·25			·09	·26	1
2			·07				·71	·36			·33		2
3							1·21	·14			·03	·09	3
4			·16		·14						·01	·37	4
5	·12		·25	·15	·18	·01		·10			·34	·04	5
6	·02		·03	·18		·02	·25	·01			·03		6
7		·04		·12	·15	·06				·01	·03	·25	7
8		·14	·25	·02		·11		·09				·09	8
9	·40		·03	·04	·09	·36			·12				9
10	·65	·01				·50						·02	10
11	·16	·10		·11	·03				·12	·01	·25	·02	11
12	·02	·02	·23		·10	25			·13			·55	12
13	·02		·13				·08		·07		·04	·61	13
14	·06	·04	·06							·04	·04	·15	14
15	·07	·09					·04			·32	·40	·32	15
16	·05		·29				·01		·03		·04	·08	16
17	·20		·01				·08		·52		·07		17
18	·03	·08	·05						·05		·04	·51	18
19	·03		·08			·03	·06		·03		·10	·32	19
20			·16			1·18			·03	·05	·05	·02	20
21	·04	·02	·10		·02			·10		·40		·03	21
22	08	·26	·01			·03	·31	·04		·03	·07	·07	22
23		·05	·01	·04	1·43	·06		·03		·07		·12	23
24		·05	·01	·05	·15					·01			24
25		·07	·03	·06	·03		·01	·12		·03	·25		25
26		·02						·12		·75	·03	·44	26
27							·10	·20		·18	·22	·14	27
28											·02	·44	28
29	·04									·23	·04	·75	29
30	05	✕	·12		·02					·52	·04		30
31		✕		✕		✕		·04	✕	·04	✕	15	31
													YEAR'S TOTAL
Total	2·04	·99	2·08	·77	2·34	2·61	2·86	1·60	1·10	2·69	2·56	5·84	27·48
Rain Days.	17	14	20	9	11	11	11	13	9	15	23	24	177

W. 8,000. X. 14.

corrected for W.D. 30.III.16. edt 75 27

FORM A. BRITISH RAINFALL. 4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brocklesby Park

in the County of Lincoln

by J. C. Stainsby

Lat. Long.

Time of Observation 5. p. m

Nearest Railway Station Habrough 1½ miles

Diameter of Funnel of Rain Gauge 5 in. 2577

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·10	·05		·05				·14		·16	·03	1
2	·08	·33		·20	·63		·06	·37	·63		·09	·02	2
3	·03	·06	·23	·04			·37	·18	·15		·08	·18	3
4	·78		·05	·06	·02		1·85	·02	·03		·06	·28	4
5	·08						·03				·20	1·07	5
6	·03	·26	·14	·08	·16			·28		·10	·03	·45	6
7	·12	·18	·07	·02			1·22	·07				·18	7
8	·14	·38	·10	·02			·35	·37			·05		8
9	·02	·05	·03	·03				·10		·07	·09		9
10	·04	·03					·05			·06	·03	·50	10
11	·37							·58				·03	11
12			·02	·02	·46		·07	·16			·57	·10	12
13	·11	·25		·15	·02		·09			·07	·55	·07	13
14		·65			·10			·08				·16	14
15	·05	·13								·02		·20	15
16	·43	·03						·02		·03	·38		16
17	·03	·55	·04				·82				·02	·04	17
18	·15	·09	·03						·04		·06	·07	18
19		·05	·25				·02			·07	·06		19
20	·02		·02	·07			·07			·20	·02		20
21	·15											·50	21
22	·24	·03		·02			·32					·16	22
23			·12	·02			·03		·02		·02	·06	23
24	·05	·11				·03	·04				·03	·08	24
25	·07		·12						·32	·16		·20	25
26	·03		·03			·20	·04			·06	·03	·08	26
27	·04	·25	·03	·03		·05	·42			·02	·03	·44	27
28	·02	06	·07		—	·11				·74		·15	28
29	·02		08					·40				·05	29
30		╳			·09			·03	·06		·25	·25	30
31	·25	╳		╳		╳			╳		╳	·14	31
Total	·10 ~~3·39~~	·05 ~~3·59~~	— ~~1·48~~	·05 ~~·70~~	— ~~1·53~~	— ~~·39~~	— ~~5·85~~	·14 ~~2·60~~	— ~~1·39~~	·16 ~~1·42~~	·03 ~~2·81~~	·12 ~~5·37~~	YEAR'S TOTAL ~~30·52~~
Rain Days.	3·39 26	3·54 19	1·43 ~~18~~ 17	·75 ~~13~~ 14	1·48 ~~8~~ 7	·39 4	5·85 17	2·74 ~~13~~ 14	1·25 ~~8~~ 7	1·58 ~~12~~ 13	2·68 21	5·46 26	30·54 185

W. 8,000. X. 15.

WD? 2651

FORM A.
BRITISH RAINFALL.

4 JAN 19 2577

REGISTER OF RAINFALL IN 1916

Kept at Brocklesby Park

in the County of Lincolnshire

by J. C. Stainsby

Lat. .... Long. ....

Time of Observation 5 p.m

Nearest Railway Station Habrough

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. ..... in.

" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. none

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03					·15	·13		·05		·20		1
2	·15	·12	·38		·15					·02	·04		2
3	·04		·02	·03	·50		·06		·28	·11	·14		3
4	·08	·16	·07		·33	·17			·40	·21	·24		4
5		·13	·02	·03	·18	·22	·03		·05	·07	·15	·13	5
6		·35	·30	·12	·03	·19	·03			·27	·35		6
7	·04	·03	·38	·02	·39		·26				·05	·26	7
8			·15							·07	·07		8
9			·30		·89	·40					·03	1·18	9
10			·08	·08		·40			·26	·02			10
11	·10	·58	·25	·13		·16	·14			·07		·05	11
12			·30		·18	·59			·02			·14	12
13	·04	·03	·15		·42	·09	·16	·01		·03		·03	13
14		·13	·03		·16		·50	·04		·13		·05	14
15			·25	·03				·64	·04	·14			15
16		·21	·15	·12			·03	·14		·02			16
17		·08	·05	·52			·15	·07	·09	·01		·07	17
18	·02	·20		·11				·05	·19	·10	·12		18
19		03	·07	·10		·02		·34	·32	·17	1·03	·14	19
20	·07		·27	·09		·03		·05	·04		·15		20
21	·07		·10	·07	·02		·11	·08				·42	21
22	·05	·28	·05										22
23		·08				·10					·14	·55	23
24		·03		·07		·04							24
25		·48	·33		·01	·14		·12		·18	·14	·25	25
26		·10	·04					·12		·04	·08		26
27		·15	·15			·04		·09		·16			27
28	·01	·27	·11		·51					·03		·06	28
29		·30				·55				·05		·21	29
30		×			·01	·02		·37		·21			30
31		×		×		×			×		×	·04	31
Total	·70	3·74	4·00	1·52	3·78	3·31	1·60	2·12	1·74	2·10	2·93	3·58	YEAR'S TOTAL 31·12
Rain Days.	12	20	24	14	14	17	11	13	11	21	15	15	187

W. 8,000, VIII. 16

2519

FORM A.
BRITISH RAINFALL.

JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Brocklesby Park.
in the County of Lincoln
by J. C. Stainsby

Lat. Long.
Time of Observation
Nearest Railway Station 1½ miles - Habrough -
Diameter of Funnel of Rain Gauge 5 in. 2577
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
none

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·14				·78	·11			·06	1
2	·02	·04		·15		·09		·33			·08		2
3	·04					·10		18					3
4		·03	·02	·01				·32		·39	·01		4
5	·07	·04	·08	·03							·08		5
6	·02		·05	·15				·03	·05	·03	·03		6
7			·03			·29				·69			7
8	·50		·08							·17			8
9	·32			·17				·88		·25	·05		9
10	·11		·03	·16	·08			·09		·05	·30		10
11	·44		·64	·19	·38			·05	·02		·02		11
12	·09			·10				·07		·40	·02	·03	12
13	·08			·05	·24	·25		·07	·12	·25			13
14	·20			·05				·26				·03	14
15	·30		·02	·03	·05		·03	·37				·04	15
16	·20			·13			·03	·23		·15	·03	·41	16
17	·25	·21		·09		·10		·15	·05	·08		·09	17
18	·05		·05	·16	·60		·52	·03		·01		·05	18
19	·14	·01	·07	·05	·04	·03	·05		·35				19
20	·07	·25	·18		·06		·03		·02				20
21	·04	·11	·10			·03		·03			·32		21
22	·03	·08	·27	·01				·04			·04	·01	22
23	·02							·14		·08			23
24	·01				·09	·65	·06	·06		·14	·01	·01	24
25								·05		·22	·18	·12	25
26			·13			·25			·20	·02	·43	·18	26
27			·12			·15		·81				·13	27
28		·02	·02			·07	·62	·46				·09	28
29	·02		·05				·06	·33		·28		·25	29
30	·03		·03				·16						30
31	04		·10				·08	·08					31
Total	3·09	·83	2·07	1·67	1·54	2·01	1·64	5·84	·92	3·21	1·60	1·50	YEAR'S TOTAL 25·92
Rain Days.	24	10	19	17	8	11	10	24	8	16	14	14	175

1·59

W. 8,000, IX. 17.

M.W.D

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 1919

Kept at Brocklesby Park

in the County of Lincoln

by A. C. Stainsby

Lat. Long.

Time of Observation 5 - p.m.

Nearest Railway Station Habrough 1½ miles

Diameter of Funnel of Rain Gauge 5 in. 2577

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·25	·15					·13				1
2	·03	·09	·04	·11					·19	·03		·65	2
3	·07	·07			·30			·42			·48		3
4		·03	·05		[illegible]			·12	·13	·02	·30	·19	4
5			·02		·26			·03	·25	·05	·17		5
6		·11	·09	·43				·66	·02	·02		·04	6
7		·07		·23		·12				·17		·05	7
8	·12	·02	·10						·04		·20	·02	8
9	·09	·02		·07		·04	·50		·19	·45			9
10		·15		·03			·08		·29				10
11		·25			·45		·18		·07	·12		·21	11
12	·11	·05		·07	·03		·90	·03	·07	·10		·10	12
13		·18	·03	·06	·12	·02			·04				13
14		·03					·09		·55	·05			14
15	·30			·15			·13		·38			·30	15
16	·21			·07					·29	·07		·43	16
17				·13	·12		·55		·40	·10		·06	17
18	·17			·03			·50					·25	18
19	·23			·35				·05	·41	·10		·16	19
20	·09	·03	·06	·09			·09					·31	20
21		·09			·16				·35	·07			21
22	·04					·07	·08			·16		·27	22
23	·09			·02	·70				·03	·16			23
24	·09	·03			·05	·03	25		·14				24
25		·08					·20	·03		·03	·14	·03	25
26							·45	·35	·17	·03	·07		26
27							·13	·13	·07		·10	·06	27
28			·18					·37	·20		·10		28
29			·11								·04	·43	29
30		X	·05	·01					·66		05	·12	30
31		X	·35	X		X			X		X	·15	31
Total	1·66	1·30	1·33	2·02	2·19	·28	4·13	2·19	4·95	1·67	1·65	3·83	YEAR'S TOTAL 27·20
Rain Days.	13	·16	12	16	9	5	14	10	23	17	10	19	164

W. 6,500, VII. 18. W W C

[illegible] [illegible]

9.11.20 2577

Form A/1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brocklesby Park
in the County of Lincs
by H. Stainsby

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·06		·10	·46		·12				·24	·08	1
2	·29	·13	·02	·01			·40		·18	·04	·17	·14	2
3	·05		·03		·02		·48		·08		·28		3
4	·67				·02	·16		·03			·36	·08	4
5	·18	·02	·57			·02		·03	·09		·05	·09	5
6		·04							·23		·20	·03	6
7			·12		·31							·09	7
8			·10	·03							·05	·15	8
9	·10						·02			·02	·04	·05	9
10			·09	·02						·05	·18		10
11			·13		·06					·05	·14	·12	11
12			1·15	·10		·15	·22		·03	·20	·15	·03	12
13							·20		·08		·10		13
14	·72			·18				·02	·36	·18	·25		14
15			·03	·22			·02		·03	·01	·27	·34	15
16	·25	·04	·03	·10			·21				·02	·02	16
17	·02	1·31		·04	·03	·11	·16				·12		17
18		·05					·15	·07			·10	·06	18
19			·40				·06	·41	·07				19
20	·09	·35				·15	·03	·50	·09		·06	·07	20
21	·24											·32	21
22	·05	·30	·07						·16		·06	·15	22
23		·05		·01		·14		·01			·02	·20	23
24			·11	·05		·05				·83	·05	·15	24
25					·08			·46		·02	·09		25
26	·09			·28		·03		·30	·06			·65	26
27	·07	·18	·13	·72		·02				·42	·07		27
28	·10	·02						·76		·48		·36	28
29	·12		·01	·07		·05		·22		·83	·15	·13	29
30	·05	✕		·18		·34		·02		·30		·25	30
31	·10	✕		✕		✕	·10		✕	·20	✕		31
Total	·06 ~~3·27~~ 3·25	~~2·55~~ 2·49	·10 ~~2·99~~ 3·09	~~2·11~~ 2·01	·98	1·22	2·17	2·83	1·46	3·63	3·22	3·50	29·85 ~~29·93~~
Days with ·01 in. or more	18	14	16	~~15~~ 14	7	11	13	12	12	14	24	22	~~175~~ 174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921 2577

Kept at Brocklesby Park
in the County of Lincoln
by J. C. Stainsby

Lat. Long.
Time of Observation 5 p.m.
Nearest Railway Station Habrough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Records taken in Millimetres should not be entered on this form. 15·00 15·05

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·02	·30		·35		·02	·21	·02	·10	1
2			·07	·18			·45		·10	1·20			2
3				·10		·10	·16	·07	·07	·08		·32	3
4	·03			·33	·03		·30	·45		·15			4
5				·04	·45		·32	·06	·02			·05	5
6			·04	·03	·10		·18	·07			·07		6
7			·11	·20	·03		·18					·16	7
8	·05	·06		·08	·05							·03	8
9				·53				·37		·02			9
10	·25	·16		·54			·09		·02				10
11	·36	·10	·12	·19								·09	11
12	·09		·06	·04	·03		·03					·12	12
13	·05	·02	·05	·14		·16			·11		·03	·23	13
14			·17	·33		·03						·11	14
15			·72	·17			·08		·65	·08	·09	·07	15
16		·06	·50	·08					·08	·25		·06	16
17					·23		·15		·40	·03		·03	17
18					·14	·06	·29	·05	·05	·02		·13	18
19	·17	·07		·34	·10			·21	·07				19
20	·14	1·41		·03		·45						·05	20
21		·03		·36			·36						21
22	·07			·17				·20					22
23							·24		·05				23
24	·05		·28	·03			·03		·07	3 (·03)		·20	24
25			·08			·04	·84					·07	25
26	·03		·05	·04	·20		·09						26
27	·18			·31	1·40	·26					·03		27
28	·03			·18	·06		03				·14	·20	28
29	·68		·32	·03	·92		·05				·08	·05	29
30	·07	X	·03	·12			·04		·01			·45	30
31	·26	X		X	·03	X	37		X		X	·50	31
TOTAL	2·51	1·91	2·54	4·61	4·07	1·10	4·63	1·36	1·60	2·07	40	2·96	YEAR'S TOTAL 29·76
Days with ·01 in. or more	3	2	2	5	4	1	3	2	6	4	4	3	39 166
Days with ·04 in. or more	13	6	12	21	11	6	18	6	8	6	3	17	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL ✓

REGI 1

LINCOLN.

BUCKNALL.

1911 — 1914.

FORM A2. BRITISH RAINFALL.

26 JAN 1912

395

Kept at Bucknall

in the County of N. Linc

by Mr Joshua B

in.

ve Ground ft. in

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05				—			·06		·01	·01	·04	1
2	·32		·02	·01	·10	·01	·02	·03		x	·01	·13	2
3	·01	·03		·09	·10	·08		·18		x	·04	·01	3
4	·04	·03	·10	·12				·02	·07	x	·08	·18	4
5	·02	·01		·04				·07		x		·17	5
6	·38		·01	·01				·01		x ·56	·10	·18	6
7	·01										·06	·30	7
8	·22		·18				—		·03	·01	·01	·13	8
9	·02		·05			·01							9
10	·01	·06	·05	·01							·05	·33	10
11	·25	·01									·27		11
12	·15		·20		·02				·25		·01	·01	12
13			·46		·07	·08					·01	·47	13
14		·04	·13		1·37	·04				·01	·03	·46	14
15		·09	·27		·01				·04	·01	·04	·02	15
16			·05	·01		·04		—			·18	·11	16
17			·06			·22					·01	·07	17
18		·06	·02			·27					·33	·03	18
19	·02				·02	·30	·07	·05	·01		·26	·02	19
20	·01	·01		·09			·01	·90	·01		·01	·28	20
21		·26						·26		·09	·04	·02	21
22				·02		x		x		·10	·02	·19	22
23		·04	·30			x			·58		·01	·12	23
24		·05	·04	·05		x 2·62				·47		·10	24
25			·01	·19		·02		x	·02	·02	·16	·09	25
26				·08	·14			1·37		·25	·28	·33	26
27		·12	·11	·12			·18	·26	·30	·05	·01	·04	27
28		·11	·01	·19						·03	·06	·09	28
29				·02		·07	·18		·48	·29	·02	·01	29
30			·01		·07	·02			·12	·08			30
31			·02							·05		·02	31
Total	1·51	·92	2·10	1·05	1·90	3·78	·46	1·97	1·91	2·03	2·11	3·95	TOTAL for year 23·69
No. of Rain Days	14	14	20	15	9	(15)	5	13 ✓	11	~~16~~ (19)	26	28	189

9,000, IX. '10.

Dl

395

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REGI 1

Kept at Bucknall

in the County of N. Lincolnshire 3

by Mr Joshua Bint

Rain Gauge	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	„ „ „ Sea Level	ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05							·06		·01	·01	·04	1
2	·32		·02	·01	·10	·01	·02	·03		x	·01	·13	2
3	·01	·03		·09	·10	·08		·18		x	·04	·01	3
4	·04	·03	·10	·12				·02	·07	x	·08	·18	4
5	·02	·01		·04				·07		x		·17	5
6	·38		·01	·01				·01		x ·56	·10	·18	6
7	·01										·06	·30	7
8	·22		·18						·03	·01	·01	·13	8
9	·02		·05			·01							9
10	·01	·06	·05	·01							·05	·33	10
11	·25	·01									·27		11
12	·15		·20		·02				·25		·01	·01	12
13			·46		·07	·08					·01	·47	13
14		·04	·13		1·37	·04				·01	·03	·46	14
15		·09	·27		·01				·04	·01	·04	·02	15
16			·05	·01		·04					·18	·11	16
17			·06			·22					·01	·07	17
18		·06	·02			·27					·33	·03	18
19	·02				·02	·30	·07	·05	·01		·26	·02	19
20	·01	·01		·09			·01	·90	·01		·01	·28	20
21		·26						·26		·09	·04	·02	21
22				·02		x				·10	·02	·19	22
23		·04	·30			x			·58		·01	·12	23
24		·05	·04	·05		x 2·62				·47		·10	24
25			·01	·19		·02			·02	·02	·16	·09	25
26				·08	·14			·13		·25	·28	·33	26
27		·12	·11	·12			·18	·26	·30	·05	·01	·04	27
28		·11	·01	·19						·03	·06	·09	28
29				·02		·07	·18		·48	·29	·02	·01	29
30			·01		·07	·02			·12	·08			30
31			·02							·05		·02	31
Total	1·51	·92	2·10	1·05	1·90	3·78	·46	1·97	1·91	2·03	2·11	3·95	TOTAL for year 23·69
No. of Rain Days	14	14	20	15	9	(15)	5	13 ✓	11	(19) ~~16~~	26	28	189

9,000, IX. '10.

8L

391

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bucknall

in the County of Lincolnshire 3

by J. Bint

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·02		·19	·07	·02	·12			·65	1
2		·03		·02		·08	·55		·01	·02		·04	2
3	·22	·02			·07	·45		·21	·06			·09	3
4	·03		·37		·02	·14		·66	·01		·39		4
5	·06	·01			·01	·46		·05			·02		5
6	·54	·17			·06	·01	·29	·12				·01	6
7	·02				·03	·12		·02	·13				7
8	·39	·09	·11	·02		·21	·01		·20			·05	8
9	·01	·10	·12	·13		·25			·01			·18	9
10			·01	·01		·54		·06	·10		·07	·01	10
11	·10					·01		·01	·02		·04	·48	11
12	·10	·24	·12		·01	·34	·27				·73		12
13	·08	·01								·02	·41	·01	13
14	·07		·24			·08		·09			·01	·01	14
15		·02	·15		·31	·21		·01				·02	15
16	·15		·13		·15	·23		·12		·14			16
17	·14		·16			·20		·20				·09	17
18	·11		·05			·02	·03			·07		·04	18
19	·25	·15					·12	·31		·02	·03	·01	19
20	·10	·01			·09	·01	·21	·03		·12	·01		20
21	·01		·39		·38		·03			·01	·05		21
22		·08			·51	·12	·23	·66				·15	22
23	·04	·09	·17				·52				·10	·02	23
24	·16		·01			·18	·03	·01				·14	24
25	·01					·62	·05				·17	·13	25
26	·02	·04	·04			·02	·14	1·90		·52	·14	·25	26
27						·05	·23	·11		·59		·15	27
28					·03	·04	·01	·42		·20	·55	·48	28
29		·01	·02	·01			·06	·01	·62	·22	·33		29
30			·01		·02	·09			·15	·09			30
31			·08		·09		·48	·30		·02			31
Total	2·61	1·10	2·18	·21	1·78	4·67	3·33	5·32	1·43	2·04	3·05	3·01	TOTAL for year 30·73
No. of Rain Days.	21	16	17	6	14	25	18	21	11	13	15	21	198

W. 8,000, X. '11.

Written 3.4.14

Cnd for auth 1-IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

17 JAN 1914

Kept at Bucknall Lincoln

in the County of Lincoln 31

by Joshua Bint.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT N … result entered to the
previous day. If an … rule, he is earnestly
requested to add the … the space provided
for it at the end of … of rain,
the selection and pla… Rainfall
Organization are give… cation to
Dr. H. R. Mill, 62, …

Jan. 1, following.

Bucknall
Lincoln
6 Ap. 14

7 APR 1914

Dear Sir,

Many thanks for calling attention to error The correct number is 2.55 Sorry the miscopying should have caused you any trouble.

Yours sincerely
Joshua Bint

C Sadler Esq
62 Camden Sq

Date.	Jan.	Feb.	Mar								Nov.	Dec.	*Date.*
1	—	—									·04	—	1
2	·01	·02									—	—	2
3	—	—									—	—	3
4	·53	·01									·25	·05	4
5	·03	—									·02	—	5
6	·02	—									·01	—	6
7	—	·04									—	·01	7
8	—	—									·07	—	8
9	—	·21									·08	·01	9
10	—	—									·35	—	10
11	1·26	—									·11	—	11
12	—	·01									·23	—	12
13	·04	—									·26	—	13
14	·05	·02									·01	—	14
15	·13	—									·04	—	15
16	·01	·03									·04	—	16
17	—	·02	·66	·05	—	·05	—	—	·30	—	·02	—	17
18	·01	—	·14	—	—	·01	·03	—	—	—	—	·02	18
19	·08	—	·01	·03	—	—	—	—	·05	—	—	—	19
20	·14	—	·02	·02	—	—	—	—	·10	·29	·04	—	20
21	·05	—	·20	—	·03	—	·22	01	—	—	·18	—	21
22	·11	—	·19	—	—	·03	·03	·55	·14	—	—	—	22
23	·03	—	—	—	—	·06	·03	·06	·04	—	·01	—	23
24	·03	—	—	·07	—	·09	—	·01	—	—	·02	—	24
25	·01	·01	—	·11	—	—	—	—	—	—	—	·01	25
26	—	·20	·05	·05	·20	·02	—	—	—	·39	·05	·13	26
27	—	·05	·01	·02	—	·12	—	—	—	—	·03	—	27
28	·15	—	·15	·20	—	·01	—	—	·01	·05	—	·06	28
29	·02		·12	·31	—	—	—	·05	·01	·01	—	·08 snow	29
30	·22		—	·01	—	—	—	—	—	·02	·01	·03	30
31	—		—		·01		—	·05		—		—	31
Total	2·93	0·62	~~2·66~~ 2·55 2·55	2·04	2·22	0·85	0·58	0·89	1·20	4·24	2·07	0·40	YEAR'S TOTAL 20·~~58~~59
Rain Days.	20	11	20	20	11	16	8	9	11	11	21	9	167

20·59

W.7,000, XI. 13

Written 3·4·14 Simmons

R

FORM A. BRITISH RAINFALL.
17 JAN 1914

Kept at Buck

in the County of

by Josh

in.

ound ft. in.

a Level ft.

IMPORTANT

previous day. If a
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. Mill, 62,

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
cation to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·14	·04	—	—	—	—	·28	—	·04	—	1
2	·01	·02	·02	·14	—	—	·05	—	—	—	—	—	2
3	—	—	·07	—	·33	—	—	—	—	—	—	—	3
4	·53	·01	—	—	·07	·12	·07	—	·09	·18	·25	·05	4
5	·03	—	—	—	·01	·01	·01	—	—	2·18	·02	—	5
6	·02	—	·01	—	·82	·05	—	·06	—	·36	·01	—	6
7	—	·04	—	—	·07	·07	—	—	—	·71	—	·01	7
8	—	—	·04	·01	·57	·08	—	—	—	·02	·07	—	8
9	—	·21	·03	·02	·09	·03	—	·03	—	—	·08	·01	9
10	—	—	—	·03	·02	—	·14	—	—	—	·55	—	10
11	1·26	—	—	·52	—	·07	—	—	—	—	·11	—	11
12	—	·01	—	—	—	·03	—	—	—	—	·23	—	12
13	·04	—	·02	·03	—	—	—	·07	·01	—	·26	—	13
14	·05	·02	·29	·01	—	—	—	—	—	·03	·01	—	14
15	·13	—	·31	·34	—	—	—	—	—	—	·04	—	15
16	·01	·03	·07	·03	—	—	—	—	·17	—	·04	—	16
17	—	·02	·66	·05	—	·05	—	—	·30	—	·02	—	17
18	·01	—	·14	—	—	·01	·03	—	—	—	—	·02	18
19	·08	—	·01	·03	—	—	—	—	·05	—	—	—	19
20	·14	—	·02	·02	—	—	—	—	·10	·29	·04	—	20
21	·05	—	·20	—	·03	—	·22	01	—	—	·18	—	21
22	·11	—	·19	—	—	·03	·03	·55	·14	—	—	—	22
23	·03	—	—	—	—	·06	·03	·06	·04	—	·01	—	23
24	·03	—	—	·07	—	·09	—	·01	—	—	·02	—	24
25	·01	·01	—	·11	—	—	—	—	—	—	—	·01	25
26	—	·20	·05	·05	·20	·02	—	—	—	·39	·05	·13	26
27	—	·05	·01	·02	—	·12	—	—	—	—	·03	—	27
28	·15	—	·15	·20	—	·01	—	—	·01	·05	—	·06	28
29	·02		·12	·31	—	—	—	·05	·01	·01	—	·08 snow	29
30	·22		—	·01	—	—	—	—	—	·02	·01	·03	30
31	—		—		·01		—	·05		—		—	31
Total	293	0·62	2~~·56~~ 2·55	2·04	2·22	0·85	0·58	0·89	1·20	4·24	2·07	0·40	YEAR'S TOTAL 20·59
Rain Days.	20	11	20	20	11	16	8	9	11	11	21	9	167

20·59

W.7,000, XI. 13

Ex D2

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 JAN 1915

Kept at Bucknall ~~Lincoln~~

in the County of Lincolnshire 3

by Joshua Brit

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	1·28	0·22	–	0·01	–	–	1
2	–	–	–	–	–	–	0·08	0·08	–	–	0·09	0·15	2
3	–	–	0·14	–	0·18	–	0·03	0·10	–	–	0·01	–	3
4	0·12	–	0·05	0·30	0·01	–	–	0·03	–	–	0·21	0·16	4
5	–	–	0·13	0·02	0·05	0·02	0·06	0·15	–	–	0·01	–	5
6	–	0·09	–	0·11	0·14	–	0·16	0·01	–	–	0·02	002	6
7	–	0·13	0·24	0·05	0·01	0·23	0·07	–	–	–	–	0·06	7
8	0·17	0·09	0·01	0·01	0·08	0·68	0·01	017	0·15	–	–	–	8
9	0·33	0·02	0·08	0·15	–	0·68	–	–	–	–	–	–	9
10	0·37	0·06	–	0·14	0·01	–	–	0·06	0·06	0·01	–	0·01	10
11	0·03	0·02	0·26	0·18	0·03	0·05	–	–	0·09	0·01	0·32	0·17	11
12	0·02	0·01	0·02	–	–	–	0·05	–	0·17	–	–	0·21	12
13	0·03	0·11	0·16	–	–	–	–	–	–	0·10	0·16	0·28	13
14	0·01	0·01	0·11	–	–	–	0·03	–	–	0·10	0·18	0·10	14
15	0·08	–	0·15	–	–	–	–	–	–	–	0·38	0·60	15
16	0·01	–	0·06	–	–	–	0·08	–	0·02	–	0·04	0·01	16
17	0·02	0·07	–	–	–	–	–	–	0·13	–	0·02	0·16	17
18	–	–	0·01	–	–	–	0·13	–	0·01	–	0·02	0·36	18
19	–	–	0·12	–	–	–	0·01	–	–	–	0·08	0·09	19
20	–	0·06	0·17	–	–	–	–	–	0·01	0·18	0·01	0·01	20
21	–	0·16	0·10	–	–	–	–	–	–	0·05	–	0·17	21
22	–	–	–	0·02	1·20	–	0·23	0·09	–	0·10	–	0·02	22
23	–	0·02	0·03	–	0·06	0·10	0·06	–	–	0·01	–	0·02	23
24	–	–	–	0·10	–	–	–	0·01	–	0·04	0·25	–	24
25	–	–	–	–	–	–	0·05	0·07	–	0·70	0·02	0·04	25
26	–	–	0·03	–	–	–	0·05	0·30	–	0·10	0·38	0·62	26
27	–	–	–	–	–	–	0·01	–	–	–	–	0·16	27
28	0·01	0·01	0·01	–	–	–	–	–	–	0·01	0·16	1·12	28
29	0·05		0·16	–	0·03	–	–	–	–	0·55	0·02	0~~·2~~	29
30	–		0·01	0·01	–	0·04	–	–	–	0·01	0·17	0·25	30
31	–		0·01		–		0·40	–		0·08		0·05	31
Total	1·25	0·86	2·06	1·09	1·80	1·80	2·79	1·29	0·64	2·06	2·55	4·84	YEAR'S TOTAL 23·03
Rain Days.	13	14	22	11	11	7	18	12	8	16	20	24	176

W. 8,000. X. 14.

flip mode

2684

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at Bucknall
in the County of Lincoln
by Joshua Bint

Lat. .... Long. ....
Time of Observation 9·a·m
Nearest Railway Station Bardney
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·16	0·22	–	–	0·42	–	–	0·02	0·15	–	0·15	0·11	1
2	0·04	0·02	0·23	0·08	–	0·05	–	0·17	0·25	–	0·09	–	2
3	0·30	–	0·04	0·09	–	–	0·30	0·04	0·05	–	0·06	0·22	3
4	0·17	–	0·01	–	–	–	0·86	0·09	–	–	0·01	0·68	4
5	0·03	0·06	–	–	0·11	–	–	0·18	–	–	0·05	0·39	5
6	0·01	0·25	0·05	0·04	–	–	0·03	0·01	–	–	0·01	0·04	6
7	0·26	0·22	0·26	–	–	–	0·25	0·08	–	–	0·03	0·28	7
8	0·02	0·02	0·02	–	–	–	0·01	0·03	0·01	0·04	0·02	0·01	8
9	0·01	0·11	–	0·01	–	–	–	0·01	–	0·02	0·05	0·32	9
10	0·32	–	0·01	–	–	–	–	0·01	–	–	–	0·02	10
11	0·01	0·01	0·01	0·01	0·30	–	0·07	0·03	–	–	0·19	0·34	11
12	0·15	–	–	0·23	0·10	–	0·01	0·90	–	0·01	0·63	–	12
13	0·01	0·50	–	–	0·14	–	–	0·40	–	–	–	–	13
14	–	0·33	–	–	0·10	–	0·04	0·16	–	0·07	–	0·28	14
15	0·26	0·01	–	–	–	–	0·09	0·62	–	0·02	0·85	0·12	15
16	–	0·26	–	–	–	–	0·75	0·10	–	–	–	0·01	16
17	0·06	0·09	0·33	–	–	–	0·11	–	–	–	–	0·02	17
18	–	0·12	0·01	–	–	–	–	–	–	–	–	0·03	18
19	–	0·01	–	–	–	–	0·10	–	–	0·13	–	–	19
20	0·09	–	–	0·01	–	–	–	–	–	0·01	–	0·39	20
21	0·18	0·09	–	–	–	–	0·18	–	–	–	–	0·03	21
22	0·03	–	0·15	0·05	0·04	–	0·07	–	–	–	–	0·32	22
23	–	–	0·01	0·01	–	–	0·13	–	0·07	0·01	–	0·01	23
24	0·01	0·06	0·11	–	–	0·02	–	–	0·35	0·05	–	0·19	24
25	–	–	0·01	–	–	0·27	0·02	–	–	0·07	–	0·08	25
26	0·03	0·16	0·01	–	–	0·01	0·04	–	–	0·01	–	0·39	26
27	0·01	0·09	0·05	–	–	–	0·13	–	–	0·54	–	0·02	27
28	0·01	0·04	0·03	–	–	0·18	–	0·13	–	0·17	–	–	28
29	0·02		0·01	–	–	0·01	–	0·07	–	0·01	0·30	0·21	29
30	0·10		–	–	–	0·10	0·06	0·01	0·01	–	0·01	0·05	30
31	0·09		–		–		–	0·13		0·10		0·16	31
Total	238	267	135	53	121	64	325	319	89	126	245	472	YEAR'S TOTAL 2454
Rain Days.	25	20	18	9	7	7	19	20	7	15	14	26	184

W. 8,000, X. 15.

8 made

2619

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bucknall
in the County of Lincoln
by Joshua Birt

Lat. Long.
Time of Observation 9·0 a m (Old time)
Nearest Railway Station Bardney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 33 ft.

6 1917 Certificate

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	0·01	0·01	—	—	0·12	0·09	—	—	—	0·36	—	1
2	0·17	0·06	0·20	—	0·48	0·01	0·09	—	0·03	—	0·02	—	2
3	—	0·16	0·01	0·01	—	—	0·45	—	0·34	0·04	0·04	—	3
4	0·14	0·28	0·01	—	0·26	0·22	0·01	—	0·19	0·35	0·24	—	4
5	0·03	—	0·07	—	0·02	0·25	—	—	—	0·20	0·05	0·15	5
6	0·01	0·11	0·18	0·25	0·11	0·03	0·17	—	—	0·11	0·30	—	6
7	0·01	0·02	0·40	0·01	0·21	—	0·34	—	—	0·03	0·15	0·12	7
8	—	—	0·14	—	0·01	—	—	—	—	—	0·02	0·13	8
9	—	—	(0·04)	—	0·59	0·43	—	—	0·03	—	—	0·10	9
10	—	0·05	0·06	0·03	—	0·25	—	—	0·03	—	—	0·10	10
11	0·07	0·49	0·18	0·19	—	0·26	0·03	—	—	—	—	r	11
12	0·01	0·01	0·10	—	0·21	0·28	0·02	—	—	0·03	—	r unable to take measurements	12
13	—	0·09	0·08	0·02	0·21	0·01	0·10	0·11	—	0·01	—	r	13
14	—	0·03	—	—	0·07	0·01	0·15	0·08	—	0·03	—	r	14
15	—	0·16	0·62	0·04	0·01	—	0·07	0·11	—	0·05	—	r	15
16	—	0·06	0·07	0·20	—	—	0·15	0·21	—	0·02	—	r	16
17	0·02	—	—	(0·55)	—	—	0·14	0·01	0·19	0·08	0·02	r Total	17
18	0·01	0·14	—	0·07	—	—	—	0·35	0·03	0·12	0·83	0·33	18
19	0·17	—	0·02	0·25	—	0·02	—	0·03	0·18	—	0·23	—	19
20	0·03	—	0·09	0·02	—	—	—	0·03	0·01	—	0·06	0·02	20
21	—	0·02	0·13	0·01	0·15	—	0·06	0·02	—	—	—	0·57	21
22	—	0·13	0·01	—	—	0·04	—	—	—	0·06	—	0·30	22
23	0·01	0·31	—	—	—	0·25	—	0·01	—	—	0·13	0·33	23
24	—	1·20	—	0·01	—	0·02	—	0·09	—	0·09	—	0·10	24
25	—	0·25	0·12	—	0·01	0·01	—	0·17	—	—	0·10	0·04	25
26	—	0·01	—	—	—	—	—	0·25	—	0·21	0·06	—	26
27	—	0·07	0·40	—	—	—	0·66	—	—	0·04	—	—	27
28	—	0·13	0·73	—	0·01	0·01	—	—	—	—	—	0·12	28
29	—	0·10	—	—	—	0·22	—	1·14	—	0·20	—	0·20	29
30	—	X	—	—	—	0·01	—	0·10	—	0·16	—	—	30
31	—	X	—	X	—	X	—	0·04	X	0·01	X	0·03	31
Total	0·70	3·89	3·69	1·66	2·35	2·45	2·53	2·75	1·03	1·84	2·61	2·64	YEAR'S TOTAL 28·12 28·14
Rain Days.	13	23	22	14	14	19	15	16	9	19	15	22	201

W. 8,000, VIII. 16

2485

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14. JAN 1918

Kept at Bucknall
in the County of Lincoln
by Joshua Bint

Lat. 52·11 N Long. 2·13 W.
Time of Observation 9·0 a m
Nearest Railway Station Bardney
Diameter of Funnel of Rain Gauge five in. Certified
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·10	—	—	—	·90	·20	—	·04	·02	1
2	·15	—	—	·02	—	·05	—	·15	—	—	·04	—	2
3	—	·15	—	—	—	·01	—	·59	—	·27	—	—	3
4	—	—	·06	—	—	—	—	—	—	·46	—	—	4
5	·31	·01	·05	·12	—	—	—	·01	—	·02	·11	—	5
6	·02	—	—	—	—	—	—	—	·16	—	·07	—	6
7	·41	—	·02	—	—	·15	—	—	—	·52	—	—	7
8	·43	—	·02	·15	—	—	·03	·70	—	·39	·09	—	8
9	·13	—	·01	·10	—	—	—	·07	—	—	·17	·03	9
10	·16	—	·36	·12	·02	—	—	·09	·01	·06	·09	—	10
11	·18	—	·02	·89	—	—	—	·09	—	·22	—	—	11
12	·11	·01	—	—	·25	—	—	·07	—	·18	·01	—	12
13	·10	—	—	·04	—	—	·02	·25	·06	·01	—	—	13
14	·14	—	—	·15	—	—	—	·10	—	—	—	·02	14
15	·08	—	—	—	·01	—	·02	·50	—	·02	·01	·08	15
16	·04	·20	—	·16	—	—	—	—	·04	·06	—	·70	16
17	·01	·01	·04	·20	·60	—	—	·05	·41	·08	—	·04	17
18	·06	—	—	·03	·01	·02	·55	—	·04	—	—	—	18
19	·12	·09	·09	·01	·03	·09	—	—	—	—	—	·01	19
20	·01	·31	·08	—	—	·01	—	—	·01	—	·35	—	20
21	·01	·03	·08	—	·02	·24	—	—	—	—	—	—	21
22	·01	—	·25	—	—	—	—	·03	—	·10	—	—	22
23	—	·02	—	—	·14	—	—	·06	—	·02	—	·01	23
24	·01	—	—	—	·01	·33	·13	—	—	·13	·06	·01	24
25	—	—	·02	—	—	—	·01	—	—	·01	·07	·27	25
26	—	—	·07	—	—	·02	—	·57	·09	—	·38	·01	26
27	—	—	·10	—	—	—	·07	·39	—	—	—	·03	27
28	—	·02	·09	—	—	·10	—	·04	—	—	—	·08	28
29	·02	X	—	—	·03	·06	·02	—	—	·17	—	·02	29
30	·03	X	·01	07	—	—	·04	·13	—	—	—	—	30
31	—	X	·12	X	—	X	·02	·06	X	—	X	·09	31
Total	2·54	0·86	1·49	2·16	1·12	1·08	0·91	4·85	1·02	2·72	1·49	1·42	YEAR'S TOTAL 21·66
Rain Days.	22	11	18	14	10	11	10	20	9	17	13	15	170

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
6- JAN 1914

REGISTE

LINCOLN

BAR~~TON-ON-HUMB~~ER.

"BURNHAM BEECHES"

1913

Kept at Burnham Beeches

in the County of Lincoln

by ~~Barton-on-Humber~~ R. S. J

...ton -on- Humber

...ve in.

...Ground 1 ft. — in.

...Sea Level 160 ft.

IMPORTANT NOTE.—Ra ... he result entered to the previous day. If an Observer ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·13	·10	·09	—	—	—	·89	—	·07	—	1
2	·02	·04	·08	·13	·07	—	·03	—	—	—	·06	·10	2
3	—	—	·09	—	·16	—	—	—	·06	·10	—	·12	3
4	·61	·07	—	—	·07	·07	·05	—	·10	·37	·24	—	4
5	·02	—	—	—	—	·01	·02	—	·01	·30	·01	—	5
6	·03	·06	·09	—	·30	·04	·04	·02	·04	·25	—	—	6
7	—	·09	—	—	·04	·08	·01	—	—	·52	—	·01	7
8	—	·01	·01	·01	·61	·21	—	—	·03	·06	·05	·03	8
9	—	·22	·04	·04	·10	·03	—	·06	—	—	·11	—	9
10	—	·01	—	·07	·13	—	·03	—	—	·02	·47	—	10
11	·34	·01	—	·42	—	·03	—	—	—	—	·15	—	11
12	—	—	—	—	—	·03	—	—	—	—	·10	—	12
13	·07	·01	·02	·03	—	—	—	·05	·07	—	·19	—	13
14	·07	·05	·28	·01	—	—	—	—	—	·14	·01	—	14
15	·18	·01	·22	·23	—	—	—	—	·02	—	·06	·02	15
16	·01	·01	·38	·08	—	—	—	—	·16	—	·06	—	16
17	·01	·03	·40	·10	—	·03	—	—	·08	—	·03	—	17
18	—	—	·15	·10	·03	·05	·02	—	·04	—	—	·07	18
19	·08	—	·03	—	·05	—	—	—	—	—	—	—	19
20	·18	—	·04	·03	—	—	—	—	·09	·23	·03	—	20
21	·17	—	·24	—	·06	—	·13	—	—	—	·10	—	21
22	·08	—	·25	—	—	—	·03	·62	·08	—	—	—	22
23	·15	—	—	—	—	·04	·02	·06	·09	—	—	—	23
24	·05	—	—	·03	—	·07	—	·04	—	—	·03	—	24
25	·01	·01	—	·12	—	·04	—	—	·05	—	—	·03	25
26	—	·16	·03	·07	—	·03	—	—	·02	·37	·08	·15	26
27	—	·08	·01	·03	—	·06	—	—	—	·01	·02	—	27
28	·15	·01	·20	·21	·02	—	—	—	—	·03	—	·27	28
29	·05		·13	·22	·25	—	—	·05	—	—	—	·31	29
30	·48		—	—	—	—	—	—	—	·07	·02	—	30
31	—		—		·01		—	—		—		—	31
Total	2·78	0·88	2·82	2·03	1·99	0·82	0·38	0·90	1·83	2·47	1·89	1·11	YEAR'S TOTAL 19·90
Rain Days.	21	17	20	19	15	15	10	7	16	13	20	10	183

W. 7,500, XI. 12

REGISTE

FORM A.
BRITISH RAINFALL.
6- JAN 1914

Kept at Burnham Beeches

in the County of Lincoln

by ~~Barton-on-Humber~~ R. S. Fieldsend

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Barton-on-Humber

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·13	·10	·09	—	—	—	·89	—	·07	—	1
2	·02	·04	·08	·13	·07	—	·03	—	—	—	·06	·10	2
3	—	—	·09	—	·16	—	—	—	·06	·10	—	·12	3
4	·61	·07	—	—	·07	·07	·05	—	·10	·37	·24	—	4
5	·02	—	—	—	—	·01	·02	—	·01	·30	·01	—	5
6	·03	·06	·09	—	·30	·04	·04	·02	·04	·25	—	—	6
7	—	·09	—	—	·04	·08	·01	—	—	·52	—	·01	7
8	—	·01	·01	·01	·61	·21	—	—	·03	·06	·05	·03	8
9	—	·22	·04	·04	·10	·03	—	·06	—	—	·11	—	9
10	—	·01	—	·07	·13	—	·03	—	—	·02	·47	—	10
11	·34	·01	—	·42	—	·03	—	—	—	—	·15	—	11
12	—	—	—	—	—	·03	—	—	—	—	·10	—	12
13	·07	·01	·02	·03	—	—	—	·05	·07	—	·19	—	13
14	·07	·05	·28	·01	—	—	—	—	—	·14	·01	—	14
15	·18	·01	·22	·23	—	—	—	—	·02	—	·06	·02	15
16	·01	·01	·38	·08	—	—	—	—	·16	—	·06	—	16
17	·01	·03	·40	·10	—	·03	—	—	·08	—	·03	—	17
18	—	—	·15	·10	·03	·05	·02	—	·04	—	—	·07	18
19	·08	—	·03	—	·05	—	—	—	—	—	—	—	19
20	·18	—	·04	·03	—	—	—	—	·09	·23	·03	—	20
21	·17	—	·24	—	·06	—	·13	—	—	—	·10	—	21
22	·08	—	·25	—	—	—	·03	·62	·08	—	—	—	22
23	·15	—	—	—	—	·04	·02	·06	·09	—	—	—	23
24	·05	—	—	·03	—	·07	—	·04	—	—	·03	—	24
25	·01	·01	—	·12	—	·04	—	—	·05	—	—	·03	25
26	—	·16	·03	·07	—	·03	—	—	·02	·37	·08	·15	26
27	—	·08	·01	·03	—	·06	—	—	—	·01	·02	—	27
28	·15	·01	·20	·21	·02	—	—	—	—	·03	—	·27	28
29	·05		·13	·22	·25	—	—	·05	—	—	—	·31	29
30	·48		—	—	—	—	—	—	—	·07	·02	—	30
31	—		—		·01		—	—		—		—	31
Total	2·78	0·88	2·82	2·03	1·99	0·82	0·38	0·90	1·83	2·47	1·89	1·11	YEAR'S TOTAL 19·90
Rain Days.	21	17	20	19	15	15	10	7	16	13	20	10	183

W. 7,500, XI. ·12

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

RI

LINCOLNSHIRE
~~[illegible]~~
~~NORMANBY~~
BURTON-UPON-STATHER
'NORMANBY
1911 - 20

Kept at Norma
in the County of Lin
by A. G.

ards Gauge
5 in.
Ground ft. 10
Sea Level 185 ft.
a.m.
Name Frodingham
Distance 4 mls Direction S.

IMPORTANT NOT the result entered to the previous day. If an Ol ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·	·	·	·	·	·	·14	·	·	·	·01	1
2	·44	·	·	·01	·05	·	·13	·04	·	·	·01	·08	2
3	·02	·	·	·04	·06	·14	·	·17	·	·18	·04	·	3
4	·05	·02	·15	·12	·	·	·	·02	·13	·	·14	·12	4
5	·05	·	·	·10	·	·	·	·03	·	·07	·01	·02	5
6	·21	·	·	·	·	·	·	·11	·	·09	·11	·21	6
7	·02	·	·02	·	·	·	·	·	·	·	·06	·06	7
8	·07	·	·18	·	·	·	·	·	·	·	·05	·27	8
9	·	·	·	·02	·	·03	·	·	·	·	·	·01	9
10	·01	·	·03	·	·	·	·	·	·	·	·01	·43	10
11	·28	·	·	·	·	·	·	·	·	·	·24	·01	11
12	·12	·	·12	·	·04	·06	·	·	·49	·01	·14	·	12
13	·	·	·21	·	·	·01	·	·	·	·	·06	·31	13
14	·	·16	·09	·	·15	·	·	·	·	·	·05	·33	14
15	·	·09	·22	·	·	·	·	·	·05	·03	·	·08	15
16	·	·	·09	·	·	·03	·03	·	·	·02	·14	·10	16
17	·	·04	·06	·	·	·26	·04	·	·	·	·06	·10	17
18	·	·03	·02	·	·	·46	·	·	·	·	·17	·05	18
19	·	·	·	·01	·03	·35	·03	·04	·26	·11	·36	·05	19
20	·03	·07	·	·19	·	·	·10	·56	·50	·	·01	·51	20
21	·	·25	·03	·	·	·	·	·13	·	·06	·11	·03	21
22	·02	·05	·	·03	·	·	·	·09	·	·13	·10	·03	22
23	·	·09	·10	·		1·15	·	·	·61	·	·01	·09	23
24		·04	·	·08	·	1·77	·	·01	·	·20	·	·01	24
25		·03	·08	·27	·	·30	·	·	·05	·03	·07	·10	25
26		·	·	·05	·21	·	·03	·	·	·26	·57	·23	26
27		·08	·11	·08	·	·	·	·74	·35	·	·01	·03	27
28		·09	·03	·30	·	·04	·	·	·	·02	·03	·12	28
29			·03	·05	·	·	·23	·	·42	·23	·01	·07	29
30			·		·11	·41	·	·	·08	·17	·	·01	30
31			·02		·01		·	·		·03			31
Total	1·40	1·04	1·59	1·35	·66	5·01	·59	2·08	2·94	1·64	2·57	3·47	TOTAL for year 24·34
No. of Rain Days	13	13	18	14	8	13	7	12	10	16	25	28	178

177

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Normanby. Doncaster

in the County of Lincoln 5

by A. G. Wilkes.

RAIN GAUGE
Pattern Howard's Gauge
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 185 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Frodingham
Distance 4 m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·	·	·	·	·	·	·14	·	·	·	·01	1
2	·44	·	·	·01	·05	·	·13	·04	·	·	·01	·08	2
3	·02	·	·	·04	·06	·14	·	·17	·	·18	·04	·	3
4	·05	·02	·15	·12	·	·	·	·02	·13	·	·14	·12	4
5	·05	·	·	·10	·	·	·	·03	·	·07	·01	·02	5
6	·21	·	·	·	·	·	·	·11	·	·09	·11	·21	6
7	·02	·	·02	·	·	·	·	·	·	·	·06	·06	7
8	·07	·	·18	·	·	·	·	·	·	·	·05	·27	8
9	·	·	·	·02	·	·03	·	·	·	·	·	·01	9
10	·01	·	·03	·	·	·	·	·	·	·	·01	·43	10
11	·28	·	·	·	·	·	·	·	·	·	·24	·01	11
12	·12	·	·12	·	·04	·06	·	·	·49	·01	·14	·	12
13	·	·	·21	·	·	·01	·	·	·	·	·06	·31	13
14	·	·16	·09	·	·15.	·	·	·	·	·	·05	·33	14
15	·	·09	·22	·	·	·	·	·	·05	·03	·	·08	15
16	·	·	·09	·	·	·03	·03	·	·	·02	·14	·10	16
17	·	·04	·06	·	·	·26	·04	·	·	·	·06	·10	17
18	·	·03	·02	·	·	·46	·	·	·	·	·17	·05	18
19	·	·	·	·01	·03	·35	·03	·04	·26	·11	·36	·05	19
20	·03	·07	·	·19	·	·	·10	·56	·50	·	·01	·51	20
21	·	·25	·03	·	·	·	·	·13	·	·06	·11	·03	21
22	·02	·05	·	·03	·	·	·	·09	·	·13	·10	·03	22
23	·	·09	·10	·	·	1·15	·	·	·61	—	·01	·09	23
24		·04	·	·08	·	1·77	·	·01	·	·20	·	·01	24
25		·03	·08	·27	·	·30	·	·	·05	·03	·07	·10	25
26		·	·	·05	·21	·	·03	·	·	·26	·57	·23	26
27		·08	·11	·08	·	·	·	·74	·35	·	·01	·03	27
28		·09	·03	·30	·	·04	·	·	·	·02	·03	·12	28
29			·03	·05	·	·	·23	·	·42	·23	·01	·07	29
30			·		·11	·41	·	·	·08	·17	·	·01	30
31			·02		·01		·	·		·03			31
Total	1·40	1·04	1·59	1·35	·66	5·01	·59	2·08	2·94	1·64	2·57	3·47	TOTAL for year 24·34
No. of Rain Days	13	13	18	14	8	13	7	12	10	16	25	28	178

9,000, IX. '10.

177

REGISTER ~~OF~~ RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 - JAN 1913

Kept at Normanby (Doncaster)
in the County of Lincs (North) 5
by A. G. Wiekes

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station 4 mls.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·02	·01	·02	·30	·59	·	·23	·	·	·25	1
2	·	·03	·02	·02	·	·31	·70	·	·01	·	·	·	2
3	·15	·08	·	·	·01	·79	·	·38	·16	·	·	·14	3
4	·12	·	·31	·	·05	·27	·	·29	·	·01	·43	·	4
5	·	·04	·	·	·25	·24	·	·12	·	·	·	·	5
6	·75	·10	·	·	·07	·03	·05	·53	·	·02	·01	·	6
7	·	·	·	·01	·03	·03	·14	·08	·15	·	·	·	7
8	·15	·12	·18	·02	·	·	·04	·	·30	·01	·04	·02	8
9	·04	·07	·05	·03	·	·30	·	·	·01	·01	·	·02	9
10	·	·	·01	·	·	·36	·	·03	·05	·	·08	·	10
11	·18	·01	·10	·	·	·01	·	·	·	·	·03	·75	11
12	·08	·22	·	·	·	·61	·53	·	·	·	·71	·	12
13	·01	·03	·	·	·	·	·	·08	·	·17	·22	·	13
14	·09	·	·44	·	·	·13	·	·04	·03	·	·01	·	14
15	·	·03	·25	·	·45	·12	·	·	·	·	·	·02	15
16	·25	·	·12	·	·14	·08	·01	·16	·	·16	·	·	16
17	·11	·01	·21	·	·	·13	·03	·43	·	·	·	·08	17
18	·17	·	·09	·	·	·04	·01	·	·	·07	·02	·	18
19	·24	·25	·	·02	·	·	·70	·22	·	·07	·	·	19
20	·34	·04	·	·	·33	·05	·14	·08	·	·17	·	·	20
21	·	·	·32	·	·44	·	·38	·	·	·03	·02	·04	21
22	·03	·09	·	·	·72	·05	·03	·22	·	·05	·	·12	22
23	·01	·	·17	·	·	·	·09	·41	·	·	·09	·	23
24	·32	·	·01	·	·	·39	·14	·04	·	·01	·	·10	24
25	·01	·	·	·	·	·21	·13	·25	·	·01	·13	·22	25
26	·02	·15	·05	·	·	·	·40	·83	·	·73	·11	·06	26
27			·04	·	·01	·15	·22	·	·	·73	·03	·04	27
28			·	·04	·12	·09	·14	·32	·02	·26	1·03	·12	28
29			·02		·01	·18	·04	·03	·65	·08	·20	·	29
30			·06		·18		·	·	·11	·06		·	30
31			·18		·17		·40	·24	·	·03		·	31
Total	3·07	1·27	2·65	·15	3·00	4·87	4·91	4·78	1·72	2·68	3·16	1·98	YEAR'S TOTAL 34·24
Rain Days.	19	15	20	7	16	23	21	20	11	19	16	14	201

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at Normanby.
in the County of Lincoln 5 ~~(A W)~~.
by Alfred Geo. Wilkes

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Frodingham 2¼ mls
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·18					·40	·01	·04		1
2		·03	·04	·02		·01					·03	·01	2
3	·02	·02	·08		·20				·04	·10		·21	3
4	·61				·12	·04	·08		·09	·02		·19	4
5	·02		·04			·26		·04		·20	·19		5
6	·03	·01	·05	·02	·39	·07			·03	·18			6
7		·08			·05	·27				·60			7
8		·03			·58	·04			·03	·01	·09	·02	8
9		·22	·04	·04	·10	·03					·07		9
10		·04	·03	·08			·03				·42		10
11	·85			·46		·01					·20		11
12						·06				·01	·08		12
13	·02		·01					·08	·09		·09		13
14	·03	·04	·30	·03						·14			14
15	·16		·09	·11					·04		·13	·05	15
16	·01		·19	·09					·47		·09		16
17	·05	·0·5	·22	·07		·04			·40		·05	·03	17
18	·01		·15	·08	·06		·02				·05		18
19	·11		·05		·04								19
20	·07		·04	·05					·42	·07	·04		20
21	·03				·09		·16	·02	·08		·28		21
22	·05	~~·02~~	·26.					·68	·10				22
23	·06	~~·07~~				·06		·06	·08	·02 ~~·03~~			23
24	·08	~~·0~~		·04		·12					·01		24
25		·02		·06		·03			·06			·03	25
26		·07	·03	·07	·04				·02	·38	·06	·13	26
27		·03		·24		·09					·02		27
28	·27		·18	·32						·02		·14	28
29	·05		·22	·29	1·32							·60	29
30	·21									·17	·05	·05	30
31					·13								31
Total	2·74	·64	2·16.	2·25	3·12.	1·13	·29	·88	2·35.	1·93	1·99	1·46	YEAR'S TOTAL 20·94
Rain Days.	20	12	19	18	12	14	4	5	15	14	19	11	163

W.7,000, XI. 13

Cor^d 3.IV.15 ~~H.~~ W.G.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 - JAN 1915

Kept at Normanby (Dove)
in the County of Lincoln 5
by (Mr) A. G. Wilkes

Lat. 53° 38½' N Long. 40' W.
Time of Observation 9 a.m.
Nearest Railway Station Frodingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·91	·23		·02		·02	1
2							·40	·37			·15	·07	2
3	·02		·23		·11		·30	·04			·07	·33	3
4	·12		·05	·18	·05						·31	·15	4
5	·08		·19	·08		·04	19				·17	·05	5
6		·08			·13		·03	·13			·10	·04	6
7		·05	·19	·02	·10	·04		·02	·04		·03	·05	7
8	·31				·07	·29		·15					8
9	·43			·02		·73		·25				·02	9
10	·32	·08		·08					·07			·05	10
11				·05		·13			·12		·24	·36	11
12		·03	·18		·03		·01		·27			·33	12
13	·03		·17								·07	·21	13
14	·05	·06					·04			·19	·22	·31	14
15	·04		·13				·05				·23	·09	15
16	·07		·03				·33		·16				16
17	·04		·02						·22			·29	17
18		·03	·05			·55			·04			·38	18
19			·13		·01		·14		·01		·06	·15	19
20	·03	·04	·09						·02	·09			20
21		·24	·01					·21		·20	·07	·13	21
22			·05	·06	·54	·04	·03	·09		·15		·04	22
23			·03		·58	·29						·06	23
24		·03		·10				·55			·23		24
25								·08		·68	·05	·43	25
26							·09	·63		·26	·11	·20	26
27	·02											·53	27
28	·01	·04								·15	·10	·34	28
29	·03		·17							·55			29
30		X						·06		·03	·19	·13	30
31		X	·01	X		X	·23		X	·12	X	·08	31
Total	1·60	·68	1·73	·59	1·62	2·11	~~2·81~~ 2·75	2·81	·95	2·44	2·40	4·84	YEAR'S TOTAL 24·52
Rain Days.	15	10	17	8	9	8	13	13	9	11	17	26	156

W. 8,000. X. 14.

2719

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
13 JAN 1916

Kept at Normanby (Donc)

in the County of Lincs

by Mr Alfred G. Wilkes

Lat. 53·38½ Long. 40′ W.
Time of Observation 9 a.m.
Nearest Railway Station Frodingham 4 mls
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·30	·	·	·34	·	·	·35	·20	·	·17	·05	1
2	·01	·04	·18	·11	·	·04	·09	·25	·08	·	·	·	2
3	·51	·	·07	·09	·	·	1·06	·29	·03	·	·08	34	3
4	·29	·	·01	·	·	·	1·19	·04	·	·	·	1·05	4
5	·15	·	·	·	·29	·	·	·05	·	·02	·09	·42	5
6	·03	·23	·09	·07	·	·	·68	·15	·	·	·	·08	6
7	·26	·24	·03	·04	·	·	·30	·28	·	·	·04	·11	7
8	·03	·09	·03	·	·	·	·05	·03	·	·02	·04	·	8
9	·	·04	·	·	·	·	·	·04	·	·03	·	·46	9
10	·28	·	·	·02	·	·	·	·28	·	·	·	·08	10
11	·	·	·	·22	·30	·	·03	·01	·	·	·26	·04	11
12	·07	·	·	·	·	·	·	·01	·	·11	·75	·	12
13	·01	·72	·	·	·	·	·	·03	·	·	·	·01	13
14	·	·07	·	·	·03	·	·	·01	·	·	·	·17	14
15	·21	·04	·	·	·	·	·	·20	·	·12	·49	·12	15
16	·	·22	·	·	·02	·	·40	·	·	·06	·	·02	16
17	·14	·04	·	·	·	·	·13	·	·	·	·	·	17
18	·	·09	·21	·	·	·	·	·	·	·02	·	·01	18
19	·	·	·03	·	·	·	·11	·	·	·02	·	·42	19
20	·07	·	·03	·02	·	·	·	·	·	·	·	·14	20
21	·07	·	·	·03	·	·	·11	·	·	·	·	·05	21
22	·01	·	·11	·03	·	·	·13	·	·	·	·07	·32	22
23	·	·08	·	·	·	·	·12	·	·13	·01	·	·23	23
24	·	·	·13	·04	·	·05	·	·	·47	·	·	·30	24
25	·	·	·	·	·	·07	·	·	·	·11	·	·08	25
26	·03	·15	·04	·	·	·08	·06	·	·	·	·	·28	26
27	·	·03	·05	·02	·	·	·78	·	·	·57	·	·26	27
28	·	·07	·13	·	·	·29	·	·32	·	·09	·	·18	28
29	·		·	·	·11	·	·	·02	·	·	·24	·17	29
30	·12	X	·	[illegible]	·	·01	·	·	·	·	·02	·	30
31	·17	X	·	X	·	X	·01	·16	X	·03	X	-	31
Total	2·54	2·43	1·14	·74	1·09	·54	5·25	2·52	·91	1·21	2·28	5·39	YEAR'S TOTAL 26·04
Rain Days.	19	16.	14	12	6	6	16.	18	5	13.	11	25.	161.

W. 8,000. X. 15.

265

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Normanby.

in the County of Lincoln (Lindsey)

by Alf. Geo Wilkes

Lat. 53·38½ N Long. 40′ W

Time of Observation 9 a. m.

Nearest Railway Station 4 mls. Frodingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

„ „ „ „ Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·12			·14	·09				·19		1
2	·09	·09	·27		·38				·16	·09			2
3	·06	·30	·03	·05			·02		·17	·11	·09		3
4	·05	·10	·07	·01	·62	·23			·19	·16	·25		4
5	·08		·10		·16	·16					·11		5
6	·05	·23	·08	·05	·32		·07			·20	·29		6
7			·43		·08		·43			·05		·25	7
8			·06							·02		·11	8
9			·23		·38	·04			·06	·03	·02	·18	9
10		·06	·06	·07		·14	·07		·06	·05		·07	10
11	·14	·53	·28	·07		·10	·05		·01			·14	11
12	·04		·27		·54	·16	·20			·01		·12	12
13		·07	·11		·32		1·24	·20		·29	·02	·02	13
14		·08	·02		·13			·07		·03			14
15		·05	·52				·03	·62	·03	·02			15
16		·06	·10	·10			·10	·27				·04	16
17	·04			·35			·10	·44	·15	·08	·04		17
18		·20		·14		·01		1·19	·11	·12	·65		18
19	·10		·10	·06		·02		·04	·21		·18	·16	19
20	·07		·13	·10	·01			·21			·03		20
21			·06				·11	·01				·44	21
22		·09	·15							·07		·13	22
23		·05		·09		·04					·09	·30	23
24		·33	·01	·08		·01		·15		·03		·13	24
25		·10	·16					·18		·09	·18	·02	25
26		·06								·10	·02		26
27		·27	·03				·03	·02		·06			27
28		·23	·07		·01				·01			·09	28
29		·07				·44		·37		·18		·25	29
30		✕						·03		·13			30
31		✕		✕		✕			✕	·03	✕		31
Total	·74	2·97	3·41	1·17	2·95	1·49	2·54	3·80	1·16	1·95	2·16	2·45	YEAR'S TOTAL 26·79
Rain Days.	11	19	24	12	11	12	13	14	11	22	14	16	179

W. 8,000, VIII. 16

2520

FORM A.
BRITISH RAINFALL

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Normanby.

in the County of Lindsey Lincs.

by A. G. Wilkes

Lat. 53·38½ Long. 40' W

Time of Observation 9 a.m.

Nearest Railway Station Frodingham ½ mls.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 185. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09				·32	·08		·07	·05	1
2	·05		—	·01		·12		·22					2
3						·07		·38	~~·12~~	·12			3
4			·07					·02		·31			4
5	·19		·05	·18				·01		·04	·08	·01	5
6			·03			·02				·17	·02		6
7	·50		·01							·49		·02	7
8	·69			·16				2·08		·14			8
9	·30			·14				·19		·04	·25		9
10	·23		·55	·14	·15			·17		·06	·27		10
11				·34				·01		·35			11
12	·23			·06	·34			·46		·11		·02	12
13	·13			·03				·16	·14	·07		·01	13
14	·15				·03			·09				·03	14
15	·06				·03		·07	·76		·05		·13	15
16	·10	·16		·09			·02	·07				·36	16
17	·	·05	·04	·18	·21	·02	·02	·12	·08	·07		·09	17
18	·06				·07		·31	·16	·35	·04			18
19	·09	·13	·11		·07	·04	·06		·01				19
20		·35	·06	·01		·08		·03			·52		20
21	·02	·07	·17					·02		·03	·03		21
22			·05	·01		·02		·07	·01	·14	·14		22
23					·48			·23					23
24	·02					·27		·04		·22			24
25			·03					·01		·17		·33	25
26			·10			·07		·81	·10	·02	·39	·07	26
27			·02			·13	·25	·39				·20	27
28			·09			·17		·62		·02		·08	28
29			·01				·02			·22		·09	29
30	·01	X	·08				·10	·05			·02		30
31		X	·15	X		X	·09	·03	X		X		31
Total	2·83	·76	1·62	1·44	1·38	1·01	·94	7·52	·77	2·88	1·79	1·49	YEAR'S TOTAL 24·43
Rain Days.	16	5	17	13	8	11	9	24	7	21	10	14	158

W. 8,000, IX. 17.

113

70

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Normanby.

in the County of Lindsey Lincs

by A. G. Wilkes

Lat. 53° 38½ N Long. 40' W 6. 1
Time of Observation 9 a.m.
Nearest Railway Station Frodingham 4 mls
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 185. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·02	·04	·04	·	·	·	·	·16	·04	·22	·07	1
2	·05	·22	·	·13	·	·	·	·04	·18	·01	·	·41	2
3	·	·04	·05	·	·34	·	·	1·24	·	·	·45	·	3
4	·	·02	·01	·	·	·	·	·04	·24	·	·20	·29	4
5	·	·	·08	·01	·20	·	·	·91	·	·06	·	·01	5
6	·	·21	·	·63	·	·07	·	·	·	·08	·	·02	6
7	·14	·01	·	·09	·	·11	·20	·	·02	·02	·10	·	7
8	·07	·	·04	·	·	·	·	·	·09	·04	·03	·	8
9	·	·45	·	·04	·	·	·01	·	·32	·42	·	·06	9
10	·01	·06	·	·	·	·	·12	·	·12	·02	·	·07	10
11	·09	·08	·	·03	·49	·	·08	·	·03	·	·	·09	11
12	·	·12	·	·	·04	·	·53	·	·	·03	·	·05	12
13	·	·	·	·09	·06	·	·	·	·11	·01	·	·	13
14	·16	·	·	·06	·	·	·06	·	·49	·11	·	·23	14
15	·07	·	·	·	·01	·01	·17	·	·50	·	·	·18	15
16	·	·	·	·02	·	·05	1·31	·	·42	·	·	·02	16
17	·21	·	·	·	·90	·05	·95	·	·03	·13	·	·20	17
18	·23	·	·01	·03	·	·01	·16	·	·56	·	·	·26	18
19	·05	·01	·03	·04	·	·	·02	·04	·	·09	·	·27	19
20	·04	·16	·	·	·	·06	·08	·	·04	·	·	·	20
21	·05	·	·	·	·22	·	·	·	·25	·27	·	·	21
22	·04	·	·	·	·03	·	·02	·	·26	·	·	·26	22
23	·15	·	·	·	·48	·	·18	·	·05	·	·	·	23
24	·	·07	·	·	·	·	·	·	·11	·02	·15	·	24
25	·	·	·	·	·	·19	·	·27	·05	·	·12	·04	25
26	·	·	·	·	·	·	·31	·07	·10	·01	·14	·03	26
27	·	·01	·01	·	·	·02	·05	·41	·10	·	·17	·	27
28	·	·24	·25	·	·	·	·	·	·	·	·04	·42	28
29	·		·	·	·	·	·	·	·07	·	·02	·09	29
30	·	×	·37	·	·	·	·	·	·05	·	·05	·16	30
31	·02	×	·08	×	·	×	·	·03	×	·	×	·01	31
Total	1·44	1·72	·97	1·21	2·75	·57	4·25	3·05	4·35	1·36	1·69	3·22	YEAR'S TOTAL 26·58
Rain Days	16	15	11	12	10	9	16	9	24	16	12	22	172

W, 6,500, VII. 18. w w c

172.

2371

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Normanby.
in the County of Lindsey, Lincs
by Alfred G Wilkes

Lat. 53·38½ N Long. 40' W.
Time of Observation 9 a.m.
Nearest Railway Station 4 mls Frodingham
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·04	·02		·26		·10		·07	·05	·06	·04	1
2	·08	·02					·36		·13	·04	·36	·08	2
3	·69	·02				·02	·58		·03		·05	·09	3
4	·09		·49		·0~~4~~2	·20			·08		·10	·10	4
5			·01						·18		·02	·05	5
6			·06							·02	·04	·13	6
7			·22		·14							·12	7
8	·13			·03							·07	·08	8
9											·08		9
10			·19	·05	1·04					·01	·04	·10	10
11	·02		·58	·04	·10		·19			·05	·03		11
12			·60			·13	·51		·02	·18	·07		12
13	·22			·06		·01	·08		·59	·22	·03		13
14	·38			·31			·02	·05	·02		·52	·01	14
15	·09	·08	·08	·10	·04						·02	·59	15
16	·08	·71									·03		16
17		·30		·03		·11		·06			·19	·03	17
18							·02	·06	·01			·02	18
19		·16	·56			·02	·29	·73	·03		·07	·15	19
20	·28	·18	·01			·02	·18	·15	·08				20
21	·27	·29	·05			·08	·19				·03	·12	21
22		·09					·01				·01	·28	22
23				·05		·23				·68	·02		23
24				·05	·06	·09				·19	·03	·03	24
25	·05	·03		·16	·02	·05		·41			·11	·04	25
26	·02	·03	·13	·07				·21	·06	·07	·08	·58	26
27	·06			·38		·01				·30	·04		27
28	·07	·01		·05			·02	·46		·17		·30	28
29	·17			·07		·09		·03		·65	·01	·09	29
30	·08	×		·32		·22				·03	·10	·15	30
31	·04	×	·03	×		×	·07		×	·23	×	·01	31
TOTAL	3·16	1·96	3·03	1·77	1·68	1·28	2·62	2·16	1·30	2·89	2·21	3·19	YEAR'S TOTAL 27·25
Days with ·01 in. or more	19	13	14	15	8	14	14	9	12	15	26	23	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2271

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Normanby

in the County of Lincoln (Lindsey)

by Mr. A. G. Wilkes

Lat. 53° 38½' N Long. 40' W.

Time of Observation 9 a.m.

Nearest Railway Station Frodingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·25	·33	·01	·47	·	·	·35	·08	·02	1
2	·	·	02	·10	·	·	·03	·	·08	·10	·	·22	2
3	·	·	·	·14	·02	·04	·15	·46	·08	·12	·	·06	3
4	·	·	·	·05	·04	·	·23	·09	·02	·48	·	·05	4
5	·	·	·	·04	·	·	·04	·	·02	·	·	·08	5
6	·	·	·07	·11	·18	·	·10	·	·	·	·	·09	6
7	·01	·	·03	·06	·05	·	·24	·04	·	·	·	·	7
8	·	·05	·	·21	·02	·	·08	·33	·	·03	·01	·	8
9	·23	·03	·	·41	·	·	·09	·	·	·	·	·	9
10	·18	·14	·03	·14	·	·	·04	·	·	·	·	·01	10
11	·21	·	·02	·21	·03	·	·	·	·	·	·	·12	11
12	·02	·	·03	·25	·02	·	·	·	·	·	·03	·20	12
13	·02	·02	·03	·07	·	·45	·	·02	·10	·	·	·12	13
14	·	·02	·46	·16	·	·15	·05	·	·39	·	·07	·07	14
15	·	·04	·79	·20	·	·	·01	·	·16	·02	·	·07	15
16	·	·	·	·01	·	·	·35	·	·09	·	·	·02	16
17	·	·	·	·	·16	·	·16	·	·51	·01	·	·	17
18	·11	·	·	·	·09	·18	·	·	·02	·	·	·	18
19	·08	1·33	·	·41	·03	·09	·	·10	·	·	·	·	19
20	·10	·06	·	·47	·	·	·04	·	·	·	·	·04	20
21	·	·	·	·23	·	·	·23	·17	·	·	·	·	21
22	·	·	·	·21	·	·	·03	·	·	·	·	·	22
23	·	·	·	·01	·	·	·33	·	·01	·01	·	·28	23
24	·	·01	·24	·08	·	·	·02	·	·	·	·	·	24
25	·	·05	·05	·03	·	·	·37	·	·	·	·03	·	25
26	·09	·	·03	·04	·13	·	·08	·	·	·	·	·17	26
27	·11	·	·02	·03	·31	·23	·	·	·	·	·31	·	27
28	·66	·	·06	·05	·08	·	·	·	·	·	·27	·04	28
29	·08	·	·15	·02	·65	·04	·04	·	·	·	·10	·34	29
30	·03	✕	·03	·04	·04	·	·54	·	·20	·	·16	·24	30
31	·23	✕	·05	✕	·01	✕	·	·	✕	·17	✕	·19	31
TOTAL	2·16	1·75	2·11	4·03	2·19	1·19	3·72	1·21	1·68	1·29	1·06	2·43	YEAR'S TOTAL 24·82
Days with ·01 in. or more	15	10	17	28	17	8	23	7	12	9	9	20	175
Days with ·04 in. or more	11	6	8	23	11	7	19	6.	8	5	6.	17	127

FORM A2.
BRITISH RAINFALL.

10 APR 1912

LINCOLN.

BURTON ON STATHER,
VICARAGE.

1911 — 1919

REC… 911

Kept at Burton-ups…
in the County of L…
by Rev: Canon Ja…

…nawdon
…p 5 in.
…bove Ground 1 ft. 6 in.
„ Sea Level 212 ft.
…10. a
…on { Name Frodingham
Distance 5 Direction 5

IMPORTANT NOTE. … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	24												1
2	20			·01	·035	·125	·18	·12			·01	·08	2
3	·01			·035	·06			·11		·15	·035		3
4	·04		·16	·195				·01	·11	·055	·145	·15	4
5	·06			·055						·09	·01		5
6	·22							·12		·06	·115	·29	6
7			·015								·07		7
8	·06		·18								·015	·25	8
9													9
10	·02											·40	10
11	·22										·25		11
12	·13		·11		·03	·065			·37		·15		12
13											·08	·37	13
14		·17	·08		·16						·01	·38	14
15		·09	·195							·04	·01	·035	15
16		·025	·09				·03		·06		·16	·10	16
17		·63	·01			·31	·05				·035	·105	17
18			·03			·26					·22	·05	18
19						·095	·01	·02	·23	·12	·33	·13	19
20		·125		·20				·56	·49			·43	20
21	·02	·23					·06			·05	·13	·035	21
22		·01		·02						·1[illegible]	·075	·02	22
23	·02	·10	·09			1·13		·15	·615	·05		·10	23
24		·03	·07	·105		1·61				·20			24
25			·01	·27		·35			·06			·11	25
26				·07	·205		·06			·28	·615	·25	26
27		·09	·105	·05				·75	·34	·01		·02	27
28		·08	·03	·29					·01	·01	·01	·145	28
29			·01	·05					·445	·245	·015	·05	29
30					·12	·415			·05	·145			30
31			·01							·045			31
Total	1·24	·98	1·195	1·35	·61	4·36	·39	1·84	2·78	1·70	2·49	3·50	TOTAL for year 22·435
No. of Rain Days.	12	11	16	12	6	9	6	8	11	16	21	21	149

W. 8,000, X. 11.

REC 911

FORM A2.
BRITISH RAINFALL.
10 APR 1912

Kept at Burton-upon-Stather Vic
in the County of Lincoln 6
by Rev. Canon Jarvis

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 212 ft.

Time of Observation 10. a
Nearest Railway Station
Name Frodingham
Distance 5 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24												1
2	.20			.01	.035	.125	.18	.12			.01	.08	2
3	.01			.035	.06			.11		.15	.035		3
4	.04		.16	.195				.01	.11	.055	.145	.15	4
5	.06			.055						.09	.01		5
6	.22							.12		.06	.115	.29	6
7			.015								.07		7
8	.06		.18								.015	.25	8
9													9
10	.02											.40	10
11	.22										.25		11
12	.13		.11		.03	.065			.37		.15		12
13											.08	.37	13
14		.17	.08		.16						.01	.38	14
15		.09	.195							.04	.01	.035	15
16		.025	.09				.03		.06		.16	.10	16
17		.63	.01			.31	.05				.035	.105	17
18			.03			.26					.22	.05	18
19						.095	.01	.02	.23	.12	.33	.13	19
20		.125		.20				.56	.49			.43	20
21	.02	.23					.06			.05	.13	.035	21
22		.01		.02						.15	.075	.02	22
23	.02	.10	.09			1.13		.15	.615	.05		.10	23
24		.03	.07	.105		1.61				.20			24
25			.01	.27		.35			.06			.11	25
26				.07	.205		.06			.28	.615	.25	26
27		.09	.105	.05				.75	.34	.01		.02	27
28		.08	.03	.29					.01	.01	.01	.145	28
29			.01	.05					.445	.245	.015	.05	29
30					.12	.415			.05	.145			30
31			.01							.045			31
Total	1.24	.98	1.195	1.35	.61	4.36	.39	1.84	2.78	1.70	2.49	3.50	TOTAL for year 22.435
No. of Rain Days.	12	11	16	12	6	9	6	8	11	16	21	21	149

W. 8,000, X. '11.

Corr. for arith. 19. V. 13.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

15 MAY 1913

Kept at Vic., Burton-upon-Stather
in the County of Lincoln 6
by Revd. Canon Jarvis

Lat. Long.
Time of Observation 10. a m
Nearest Railway Station Frodingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01		.015	.32	.78	.01	.22			.25	1
2		.035		.01		.37	.49					.015	2
3	.145	.15			.01	.675		.37	.16	.01		.115	3
4	.125		.33		.055	.19		.36			.465		4
5		.05			.23	.25		.02					5
6	.72	.10			.07		.065	.69					6
7			.01		.03	.03	.175	.12	.135				7
8		.15	.17				.035		.305		.035		8
9		.075		.04		.40			.01			.015	9
10	.05			.01		.305		.07	.01		.085		10
11	.12					.01					.06		11
12	.09	.22	.10			.515	.62	.03		.185	.615		12
13		.01									.20		13
14	.105		.60			.155		.03	.01				14
15		.05	.17		.465	.15							15
16	.28		.125		.10	.065		.13		.16			16
17	.15		.215			.22	.015	.45				.095	17
18	.14		.10							.07	.01		18
19	.24	.23					.57	.17		.055			19
20	.36	.01	.03		.23	.035	.33	.30		.205			20
21		.11	.285		.55		.31			.015	.01	.025	21
22		.01			.62	.06	.01	.38				.125	22
23	.03		.16				.12	.30					23
24	.265					.29	.13	.03			.06	.085	24
25	.02					.265	.105	.27			.12	.105	25
26		.17	.055				.415	.775		.75	.15	.175	26
27			.03			.31	.25			.73	.015	.03	27
28				.02	.115		.14	.34		.285	1.07	.12	28
29					.14	.105	.01		.685	.08	.01		29
30						.01	.01		.155	.105			30
31			.085		.16		.32	.26		.01			31
Total	2.84	1.37	2.475	.08	2.79	4.73	~~4.89~~ 4.90	5.105	1.69	2.66	2.905	1.155	YEAR'S TOTAL 32.69
Rain Days.	15	14	16	4	14	21	20	20	9	13	14	12	172

32.70

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

14 APR 1914

Kept at Vic^e. Burton-upon-Stather
in the County of Lincoln 6
by Rev^o Canon Jarvis

Lat. Long.
Time of Observation 10. 0. a
Nearest Railway Station Frodingham G Cen
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16	·15					·27		·055		1
2		·035	·04								·02		2
3	·01	·01	·05		·22				·04	·11		·22	3
4	·625				·14		·015		·07	·03	·24	·215	4
5	·03		·05		·385	·285		·055		·17			5
6		·09	·045			·115		·055		·18	·01		6
7					·04	·27				·51	·04		7
8		02			·68						·06		8
9		·24	·035	·02							·16		9
10			·02	·18		·07					·35		10
11	1·25			·375							·18		11
12											·085		12
13			·01	·02					·105	·01	·10		13
14	·095	02	·29							·14			14
15	·145		·09	·165							·14	·085	15
16			·30						·68		·045		16
17	·06	·025	·06	·075	·04	·015			·95	·07	·01		17
18			·14	·07	·02	·01	·015				·07	·01	18
19	·12		·045										19
20	·095		·03	·06					·275		·015		20
21	·015				·09		·15		·07		·28		21
22	·06		·235			·01		·64	·11				22
23	·05					·035			·075				23
24	·05			·01				·06					24
25				·06		·175		·01	·06			·035	25
26		·055	·025	·07	·08	·03				·38	·065	·135	26
27				·225									27
28	·29		·20	·26						·01			28
29	·045		·185	·275	·83							·46	29
30	·225			·29						·18	·05	·035	30
31					·19								31
Total	3·165	·495	2·01	2·305	2·715	1·015	·18	·82	2·705	1·79	1·975	1·195	YEAR'S TOTAL 20·37
Rain Days.	16	8	19	16	11	10	3	5	11	11	19	8	137

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 APR 1915

Kept at Burton-upon-Stather Vicᵉ
in the County of Lincoln 6
by Revᵈ. Canon Jarvis.

Lat. .... Long. ....
Time of Observation 10 a
Nearest Railway Station Frodingham G Central
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

26th Consecutive year – daily J.H.J.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.02	·29			·035		1
2	·01						·76	·375			·12	·12	2
3			·235		·115		·055	·01			·03	·32	3
4	·12		·02	·18	·16			·01			·41	·15	4
5	·095		·20	·05	·20	·01	·21	·105			·055	·085	5
6		·09			·15		·02	·01			·06	·03	6
7			·21		·165	·02		·01			·02	·05	7
8	·315		·01		·055	·28		·155	·01				8
9	·40			·015		·55						·03	9
10				·075					·17			·015	10
11		·08	·24	·035		·12					·27	·38	11
12	·03		·03						·26		·01	·295	12
13	·04	·01	·135									·21	13
14	·01	·02					·05	·01		·17	·37	·28	14
15	·02	·02	·145				·06				·06	·09	15
16	·07		·01				·35		·16		·01		16
17	·05								·225			·285	17
18		·01	·06			·50			·02			·36	18
19			·06				·245				·035	·17	19
20	·03	·04	·085							·14		·11	20
21		·22						·15		·13	·07	·04	21
22				·05	·695								22
23			·06			·32					·22	·05	23
24				·095		·02		·40			·02		24
25								·11		·63		·38	25
26			·015				·09	·60		·275		·18	26
27	·01										·20	·55	27
28	·01	·05								·165	·01	·30	28
29			·145					·01		·495		·01	29
30		×						·05		·035	·18	·12	30
31		×	·015	×		×	·235		×	·12	×	·12	31
Total	1.21	·54	1.675	·50	1.54	1.82	3.095	2.295	·845	2.16	2.185	4.73	YEAR'S TOTAL 22.595
Rain Days.	14	9	17	7	7	8	11	15	6	9	19	26	148

W. 8,000. X. 14.

27th. Complete year

ex. 98

2730

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Burton-upon-Stather Vicarage

in the County of Lincoln

by Revd. Canon Jarvis

Lat. Long.

Time of Observation 10 a. m

Nearest Railway Station Frodingham G Central

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·085	·32			·32		·05	·31	·26		·14	·05	1
2			·165	·09		·025	·05	·175	·06			·01	2
3	·60	·035	·04	·08			·86	·11	·02		·11	·36	3
4	·23		·01				1·19	·03			·05	1.065	4
5	·15	·08			·15			·03		·035		·43	5
6	·02	·20	·085	·06			·745					·045	6
7	·285	·23	·01				·335	·31			·06	·095	7
8	·02	·07	·02	·02			·045	·035		·03	·05		8
9		·03						·065		·09	·02	·485	9
10	·275		·02					·505				·01	10
11				·24	·28			·03		·02	·26	·04	11
12	·055				·09		·07	·04		·055	·765	·01	12
13	·01	·69										·02	13
14	·03	·05			·02			·03				·165	14
15	·22	·035	·01					·62			·485	·095	15
16		·24			·01		·41			·045		·01	16
17	·17	·07	·015				·13			·04		·01	17
18		·055	·35							·015	·05	·01	18
19			·025				·13				·01		19
20	·06									·02		·435	20
21	·085	·01		·04			·14					·07	21
22	·01		·05	·01			·12				·02	·125	22
23		·09	·015						·13	·01		·01	23
24			·13	·02		·03			·46			·275	24
25						·11				·09		·09	25
26	·02	·15	·02				·07		·05			·43	26
27		·09	·05				·525			·62		·11	27
28		·05	·10			·40		·33		·07			28
29					·07	·01					·25	·355	29
30	·14	X		·05	·02		·01	·07		·01	·01	·01	30
31	·165	X		X		X		·14	X	·03	X	·20	31
Total	2·63	2·495	1·115	·61	·96	·575	4·88	2·83	·98	1·18	2·28	5·02	YEAR'S TOTAL 25·555
Rain Days.	19	18	17	9	8	5	16	16	6	15	14	28	171 ✓

W. 8,000. X. 15.

Exd JW

2663

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22. MAR 1917

Kept at Burton-upon-Stather Vic
in the County of Lincoln
by Revd. Canon Jarvis

Lat. Long.
Time of Observation 10.0 am
Nearest Railway Station Frodingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

28th Complete year

Daily

Jan. 1, following. .01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.13			.16	.09			.02	.225		1
2	.08	.07	.22		.315				.16	.14	.01		2
3		.35	.02	.05			.01		.17	.155	.08		3
4	.01	.06	.015		.575	.22			.11	.16	.24		4
5	.035	.015	.13	.01	.19	.145					.17		5
6	.025	.225	.195	.05	.32	.01	.10			.23	.29		6
7			.175				.275			.015	.04	.23	7
8			.33								.015	.16	8
9			.055		.07	.03			.05		.01	.13	9
10		.12	.07	.075	.34	.12	.03		.07	.03		.06	10
11	.13	.46	.35	.07		.12				.06		.14	11
12	.05		.27	.04	.44	.125	.26			.01			12
13		.055	.12		.20		.885	.15		.29		.04	13
14		.07	.015					.09		.045		.02	14
15		.06	.56				.03	.40	.025	.02			15
16			.09	.11			.12	.32		.02		.035	16
17	.045	.01	.01	.375			.09	.74	.145	.09		.01	17
18		.215		.14		.015		1.22	.24	.125	.68	.035	18
19		.01	.125	.06				.37	.12		.22		19
20	.065		.14	.185	.02	.03	.01	.28				.135	20
21		.06	.07				.12				.01	.34	21
22		.035	.02			.015				.065		.26	22
23		.03		.12							.08	.26	23
24		.28	.01	.045		.02		.18		.055		.165	24
25		.22	.20					.20		.07	.20		25
26			.025							.115			26
27		.35					.09			.04	.02		27
28		.21	.065					.04				.115	28
29		.08				.47		.40		.23		.24	29
30		X			.02	.025				.07		.01	30
31		X		X	.02	X			X	.03	X	.01	31
Total	.47	2985	3.41	1.33	2.51	1.505	211	439	1.09	2085	229	2395	YEAR'S TOTAL 26.57
Rain Days.	9	21	25	13	11	14	13	12	9	23	15	19	184

W. 8,000, VIII. 16

29th year W.C.R. 2831

REGISTER OF RAINFALL IN 1917

Kept at Vicarage, Burton-upon Stather
in the County of Lincoln
by Revd. Canon Jarvis

Lat. Long.
Time of Observation 10. am.
Nearest Railway Station Frodingham, G Central
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 212 ft.

FORM A. BRITISH RAINFALL 22. FEB. 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·015		·125				·435			·09	·05	1
2	·03			·01		·15		·22			·02		2
3	·01	·01		·01		·065		·405		·16			3
4			·115					·01		·28	·01		4
5	·215		·05	·17				·01		·03	·035		5
6	·01		·01			·03				·35	·05		6
7	·53		·02			·02				·25	·015	·015	7
8	·51			·14				2·02		·50	·05		8
9	·17		·015	·13				·195		·02	·265		9
10	·34		·495	·13	·13			·18		·06	·235		10
11	·05			·32						·355			11
12	·19	·01	·015	·05				·52		·11		·025	12
13	·115 ·15			·03	·36			·165		·065		·01	13
14	·24			·01	·04			·24	·14			·02	14
15	·13		·01		·01		·015	·48		·04			15
16	·07	·12		·105			·03					·40	16
17	~~[illegible]~~	·05	·035	·18	·23		·04	·075	·055	·066		·07	17
18	·08	·01		·035	·06		·29	·15	·32	·03			18
19	·11	·15	·12		·08	·06	·055		·01		·015		19
20	·03	·30	·05	·015		·08		·04	·01		·50		20
21		·05	·11					·02		·02	·01		21
22			·11					·04		·125			22
23	·02	·01		·01	·685			·21		·025			23
24			·01			·24		·03		·26	·14		24
25			·03					·01		·08		·40	25
26			·135			·06		·79	·11		·375	·075	26
27			·10			·15	·24	·45				·21	27
28	·01		·05			·25		·485		·02		·09	28
29	·01		·01				·03					·09	29
30	·02	X	·075				·06	·05			·02		30
31		X	·22	X		X	·025	·025	X		X		31
Total	2.90	·725	1·785	1·47	1·595	1·105	·785	7·255	·645	2·845	1·83	1·455	YEAR'S TOTAL 24.395
Rain Days.	22	10	21	16	8	10	9	25	6	20	15	12	174

11·75

W. 8,000, IX. 17.

PTO

~~XXX~~ complete daily record

80

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL

12.4.19

Kept at ~~Vicarage~~, Burton-upon-Stather
in the County of Lincoln.
by Rev Canon J A Jarvis

Lat. .... Long. ....
Nearest Railway Station Frodingham G.C.R.
Time of Observation 10 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 212. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·065	·015	·03							·235	·07	1
2	·01	·18	·01	·065		—		·045	·15	·05	·	·38	2
3	·01	·035	·045		·36		—	1·40	·195		·43		3
4	·01	—	·01					·08			·215	·30	4
5	—	—	·085	·01	·20			1.0	·22	·06			5
6	—	·24		·96		·12				·10		·01	6
7	·13	·01		·08					·01	·02	·08	·01	7
8	·05	—	·03	·01			·15		·065	·08	·02		8
9	·05	·425		·03		·075	·05		·48	·345		·04	9
10	—	·065					·13		·16	·02		·175	10
11	·09	·055		·03	·47		·06		·025			·04	11
12	—	·12	·01	·03	·01		·55			·09		·01	12
13	·01	·01		·10	·04				·26	·03			13
14	·125		·01	·05			·06		·31	·075	·01	·23	14
15	·055						·17		·495			·15	15
16	—			·01		·04	·98		·32			·03	16
17	·21				·84	·06	1.20		·015	·125	·015	·20	17
18	·24		·015	·04		·01	·145		·51			·225	18
19	·04	·01	·03	·015			·06	·03		·08		·32	19
20	·03	·17				·05	·025			·01	·01		20
21	·04				·21	·045			·25	·31			21
22	·03				·025	·015	·02			·01	·02	·19	22
23	·135				·38		·14		·05				23
24		·06					·025		·13	·015	·09		24
25						·16	·01	·265			·125	·025	25
26							·37	·06	·15	·01	·15	·02	26
27		·02				·03	·03	·435	·11		·18	·03	27
28		·20	·26								·14	·405	28
29			·01						·06		·01	·08	29
30			·38						·07		·05	·20	30
31			·045					·035				·025	31
Total	1.275	1.665	·955	1.46	2.535	·605	4.175	3.35	4.035	1.43	1.78	3.165	TOTAL for year 26·43
No. of Rain Days.	18	15	14	14	9	10	18	9	21	17	16	23	184

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2380

FORM A.
BRITISH RAINFALL.

MAY 20

REGISTER OF RAINFALL IN 1919

Kept at Burton-upon-Stather Vicarage

in the County of Lincoln

by Revd Canon Jarvis

Lat. ………… Long. …………

Nearest Railway Station Frodingham

Time of Observation 10. 0 am.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 212 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·065	·01		·235		·045			·045	·085	·12	1
2	·07	·035	·01	·01	~~·2~~		·375		·07	·02	·08	·01	2
3	·80	·01			·015	·05	·49		·12		·39	·11	3
4	·08		·52		·02	·19		·04	·05		·045	·09	4
5	·035	·01	·01						·07		·02	·06	5
6			·05						·18		·05	·10	6
7			·24									·11	7
8	·11			·02							·06		8
9			·095							·01	·10		9
10	·01		·085	·02	·76						·09	·09	10
11	·01		·53		·08		·175			·07	·05		11
12			·416			·12	·40		065	·22	·035		12
13	·24			·10			·08		·49	·20	·02		13
14	·36			·30			·02	·03	·01		·38		14
15	·12	·095		·08				·01			·07	·63	15
16	·14	·78	·085	·02							·09		16
17		·145		·035	·06	·11					·155		17
18			·01				·015	·06				·01	18
19		·24	·55			·01	·305	·26	·03		·075	·025	19
20	·295	·075				·025	·10	·48	·085		[illegible]	·21	20
21	·24	·28	·01			·07	·19	·09	·04		·03	·08	21
22		·07	·045	·05		·01	·09		·125		·01	·28	22
23						·245				·775	·015	·01	23
24					·065	·06				·125	·02	·16	24
25	·03	·02		·18	·015			·03			·065	·01	25
26		·10	·13	·035				·36	·035	·14	·11	·45	26
27	·07	·02		·42		·01		·19		·27	·01		27
28	·125			·035			·02			·22		·30	28
29	·16					·06		·53		·67	·025	·065	29
30	·06			·28		·23		·01		·16	·03	·13	30
31	·06		·01				·12			·20			31
Total	3.385	1.945	2.805	1.585	1.25	1.19	2.425	2.09	1.37	3.125	2.11	3.05	TOTAL for year 26.33
No. of Rain Days.	20	14	17	14	8	13	14	12	13	14	26	21	

186

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Aug 26-27
1·70
1/III/13 ft.

LINCOLN.

CAISTOR GRAMMAR SCHOOL
1912-1913

8 FEB 1913

REGISTER

Kept at Caistor Grammar School

in the County of Linc

by A. Roebuck

W.

m

6 in.

1 ft 6 in

Sea Level 300 ft.

Date	Jan.	Feb.	March.	April	May	June	July	Aug.	Sept	Oct.	Nov	Dec	Date
1						·2	·11		·17			·27	1
2						·23	·5					·02	2
3			·05			·74		·11	·12		·1	·04	3
4	·07		·40		·05	·33		·67			·44		4
5						·19			·1				5
6	·86	·27			·07	·09	·16	·24	·09				6
7	·19							·06	·36				7
8		·11	·25		·02				·02			·02	8
9	·04			·10		·3			·1			·03	9
10		·06				·34		·15	·01				10
11	·16		~~·78~~				·3				·09	·86	11
12	·06	·35	·13	·05	(·01)	·31					·6		12
13								·04		·2	·39		13
14	·06		·46			·14		·1			·03		14
15			·34		·41	·3						·15	15
16	·10		·12		·22	·06		·15					16
17	·17		·20			·2				·2			17
18	·22	·25	·03				·03						18
19						·31	·46	·32	·02	·04			19
20	·12				·22		·3			·04			20
21			·51		·44					·31	·03	·07	21
22		·10			·9		·12	·22		·06		·22	22
23			·14		·04	·06	·4	·33			·3		23
24	·29					·11	·3	·				·08	24
25	·03					·32	·25	·02			·15	·15	25
26		·05					·1	1·63		·6	·09	·31	26
27				·04		·1	·17	·07		·8		·06	27
28					·1	·04		·39		·3	·93	·42	28
29					·07	·47	·17	·02	·42	·16	·27		29
30			·04						·14				30
31							·29	·26		·03			31
Total Rain	2·37	1·19	2·67	·17	2·55	4·84	3·66	~~3·25~~ 4·78	1·55	2·74	3·42	2·70	Years Total. 32·64 32·64
Days	13	7	12	3	12	20	15	17	11	11	12	14	147 147

wrote
? Aug 26-27
1.70
11/III/13
Jn

REGISTER OF RAINFALL IN 1912.

-8 FEB 1913

Grammar School
Kept at Caistor Lincs
in the County of Lincolnshire (Lindsey)
By A. Roebuck

5

Lat. 53° 29½′ Long. 15′ W.
Time of Observation 9 a.m.
Nearest Railway Station Moortown
Diameter of Rain Gauge 6 in.
Height of Top of Gauge above Ground 1 ft 6 in
" " " " Sea Level 300 ft.

Date	Jan.	Feb.	March.	April	May	June	July	Aug	Sept	Oct.	Nov	Dec	Date
1						·2	·11		·17			·27	1
2						·23	·5					·02	2
3			·05			·74		·11	·12		·1	·04	3
4	·07		·40		·05	·33		·67			·44		4
5						·19			·1				5
6	·86	·27			·07	·09	·16	·24	·09				6
7	·19							·06	·36				7
8		·11	·25		·02				·02			·02	8
9	·04			·10		·3			·1			·03	9
10		·06				·34		·13	·01				10
11	·16		~~·13~~				·3				·09	·86	11
12	·06	·35	·13	·05	(·01)	·31					·6		12
13								·04		·2	·59		13
14	·06		·46			·14		·1			·03		14
15			·34		·41	·3						·15	15
16	·10		·12		·22	·06		·15					16
17	·17		·20			·2				·2			17
18	·22	·25	·03				·03						18
19						·31	·46	·32	·02	·04			19
20	·12				·22		·3			·04			20
21			·51		·44					·31	·03	·07	21
22		·10			·9		·12	·22		·06		·22	22
23			·14		·04	·06	·4	·33			·3		23
24	·29					·11	·3					·08	24
25	·03					·32	·25	·02			·15	·15	25
26		·05					·1	1·63		·6	·09	·31	26
27				·04		·1	·17	·07		·8		·06	27
28					·1	·04		·39		·3	·93	·42	28
29					·07	·47	·17	·02	·42	·16	·27		29
30			·04						·14				30
31							·29	·26		·03			31
Total	2·37	1·19	2·67	·17	2·55	4·84	3·66	478 ~~3·25~~	1·55	2·74	3·42	2·70	Years Total. 32·64
Rain Days	13	7	12	3	12	20	15	14	11	11	12	14	147.

32·64
147

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

19 JUN 1914

Kept at Caistor Grammar School Ex. 18 Rd

in the County of Lincolnshire

by Royal Met. Soc.

A. Roebuck

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " Sea Level ....ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·16	·10	-	-	-						1
2	-	·01	·06	·06	-	-	·02						2
3	-	-	-	-	·20	-	-						3
4	·70	·01	·03	-	-	-	·04						4
5	-	-	-	-	-	-	·08						5
6	-	·02	-	·02	·32	·03	-						6
7	-	·08	-	-	·02	-	·05						7
8	-	-	-	-	·53	·09	-						8
9	-	·19	·06	·05	-	·04	-						9
10	-	·01	·02	·06	-	-	·01						10
11	-	-	-	·57	-	-	-						11
12	·50	-	-	-	-	·07	-						12
13	-	-	-	-	-	-	-						13
14	-	-	-	·02	-	-	-						14
15	·10	-	·34	·19	-	-	-						15
16	·20	·04	·28	·10	-	-	-						16
17	-	-	·34	·11	·15	·06	·07						17
18	-	-	·19	·09	4	·01	-						18
19	·10	·05	·01	-	-	-	·02						19
20	·07	-	-	-	-	-	-						20
21	-	-	·06	-	·14	-	·03						21
22	·09	-	·15	-	-	-	-						22
23	·05	-	-	-	-	-	-						23
24	·09	-	-	·06	-	·08	·03						24
25	-	·01	-	·10	-	·02	·02						25
26	·01	·06	·03	·02	-	·05	-						26
27	-	-	-	-	-	·10	·02						27
28	·34	-	·19	·18	-	-	-						28
29	·08		·19	·22	·02	-	-						29
30	·24		-	·18	·05	-	-						30
31	-		-		-		-						31
Total	2·57	·48	2·11	2·13	1·43	·55	·39						TOTAL for year
No. of Rain Days.													

1,000, I. '12.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

WD cnd. 29.11 R 1

FORM A2. BRITISH RAINFALL 15 JAN 1912

LINCOLNSHIRE

CARLTON - LE - MOORLAND

1911 - 1920

Kept at Carlton

in the County of

by Joseph. Bro

5 in.
Ground 1 ft. 2 in.
Sea Level 50 ft.
a.m
Name Navenby
Distance 5 m Direction North east.

IMPORTANT NO … the result entered to the previous day. If an … versal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of th … ment of rain, the selection and plac … itish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.
(–)

Date.	Jan.	Feb.	Ma							Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			12	8			7			6			1
2								3				6	2
3	25				7						1	9	3
4				5	8				8	5	3		4
5	2	2	13	17				26		51	6	13	5
6	2									4			6
7	29							2		10		24	7
8											5	7	8
9	28		19	1								13	9
10			1									10	10
11			2								15	23	11
12	25	3		1		3		2			16		12
13			23						50				13
14			20								7	40	14
15	10		6		35							17	15
16		3	17						2		4	1	16
17			6			6					20	7	17
18			2			16					4	6	18
19		7	1			1					27	4	19
20	2					16	2	5		11	31 36		20
21		8		3				64	4			22	21
22	1	21	1					9		17		6	22
23			12	5				19		15	5	20	23
24			9			72		22	43		1	13	24
25		10	2	4		124				29		17	25
26		5	1	9							2	7	26
27		10			71						30	36	27
28			17	11			10	37	19	22		4	28
29				16							11	7	29
30			1		7	1	31		17	25			30
31			2					15		6		2	31
		.12	.08			.07			.06			(–)	
Total	~~1.24~~	69	~~1.67~~	.90	1.28	2.39	~~.50~~	~~2.05~~	1.43	2.01	~~1.88~~	~~3.14~~	TOTAL for year
	1.24	.81	1.63	.82	1.28	2.46	.43	2.03	1.49	1.95	1.88	3.14	19.16
No. of Rain Days		~~1.93~~	~~3.60~~	4.30	5.78	8.17	8.67	10.70	12.13	14.14	16.02	19.16	138
	9	19	20	17	5	8	3	11	8	12	17	24	

0,000, IX. '10.

WD end. 29.

R 1

FORM A2.
BRITISH RAINFALL
15 JAN 1912

Kept at Carlton le Moorland

in the County of Lincoln 3

by Joseph Brocklebank

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Navenby
Distance 5 mls Direction North east.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			12	8			7			6			1
2								3				6	2
3	25				7						1	9	3
4				5	8				8	5	3		4
5	2	2	13	17				26		51	6	13	5
6	2									4			6
7	29							2		10		24	7
8											5	7	8
9	28		19	1								13	9
10			1									10	10
11			2								15	23	11
12	25	3		1		3		2			16		12
13			23						50				13
14			20								7	40	14
15	10		6		35							17	15
16		3	17						2		4	1	16
17			6			6					20	7	17
18			2			16					4	6	18
19		7	1			1					27	4	19
20	2					16	2	5		11	31 36		20
21		8		3				64	4			22	21
22	1	21	1					9		17		6	22
23			12	5				19		15	5	20	23
24			9			72		22	43		1	13	24
25		10	2	4		124				29		17	25
26		5	1	9							2	7	26
27		10			71						30	36	27
28			17	11			10	37	19	22		4	28
29				16							11	7	29
30			1		7	1	31		17	25			30
31								15		6		2	31
Total	– ~~1.24~~	·12 ~~69~~	2 ·08 ~~1.67~~	~~.90~~	~~1.28~~	·07 ~~2.39~~	– ~~.50~~	– ~~2.03~~	·06 ~~1.43~~	– ~~2.01~~	– ~~1.88~~	(5 – 5) ~~3.14~~	TOTAL for year
No. of Rain Days	1·24	·81 ~~1.93~~	1·63 ~~3.60~~	·82 ~~4.30~~	1·28 ~~5.78~~	2·46 ~~8.17~~	·43 ~~8.67~~	2·03 ~~10.70~~	1·49 ~~12.13~~	1·95 ~~14.14~~	1·88 ~~16.02~~	3·14 19.16	19·16 139
	9	19	20	17	5	8	3	11	8	11	17	24	

0,000, IX. '10.

WD EX ML Confer WD. 16.V.13.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

7 JAN 1913

Kept at Carlton le Moorland

in the County of Lincoln 3

by [illegible]

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2
" " " Sea Level 50 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Navenby
Distance 5 m Direction N. east.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.5		5.0	11	6	45	.10			1
2						28	7		10			40	2
3						12	56						3
4	20		24		6	30		70	10				4
5					6	12			2		32	9	5
6	5					21					2		6
7	38	20					12	29				4	7
8		6			3	10	1		10				8
9	22	20	17	6		5			14				9
10		9	3	15		10		15					10
11						5			2		13		11
12	9	2				3			2		3		12
13	7	25	5	1		30	32	4			34		13
14	1	1						2		6	10	63	14
15	10		36			11		13	1			2	15
16		3	6		29	17						9	16
17	13		12		11	5		12		9			17
18			10			19		48			1	20	18
19	20		8					6			2		19
20	32	14				62	29	51					20
21	10	2	2		17	1	45	1		13	3		21
22			53		52		33					1	22
23	1	9	1		63		30	45				8	23
24	13	6	18		2	5	57	38			10	1	24
25	14		1			×	12					11	25
26			6			×	26	3			18	19	26
27		8				×48	17	21		47	13	8	27
28					15	11	16	1.16		66		17	28
29		2				6	2	34	2	25	69	45	29
30						14	4		25	13	16		30
31	—	—	2 .05	—	27 .56	.11	31	.45	.10	2 —	—	1	31
Total	~~2.18~~ 2.18	~~1.27~~ 1.27	~~2.05~~ 2.10	~~.27~~ .22	~~2.31~~ 2.81	~~4.10~~ 3.71	~~4.21~~ 4.76	~~5.14~~ 5.53	~~1.23~~ .88	~~1.01~~ 1.81	~~2.16~~ 2.16	~~2.58~~ 2.58	TOTAL for year
No. of Rain Days	2.18	3.45	5.50	5.77	8.08	12.18	16.39	21.53	22.76	24.67	26.83	29.41	29.41 ✓
W. 8,000, X. '11.	15	14	16	3	12	25	18	18	11	8	14	16	171

cor 1.IV.14 Cor. for WD. 11.IV.14

FORM A. BRITISH RAINFALL.

12 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Carlton le Moorland

in the County of Lincoln 3

by Joseph Brocklebank

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Navenby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									1				1
2			15	4					39		5		2
3		2	1	3			3.						3
4		2	11		31				3			2	4
5	48				6		6			26	12	14	5
6						2				319			6
7		1	5		56	2	30			46			7
8		4			13	7				39			8
9		1			19	12				33	10		9
10		27	5	2	1	6	7	1			12		10
11	11				26		1	2			47		11
12				48							26	1	12
13		1									10		13
14			7	6						5	14		14
15	42	1	33								3		15
16			35	34					30		22		16
17	23		25								1		17
18	4	5	20	4		12			40		1		18
19	4		48	3		4	8			[illegible]		4	19
20	9		4	2							7		20
21			3						20	15	3		21
22			8		15		7		½				22
23	13		21					84	13			1	23
24	1			4		6	2	1	10				24
25	2					4							25
26		8		9		2			2			1.	26
27		17	18	5		3				45	17	17	27
28		7		8		6				1	3		28
29	19		23	17		2				1			29
30	5		108	.49	26			23					30
31	20											44	31
Total	~~2.01~~ 2.01	~~0.76~~ .76	~~3.01~~ 3.01	~~1.98~~ 1.98	~~1.92~~ 1.92	~~.68~~ .68	~~.64~~ .64	.01 ~~1.11~~ 1.12	1.585 ~~1.28~~ 1.575	5.10 5.10	1.93 1.93	~~.84~~ .84	YEAR'S TOTAL 21.56 21.565
Rain Days.		2.77	[illegible]	7.76	9.68	10.36	11.00	12.11	13.59½	18.69½	20.62	21.46	
	13	12	18	15	9	13	8	16	9	10	16	8	137

W. 7,500, XI. 12

W.D. copied 8.IV.15 written 12.IV.15 CY MR Copd for W.D. 12.IV.15

FORM 1a. BRITISH RAINFALL.
8 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Carlton le Moorland
in the County of Lincoln 3
by Joseph Brocklebank.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Navenby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			4		4			34			10	25	1
2							100	22			2	1	2
3							25	48			6	6	3
4	2		9		16		7				8	1	4
5	10		1	25	1						30	18	5
6		6	10	6	16	3	21	4			8	4	6
7				6	13		3	5			3	4	7
8		15	20	16	3	1			84				8
9	7				10	69		18			1		9
10	38		8	7		96							10
11	21	7		11					3		8		11
12	2	1	29	20	4	6			11		26	22	12
13	2		5			1	6		32			19	13
14		11	11							3	15	8	14
15	1	6	1				19			16	13	13	15
16	7		11								20	8	16
17	2		5				12						17
18		12							12			20	18
19						113	11					39	19
20		2	6				14				7	11	20
21		7	20							11		10	21
22		16	9							11	3		22
23		1			1.30		16	9		20			23
24			6		13	8	4						24
25			8	4	1		7			4	30		25
26							1	15		76		38	26
27		1	34					7		18	13	31	27
28												28	28
29	7						1				16	92	29
30	6		13		3					48	1		30
31		1								3		15	31
Total	1.05	.80	2.04	.99	2.70	2.96	2.87	1.38	1.42	2.20	2.35	3.88	YEAR'S TOTAL
Rain Days.		~~1.90~~	~~3.98~~	~~4.93~~	~~7.07~~	~~10.03~~	~~12.50~~	~~14.12~~	~~15.54~~	~~17.64~~	~~19.84~~	~~23.97~~	23.97
	12	13	19	9	11	8	16	8	5	11	19	20	150

W.7, XI. 13.

exd for arith 29.III.16 2676

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Carlton C. Moorland

in the County of Lincoln

by Joseph Brocklebank

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Navenby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 19

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			8				38	2	5		8		1
2	13	10			43			8	3		7	7	2
3			11	18		6	1	14	3	1		2	3
4	20		5	15			1.42	33			2	27	4
5	31						63	31				105	5
6	4	12						5			5	66	6
7	3	10	5		34		80	3				5	7
8	20	22	2			7	27	35			3	30	8
9	14	12		12			10	1			2		9
10	8	7								1	2	38	10
11	22										1	1	11
12	2				43		5	4			26		12
13	8			28	15			42		2	82		13
14		44			27								14
15	10	8			18			17	3	1		50	15
16	20							31		1		10	16
17		25			9		82	23			39		17
18		10					29			1		3	18
19		19						1			6	2	19
20							7	3		1			20
21	28		29					2				38	21
22	11	2			6		15					1	22
23	5		16	7	6		2				4	15	23
24			3	4			17		7		6	6	24
25	4		18						53	9		15	25
26						77				8		14	26
27		24					1					35	27
28		7				4	9		2	52		9	28
29						36		28		14			29
30		X	5		3	6		3			36	28	30
31	11	X		X		X	19		X	1	X	5	31
Total	2.34	2.12	1.02	84	2.04	1.36	5.47	2.86	76	.92	2.29	~~5.11~~ 4.92	YEAR'S TOTAL 26.94
Rain Days.		4.48	5.50	6.34	8.38	9.74	15.21	18.07	18.83	19.75	22.04	27.15	~~27.15~~
	15	14	10	6	10	6	17	19	7	12	15	23	159

W. 8,000. X. 14.

cnd fr auth WD

2612

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

3 JAN 1917

Kept at Carlton le Moorland

in the County of Lincoln

by Joseph. Brocklebank.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Navenby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 2

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			19								3		1
2	7					11	21				21		2
3	12	7	22		54		18		5	26	3		3
4		30		4			35		22	24	2		4
5	17	12	1		39	18			64	8	14		5
6		1	1		3	23	3			8	14		6
7	4	12	20	2	8		32			4	24		7
8			20		8		27			6	15	22	8
9			21						2			10	9
10			10		77				2	1	1		10
11		1	14	6		3	1		3			18	11
12	11	45	23	13	2	9	8		1	3	1		12
13		7	10	2	27	21	6						13
14		10	9	2	23	2		3					14
15		3	1	2	6			11		5		8	15
16		16	37	2	1		13	9	3				16
17		12	13	23			4	10					17
18	2	8		37			8	55	31	23			18
19		15	2	11				41	9	9	1.35		19
20			6	67				6	10		22		20
21	16		52	28						1	1	10	21
22	1		18	6	6		12					26	22
23		12	2			2				3	2		23
24	2	25		1		2		2			12	80	24
25						12		5	1			15	25
26		(109	10		1			19		15	14		26
27		8				4		2		3	15		27
28		12	19				9	1					28
29		23	79			4				13		14	29
30		✕	9		4	30		1.05		18		11	30
31		✕		✕	4	✕		4	✕	8	✕		31
Total	72	~~3.68~~ ·19 3.87	~~4.22~~ 4.03	2.06	2.63	1.41	1.97	2.73	1.53	~~1.78~~ ·03 1.81	~~2.98~~ 2.96	~~2.14~~ ·02 2.16	YEAR'S TOTAL ~~27.86~~ 27.88
Rain Days.	~~72~~	~~4.40~~	~~8.69~~	~~10.75~~	~~13.38~~	~~14.79~~	~~16.76~~	~~19.49~~	~~21.02~~	~~22.80~~	~~25.78~~	~~27.92~~	~~183~~
W. 8,000. X. 15.	9	~~21~~ 22	~~25~~ 24	15	15	13	14	14	12	~~18~~ 19	~~17~~ 16	~~10~~ 11	184

cnd for auth of WR W 2/7 2478

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Carlton le Moorland

in the County of Lincoln

by Joseph. Brocklebank

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Navenby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 4

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2							4	6				1
2				23				94	13		4	1	2
3	7					5		21					3
4								48		35	4		4
5								3		45			5
6	34		4	13					2		9		6
7	1					3				35	7		7
8	28			14		5				22		2	8
9	43		5					1.56		35			9
10	12			5				4			18		10
11			50	5	27			17	1	5	5		11
12	12		6	23				6	1	24			12
13	6			2	13			4	2	24		2	13
14	20			14				21		2			14
15	25	25		12				13		1		3	15
16							1	17		1	3	7	16
17	10	16		16	5					6			17
18		2	10	19	50	1	2	9	4				18
19	7			3	4	2	52		45				19
20	8	10	7		28			2					20
21		27	3		18			1	7	1	31		21
22		2	6			23				1		3	22
23			10		8			8	3	6			23
24			4					13	3	2		15	24
25		1	7			60		1		15			25
26											6		26
27								55	9		28		27
28			4			11	21	35				35	28
29			13			12		6				15	29
30		✕			73	14				10		4	30
31		✕		✕		✕	44	12	✕		✕		31
Total	2.15 2.13	.83 .83	1.38 1.38	1.49 1.49	2.26 2.26	1.26 1.26	1.20 1.24	5.50 5.52	.96 .90	2.80 2.80	1.17 1.15	.87 .91	YEAR'S TOTAL 21.85 21.87
Rain Days.		2.98	4.33	5.84	8.10	9.36	10.56	16.06	17.2	19.81	20.98	21.95	
W. 8,000. VIII. 16	13	7	14	14	9	10	5 2.11	23	12	18	10	11	146

FORM A.
BRITISH RAINFALL
6 . 1 . 19

REGISTER OF RAINFALL IN 19

Kept at Carlton le Moorland
in the County of Lincoln
by Josph. Brocklebank

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Navenby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	4		51	15	2							17	1
2		5							15	3	12	1	2
3		26		5				34		3	2	17	3
4		3	9		40			32	3		48		4
5	3	2	3					6	71		30	12	5
6		1			18			18		4			6
7		5		20		6			12	4			7
8		2		13		4			2	6	12	1	8
9		2		1					10	2			9
10	14	26		20			11		26	45			10
11	6	2		2			49			34	[illegible]	8	11
12	4	6		18	28		17		2	13		8	12
13		18	2	3	11		8		2	1		4	13
14		2			13				8	8			14
15	27			10		1	15		15			18	15
16				8		3	14		28			14	16
17			1	24		3			5	6		4	17
18				3	1	5	62	3	9			16	18
19	24					3	43		28			17	19
20	4	3	9	5						7		22	20
21		7				10	17			2			21
22				2	7				17	14			22
23	18				3		2			5		·36	23
24	7				35		6						24
25							2			3			25
26		15				28	2	25	4		10		26
27							5	15		2	24	5	27
28						9	11		8		21	7	28
29			13						5		23	38	29
30		×		2					42		1		30
31		×		×		×			×		×	17	31
Total	1.71 1·67	·52 1.25 1·77	(15) ~~1·48~~ ~~1.79~~ ·81	·02 1.51 1·38	~~1·56~~ ~~1.73~~ 1·54	·72	2.64	1.33	3.12	1.64	~~1.83~~ 2·00	~~2.62~~ 2·45	YEAR'S TOTAL ~~21.11~~ 21·07
Rain Days.	~~1.71~~	~~2.96~~	~~4.75~~	~~6.66~~	~~7.39~~	~~8.11~~	~~10.75~~	~~12.08~~	~~15.20~~	~~16.84~~	~~18.67~~	~~21.29~~	~~21.29~~
	12	17	18	16	9	10	15	7	20	18	19	19	161

W. 8,000, IX. 17.

corred for WD 67 NK

2335

REGISTER OF RAINFALL IN 1919

FORM BRITISH RAINFALL
6 JAN 20

Kept at Carlton le Moorland
in the County of Lincoln
by Joseph Brocklebank

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Navenby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 3

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2				31		21	6			12 6	23	1
2	13	10	3		23		28			8		30	2
3	19	4					30		40	1			3
4	62					4	39		13		39	6	4
5			37		1	8		9	7		11		5
6	13	1						2	23			28	6
7	1				40						3	26	7
8			19	8									8
9	9			15						1	2		9
10											3		10
11			16	6								9	11
12	4		56				23			1			12
13			28	4			6			3			13
14	16			28		9			27	7		2	14
15	36			18					4				15
16	38	4	10	8								55	16
17	1							1					17
18		141				8	2						18
19			3					18	3		54	8	19
20		26	44			6	62	65	8			5	20
21	55	6	31			9	18	27	8		6	17	21
22	27	40	12			3	24		1			3	22
23		6	10						93		4	35	23
24						2	4	3		73			24
25				18	44	10				11	4		25
26	10			30	18			55			5		26
27		4	13	2				21	5	2	6	35	27
28		5		52		4		1		6		3	28
29	20			5			2	49		11	7	27	29
30		X		3		4		21		44		11	30
31		X		X		X			X	4	X	21	31
Total	– ~~3.26~~ 3.24	– 2.47	– 2.78	.31 ~~1.97~~ 2.28	– ~~1.57~~ 1.26	.21 ~~.67~~ .88	.06 ~~2.59~~ 2.44	~~2.78~~ 2.72	– 2.32	.12 ~~1.72~~ 1.84	.23 ~~1.62~~ 1.73	.03 ~~3.44~~ 3.24	YEAR'S TOTAL 27.20 ~~27.19~~
Rain Days.		5.73	8.51	10.48	12.05	12.72	15.31	18.09	20.41	22.13	23.75	27.19	

15 ~~16~~ 13 13 14 ~~13~~ 5 ~~6~~ 12 ~~11~~ 13. 12 ~~13~~ 12 14 ~~15~~ 14. 18. 154

W. 6,500. 11/18.

WD   WD   Obs agrees

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Carlton le Moorland
in the County of Lincoln
by Joseph Brocklebank

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Navenby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
2·10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		5		5	18	1				21	45	10	1
2				20	29		40			22	7		2
3				10			33		16	28		19	3
4		3		29		6	24	4	16	2			4
5				25			10	45	6			5	5
6			4	3	10		16	34	5	39			6
7	5		10		6		8	5				10	7
8			2	9									8
9		5		43	2		3			1			9
10	25	7		50									10
11	18	11	7	1			5						11
12	19	1	11	29	11	7							12
13				22		9					2		13
14	10	4	8	28		73		2	2			26	14
15			40	13		20	5		12	3	20		15
16		7	104	20	2				15	11			16
17				3	19		4		5	7			17
18	1				7		3		28			40	18
19	12			9		9		8	11				19
20	5	68		30		27		7					20
21	11	80		45		32	5	9	2				21
22				7			18						22
23	4			19			3		5				23
24							4		1			25	24
25			13	5		1						9	25
26				6	16		62						26
27	8		5		10		8						27
28	4	1		13	1	29	5				23	24	28
29	46		10	2	139						24	2	29
30	5	X	23			4	9				6	46	30
31	6	X		X		X	1		X		X	29	31
TOTAL	·05 ~~1.79~~ 1.84	~~1.81~~ 1.84	·05 ~~2.37~~ 2.42	·18 ~~4.55~~ 4.68	·01 ~~2.66~~ 2.52	~~2.10~~ 2.17	2.36 ~~2.26~~	1.14	·21 ~~1.24~~ 1.45	·45 ~~1.34~~ 1.58	·10 ~~1.27~~ ·92	·10 2.46	YEAR'S TOTAL 25·35 ~~25.15~~
Days with ·01 in. or more	16 ~~10~~ 15 ~~11~~	10 ~~11~~ 6 ~~7~~	13 ~~12~~ 12 ~~11~~	25 21	13 9 ~~10~~	11 ~~12~~ 10	20 17	8 7	14 ~~13~~ 11 ~~10~~	9 6	6	12 11	158 131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5 made

2071

LIN~~CO~~LN.

CARLTON SCROOP HALL.

1917-1918

REGIST

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Carlton Scroop

a.m.

Honington

in the County of Lincol

ain Gauge 5 in.

by Capt J. H. W. R

bove Ground 2 ft. 2 in.

„ Sea Level ft.

IMPORTANT NOTE.—… nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.13	—	—	—	1.15	.12	—	.02	—	1
2	.03	.01	—	.20	—	.07	—	.26	—	—	.07	—	2
3	—	.11	—	.05	—	—	—	.99	—	.27	—	—	3
4	—	.10	.15	—	—	—	—	.03	—	.28	—	—	4
5	.23	—	.06	.17	—	—	—	.02	.19	—	.21	—	5
6	.01	—	—	—	—	.05	—	—	—	.07	.04	—	6
7	.28	—	.04	—	—	.01	—	—	—	.24	—	—	7
8	.87	—	—	.16	—	—	.10	1.04	—	.36	.09	—	8
9	.06	—	.06	.02	—	—	—	.08	—	—	.09	—	9
10	.25	.03	.40	.11	.11	—	—	.14	—	.05	.03	—	10
11	.01	—	.07	.25	—	—	—	.14	—	.22	—	—	11
12	.16	.01	.01	—	.22	—	—	.33	—	.20	—	.05	12
13	.03	—	.02	—	—	—	—	.21	.02	.02	.01	—	13
14	.25	—	—	.11	—	—	—	.05	—	—	—	.01	14
15	.03	—	—	—	.02	—	.04	.03	—	.05	—	.02	15
16	.11	.20	—	.09	—	—	.01	—	—	.03	.01	.14	16
17	.01	.02	.05	.20	.47	.07	.03	.02	.05	.09	—	.11	17
18	.10	—	—	.06	.03	.02	.52	.07	.50	—	—	—	18
19	.11	.09	.12	—	.29	.01	—	.08	.05	—	—	—	19
20	—	.32	.04	—	.15	—	—	.03	.04	—	.26	.01	20
21	—	.03	.03	—	—	.33	—	—	—	.03	—	—	21
22	.05	—	.11	—	—	—	—	.04	.06	.07	—	—	22
23	—	.02	—	—	.09	.01	—	.12	.09	.01	—	.01	23
24	.03	—	—	—	.01	.30	.01	—	—	.17	.10	—	24
25	—	—	.06	—	—	—	—	~~.57~~	—	—	.02	—	25
26	—	—	—	—	—	—	—	.51	.18	.01	.24	.06	26
27	—	—	.02	—	—	.06	.08	.44	—	—	—	.01	27
28	—	—	.09	—	—	.17	—	.16	.02	.01	—	0.14	28
29	—	—	—	—	1.21	.18	.02	—	—	.29	—	.04	29
30	.08	X	—	—	—		.34	.10	—	—	—	—	30
31	—	X	—	X	—	X	.03	.13	X	—	X	.09	31
Total	2.70	.94	1.88	1.55	2.60	1.28	1.18	6.17	1.32	2.67	1.19	.69	YEAR'S TOTAL 23.62
Rain Days.	19	11	16	12	10	12	10	24	11	19	13	12	169

W. 8,000, IX. 17.

2.79

5 made

2071

REGIS

FORM A.
BRITISH RAINFALL.
4 JAN 1918

Kept at Carlton Scroop Hall

in the County of Lincolnshire

by Capt J. H. W. Rennie

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Honington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.13	—	—	—	1.15	.12	—	.02	—	1
2	.03	.01	—	.20	—	.07	—	.26	—	—	.07	—	2
3	—	.11	—	.05	—	—	—	.99	—	.27	—	—	3
4	—	.10	.15	—	—	—	—	.03	—	.48	—	—	4
5	.23	—	.06	.17	—	—	—	.02	.19	—	.21	—	5
6	.01	—	—	—	—	.05	—	—	—	.07	.04	—	6
7	.28	—	.04	—	—	.01	—	—	—	.24	—	—	7
8	.87	—	—	.16	—	—	.10	1.04	—	.36	.09	—	8
9	.06	—	.06	.02	—	—	—	.08	—	—	.09	—	9
10	.25	.03	.40	.11	.11	—	—	.14	—	.05	.03	—	10
11	.01	—	.07	.25	—	—	—	.14	—	.22	—	—	11
12	.16	.01	.01	—	.22	—	—	.33	—	.20	—	.05	12
13	.03	—	.02	—	—	—	—	.21	.02	.02	.01	—	13
14	.25	—	—	.11	—	—	—	.05	—	—	—	.01	14
15	.03	—	—	—	.02	—	.04	.03	—	.05	—	.02	15
16	.11	.20	—	.09	—	—	.01	—	—	.03	.01	.14	16
17	.01	.02	.05	.20	.47	.07	.03	.02	.05	.09	—	.11	17
18	.10	—	—	.06	.03	.02	.52	.07	.50	—	—	—	18
19	.11	.09	.12	—	.29	.01	—	.08	.05	—	—	—	19
20	—	.32	.04	—	.15	—	—	.03	.04	—	.26	.01	20
21	—	.03	.03	—	—	.33	—	—	—	.03	—	—	21
22	.05	—	.11	—	—	—	—	.04	.06	.07	—	—	22
23	—	.02	—	—	.09	.01	—	.12	.09	.01	—	.01	23
24	.03	—	—	—	.01	.30	.01	—	—	.17	.10	—	24
25	—	—	.06	—	—	—	—	~~.51~~	—	—	.02	—	25
26	—	—	—	—	—	—	—	.51	.18	.01	.24	.06	26
27	—	—	.02	—	—	.06	.08	.44	—	—	—	.01	27
28	—	—	.09	—	—	.17	—	.16	.02	.01	—	0.14	28
29	—	—	—	—	1.21	.18	.02	—	—	.29	—	.04	29
30	.08	X	—	—	—		.34	.10	—	—		—	30
31	—	X	—	X	—	X	.03	.13	X	—	X	.09	31
Total	270	.94	1.33	1.55	2.60	1.28	1.18	6.17	1.32	2.67	1.19	.69	YEAR'S TOTAL 23.62
Rain Days.	19	11	16	12	10	12	10	24	11	19	13	12	169

W. 8,000, IX. 17.

2.79

B. Made

Exd. J.L.

20

FORM A.
BRITISH RAINFALL.

10

REGISTER OF RAINFALL IN 1918

Kept at Carlton Scroop Hall
in the County of Lincolnshire
by J. H. W. Rennie

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Honington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	~~Jan.~~ Feb	~~Feb.~~ Jan	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.03	0.01	0.09	—	—	—	—	0.11	0.03	0.16	0.09	1
2	0.21	0.01	0.01	—	—	—	—	0.54	—	0.01	0.02	0.21	2
3	0.04	0.01	0.06	—	0.47	—	—	0.40	0.03	—	0.50	—	3
4	0.01	—	0.04	—	—	—	0.05	0.06	0.57	0.01	0.28	0.03	4
5	—	—	0.06	—	0.16	—	—	0.18	0.11	0.09	—	—	5
6	0.03	—	—	0.26	—	0.05	—	—	0.40	—	—	0.01	6
7	0.04	0.18	—	0.17	—	0.01	—	—	0.03	0.12	0.06	—	7
8	0.02	—	—	—	—	—	0.09	—	0.07	—	0.01	—	8
9	0.46	0.04	—	0.19	—	0.07	0.05	—	0.25	0.35	—	0.01	9
10	0.01	0.02	—	0.01	—	—	0.52	—	—	0.26	—	0.04	10
11	0.05	0.10	—	0.04	0.35	—	0.11	—	0.13	0.23	—	0.05	11
12	0.21	—	0.02	0.01	0.12	—	0.07	—	0.01	0.01	—	0.02	12
13	0.02	—	—	—	0.14	0.01	—	—	0.14	—	—	0.01	13
14	—	0.30	—	0.10	—	0.04	0.12	—	0.18	0.05	—	0.11	14
15	—	0.32	—	0.22	0.01	0.05	0.09	—	0.12	—	—	0.14	15
16	—	—	—	0.25	—	0.02	—	—	0.08	—	—	0.03	16
17	—	0.16	—	0.03	2.95	—	0.55	0.01	—	0.11	—	0.14	17
18	—	0.19	0.04	0.01	—	0.01	0.03	—	0.46	—	—	0.27	18
19	0.02	0.02	—	0.07	—	0.04	0.10	—	0.01	0.08	—	0.29	19
20	0.05	0.03	—	0.06	—	0.05	0.03	—	—	0.02	—	0.01	20
21	—	0.02	—	0.03	—	—	—	—	0.35	0.18	—	—	21
22	—	0.18	—	—	0.03	0.09	0.04	—	0.04	—	—	0.30	22
23	—	0.07	—	—	0.29	—	0.20	—	—	—	—	—	23
24	0.16	—	—	—	—	—	0.03	—	0.05	—	0.10	0.06	24
25	—	—	—	—	—	0.04	0.18	0.17	—	—	0.03	0.01	25
26	—	—	—	—	—	—	0.96	0.02	0.02	0.05	0.16	0.02	26
27	0.01	—	—	—	—	0.04	0.82	0.19	0.13	0.01	0.22	0.06	27
28	0.27	—	0.12	0.05	—	—	—	—	0.01	—	0.29	0.50	28
29	—		—	—	—	—	—	—	0.51	—	0.02	0.01	29
30	—	╳	0.21	0.06	—	—	—	—	0.02	—	0.26	0.45	30
31	—	╳	0.07	╳	—	╳	—	—	╳	—	╳	0.01	31
Total	1.62	1.[illegible]	0.64	1.62	1.53	0.52	3.54	1.57	3.83	1.81	2.11	2.88	YEAR'S TOTAL 26.35
Rain Days.	17	[illegible]	10	17	9	13	18	8	24	16	13	25	186

Feb. Jan

W, ~~6,000, VII. 18.~~ ~~W W I~~

LINCOLNSHIRE

CARRINGTON GRANGE

1911 — 1920

REGI

Kept at Carringtõ

in the County of L

by T. J.

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

in.

nd 6 ft. in.

Level 15 ft.

m. Sisey

ce 5. Direction SE.

IMPORTANT NOTE.— previous day. If an Obser requested to add the reading for it at the end of this p the selection and placing Organization are given in "R Dr. H. R. Mill, 62, Camden

result entered to the l rule, he is earnestly n the space provided of rain, Rainfall cation to

Jan. 1, following.

Date.	Jan.	Feb.	March.								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	–	–	–	–	–	·08	–	·02	·02	·02	1
2	·41	–	–	–	·08	·05	–	·02	–	·02	·02	·05	2
3	·02	·08	–	·09	·09	–	–	·12	–	·05	·02	·03	3
4	·07	·02	·12	·02	–	–	=	·02	·08	·50	·09	·28	4
5	–	–	–	–	–	–	–	·06	–	–	–	·15	5
6	·35	–	·04	–	–	–	–	·02	–	·14	·05	·22	6
7	–	–	–	–	–	–	–	–	–	–	·16	·30	7
8	·25	–	·16	–	–	–	–	–	·04	–	·14	·09	8
9	–	–	·06	·06	–	–	–	–	–	–	·25	·02	9
10	·03	·05	·06	–	–	–	–	·13	–	–	·33	·22	10
11	·25	–	–	–	–	–	–	–	–	–	·35	–	11
12	·13	–	·28	–	–	–	–	–	·38	–	·04	–	12
13	–	–	·31	–	·02	·15	–	–	·06	·05	–	·37	13
14	–	·02	·09	–	–	·03	–	–	–	–	·06	·38	14
15	–	·11	·25	–	–	–	–	–	·02	–	·11	·04	15
16	–	–	·01	–	–	·05	–	–	–	–	·20	·11	16
17	–	–	·01	–	–	–	–	–	–	–	·08	·09	17
18	–	·08	–	–	–	·07	–	–	–	–	·34	·10	18
19	–	–	–	–	–	–	·05	·08	·03	·06	·18	·02	19
20	·06	–	–	·07	–	·30	·02	·58	·29	–	·03	·35	20
21	–	·41	–	–	–	–	–	·45	–	·02	·03	·03	21
22	·02	–	·11	–	–	–	–	·13	–	·36	·03	·20	22
23	–	·04	·46	–	–	1·59	–	–	·60	·02	–	·06	23
24	–	·05	·04	·05	–	·94	–	·03	–	·42	–	·13	24
25	–	·02	–	·15	–	·05	–	–	–	·06	·05	·12	25
26	–	–	–	·08	·02	–	–	–	–	·26	·35	·38	26
27	–	·09	·15	·23	–	·08	–	·24	·23	–	–	·04	27
28	–	·28	·01	·24	–	–	–	·09	–	·08	·04	·06	28
29	–		·01	–	–	·07	·12	–	·34	·28	–	·03	29
30	–		–	–	·15	·03	–	–	·20	·20	·03	·02	30
31			·02		–		–	–		–		·02	31
Total	1·66	1·25	2·18	·99	·36	3·41	·19	2·04	2·27	2·54	3·00	3·93	TOTAL for year
No. of Rain Days	11	2·91 12	6·09 18	6·88 9	6·44 5	9·85 12	10·04 3	12·08 14	14·35 11	16·89 16	19·89 24	23·82 29	✓ 164

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Carrington Grange.

in the County of Lincoln. 3

by T. J. Ward

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 6 ft. in.
" " " Sea Level 15 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Sibsey.
Distance 5. Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	–	–	–	–	–	·08	–	·02	·02	·02	1
2	·41	–	–	–	·08	·05	–	·02	–	·02	·02	·05	2
3	·02	·08	–	·09	·09	–	–	·12	–	·05	·02	·03	3
4	·07	·02	·12	·02	–	–	=	·02	·08	·50	·09	·28	4
5	–	–	–	–	–	–	–	·06	–	–	–	·15	5
6	·35	–	·04	–	–	–	–	·02	–	·14	·05	·22	6
7	–	–	–	–	–	–	–	–	–	–	·16	·30	7
8	·25	–	·16	–	–	–	–	–	·04	–	·14	·09	8
9	–	–	·06	·06	–	–	–	–	–	–	·25	·02	9
10	·03	·05	·06	–	–	–	–	·13	–	–	·33	·22	10
11	·25	–	–	–	–	–	–	–	–	–	·35	–	11
12	·13	–	·28	–	–	–	–	–	·38	–	·04	–	12
13	–	–	·31	–	·02	·15	–	–	·06	·05	–	·37	13
14	–	·02	·09	–	–	·03	–	–	–	–	·06	·38	14
15	–	·11	·25	–	–	–	–	–	·02	–	·11	·04	15
16	–	–	·01	–	–	·05	–	–	–	–	·20	·11	16
17	–	–	·01	–	–	–	–	–	–	–	·08	·09	17
18	–	·08	–	–	–	·07	–	–	–	–	·34	·10	18
19	–	–	–	–	–	–	·05	·08	·03	·06	·18	·02	19
20	·06	–	–	·07	–	·30	·02	·58	·29	–	·03	·35	20
21	–	·41	–	–	–	–	–	·45	–	·02	·03	·03	21
22	·02	–	·11	–	–	–	–	·13	–	·36	·03	·20	22
23	–	·04	·46	–	–	1·59	–	–	·60	·02	–	·06	23
24	–	·06	·04	·05	–	·94	–	·03	–	·42	–	·13	24
25	–	·02	–	·15	–	·05	–	–	–	·06	·05	·12	25
26	–	–	–	·08	·02	–	–	–	–	·26	·35	·38	26
27	–	·09	·15	·23	–	·08	–	·24	·23	–	–	·04	27
28	–	·28	·01	·24	–	–	–	·09	–	·08	·04	·06	28
29	–		·01	–	–	·07	·12	–	·34	·28	–	·03	29
30	–		–	–	·15	·03	–	–	·20	·20	·08	·02	30
31			·02		–		–	–		–		·02	31
Total	1·66	1·25	2·18	·99	·36	3·41	·19	2·04	2·27	2·54	3·00	3·93	TOTAL for year
No. of Rain Days	11	2·91 12	5·09 18	6·88 9	6·44 5	9·85 12	10·04 3	12·08 14	14·35 11	16·89 16	19·89 24	23·82 20	✓ 164

9,000, IX. '10.

C7 ML

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
17 JAN 1913

Kept at Carrington Grange.
in the County of Lincoln 3
by T. J. Ward

Lat. .... Long. ....
Nearest Railway Station Sibsey
RAIN GAUGE. Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 6 ft. .... in.
" " Sea Level 15 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·05	–	–	·18	·06	–	·08	–	–	·50	1
2	–	·04	·01	–	–	·16	·59	–	·02	–	–	·06	2
3	·27	·03	–	–	·07	·30	–	·31	·08	–	–	·11	3
4	·04	–	·31	–	·03	·15	–	·07	–	–	·38	–	4
5	–	·05	–	–	–	·22	–	·03	–	–	·02	–	5
6	·77	·08	–	–	·06	·02	·51	·12	–	–	–	·04	6
7	·04	–	–	–	–	·17	–	–	·08	–	–	–	7
8	·23	·08	·10	·05	·02	·15	·36	–	·35	–	–	·02	8
9	·04	·10	·02	·11	–	·21	–	–	·02	–	–	·24	9
10	–	–	–	–	–	–	–	·20	·15	–	·08	–	10
11	·09	–	·02	–	·02	–	–	–	·02	–	·02	·55	11
12	·07	·33	·18	–	–	·16	–	·03	–	–	·52	–	12
13	·02	·05	–	–	–	·04	–	·03	–	·10	·34	·03	13
14	·01	–	·09	–	·36	·11	–	·11	–	–	·01	–	14
15	–	·02	·13	–	–	·11	–	–	–	–	·01	–	15
16	·18	–	·12	–	·08	·11	–	·18	–	·17	–	–	16
17	·06	–	·21	–	–	·24	–	·16	–	–	–	·20	17
18	·12	·07	·13	–	–	·02	·05	–	–	·06	–	·08	18
19	·31	·18	–	–	–	·10	·08	·23	·02	·02	·04	–	19
20	·11	–	·02	–	·06	·01	·51	·13	–	·28	·01	–	20
21	–	·02	·21	–	·39	–	·15	–	–	·02	–	·03	21
22	–	·09	–	–	·60	·02	·22	·21	–	–	–	·18	22
23	·07	·11	·14	–	·01	–	·11	·59	–	–	·15	·11	23
24	·16	–	–	–	–	·35	·12	·03	–	–	–	·12	24
25	·03	–	·01	–	–	·20	·06	·53	–	–	·18	·19	25
26	–	·03	·02	–	–	–	·09	2·24	–	·42	·09	·34	26
27	–	–	–	–	–	·08	·06	·03	–	·35	–	·09	27
28	–	–	–	·02	·02	–	·03	·45	–	·26	·35	·43	28
29	–	–	·02	·03	–	·06	·40	·03	·49	·20	·36	–	29
30	–	–	·06	–	·05	·30	·01	–	·19	·06	–	–	30
31	–	–	–		·09		·38	·26		·02		·02	31
Totals	2·62	1·28	1·85	·21	1·86	3·47	3·79	5·97	1·50	1·96	2·56	3·34	
Total from Jan. 1		3·85	5·78	5·99	7·85	11·24	15·03	21·00	22·50	24·46	27·02	30·36	✓
	18	15	19	4	14	24	18	21	11	12	15	19	190

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

✓

REGISTER OF RAINFALL IN 1913

Exo D K

FORM A2.
BRITISH RAINFALL.
27 JAN 1914

Kept at Carrington Grange

in the County of Lincoln 3

by T. J. Ward

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 6 ft. 0 in.
" " " Sea Level 15 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name New Bolingbroke
Distance 1½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	·11	·06	–	–	–	–	1·08	–	·05	–	1
2	–	·06	·04	–	·08	–	·09	–	–	–	·11	–	2
3	·01	–	·09	–	·37	–	–	–	–	–	–	–	3
4	·38	–	–	–	·05	·02	·05	–	·04	·40	·28	·11	4
5	·02	–	–	–	–	–	–	·02	·06	1·55	–	–	5
6	–	–	·03	–	·43	·05	–	–	·01	·70	–	–	6
7	–	–	–	–	·12	·06	–	–	–	·92	·04	·02	7
8	–	–	·06	–	·48	·18	–	–	·02	·03	·08	·01	8
9	–	·29	·04	·09	·06	·04	–	–	–	–	·11	–	9
10	–	–	–	·05	·07	–	·07	–	–	–	·49	–	10
11	·53	·02	–	·53	–	·01	–	·05	–	–	·05	–	11
12	–	–	–	–	–	·02	–	–	–	–	·31	–	12
13	·04	·02	·04	·02	–	–	–	·03	–	–	–	–	13
14	·03	–	·46	·02	–	–	·02	–	–	·12	–	–	14
15	·12	–	·15	·28	–	–	–	–	–	–	·12	–	15
16	·19	·07	·47	·15	–	–	–	–	·56	–	·06	–	16
17	·02	·03	·11	·14	–	·15	–	–	·04	–	·02	·06	17
18	–	–	·09	–	–	–	·03	–	–	–	–	–	18
19	·09	–	·08	–	–	–	–	·02	·35	–	–	·03	19
20	·27	–	·03	·02	–	–	–	–	·25	·32	·02	·03	20
21	·09	–	·04	–	·06	–	·24	·01	·01	–	·18	–	21
22	·09	–	·11	–	–	–	·11	·02	·11	–	–	–	22
23	·02	–	–	–	–	·04	·04	·04	·08	·03	·02	–	23
24	·05	–	–	·06	–	–	–	·08	–	–	·03	–	24
25	·02	–	–	·14	–	–	–	–	–	–	–	·06	25
26	·01	·19	·05	·05	·13	·04	–	–	–	·53	·08	–	26
27	–	·04	–	–	–	·08	–	–	–	–	·02	·11	27
28	·22	–	·08	·18	–	–	–	·01	–	·07	–	·02	28
29	·09		·14	·45	–	–	–	·07	–	–	–	·20	29
30	·26		–	·03	–	–	–	–	–	·08	–	–	30
31	–		–		·07		–	·11		–		–	31
Total	2·87	·71	2·22	2·27	1·87	·69	·65	·46	2·61	4·75	2·10	·65	TOTAL for year
No. of Rain Days		3·58	5·80	8·07	9·94	10·63	11·28	11·74	14·35	19·10	21·20	21·85	
	21	8	19	16	11	11	8	11	12	11	18	10	156

7,000. X. '09.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Carrington Grange
in the County of Lincoln 3
by T. J. Ward

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station New Bolingbroke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. .... in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	·12	·32	–	·02	·12	–	1
2	–	–	–	–	–	–	·04	–	–	–	·05	·10	2
3	·01	–	·16	–	·11	–	·08	–	–	–	·02	–	3
4	·12	–	·03	·26	·04	–	·06	·03	–	–	·27	·06	4
5	–	–	·10	·05	–	–	–	·20	–	–	–	–	5
6	–	·07	–	·10	·11	–	·11	–	–	–	·09	·08	6
7	–	·04	·24	–	·03	·15	–	–	–	–	–	·06	7
8	·27	·03	·02	·02	·06	·77	–	·12	·01	–	–	·02	8
9	·38	–	·16	·20	–	1·06	–	–	·01	–	–	–	9
10	·52	·05	·06	·02	–	–	–	–	·08	·06	–	–	10
11	–	·03	·28	·30	·04	·06	–	–	·11	–	·29	·20	11
12	·04	·02	·03	–	–	–	·11	–	·21	–	·02	·36	12
13	·04	·10	·20	–	–	–	–	–	–	·17	·06	·16	13
14	–	–	·15	–	–	–	–	–	–	·12	·10	·23	14
15	·05	–	·15	–	–	–	–	–	–	–	·30	·61	15
16	·04	–	–	–	–	–	·04	–	·04	–	·07	–	16
17	·02	·18	·06	–	–	–	·04	–	·21	–	–	·11	17
18	·01	–	·03	–	–	–	·05	–	–	–	·04	·31	18
19	–	·03	·18	–	–	·04	·06	–	·20	–	·12	–	19
20	–	·03	·25	–	–	–	–	–	–	·06	–	–	20
21	–	·11	·20	–	–	–	–	–	–	·06	–	·25	21
22	–	·02	·05	·04	·90	·03	·09	·04	–	·13	–	·08	22
23	–	·05	·04	–	·03	·10	·09	–	–	·01	–	–	23
24	–	–	·02	·07	–	–	·03	·06	–	·08	·23	–	24
25	–	–	–	–	–	–	·05	·08	–	·56	·01	·14	25
26	–	–	–	–	–	–	·03	·15	–	·09	·20	·25	26
27	–	–	–	–	–	–	–	–	–	–	·02	·20	27
28	·08	·04	–	–	–	–	–	–	–	·12	·23	1·20	28
29	·04		·12	–	·03	–	–	–	–	·35	·01	–	29
30	–		–	–	–	·03	–	–	–	·03	·36	·25	30
31	–		–		–		·18	–		·12		·09	31
Total	1·62	·80	2·56	1·06	1·35	2·24	1·18	·99	·87	1·97	2·61	4·81	YEAR'S TOTAL 22·06
Rain Days.		2·42	4·98	6·04	7·39	9·63	10·81	11·80	12·67	14·64	17·25	22·06	
	13	14	21	9	9	8	16	8	8	15	20	20	161

W.7,000, XI. 13

Cnd pr auth 14·11·16

2674

FORM A.
BRITISH RAINFALL.
23 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Carrington Grange

in the County of Lincoln

by T. J. Ward

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station New Bolingbroke

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·15	–	–	·38	–	–	–	·12	–	·16	·08	1
2	·03	–	·25	·10	–	·03	–	·89	·09	–	·45	·02	2
3	·27	–	·04	·07	–	–	·33	–	–	–	·03	·22	3
4	·19	–	–	–	–	–	1·41	·08	–	–	–	·85	4
5	·07	·04	–	–	·44	–	–	·14	–	–	·10	–	5
6	·08	·12	·08	·09	–	–	·69	–	–	–	–	·02	6
7	·27	·20	·26	–	–	–	·42	·26	–	–	·05	·69	7
8	·07	·03	·02	–	–	–	·02	–	–	–	–	–	8
9	·08	·10	–	·03	–	·33	–	·06	–	–	·04	·38	9
10	·28	–	–	–	–	–	–	·01	–	–	–	–	10
11	·02	–	·02	–	·20	–	·01	·03	–	–	·36	·14	11
12	·13	–	–	·10	·10	–	–	·46	–	·02	·86	–	12
13	·01	·43	–	–	·37	–	·02	–	·06	–	–	–	13
14	–	·25	–	–	·15	–	–	·03	–	·02	–	–	14
15	·30	–	–	–	–	–	·09	·09	–	–	·73	·28	15
16	–	·21	–	–	–	–	·59	–	–	–	–	·05	16
17	·10	·09	–	–	–	–	·08	–	–	–	–	·06	17
18	–	·05	·18	–	–	–	–	–	–	·03	·13	–	18
19	–	–	·02	–	–	–	·07	–	–	–	–	–	19
20	·22	–	–	·04	–	–	–	–	–	–	–	·38	20
21	·11	·16	·20	–	·21	–	·20	–	–	–	–	·08	21
22	·10	–	–	–	–	–	·21	–	–	–	–	·20	22
23	·05	·08	–	–	–	–	·12	–	·06	·03	·01	·18	23
24	–	–	·27	–	–	–	–	–	·35	·03	–	·15	24
25	–	–	·03	–	–	·23	·01	–	·02	·02	·03	·12	25
26	·02	·11	–	–	–	–	·02	–	–	–	–	·30	26
27	·02	–	·03	–	–	–	·21	–	–	·50	–	·13	27
28	–	·04	·07	–	–	·33	–	·14	–	·17	–	–	28
29	–		–	–	–	–	–	·08	–	–	·26	·25	29
30	·07		–	·02	–	–	·01	·02	·02	·02	–	·03	30
31	·08		–		–		–	·20		·03		·11	31
Total	2·84	2·06	1·47	·45	1·55	·62	4·61	2·44	·72	·87	2·84	4·71	YEAR'S TOTAL 25·44 25·38
Rain Days.	23	4·90 15	6·37 13	6·82 7	8·67 7	~~9·35~~ 4	~~13·86~~ 18	~~16·30~~ 14	~~17·02~~ 7	~~17·89~~ 10	~~20·73~~ 13	22	153

W. 8,000. X. 14.

2610

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
19 FEB 1917

Kept at Carrington Grange
in the County of Lincoln
by T. J. Ward

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station New Bolingbroke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. ...... in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	—	·04	—	—	·08	·38	—	—	—	·28	—	1
2	·15	·09	—	—	·32	—	·26	—	·02	—	·18	—	2
3	—	·09	·04	—	—	—	1·08	—	·52	·45	·05	—	3
4	·19	·26	—	—	—	—	·03	—	·20	·20	·21	—	4
5	·06	·02	—	—	·22	·30	·10	—	—	·11	·06	—	5
6	·03	·10	·36	·18	·08	·18	—	—	—	—	·24	·11	6
7	—	—	·20	—	·25	—	·12	—	—	—	·48	·14	7
8	—	—	·12	—	·04	—	—	—	—	·10	—	·26	8
9	—	—	·11	—	·28	—	—	—	·03	—	—	—	9
10	—	·03	·11	·05	—	·08	·02	—	—	—	—	·18	10
11	·07	·46	·22	·23	·02	·11	—	—	·08	·11	—	—	11
12	—	·11	·08	·15	·18	·43	·04	—	·02	—	—	—	12
13	—	·12	·09	·04	·18	·28	·03	·09	—	—	—	—	13
14	—	·06	—	—	·12	—	·07	·06	—	—	—	—	14
15	—	·16	·68	·04	·02	—	—	·16	—	·10	—	—	15
16	—	·05	·06	·28	—	—	·12	·42	—	—	—	—	16
17	·02	—	—	·97	—	—	·13	—	·22	·15	—	—	17
18	·01	·18	—	·14	—	—	—	·35	·07	·17	·93	—	18
19	·05	—	·02	·15	—	—	—	—	·06	—	·43	—	19
20	·16	—	·09	·45	—	—	—	—	—	·04	·10	·40	20
21	—	—	·12	·10	—	—	·12	—	·12	—	—	·53	21
22	—	·10	—	·22	·07	—	—	—	—	—	—	·43	22
23	·04	·38	—	·04	—	·10	·02	—	—	—	—	·31	23
24	—	·75	—	—	—	·66	—	·06	—	·14	·02	—	24
25	—	·13	—	—	—	—	—	·17	—	·09	·10	—	25
26	—	·11	·18	—	—	—	—	·10	—	·07	·12	—	26
27	—	·03	·27	—	—	—	—	·01	—	—	—	—	27
28	—	·21	1·08	—	—	—	—	—	—	—	—	·25	28
29	—	·15	—	—	—	—	—	·70	—	·15	—	·17	29
30	—		—	—	—	·05	—		—	·04	—	—	30
31	—		—		—		—			—		·02	31
Total	·88	3·59	3·87	3·04	1·78	2·27	2·52	2·12	1·34	1·92	3·20	2·80	YEAR'S TOTAL 29·33
Rain Days.	11	21	18	14	12	10	14	10	10	14	13	11	158

1,000, XI. '12

3·01

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3477

FORM A.
BRITISH RAINFALL.

11. FEB 1918

REGISTER OF RAINFALL IN 1917.

Kept at Carrington Grange
in the County of Lincoln
by T. J. Ward

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station New Bolingbroke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. .... in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·17	–	·2	–	·78	·8	–	–	–	1
2	·08	–	–	·04	–	·14	–	·15	–	–	·4	–	2
3	–	–	–	·12	–	–	–	·52	–	·44	–	–	3
4	–	–	·2	·02	–	–	–	–	–	·70	–	–	4
5	–	–	–	·13	–	–	–	·2	–	–	·16	–	5
6	–	–	·07	·02	–	·15	–	–	·19	–	–	–	6
7	·38	–	–	–	–	·17	–	–	–	·41	–	·4	7
8	·79	–	–	·09	–	–	·14	·50	–	·13	·9	–	8
9	·12	–	–	·07	–	–	–	·6	–	–	·19	–	9
10	–	–	·04	·06	–	–	–	·12	–	·7	·4	–	10
11	–	–	·31	1·34	–	–	–	·5	–	·22	–	–	11
12	·04	–	·04	·02	·38	–	–	·12	–	·15	–	·3	12
13	·12	–	–	–	–	–	–	·14	·8	·2	–	·2	13
14	–	–	–	·07	–	–	–	·19	–	–	–	–	14
15	·13	·14	–	–	–	–	·28	·27	–	·9	–	–	15
16	–	·21	–	·25	–	–	·17	–	–	·5	–	·12	16
17	–	·03	·06	·24	·72	·13	·3	·2	·4	·12	–	·18	17
18	·15	–	–	·03	–	–	·48	–	·45	–	–	–	18
19	·11	·07	·11	–	–	–	–	–	·7	–	–	–	19
20	–	·29	·8	–		–	–	–	·18	–	·30	–	20
21	·03	·04	·11	–	–	·24	–	–	–	·3	·3	–	21
22	–	–	·09	–	–	–	–	–	–	·14	–	–	22
23	·06	–	–	–	·16	–	–	·29	–	·3	–	–	23
24	–	–	–	–	–	·31	·4	–	–	·54	·2	–	24
25	–	–	·04	–	–	–	·11	–	–	–	·9	·25	25
26	–	–	·11	–	–	–	–	·38	·8	–	·65	–	26
27	–	–	·02	–	–	–	·2	·54	–	–	–	–	27
28	–	·04	·10	–	·41	·33	–	·21	–	–	–	·27	28
29	–	–	–	–	·28	·5	–	–	–	·33	–	–	29
30	–	–	·14	–	–	–	·11	·20	–	–	–	–	30
31	–	–	–	–	–	–	·3	·13			–	·10	31
Total	2·31	·72	1·34	2·67	1·99	1·54	1·41	4·69	1·17	3·47	1·61	1·01	YEAR'S TOTAL 23·93
Rain Days.	12.	7.	15.	15.	6.	9.	10.	19.	8	16.	10.	8.	135

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1·59

Price 2d.

27

FORM A.
BRITISH RAINFALL
16.1.19

REGISTER OF RAINFALL IN 1918.

Kept at Carrington Grange
in the County of Lincoln
by T. J. Ward.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station New Bolingbroke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. .... in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	-	-	·06	·14	·09	1
2	·05	·17	-	·06	-	-	-	·29	·11	-	·04	·37	2
3	-	·02	·05	-	·31	-	-	·08	·04	·03	·86	-	3
4	-	·03	·06	-	-	-	·12	·14	·69	-	·25	·03	4
5	-	-	·02	·07	·04	-	-	·34	·11	·05	-	-	5
6	-	·06	-	·16	-	-	-	·07	·03	-	-	·04	6
7	·04	-	-	·06	-	·07	-	-	-	·15	·12	·06	7
8	-	·03	·02	·05	-	-	·04	-	·08	-	·03	·08	8
9	-	·27	-	·03	-	-	-	-	·38	·41	·02	·06	9
10	·21	·02	-	·12	-	-	·31	-	-	·12	-	·03	10
11	·10	·05	-	·04	·42	-	·07	-	·06	·45	-	·09	11
12	-	·21	-	-	·05	-	·10	-	·09	·06	-	-	12
13	-	-	-	-	·16	-	-	-	·13	-	-	·03	13
14	·31	-	-	·08	-	·02	·24	-	·13	·09	-	·09	14
15	·69	-	-	·41	-	-	·21	-	·15	-	-	·11	15
16	-	-	-	·14	-	-	-	-	·48	-	-	·08	16
17	·17	-	-	·04	·15	-	·81	·02	·02	·03	-	·23	17
18	·21	-	-	·03	-	-	-	-	·29	·04	-	·47	18
19	·07	·05	·06	·02	-	-	-	-	-	·08	-	-	19
20	·03	-	-	·03	-	·07	·13	-	·03	·02	-	-	20
21	·02	-	-	-	-	·12	-	-	·24	·13	-	-	21
22	·10	-	-	-	·09	-	-	-	-	-	-	·41	22
23	·09	-	-	·02	1·10	-	·09	-	-	-	-	-	23
24	-	·32	-	-	·15	-	·06	-	·11	·06	-	-	24
25	-	-	-	-	-	·33	·16	-	-	-	-	·02	25
26	-	-	-	-	-	-	·10	·12	·05	-	·21	·04	26
27	-	-	-	·02	-	·04	-	·20	·07	-	·09	·09	27
28	-	·15	·15	-	-	-	-	·24	-	-	·13	·29	28
29	-	-	-	-	-	-	-	-	·54	-	-	·03	29
30	-	X	·24	·03	-	-	-	-	-	-	·11	·06	30
31	-	X	·05	X	-	X	-	-	X	·02	X	·04	31
Total	2·09	1·38	·65	1·41	2·47	·65	2·44	1·50	3·83	1·80	2·00	2·84	YEAR'S TOTAL 23·06
Rain Days.	13	12	8	18	9	6	13	9	21	16	11	23	159

W. 8 000, IX. 17.

2331

FORM A.
BRITISH RAINFALL

12 FEB 20

Local R.

REGISTER OF RAINFALL IN 1919

Kept at Carrington Grange

in the County of Lincoln

by T. J. Ward.

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station New Bolingbroke

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·	·03	-	·17	-	·42	·	·	·04	·12	·47	1
2	·14	·04	-	-	-	·	·18	·	·11	·	·18	·21	2
3	·52	-	·02	-	-	·	·30	·	·07	·	·42	-	3
4	·04	-	·37	-	-	·8	·02	·	·98	·	·05	·18	4
5	·11	-	-	-	-	·	·	·04	-	·	-	·11	5
6	-	-	·05	-	-	·	·	·	-	-	·07	·13	6
7	·02	-	·13	-	-	·	-	·	-	·	·	·03	7
8	·09	-	·	·16	·	·	-	·	-	·	·03	-	8
9	-	-	-	-	·	-	·	·	·	·02	·04	-	9
10	·	-	·16	·02	-	·	·	·	-	·04	·21	·11	10
11	·10	-	·19	·05	·04	·	·48	·	·	·	·		11
12	-	-	·32	·03	-	·10	·03	·	·	·06	·05		12
13	·03	-	·	·12	-	-	·	·	·03	·13	·06		13
14	·16	-	-	·22	-	-	·09	·	·07	-	·08		14
15	·45	·07	·05	·46	-	-	·	·	-	-	·12	·24	15
16	·41	1·18	-	·83	·	-	-	·	-	-	·03	-	16
17	-	·38	-	·02	·03	·03	-	·	·	·	·29	·03	17
18	-	·	-	·	-	·	-	·14	·	·05	·	·08	18
19	-	·27	·46	·	-	·06	·39	·65	·	·06	·	·03	19
20	·31	·07	·31	·	·	·07	·47	·35	·03 3	-	-	·12	20
21	·30	·47	·09	·	·	-	·17	·	·	-	·03	·17	21
22	-	·18	-	·	-	-	·04	·	·58	-	·04	·52	22
23	-	-	-	·07	·	·06	·07	·06	·02	·31	-	·02	23
24	·	-	-	·02	·07	·25	-	·	·	·07	·02	-	24
25	·10	·08	·	·16	·12	·02	-	·66	·	-	·09	·05	25
26	·07	·10	·	·05	·	-	·	·17	-	·05	·03	·37	26
27	·03	-	·15	·50	·	-	·	-	·	·64	·	-	27
28	-	-	·	·02	-	-	-	·61	·06	·57	-	·34	28
29	·06	-	·	·12	-	·06	-	·26	·	·21	·29	·12	29
30	·02	X	·	·22	·	·25	·	-	-	·11	·07	·24	30
31	·	X	·03	X	·	X	·05	·	X	·19	X	·08	31
Tota	3·22	2·84	2·36	2·27	·43	·98	2·71	2·94	1·93	2·55	2·32	3·65	YEAR'S TOTAL 28·20
Rain Days.	19	10	14	17	5	10	13	9	9	15	21	21	163

W. 6,500, VII. 18. W W C

2233.

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1920.

Kept at Carrington Grange
in the County of Lincoln.
by T. J. Ward

Lat. ________ Long. ________
Time of Observation 9. a.m.
Nearest Railway Station New Bolingbroke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. ____ in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·	·27	-	·28	-	-	·81	·02	·04	1
2	-	-	-	·07	·04	·	·08	-	-	·13	·	·13	2
3	-	·	·	·04	·	·08	·14	·	·22	·04	-	·05	3
4	·	·02	·	·08	·	·	·	·41	-	·12	-	·11	4
5	-	-	·	·07	·52	·	·09	·11	·11	·	-	·08	5
6	-	-	·12	·	·06	·	·12	·02	-	·	·	·18	6
7	·	·03	·11	·21	-	·	·26	·	-	-	-	-	7
8	·02	·02	·	·38	·	·	·	-	-	-	-	·07	8
9	·24	·03	·	·64	-	·	-	·13	-	·	·	·	9
10	-	·04	·09	·10	-	·	·02	-	-	-	-	-	10
11	·15	·	·07	·30	·10	-	·	-	-	-	-	·37	11
12	·08	·	·02	·19	-	·	·	·	-	-	-	·06	12
13	·	-	·08	·28	-	·45	·	·	·09	-	·06	·10	13
14	-	-	·44	·17	-	·24	·	-	·19	-	·10	·	14
15	·02	·06	·41	·02	-	·	·02	·	·11	·14	·	·07	15
16	·	-	·	·05	·07	·	·	·	·05	·	·	-	16
17	-	·	-	·	·14	·	-	-	·36	·07	-	·	17
18	·06	-	·	·	·06	·07	·	13	·04	·	-	-	18
19	-	·29	·	·11	-	·	·	·38	-	-	-	·06	19
20	·16	·40	-	·19	-	·48	·	-	·	·	-	·03	20
21	-	-	·	·07	-	·	·35	·05	·11	·	-	·	21
22	·	·	-	·12	·	-	·	·02	·13	·	·	·	22
23	·	·	·	·	-	·	·23	-	·	-	-	·24	23
24	02	-	·24	·	-	·	·	-	-	-	·02	03	24
25	-	·06	·04	·09	·13	·02	·52	-	-	-	·	·04	25
26	·12	·	·03	·05	25	·	·07	-	·	-	·21	·14	26
27	·07	-	·	·15	·04	·37	-	-	·	·	·05	·04	27
28	·49	-	·	·14	·34		·05	-	·	·	·11	·34	28
29	·07	-	·31	-	·70		·10	-	·	·	·	·28	29
30	-	-	·02	·17	·	·05	·04	-	·15	·	·	·09	30
31	·20	·	-		·		·26		·	·14	08	-	31
Total	1·70	·95	1·98	3·69	2·72	1·76	2·63	1·25	1.56	1·45	·65	2·60	YEAR'S TOTAL 22·94
Rain Days.	13	9	13	23	13	8	16	8	11	7	8	21	150

·01 ·04 10 5 10 22 13 7 14 6 11 7 6 20 137

1,000, XI. '12 EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C. Waterlow and Sons Limited, Printers, London Wall, London. Price 2d.

LINCOLN.

CLAYPOLE RECTORY.

1911–1916, 1919

FORM A2. BRITISH RAINFALL.

2 - JAN 19

REGIS

Kept at Claypole

in the County of Linc

by the Rev. J. Ham

8 in.

e Ground 2 ft. in.

Sea Level 70 ft.

a.m.

Name Claypole

Distance 1/3 mile Direction S.S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.00	.00	.00	.00	.00	.02	.035	.00	.00	.005	.03	1
2	.21	.00	.00	.00	.10	.00	.00	.06	.00	.00	.02	.07	2
3	.02	.00	.00	.01	.07	.00	.00	.25	.00	.03	.03	.00	3
4	.03	.01	.16	.19	.00	.00	.00	.01	.11	.435	.09	.18	4
5	.02	.00	.00	.04	.00	.00	.00	.03	.00	.025	.00	.01	5
6	.16	.00	.01	.00	.00	.00	.00	.02	.00	.135	.02	.18	6
7	.02	.00	.01	.00	.00	.00	.00	.00	.00	.01	.185	.17	7
8	.25	.00	.165	.00	.005	.00	.00	.00	.01	.00	.01	.12	8
9	.03	.00	.01	.00	.00	.01	.00	.00	.00	.00	.01	.01	9
10	.00	.00	.03	.00	.00	.00	.00	.03	.00	.00	.015	.32	10
11	.22	.00	.00	.00	.00	.00	.00	.05	.00	.00	.23	.00	11
12	.08	.00	.29	.00	.00	.00	.00	.00	.65	.00	.08	.01	12
13	.00	.00	.115	.00	.00	.02	.00	.00	.02	.00	.04	.44	13
14	.00	.00	.05	.00	.67	.00	.02	.00	.00	.00	.00	.29	14
15	.00	.05	.125	.00	.00	.00	.00	.00	.03	.065	.01	.05	15
16	.00	.00	.02	.00	.00	.06	.00	.00	.00	.02	.20	.07	16
17	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.05	.07	17
18	.00	.125	.02	.01	.00	.04	.00	.00	.00	.015	.25	.04	18
19	.02	.01	.00	.00	.00	.27	.00	.02	.02	.00	.27	.04	19
20	.00	.035	.00	.04	.00	.00	.02	.78	.00	.07	.00	.28	20
21	.01	.21	.01	.00	.00	.09	.00	.13	.00	.07	.02	.09	21
22	.02	.015	.04	.03	.00	.00	.00	.04	.00	.45	.04	.19	22
23	.00	.11	.16	.00	.00	.50	.00	.04	.44	.00	.02	.07	23
24	.00	.02	.03	.06	.00	1.00	.00	.01	.00	.26	.00	.245	24
25	.00	.015	.02	.07	.00	.00	.00	.00	.02	.00	.05	.04	25
26	.00	.005	.00	.08	1.54	.00	.00	.00	.00	.18	.40	.44	26
27	.00	.06	.13	.11	.00	.00	.09	.32	.16	.03	.01	.08	27
28	.00	.15	.01	.14	.00	.00	.00	.00	.00	.00	.07	.02	28
29	.00		.00	.00	.00	.11	.00	.00	.12	.13	.00	.00	29
30	.00		.03	.00	.10	.09	.12	.015	.015	.18	.00	.00	30
31	.00		.03		.00		.00			.00		.01	31
Total	1.11	.855	1.465	.78	2.485	2.27 2.37	.27	1.84	9 1.595	2.105	2.125	3.565	TOTAL for year 20.465
No. of Rain Days	14	15 14	21	11	5	10	5	16	11	16	24 23	27	173

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 19

REGI 11

Kept at Claypole Rectory

in the County of Lincoln 3

by the Rev. J. Hamilton

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft.
„ „ „ Sea Level 70 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Claypole
Distance ⅓ mile Direction E.S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·00	·00	·00	·00	·00	·02	·035	·00	·00	·005	·03	1
2	·21	·00	·00	·00	·10	·00	·00	·06	·00	·00	·02	·07	2
3	·02	·00	·00	·01	·07	·00	·00	·25	·00	·03	·03	·00	3
4	·03	·01	·16	·19	·00	·00	·00	·01	·11	·435	·09	·18	4
5	·02	·00	·00	·04	·00	·00	·00	·03	·00	·025	·00	·01	5
6	·16	·00	·01	·00	·00	·00	·00	·02	·00	·135	·02	·18	6
7	·02	·00	·01	·00	·00	·00	·00	·00	·00	·01	·185	·17	7
8	·25	·00	·165	·00	·005	·00	·00	·00	·01	·00	·01	·12	8
9	·03	·00	·01	·00	·00	·01	·00	·00	·00	·00	·01	·01	9
10	·00	·00	·03	·00	·00	·00	·00	·03	·00	·00	·015	·32	10
11	·22	·00	·00	·00	·00	·00	·00	·05	·00	·00	·23	·00	11
12	·08	·00	·29	·00	·00	·06	·00	·00	·65	·00	·08	·01	12
13	·00	·00	·115	·00	·00	·02	·00	·00	·02	·00	·04	·44	13
14	·00	·00	·05	·00	·67	·00	·02	·00	·00	·00	·00	·29	14
15	·00	·05	·125	·00	·00	·00	·00	·00	·03	·065	·01	·05	15
16	·00	·00	·02	·00	·00	·06	·00	·00	·00	·02	·20	·07	16
17	·00	·00	·00	·00	·00	·09	·00	·00	·00	·00	·05	·07	17
18	·00	·125	·02	·01	·00	·04	·00	·00	·00	·015	·25	·04	18
19	·02	·01	·00	·00	·00	·27	·00	·02	·02	·06	·27	·04	19
20	·00	·035	·00	·04	·00	·00	·02	·78	·00	·07	·00	·28	20
21	·01	·21	·01	·00	·00	·09	·00	·13	·00	·07	·02	·09	21
22	·02	·015	·04	·03	·00	·00	·00	·04	·00	·45	·04	·19	22
23	·00	·11	·16	·00	·00	·5[illegible]	·00	·04	·44	·00	·02	·07	23
24	·00	·02	·03	·06	·00	1·00	·00	·01	·00	·26	·00	·245	24
25	·00	·015	·02	·07	·00	·00	·00	·00	·02	·00	·05	·04	25
26	·00	·005	·00	·08	1·54	·00	·00	·00	·00	·18	·40	·44	26
27	·00	·06	·13	·11	·00	·00	·09	·32	·16	·03	·01	·08	27
28	·00	·15	·01	·14	·00	·00	·00	·00	·00	·00	·07	·02	28
29	·00		·00	·00	·00	·11	·00	·00	·12	·13	·00	·00	29
30	·00		·03	·00	·10	·09	·12	·015	·015	·18	·00	·00	30
31	·00		·03		·00		·00			·00		·01	31
Total	1·11	·855	1·465	·78	2·485	2·27 2·37	·27	1·84	9 1·595	2·105	2·125	3·565	TOTAL for year 20·465
No. of Rain Days	14	15 14	21	11	5	10	5	16	11	16	24 23	27	173

9,000, IX. '10.

Cor. Ingram. stats. 11-VI-13. W. J. C.

FORM A2.
BRITISH RAINFALL.

14 MAY 1913

REGISTER OF RAINFALL IN 1912

Kept at Claypole

in the County of Lincoln 3

by the Rev. Francis R. A. Hamilton

RAIN GAUGE
Pattern M.O. 6. 1101.
Diameter of top 8 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 70 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Claypole
Distance 550 yds Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·00	·00	·22	·00	·01	·12	·00	·00	·12	1
2	·00	·02	·02	·01	·00	·32	·52	·00	·07	·00	·00	·02	2
3	·11	·00	·025	·00	·05	·36	·00	·33	·11	·00	·00	·06	3
4	·04	·00	·24	·00	·11	·23	·00	·05	·00	·00	·37	·00	4
5	·03	·02	·00	·00	·01	·18	·00	·05	·00	·00	·01	·00	5
6	·52	·10	·00	·00	·00	·00	·13	·26	·00	·00	·00	·06	6
7	·00	·025	·00	·00	·00	·13	·01	·13	·00	·00	·00	·00	7
8	·24	·13	·14	·01	·00	·00	·02	·00	·31	·00	·00	·02	8
9	·01	·07	·12 ·12	·07	·00	·08	·00	·00	·00	·00	·00	·15	9
10	·00	·00	·00	·00	·00	·12	·00	·15	·01	·00	·14	·00	10
11	·06	·00	·00	·00	·01	·04	·00	·00	·02	·00	·05	·70	11
12	·07	·26	·03	·00	·00	·22	·27	·00	·00	·00	·05	·00	12
13	·00	·01	·00	·00	·00	·06	·00	·00	·00	·025	·12	·01	13
14	·14	·00	·32	·00	·00	·16	·00	·10	·00	·00	·00	·00	14
15	·01	·01	·16	·00	·28	·07	·00	·01	·00	·00	·00	·09	15
16	·35	·00	·12	·00	·06	·11	·00	·10	·06	·10	·00	·00	16
17	·10	·00	·09	·00	·06	·16	·00	·17	·00	·00	·01	·29	17
18	·11	·00	·11	·00	·00	·00	·00	·10	·00	·00	·03	·00	18
19	·32	·00	·00	·00	·00	·71	·25	·63	·03	·015	·00	·00	19
20	·15	·015	·03	·00	·14	·00	·40	·035	·00	·11	·00	·00	20
21	·01	·00	·57	·00	·45	·00	·95	·02	·00	·02	·01	·00	21
22	·00	·07	·06	·00	·79	·02	·37	·44	·00	·00	·01	·09	22
23	·14	·05	·18	·00	·06	·01	·48	·47	·00	·01	·07	·00	23
24	·18	·00	·02	·00	·00	·19	·00	·11	·01	·01	·00	·15	24
25	·00	·00	·00	·00	·00	·25	·01	·25	·00	·01	·22	·20	25
26	·00	·02	·04	·00	·00	·01	·17	1·10	·00	·53	·14	·10	26
27	·00	·00	·00	·00	·01	·08	·21	·00	·00	·57	·00	·13	27
28	·00	·00	·00	·00	·11	·04	·09	·38	·04	·16	·49	·43	28
29	·00	·00	·00	·00	·01	·06	·07	·00	·24	·14	·41	·00	29
30	·13		·00	·00	·46	·14	·00	·00	·03	·00	·00	·00	30
31	·00		·01		·71		·43	·17		·01		·02	31
Total	2·72	·88	2·305	·09	3·26	3.96	4·38	5·06	·99	1·71	2·13	2·64	TOTAL for year
No. of Rain Days.	19	14	18	3	15	25	16	22	11	13	15	17	30.125 188

W. 8,000, X. '11.

[illegible] referred 1.4.14 8.VI.14 Jan 11 cor'd fr auth 1.IV.14 Ca. by clr. 16.VI.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at Claypole Rectory

in the County of Lincolnshire. 3

by (the Rev.) Francis R. A. Hamilton

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Claypole
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
Sea Level 70 ft.

IMPORTANT … the result entered to the previous day. If … ersal rule, he is earnestly requested to add t… r in the space provided for it at the end … ent of rain … Jan. 1. following.
the selection and …
Organization are g…
Dr. H. R. Mill, 6…

Date.	Jan.	Feb.											te
1	·005	·00											1
2	·005	·05											2
3	·00	·00											3
4	·40	·00											4
5	·02	·00											5
6	·005	·01											6
7	·00	·05											7
8	·00	·01											8
9	·00	·29											9
10	·005	·00											10
11	(1·00) ~~·28~~	·00											11
12	·00	·01											12
13	·05	·00											13
14	·04	·00											14
15	·04	·00											15
16	·02	04 ~~·00~~											16
17	·01	·01											17
18	·00	·00											18
19	·07	·00	·02	·00	·00								19
20	·08	·00	·04	·04	·12								20
21	·01	·00	·08	·00	·00								21
22	·10	·00	·25	·00	·00	·00	·00	·63	·22	·00	·00	·00	22
23	·00	·00	·00	·00	·00	·00	·01	·07	·07	·00	·00	·00	23
24	·01	·00	·00	·12	·00	·03	·00	·00	·00	·00	·00	·015	24
25	·00	·09	·00	·12	·00	·03	·00	·00	·02	·00	·00	·01	25
26	·00	·13	·18	·07	·03	·03	·00	·00	·00	·32	·06	·13	26
27	·00	·02	·02	·02	·00	·00	·00	·00	·00	·00	·00	·00	27
28	·00	·00	·20	·18	·00	·00	·00	·00	·00	·04	·00	·31	28
29	·00	~~·09~~	·10	·39	·06	·00	·00	·83	·00	·00	·00	·10	29
30	·23	—	·02	·00	·00	·00	·00	·00	·00	·02	·00	·00	30
31	·00	—	·10	—	·03	—	·00	·00	—	·00	—	·00	31
Total	~~1·380~~ 2·10	~~0·670~~ ·71	2·800	1·860	1·770	0·440	0·930 H	1·780	2·210	5·330	1·625	0·800	YEAR'S TOTAL 21·40 ~~21·035~~
Rain Days.	18	~~10~~ 11	21	15	11	7	11	7	14	11	12	~~10~~ 9	147 ✓

W. 7,500, XI. 12

·44

21·755

Apr. 7. 14.

Claypole Rectory
Newark

Ans. 8.VI.14

Dear Sir,
I r…
The rainfall …
have been …
February …
total is …
In a re…
out for m…
February …
been ·04 …
I a…
trouble the…
Y…

Ans. 10.VI.14

TELEGRAMS & RAIL,
CLAYPOLE, G. N. R.

June 9th 1914

CLAYPOLE RECTORY,
NEWARK-ON-TRENT.

Dear Sir,

Yes, please do substitute 1.00 for ·28 for Jan. 11th.

I quite well remember that all around my Rain gauge the snow was much less deep than elsewhere - owing no doubt to a fir tree and other trees to windward of it - (I see I have in my diary - "strong E wind"), and they probably caught most of the snow. I ought to have allowed for this, or made upto total

informed 1.4.14 card franks 1.IV.14 Ca. ly dr. 16.VI.14

8.VI.14 Jan 11

REGISTER OF

Kept at Claypole Rec

in the County of Lincolnshire

by (the Rev.) Francis R. A. Hamilt

IMPORTANT
previous day. If
requested to add t
for it at the end
the selection and
Organization are g
Dr. H. R. MILL, 6

in.
ft.
he
tly
ed

Date.	Jan.	Feb.									Nov.	Dec.	Date
1	·005	·00									·02	·00	1
2	·005	·05									·00	·00	2
3	·00	·00									·00	·07	3
4	·40	·00									·17	·12	4
5	·02	·00									·00	·00 ~~·00~~	5
6	·005	·01									·00	·00	6
7	·00	·05									·005	·00	7
8	·00	·01									·07	·00 ~~·02~~	8
9	·00	·29									·11	·00	9
10	·005	·00									·40	·00 ~~·00~~	10
11	(1·00) ~~·28~~	·00									·31	·00	11
12	·00	·01									·12	·00	12
13	·05	·00									·13	·00	13
14	·04	·00									·00	·00	14
15	·04	·00									·06	·00	15
16	·02	·04 ~~·00~~									·00	·00	16
17	·01	·01									·00	·01	17
18	·00	·00									·00	·03	18
19	·07	·00	·02	·00	·00	·00	·02	·00	·38	·00	·00	·005	19
20	·08	·00	·04	·04	·12	·00	·00	·00	·28	·12	·00	·00	20
21	·01	·00	·08	·00	·00	·00	·05	·00	·00	·00	·17	·00	21
22	·10	·00	·25	·00	·00	·00	·00	·63	·22	·00	·00	·00	22
23	·00	·00	·00	·00	·00	·00	·01	·07	·07	·00	·00	·00	23
24	·01	·00	·00	·12	·00	·03	·00	·00	·00	·00	·00	·015	24
25	·00	·09	·00	·12	·00	·03	·00	·00	·02	·00	·00	·01	25
26	·00	·13	·18	·07	·03	·03	·00	·00	·00	·32	·06	·13	26
27	·00	·02	·02	·02	·00	·00	·00	·00	·00	·00	·00	·00	27
28	·00	·00	·20	·18	·00	·00	·00	·00	·00	·04	·00	·31	28
29	·00	~~·09~~	·10	·39	·06	·00	·00	·83	·00	·00	·00	·10	29
30	·23	—	·02	·00	·00	·00	·00	·00	·00	·02	·00	·00	30
31	·00		·10	—	·03	—	·00	·00	—	·00	—	·00	31
Total	~~1·380~~ 2·10	·71 ~~0·670~~	2·800	1·860	1·770	0·440	0·930 H	1·780	2·210	5·330	1·625	0·800	YEAR'S TOTAL ~~21·40~~ ~~21·035~~
Rain Days.	18	~~10~~ 11	21	15	11	7	11	7	14	11	12	~~10~~ 9	147

W. 7,500, XI. 12

·44

21·755

Apr. 7. 14.

Ans. 8.VI.14

Dear Sir;

I

The rainfall for June should have been ·44 — that for February ·71, so that the total is 21·035.

In a register my son copied out for me he put ·00 for February 16th: it should have been ·04.

I am very sorry for the trouble the mistake has given you.

Yours sincerely

F. Hamilton

---

a note of it, and mentioned it to you.

Yours faithfully

F. Hamilton

P.S. Ought I ~~to do anything~~ write to the Meteorological Office, S. Kensington, with re-ference to this, do you think?

up to one
copied 1.1.14 card for auth 1.14
8·VI·14 Jan 11

Kept at ....

in the County of ....

by (the Rev.) Franc..........

IMPORTANT
previous day. If
requested to add t
for it at the end
the selection and
Organization are g
Dr. H. R. Mill, (

in.

ft.

he
tly
ed

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·005	·00	·09	·03	·00	·00	·00	·00	·59	·00	·02	·00	1
2	·005	·05	·01	·00	·00	·00	·03	·00	·01	·00	·00	·00	2
3	·00	·00	·08	·00	·39	·00	·00	·00	·00	·00	·00	·07	3
4	·40	·00	·00	·00	·06	·00	·01	·00	·02	·70	·17	·12	4
5	·02	·00	·00	·00	·00	·00	·02	·00	·03	2·78	·00	·00 ~~·00~~	5
6	·005	·01	·00	·00	·69	·08	·03	·00	·00	·70	·00	·00	6
7	·00	·05	·03	·00	·14	·00	·00	·00	·00	·49	·005	·00	7
8	·00	·01	·00	·00	·22	·08	·00	·02	·03	·08	·07	·00 ~~·02~~	8
9	·00	·29	·06	·02	·01	·07	·09	·11	·00	·00	·11	·00	9
10	·005	·00	·00	·00	·02	·00	·02	·00	·00	·00	·40	·00 ~~·00~~	10
11	(1·00) ~~·28~~	·00	·00	·38	·00	·00	·00	·05	·00	·01	·31	·00	11
12	·00	·01	·00	·00	·00	·00	·00	·00	·00	·00	·12	·00	12
13	·05	·00	·06	·05	·00	·00	·00	·07	·03	·00	·13	·00	13
14	·04	·00	·38	·03	·00	·00	·00	·00	·00	·07	·00	·00	14
15	·04	·00	·32	·30	·00	·00	·01	·00	·13	·00	·06	·00	15
16	·02	·04 ~~·00~~	·51	·00	·00	·00	·00	·00	·19	·00	·00	·00	16
17	·01	·01	·07	·06	·00	·12	·00	·00	·21	·00	·00	·01	17
18	·00	·00	·19	·05	·00	·00	·04	·00	·00	·00	·00	·03	18
19	·07	·00	·02	·00	·00	·00	·02	·00	·38	·00	·00	·005	19
20	·08	·00	·04	·04	·12	·00	·00	·00	·28	·12	·00	·00	20
21	·01	·00	·08	·00	·00	·00	·05	·00	·00	·00	·17	·00	21
22	·10	·00	·25	·00	·00	·00	·00	·63	·22	·00	·00	·00	22
23	·00	·00	·00	·00	·00	·00	·01	·07	·07	·00	·00	·00	23
24	·01	·00	·00	·12	·00	·03	·00	·00	·00	·00	·00	·015	24
25	·00	·09	·00	·12	·00	·03	·00	·00	·02	·00	·00	·01	25
26	·00	·13	·18	·07	·03	·03	·00	·00	·00	·32	·06	·13	26
27	·00	·02	·02	·02	·00	·00	·00	·00	·00	·00	·00	·00	27
28	·00	·00	·20	·18	·00	·00	·00	·00	·00	·04	·00	·31	28
29	·00	~~·09~~	·10	·39	·06	·00	·00	·83	·00	·00	·00	·10	29
30	·23	—	·02	·00	·00	·00	·00	·00	·00	·02	·00	·00	30
31	·00	·71	·10	—	·03	—	·00	·00	—	·00	—	·00	31
Total	~~1·380~~ 2·10	~~0·670~~	2·800	1·860	1·770	0·440	0·930 H	1·780	2·210	5·330	1·625	0·800	YEAR'S TOTAL 21·40 ~~21·035~~
Rain Days.	18	~~10~~ 11	21	15	11	7	11	7	14	11	12	~~10~~ 9	147

W. 7,500, XI. ·12

·44

21·755

referred 12.III.15

Cord by Observer 20·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 - JAN 1915

Kept at Claypole Rectory

in the County of Lincolnshire 3

by the Rev. Francis R. A. Hamilton

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Claypole

Diameter of Rain Gauge 5 (8) in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·00	·00	·00	·87	·19	·00	·01	·00	·01	1
2	·00	·00	·00	·00	·00	·00	·06	·24	·00	·00	·07	·07	2
3	·00	·00	·02	·01	·16	·00	·17	·05	·00	·00	·08	·01	3
4	·13	·00	·01	·195	·01	·00	·00	·07	·00	·00	·28	·23	4
5	·00	·00	·085	·085	·17	·07	·14	·025	·00	·00	·01	·00	5
6	·00	·03	·00	·04	·09	·00	·04	·005	·00	·00	·04	·02	6
7	·00	·125	·29	·04	·01	·03	·06	·00	·00	·00	·01	·06	7
8	·03	·02	·01	·00	·17	·87	·005	·17	·17	·00	·00	·00	8
9	·43	·00	·06	·14	·00	·925	·08	·01	·04	·00	·00	·00	9
10	·32	·035	·02	·16	·01	·00	·00	·00	·04	·00	·00	·015	10
11	·00	·01	·025	·18	·04	·08	·00	·00	·13	·00	·33	·25	11
12	·01	·02	·08	·00	·00	·005	·03	·00	·35	·00	·00	·19	12
13	·005	·095	·09	·00	·00	·00	·00	·00	·00	·06	·32	·09	13
14	·015	·07	·01	·00	·00	·00	·20	·02	·00	·10	·20	·21	14
15	·05	·00	·12	·00	·00	·00	·02	·00	·00	·00	·10	·09	15
16	·02	·00	·04	·00	·00	·00	·08	·00	·00	·00	·025	·00	16
17	·02	·16	·125	·00	·00	·00	·01	·00	·08	·00	·00	·25	17
18	·00	·00	·04	·00	·00	·30	·14	·00	·00	·00	·02	·39	18
19	·00	·07	·04	·00	·00	·00	·06	·00	·00	·00	·03	·165	19
20	·00	·05	·23	·00	·00	·00	·00	·00	·00	·045	·005	·01	20
21	·02	·19	·04	·00	·00	·11	·09	·02	·00	·025	·00	·20	21
22	·00	·02	·00	·00	·77	·015	·07	·02	·00	·06	·00	·02	22
23	·00	·04	·05	·00	·12	·00	·04	·00	·00	·01	·00	·00	23
24	·00	·00	·17	·00	·10	·00	·01	·00	·00	·09	·32	·05	24
25	·00	·05	·00	·03	·00	·00	·01	·17	·00	·67	·01	·34	25
26	·00	·00	·07	·00	·00	·00	·01	·04	·00	·14	·21	·24	26
27	·03	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·13	27
28	·04	·02	·00	·00	·02	·00	·00	·00	·00	·07	·265	·80	28
29	·00		·12	·02	·01	·00	·00	·00	·00	·43	·01	·00	29
30	·02	×	·00	·00	·00	·02	·00	·00	·00	·05	·31	·13	30
31	·00	×	·00	×	·03	×	·27	·00	×	·05	×	·04	31 21·435
Total	1·14	1·005	1·745	·90	1·71	2·425	2·325	1·03	·81	1·76	2·655	3·95	YEAR'S TOTAL ~~20·72~~
Rain Days.	14	16	22	10	15	~~10~~ 9	20	~~13~~ 12	6	14	20	25	183

W. 8,000. X. 14.

1·71

Copy

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Claypole Rectory
in the County of Lincolnshire
by the Rev. F. R. A. Hamilton

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Claypole
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–		–	–						–	·01	1
2		–		–	·10 X						·07	·07	2
3		–		·01	·16						·08	·01 X	3
4		–		·195	·01						·28	·23	4
5		–		·085	·17						·01	–	5
6		·03		·04	·09						·04	·02	6
7		·125		·04	·01						·01	·06	7
8		·02		–	·17						–	–	8
9		–		·14	–						–	–	9
10		·035		·16	·01						–	·015	10
11		·01		·18	·04						·33	·25	11
12		·02		–	–						–	·19	12
13		·095		–	–						·32	·09	13
14		·07		–	–						·20	·21	14
15		–		–	–						·11 X ~~·10~~	·09	15
16		–		–	–						·025	–	16
17		·16		–	–						–	·25	17
18		–		–	–						·02	·39	18
19		·07		–	–						·03	·105	19
20		·05		–	–						·005	·01	20
21		·19		–	–						–	·20	21
22		·02		–	·77						–	·02	22
23		·04		–	·12						–	–	23
24		–		–	·10						·32	·05	24
25		·05		·03 X ·08	–						·01	·34	25
26		–		–	–						·21	·24	26
27		–		–	–						–	·13	27
28		·02		–	·02						·265	·80	28
29				·02	·01						·01	–	29
30				–	–						·31	·13	30
31					·03							·04	31
Total		~~1·00~~		correct ~~·90~~	~~1·01~~						5 2·625	3·95	YEAR'S TOTAL
~~Rain Days.~~	Adds to	1·005		·95	1·71 1·81						2·645	3·94	

W. 8,000. X. 14.

·90 correct.

21455

March 19th 1915

TELEGRAMS & RAIL,
CLAYPOLE, G. N. R.

CLAYPOLE RECTORY,
NEWARK-ON-TRENT.

Dear Sir,

I thank you for the rainfall registers I asked for.

As to what you ask. The February register is as you have made it.

In April - the 25th should be .03, not .08 that makes the total .90.

In May - the 2nd should be .00 not .10 making the total 1.71.

In November - the 15th

should be ·11 not ·10, making the total 2·655.

In December I think I had given you ·00 for the 3rd: it should be ·01, making the total 3·95.

I am sorry I have given you this trouble.

I am making the register for you from day to day this year. Hitherto I had copied it from that which I made for S. Kensington – rather hurriedly I fear.

We have snow drifts up to my waist here today but the open fields are already – 3 p.m. – almost bare of snow.

Yours faithfully

Francis R. A. Hamilton

2669

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Claypole

in the County of Lincoln

by [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·07	·00	·00	·38	·00	·00	·07	·02	·00	·08	·04	1
2	·005	·03	·06	·16	·00	·08	·00	·18	·02	00·01 ·01	·00	·01	2
3	·38	·00	·10	·10	·00	·00	·65	·23	·00(5)	·00	·01	·26	3
4	·24	·00	·00	·00	·00	·00	1·55	·38	·00	·00	·00	·90	4
5	·04	·11	·00	·00	·37	·00	·00	·04	·00	·00	·06	·39	5
6	·03	·08	·14	·03	·00	·00	·74	·00	·00	·00	·00	·07	6
7	·27	·20	·04	·00	·00	·08	·09	·22	·00	·00	·00	·36	7
8	·12	·06	·01	·04	·00	·00	·02	·01	·00	·00	·02	·00	8
9	·03	·08	·00	·00	·00	·01	·00	·00	·00	·00	·03	·38	9
10	·21	·00	·00	·00	·00	·00	·00	·00	·00	·00	·01	·00	10
11	·02	·00	·02	·00	·39	·00	·09	·09	·00	·00	·33	·16	11
12	·02	·00	·00	·28	·19	·00	·00	·20	·00	·02	1·11	·00	12
13	·00	·56	·00	·00	·37	·00	·00	·08 ·08	·00	·00	·00	·01	13
14	·00	·09	·00	·00	·01	·00	·00	·02	·13	·02	·00	·23	14
15	·265	·01	·00	·00	·02	·00	·03	·41	·00	·01	·41	·09	15
16	·00	·14	·00	·00	·08	·00	·82	·01	·00	·00	·00	·01	16
17	·00	·07	·00	·00	·00	·00	·25	·00	·00	·00	·00	·03	17
18	·00	·23	·47	·00	·00	·00	·00	·00	·00	·03	·08	·00	18
19	·00	·04	·01	·00	·01	·00	·09	·00	·00	·00	·01	·00	19
20	·21	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·33	20
21	·14	·07	·00	·00	·04	·00	·08	·00	·00	·00	·00	·05	21
22	·07	·00	·15	·01	·01	·00	·05	·00	·00	·00	·00	·05	22
23	·00	·07	·03	·00	·00	·00	·10	·00	·07	·00	·02	·00	23
24	·01	·00	·11	·03	·00	·00	·01	·00	·58	·03	·00	·11	24
25	·00	·00	·01	·00	·00	·17	·00	·00	·01	·08	·00	·08	25
26	·01	·18	·00	·00	·00	·00	·02	·00	·02	·00	·00	·32	26
27	·00	·05	·03	·00	·00	·05	·00	·00	·00	·52	·00	·07	27
28	·00	·14	·12	·00	·00	·23	·00	·26	·00	·14	·06	·01	28
29	·005	X	·00	·00	·00	·03	·01	·05	·00	·00	·24	·23	29
30	·07	X	·00	·01	·00	·49	·00	·00	·00	·00	·00	·03 ·03	30
31	·02	X		X	·00	X	·00	·07	X	·15	X	·19	31
Total	2·285	2·28	1·30	·66	1·87	1·14	4·60	2·32	·75(5)	1·09	2·41	4·47	YEAR'S TOTAL 25·18
Rain Days.	21	19	14	8	11	8	16	16	7	11	13	26	170

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Claypole
in the County of Lincoln
by the Rev. F. R. A. Hamilton

Lat. 53° 2″ Long. 0° 46′
Time of Observation 9 a.m.
Nearest Railway Station Claypole
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ~~1~~ one ft. ten & half in.
" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·00	·14	·00	·01	·11	·16	·00	·00	·00	·19	·00	1
2	·15	·05	·21	·00	·61	·01	·35	·00	·04	·12	·03	·00	2
3	·00	·43	·01	·02	·00	·00	·22	·00	·12	·14	·04	·00	3
4	·11	·11	·00	·00	·34	·17	·00	·00	·11	·05	·13	·00	4
5	·00	·00	·00	·01	·03	·15	·07	·00	·00	·09	·13	·00	5
6	·03	·11	·15	·03	·20	·00	·30	·00	·00	·02	·18	·02	6
7	·00	·00	·21	·00	·06	·00	·19	·00	·00	·07	·02	·25	7
8	·00	·00	·06	·00	·00	·00	·00	·00	·00	·00	·03	·09	8
9	·01	·00	·04	·00	·59	·07	·00	·06	·04	·00	·00	·07	9
10	·00	·01	·11	·06	·00	·40	·03	·00	·05	·08	·00	·18	10
11	·04	·39	18	·08	·00	·10	·01	·00	·04	·00	·00	·03	11
12	·02	·06	·13	·23	·36	·15	·02	·00	·00	·03	·00	·00	12
13	·00	·11	·07	·02	·10	·03	·00	·02	·00	·00	·00	·06	13
14	·00	·12	·01	·00	·03	·00	·00	·16	·01	·09	·00	·01	14
15	·00	·10	·29	·02	·02	·00	·27	·47	·00	·05	·00	·00	15
16	·00	·11	·11	·16	·01	·00	·09	·24	·00	·01	·00	·00	16
17	·01	·04	·01	·16	·00	·00	·06	·90	·22	·16	·00	·00	17
18	·00	·14	·01	·03	·00	·00	·00	·64	·11	·06	1·39	·00	18
19	·02	·02	·11	·20	·00	·00	·00	·23	·09	·00	·25	·07	19
20	·11	·00	·39	·13	·00	·00	·00	·00	·00	·00	·02	·06	20
21	·00	·00	·28	·29	·05	·00	·09	·00	·00	·00	·00	·21	21
22	·00	·05	·03	·01	·01	·01	·00	·00	·00	·00	·01	·18	22
23	·01	·39	·00	·02	·00	·03	·01	·03	·00	·03	·10	·60	23
24	·00	1.00	·00	·02	·00	·00	·00	·04	·00	·00	·00	·12	24
25	·00	·10	·11	·00	·03	·00	·00	·22	·00	·18	·12	·00	25
26	·01	·11	·00	·00	·00	·01	·00	·06	·00	·03	·07	·00	26
27	·00	·13	·53	·00	·00	·01	·2[illegible]	·22	·00	·15	·00	·00	27
28	·00	·23	·33	·09	·00	·08	·00	·77	·00	·01	·00	·17	28
29	·00	·29	·00	·00	·04	·22	·00	~~·02~~	·00	·15	·01	·13	29
30	·00		·00	·00	·03	·00	·00	·02	·00	·08	·00	·00	30
31	·00				·00		·00	·00		·06		·00	31
Total	·61	4.10	3.52	1.56	2.52	1.55	2.08	4.02	·83	1.66	2.82	2.25	YEAR'S TOTAL 27.54
Rain Days.	12	22	23	18	17	15	15	14	10	21	16	16	199

W. 8,000. X. 15.

2327

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

19 APR 20

Kept at Claypole

in the County of Lincolnshire

by H. W. Bathurst F. Hamilton

Lat.......... Long..........

Time of Observation..........

Nearest Railway Station..........

Diameter of Funnel of Rain Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·3		·4		6·9		6·0						1
2	3·6	·8					6·0						2
3	19·7		7·7			·8	7·4						3
4						1·1	·2	3·9					4
5	2·7							·1					5
6	·2		·7		14·0								6
7			5·8										7
8			·2	3·5									8
9													9
10	1·6		5·0	2·5									10
11			15·6				7·5						11
12			12·4			1·9							12
13	5·6			6·9									13
14	8·1												14
15			2·7	5·1									15
16	9·5	18·9		1·6	1·1								16
17		11·9		·2	1·1		3·5						17
18								4·8					18
19		5·5	12·9			1·8	36·3	20·9					19
20			9·7			·4	4·2	3·8					20
21			2·4			·1	11·5						21
22							1·2						22
23						·7		·2					23
24			·2	1·6	4·8	2·0		·4					24
25		10·2		4·3	10·0			13·8					25
26			4·0	6·1				·1					26
27	5·4	1·7		12·4		·1		·6					27
28				·4				12·5					28
29				·7				3·3					29
30				6·9		4·2							30
31	4·0						·9						31
TOTAL	63·7	49·0	79·7	52·2	37·9	13·1	84·7	64·4					YEAR'S TOTAL
Days with 0·2 mm. or more	11	6	14	13	6	8	11	10					

LINCOLNSHIRE

2542 146451

CRANWELL AERODROME

1917 - ~~Aug~~ 1920.

17.

FORM A.
BRITISH RAINFALL.

18 JAN 191

2542

Kept at Cranw

in the County of

by Meteoro

Long. 0°30'48"W.

9 AM. G.M.T.

ation Caythorpe

of Rain Gauge 8 in.

uge above Ground — ft. 9 in.

" Sea Level 237 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	·01	Nil	·028	Nil	Nil	Nil	Nil	·126	Nil	nil	Nil	1
2	·04	Nil	Nil	·004	Nil	·056	Nil	Nil	Nil	Nil	·12	Nil	2
3	nil	·10	Nil	·030	Nil	Nil	Nil	·790	Nil	·300	nil	Nil	3
4	nil	·03	·012	Nil	Nil	Nil	Nil	Nil	Nil	·520	nil	Nil	4
5	·30	Nil	·026	·118	Nil	Nil	Nil	·016	Nil	Nil	·2	Nil	5
6	nil	·006	Nil	Nil	Nil	·024	Nil	Nil	Nil	·045	nil	Nil	6
7	·30	Nil	·008	Nil	Nil	·008	Nil	Nil	Nil	·240	·04	Nil	7
8	·49	Nil	·004	·112	Nil	Nil	·100	·820	Nil	·340	·12	Nil	8
9	·06	Nil	·022	·012	Nil	Nil	Nil	·090	Nil	Nil	·035	Nil	9
10	·14	Nil	·46	·010	·112	Nil	Nil	·120	Nil	·060	·12	Nil	10
11	Nil ~~·12~~	Nil	·006	·188	Nil	Nil	Nil	·140	Nil	·170	nil	Nil	11
12	·12	·01	Nil	·012	·348	Nil	Nil	·355	Nil	·180	nil	·010	12
13	·01 ~~·15~~	Nil	·014	Nil	Nil	Nil	·008	·170	·018	·010	nil	Nil	13
14	·15 ~~·06~~	·006	Nil	·084	Nil	Nil	Nil	·010	Nil	Nil	nil	·024	14
15	·06	Nil	·006	Nil	·024	Nil	·018	Nil	Nil	·040	·04	·044	15
16	·06	·16	·008	·096	Nil	Nil	·004	Nil	Nil	·040	nil	·120	16
17	Nil	·002	·046	·204	·424	·038	·108	·020	·040	·080	·04	·052	17
18	·06	·006	Nil	·040	·028	·024	·380	·054	·495	Nil	nil	Nil	18
19	·07	·09	·064	Nil	·320	Nil	Nil	Nil	·034	Nil	nil	·008	19
20	·02	·30	·14	Nil	·210	Nil	·006	·010	·030	Nil	·28	Nil	20
21	Nil	·034	·018	·006	Nil	·012	Nil	Nil	Nil	·020	nil	Nil	21
22	Nil	Nil	·092	Nil	Nil	Nil	Nil	·015	·050	·100	·04	Nil	22
23	·01	Nil	Nil	Nil	·068	·014	Nil	·150	·020	·025	nil	·008	23
24	Nil	Nil	Nil	Nil	·012	·270	·020	Nil	Nil	·370	nil	Nil	24
25	Nil	Nil	·04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·075	Nil	25
26	Nil	Nil	·016	Nil	Nil	Nil	Nil	·335	·200	Nil	·2	·010	26
27	Nil	Nil	·01	Nil	Nil	·228	·045	·460	Nil	Nil	·04	·016	27
28	Nil	Nil	·024	Nil	Nil	·248	Nil	·125	Nil	·015	nil	·100	28
29	Nil	·006	Nil	Nil	·216	·062	Nil	Nil	Nil	·240	nil	·025	29
30	·05	╳	·044	Nil	Nil	Nil	Nil	·104	Nil	Nil	nil	nil	30
31	Nil	╳	·064	╳	Nil	╳	Nil	·110	╳	Nil	╳	·112	31
Total	1·94	·76	1·184	·944	1·762	·984	·689	3·894	1·013	2·795	1·35	·529	YEAR'S TOTAL 17·84
Rain Days.	16	~~8~~ 12	~~17~~ 20	~~12~~ 13	10	~~10~~ 11	~~6~~ 8	19	9	18	13	~~10~~ 12	~~148~~ 161

W. 8,000, VIII. 16

Manchester Bidston

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

8. JAN 191

2542

Kept at Cranwell
in the County of Lincolnshire
by Meteorological Officer.

Lat. 53° 1' 56" N. Long. 0° 30' 48" W.
Time of Observation 9 AM. G.M.T.
Nearest Railway Station Caythorpe
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 237 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	·01	Nil	·028	Nil	Nil	Nil	Nil	·126	Nil	nil	Nil	1
2	·04	Nil	Nil	·004	Nil	·056	Nil	Nil	Nil	Nil	·12	Nil	2
3	nil	·10	Nil	·030	Nil	Nil	Nil	·790	Nil	·300	nil	Nil	3
4	nil	·03	·012	Nil	Nil	Nil	Nil	Nil	Nil	·520	nil	Nil	4
5	·30	Nil	·026	·118	Nil	Nil	Nil	·016	Nil	Nil	·2	Nil	5
6	nil	·006	Nil	Nil	Nil	·024	Nil	Nil	Nil	·045	nil	Nil	6
7	·30	Nil	·008	Nil	Nil	·008	Nil	Nil	Nil	·240	·04	Nil	7
8	·49	Nil	·004	·112	Nil	Nil	·100	·820	Nil	·340	·12	Nil	8
9	·06	Nil	·022	·012	Nil	Nil	Nil	·090	Nil	Nil	·035	Nil	9
10	·14	Nil	·46	·010	·112	Nil	Nil	·120	Nil	·060	·12	Nil	10
11	Nil ~~·12~~	Nil	·006	·188	Nil	Nil	Nil	·140	Nil	·170	nil	Nil	11
12	·12 ~~·01~~	·01	Nil	·012	·348	Nil	Nil	·355	Nil	·180	nil	·010	12
13	·01 ~~·15~~	Nil	·014	Nil	Nil	Nil	·008	·170	·018	·010	nil	Nil	13
14	·15 ~~·06~~	·006	Nil	·084	Nil	Nil	Nil	·010	Nil	Nil	nil	·024	14
15	·06	Nil	·006	Nil	·024	Nil	·018	Nil	Nil	·040	·04	·044	15
16	·06	·16	·008	·096	Nil	Nil	·004	Nil	Nil	·040	nil	·120	16
17	Nil	·002	·046	·204	·424	·038	·108	·020	·040	·080	·04	·052	17
18	·06	·006	Nil	·040	·028	·024	·380	·054	·495	Nil	nil	Nil	18
19	·07	·09	·064	Nil	·320	Nil	Nil	Nil	·034	Nil	nil	·008	19
20	·02	·30	·14	Nil	·210	Nil	·006	·010	·030	Nil	·28	Nil	20
21	Nil	·034	·018	·006	Nil	·012	Nil	Nil	Nil	·020	nil	Nil	21
22	Nil	Nil	·092	Nil	Nil	Nil	Nil	·015	·050	·100	·04	Nil	22
23	·01	Nil	Nil	Nil	·068	·014	Nil	·150	·020	·025	nil	·008	23
24	Nil	Nil	Nil	Nil	·012	·270	·020	Nil	Nil	·370	nil	Nil	24
25	Nil	Nil	·04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·075	Nil	25
26	Nil	Nil	·016	Nil	Nil	Nil	Nil	·335	·200	Nil	·2	·010	26
27	Nil	Nil	·01	Nil	Nil	·228	·045	·460	Nil	Nil	·04	·016	27
28	Nil	Nil	·024	Nil	Nil	·248	Nil	·125	Nil	·015	nil	·100	28
29	Nil	·006	Nil	Nil	·216	·062	Nil	Nil	Nil	·240	nil	·025	29
30	·05	✕	·044	Nil	Nil	Nil	Nil	·104	Nil	Nil	nil	nil	30
31	Nil	✕	·064	✕	Nil	✕	Nil	·110	✕	Nil	✕	·112	31
Total	1·94	·76	1·184	·944	1·762	·984	·689	3·894	1·013	2·795	1·35	·529	YEAR'S TOTAL 17·84
Rain Days.	16	~~8~~ 12	~~7~~ 20	~~12~~ 13	10	~~10~~ 11	~~6~~ 8	19	9	18	13	~~10~~ 12	~~148~~ 161

W. 8,000, VIII. 16

Daily Precipitation
Cranwell.
1917.

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec.	
1		.008		.028					.124		.043		
2	.037			.004		.055					.010		
3		.095		.030				.790		.299			
4		.028	.012							.520			
5	.299		.026	.116				.016			.165		
6		.006				.024				.045	.037		
7	.303		.008			.008				.240			
8	.480		.004	.110			.098	.820		.339	.079		
9	.063		.022	.012				.091			.071		
10	.134		.460	.010	.110			.112		.063	.016		
11			.065	.185				.142		.165			
12	.118	.012		.012	.343			.350		.181	.010	.012	
13	.008		.014				.008	.169	.018	.010			
14	.149	.006		.083				.012			.004	.024	
15	.059		.006		.024		.018			.043	.004	.043	
16	.059	.161	.008	.095			.004			.041		.122	
17		.020	.045	.201	.421	.037	.106	.020	.041	.079		.051	
18	.055	.006		.039	.028	.024	.382	.054	.490				
19	.071	.093	.063		.321				.034			.006	
20	.024	.296	.085		.205		.006	.012	.031		.339		
21		.033	.018	.006		.012				.020	.008		
22			.091					.016	.024	.098			
23	.012	.008			.067	.014		.150	.051	.028		.010	
24					.012	.266	.022			.378	.051		
25		.004	.039								.016		
26			.016					.333	.197		.268	.010	
27			.010			.224	.047	.462				.016	
28		.006	.024			.268		.126		.016		.098	
29					.213	.061				.236		.028	
30	.051		.043					.102					
31			.063					.108				.110	Years Total.
Total	1.922	0.782	1.122	0.931	1.744	0.993	0.691	3.885	1.010	2.801	1.121	0.530	17.532
Rainy Days.	16	10	~~19~~	~~12~~ 13	10	11	7	19	9	18	13	10 12	~~154~~

[illegible]

[illegible]

fall in 1917.

Cranwell. Lincs

Month	Total Depth Inches.	Greatest Fall in 24 Hours. Inches	Date.	Number of Days on which .01 or more was recorded.
Jan.	1.92	0.48	8	16
Feb.	0.78	0.30	20	14
Mar.	1.12	0.46	10	20
Apr.	0.93	0.20	17	13
May.	1.75	0.42	17	10
Jun.	0.99	0.27	24	11
Jul.	0.69	0.38	18	8
Aug.	3.89	0.8[illegible]	8	19
Sep.	1.01	0.49	18	9
Oct.	2.80	0.52	4	18
Nov.	1.12	0.34	20	13
Dec.	0.53	0.12	16	12
Total.	17.53	445		163

✓

and for timing

To be filled and returned to DR. H. R. MILL, *Director*
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

see correction

FORM B.
BRITISH RAINFALL
122

20 APR 1918

RAINFALL IN 1917

At Cranwell

In the County of Lincoln 3

Rain Gauge: Diameter of Funnel 8 in.

Height of Top: *Above Ground* — ft. 9 in.

Above Sea Level 237 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 or more recorded.
JAN.	1·94	·49	8th	16
FEB.	·76	·30	20th	~~8~~ 12
1·19 MAR.	1·18 9	·46	10th	~~17~~ 20
APR.	·94	·20	17th	~~12~~ 13
MAY	1·76	·42	17th	10
·99 JUNE	·98 9	·27	24th	~~10~~ 11
JULY	·69	·38	18th	~~6~~ 8
AUG.	3·89	·82	8th	19
SEPT.	1·01	·49	18th	9
OCT.	2·79	·52	4th	18
NOV.	1·35	·28	20th	13
DEC.	·53	·12	16th	~~10~~ 12
17·84 Total	17·82 4	453		~~148~~ 161

Signed Norman Silvester
Lieut R.N.V.R.

Please fill in the other side also.

W. 16,000. x.15.

If Gauge has not *been moved during year state—*

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

By theodolite from nearest B.M.

State pattern and maker of Gauge, if known.

Snowdon

Perkin Son & Co.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Weather Hut	12 ft.	32 ft	W'N
Stevenson Screen	5 ft	23 ft.	S

In order that the position may be accurately entered on a map please mention

Latitude 53° 1′ 56″ N.

Longitude 0° 30′ 48″ W

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Caythorpe	3¼ miles	W'S
Church	Rauceby.	2½ miles	SE

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

8111 2861

~~W~~ 976 Com by original A. 2542 25

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918.

Kept at Cranwell Observatory

in the County of Lincolnshire

by ~~Air~~ Ministry Meteorological Office

Lat. 53° 47' 01" Long. 0° 52'

Time of Observation 0900 G.M.T.

Nearest Railway Station Caythorpe G.N.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 237 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18 1	-	·3	5·3	2·4	1·1	-	-	-	·3	·5	-	3·1	1
2	-	·3	·3	1·3	-	-	-	-	3·0	-	3·3	1·2	2
3	-	1·4	-	-	-	-	-	12·5	-	·9	·3	5·3	3
4	-	5·7	1·6	-	9·8	-	-	10·7	16·1	-	13·6	-	4
5	·3	·4	·7	-	-	-	·2	-	-	·2	6·4	·6	5
6	-	-	1·0	·4	4·2	-	-	3·0	2·6	1·1	-	-	6
7	-	1·0	·1	4·1	-	-	-	-	2·6	·6	1·7	·4	7
8	·2	·6	-	·7	-	1·5	-	-	-	·6	-	·3	8
9	·2	·4	·1	-	-	-	1·0	-	1·5	-	-	·4	9
10	·1	13·0	-	5·2	-	·2	2·1	-	6·0	12·3	-	·4	10
11	·9	·4	-	·1	-	-	6·7	-	·2	-	-	·9	11
12	1·9	·5	-	3·2	9·2	-	1·9	-	2·3	12·3	-	1·6	12
13	-	4·1	·3	-	-	-	1·8	-	1·7	·2	-	·5	13
14	-	·1	-	·3	6·6	·2	-	-	4·0	2·3	-	·2	14
15	6·1	·1	-	5·0	-	1·2	3·6	-	5·6	-	·2	3·7	15
16	-	-	-	-	-	·2	3·0	-	2·7	-	-	4·0	16
17	8·9	-	·1	5·1	-	2·3	-	-	2·9	-	1·0	3·0	17
18	4·0	-	-	-	51·1	-	14·0	·4	·3	1·4	-	2·9	18
19	3·6	-	-	·2	-	·4	1·6	-	9·8	-	-	6·1	19
20	·8	·4	1·3	·9	-	1·4	·3	-	-	2·0	-	8·3	20
21	·6	1·6	-	·8	-	1·0	·9	-	-	·8	-	-	21
22	·7	-	-	-	10·5	·6	-	-	8·3	3·2	-	-	22
23	4·0	-	-	-	-	-	·5	-	-	·3	-	6·9	23
24	1·4	-	-	-	-	-	4·7	-	-	-	-	-	24
25	·1	3·6	-	-	-	4·0	1·3	3·0	·9	·7		1·3	25
26	-	-	-	-	-	-	5·7	-	1·5	-	2·7	-	26
27	-	-	-	-	-	1·5	5·3		2·2	-	4·5	·6	27
28	-	·1	-	-	-	-	1·9	9·6	-	-	-	1·2	28
29	·1		2·8	·1	-	-	-	-	-	-	10·7	11·2	+3 29
30	-			-	-	-	-	-	12·4	-	-	-	30
31	-		5·6				-	-		-		8·9	31
99 Total	33·9	34·0	19·2	29·8	92·5	14·5	56·5	39·2	86·9	39·4	44·4	73·9	563·3 YEAR'S TOTAL 563·3 ~~550·3~~
Rain Days.	14	15	9	13	7	12	18	6	21	16	10	24	165

W. 6,500. VII. 18. W W C

25

2542

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Cranwell,

in the County of Lincolnshire.

by The Meteorological Officer, R.A.F. Station.

Lat. 53° 1' 56" Long. 0 30' 48" W

Time of Observation 0900

Nearest Railway Station ~~Sleaford~~, Caythorpe G.N.R.

Diameter of Funnel of Rain Gauge 8 ins.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 237 ft.

22 10

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·1 mm.

Millimetres of Rainfall

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·3	5·3	2·4	1·1	-	-	-	·3	·5	-	3·1	1
2	-	·3	·3	-	-	-	-	-	3·0	-	3·3	1·2	2
3	-	1·4	-	1·3	-	-	-	12·5	-	·9	·3	5·3	3
4	-	5·7	1·6	-	9·8	-	-	10·7	16·1	-	13·6	-	4
5	·3	·4	·7	-	-	-	·2	-	-	·2	6·4	·6	5
6	-	-	1·0	·4	4·2	-	-	3·0	2·6	1·1	-	-	6
7	-	1·0	·1	4·1	-	-	-	-	2·6	·6	-	·4	7
8	·2	·6	-	·7	-	1·5	-	-	-	·6	1·7	·3	8
9	·2	·4	·1	-	-	-	1·0	-	1·5	-	-	·4	9
10	·1	13·0	-	5·2	-	·2	2·1	-	6·0	12·3	-	·4	10
11	·9	·4	-	·1	-	-	6·7	-	·2	-	-	·9	11
12	1·9	·5	-	3·2	9·2	-	1·9	-	2·3	12·3	-	1·6	12
13	-	4·1	·3	-	-	-	1·8	-	1·7	·2	-	·5	13
14	-	·1	-	·3	6·6	·2	-	-	4·0	-	-	·2	14
15	6·1	·1	-	5·0	-	1·2	3·6	-	5·6	2·3	·2	3·7	15
16	-	-	-	-	-	·2	3·0	-	2·7	-	-	4·0	16
17	8·9	-	·1	5·1		2·3	-	-	2·9	-	1·0	3·0	17
18	4·0	-	-	-	(20th 51·1)	-	14·0	·4	·3	1·4	-	2·9	18
19	3·6	-	-	·2	-	·4	1·6	-	9·8	-	-	6·1	19
20	·8	·4	1·3	·9	-	1·4	·3	-	-	2·0	-	8·3	20
21	·6	1·6	-	·8	-	1·0	·9	-	-	·8	-	-	21
22	·7	-	-	-	10·5	·6	-	-	8·3	3·2	-	-	22
23	4·0	-	-	-	-	-	·5	-	-	·3	-	6·9	23
24	1·4	-	-	-	-	-	4·7	-	-	-	-	-	24
25	·1	3·6	-	-	-	4·0	1·3	3·0	·9	·7	-	1·3	25
26	-	-	-	-	-	-	5·7	-	1·5	-	2·7	-	26
27	-	-	-	-	-	1·5	5·3	9·6	2·2	-	4·5	·6	27
28	-	·1	-	-	-	-	1·9	-	-	-	-	1·2	28
29	·1	-	2·8	·1	-	-	-	-	-	-	10·7	11·2	29
30	-	X	-	-	-	-	-	-	12·4	-	-	-	30
31	-	X	5·6	X	-	X	-	-	X	-	X	8·9	31
Total	33·9	34·0	19·2	29·8	92·5	14·5	56·5	39·2	86·9	39·4	44·4	73·0	YEAR'S TOTAL 563·3 mm
Rain Days	~~12~~ 14	15	9	13 ~~12~~	7	12 ~~9~~	18 ~~17~~	6	~~20~~ 21	~~10~~ 16	10 ~~9~~	24 ~~23~~	~~153~~
	1·33	1·34	·75	1·18	3·64	·57	2·23	1·54	3·42	1·55	1·74	2·88	22·17 165

W. 6,500, VII. 18. W W C

2329

Form 3361.

METEOROLOGICAL OFFICE, LONDON.

Time of Observation. 9 a.m. G.M.T.
Diameter of Funnel 8 ins
Height of Top of Gauge above Ground. 1 Ft
" " " " " M.S.L. 235.6 Ft

Values of Rainfall Amounts. *for* Year 1919

(12,437). Wt.11,651—8541 3000. 6/16. Gp.132. A.&E.W. kept by R.A.F. Cranwell at Cranwell, Lincolnshire. Lat. 53° 1' 56" N. Long. 0° 30' 44" W.

Date	January	February	March	April	May	June	July	August	September	October	November	December	Year	Date
	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m		
19 1	2.6	2.4	0.7	-	5.5	-	3.2	-	-	1.2	1.6	3.4		1
2	5.6	0.5	-	.	-	-	8.1	-	7.7	-	3.3	2.4		2
3	16.8	-	-	-	0.2	1.9	0.2	-	48	-	12.7	0.4		3
4	1.6	-	9.4	-	0.2	0.5	0.2	2.0	0.5	-	0.6	6.7		4
5	4.2	0.5	-	-	-	-	-	-	9.7	-	-	1.7		5
6	0.3	-	0.3	-	5.1	-	-	-	-	-	1.2	1.5		6
7	0.4	-	5.7	-	-	-	-	-	-	-	-	-		7
8	1.5	-	-	2.2	-	-	-	-	-	-	0.3	0.7		8
9	-	-	-	0.2	-	-	-	-	-	-	0.2	-		9
10	-	-	4.0	0.7	-	-	-	-	-	0.4	1.3	1.7		10
11	1.4	-	10.6	0.4	1.6	-	8.2	-	-	-	0.8	-		11
12	-	-	8.4	1.2	-	2.0	0.8	-	-	0.4	0.9	-		12
13	4.3	-	-	4.3	-	-	-	-	4.7	1.0	0.4	-		13
14	9.0	-	-	2.4	-	-	0.2	-	3.1	0.4	0.5	0.4		14
15	7.0	2.0	1.6	3.4	-	-	-	-	-	-	0.8	6.7		15
16	-	29.1	-	0.5	-	-	-	0.2	-	-	1.5	0.3		16
17	-	9.2	-	-	-	1.9	1.4	-	-	-	0.2	-		17
18	-	-	0.3	-	-	-	-	4.3	0.3	-	-	1.8		18
19	-	3.6	14.9	-	-	2.6	14.4	14.1	-	-	0.9	0.7		19
20	8.9	1.8	9.1	-	-	0.6	5.8	6.0	0.9	-	-	0.9		20
21.	9.0	10.0	0.7	-	-	1.2	11.8	-	-	-	0.4	4.7		21
22	-	3.7	0.9	-	-	-	1.1	-	17.3	-	0.8	8.4		22
23	-	-	-	1.8	-	1.7	0.2	0.5	-	17.5	-	0.4		23
24	-	-	-	1.8	4.4	3.2	0.5	-	-	2.2	1.5	-		24
25	3.4	0.3	-	4.3	4.6	3.0	-	16.8	-	-	0.2	0.6		25
26	-	0.2	2.0	1.3	-	4.2	-	1.9	0.6	0.4	0.7	5.6		26
27	4.0	2.1	-	6.9	-	-	-	2.0	-	1.7	0.3	2.4		27
28	-	-	-	0.4	-	-	-	21.5	-	6.5	-	6.2		28
29	2.5		-	-	-	-	-	43	-	7.9	2.4	2.2		29
30	-		0.3	6.2	-	14.2	-	-	-	0.4	7.6	5.1		30
31	-		0.4		-		0.6	-		4.6		2.3		31
99 Total	82.5	65.4	69.3	38.0	21.6	37.0	56.7	73.6	49.6	44.6	41.1	67.2	646.6	
Days with 0.2 mm or more.	17	13	16	16	7	12	15	11	10	13	24	24	178	

2231
2542
6 JAN 1921

FORM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cranwell
in the County of Lincolnshire
by Meteorological Office staff

Lat. 53° 1' 56" N Long. 0° 30' 44" W.
Time of Observations 07 00h. 18 00h. G.M.T.
Nearest Railway Station Sleaford.
Diameter of Funnel of Rain Gauge 8 ins.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	1·7	5·0	-	4·8	-	-	5·5	1·9	0·6	1
2	-	-	0·2	5·8	0·1	-	0·9	-	2·8	1·9	-	2·8	2
3	-	0·9	-	1·7	-	1·7	4·7	0·2	3·0	0·8	-	0·4	3
4	-	-	-	5·4	~~tr~~	~~tr~~	1·8	9·7	1·0	6·4	-	1·2	4
5	-	-	0·4	0·3	3·0	-	2·6	5·5	1·8	0·1	-	0·7	5
6	-	-	0·6	-	1·7	-	4·2	0·2	-	-	-	2·4	6
7	-	-	1·0	1·8	-	-	0·7	-	-	-	0·2	0·8	7
8	-	1·8	-	10·0	0·3	-	0·2	-	-	0·2 (R)	-	0·1	8
9	6·8	~~tr~~	-	12·4	-	-	0·5	4·8	-	0·1 0·1 (R)	-	0·1	9
10	4·5	1·2	0·8	0·5	-	~~tr~~	0·9	3·4	-	-	0·4	tr	10
11	3·8	~~tr~~	~~tr~~	13·4	2·9	0·7	0·3	0·4	-	0·2 (R)	-	3·6 ×	11
12	2·1	-	0·8	4·5	~~tr~~	2·2	0·3	1·0	-	-	-	2·9	12
13	0·9	0·4	1·2	8·5	-	14·2	-	1·3	0·6	-	0·6	1·1	13
14	0·1	0·4	14·2	5·8	-	3·7	1·5	~~tr.~~	2·9	1·3	2·8	0·4	14
15	-	1·8	27·8	4·9	-	-	0·4	-	3·6	9·6	3·0	tr	15
16	-	~~tr~~	~~tr~~	1·0	~~tr~~	-	0·1	~~Nil~~	1·2	0·9	-	Tr.	16
17	-	-	-	-	3·1	-	0·6	-	7·8	0·3	-	0·3	17
18	3·6	-	-	1·5	3·1	1·3	-	2·9	3·6	-	-	0·2	18
19	1·7	18·6	-	2·0	-	-	~~tr~~	4·0	~~tr~~	-	0·2	0·3	19
20	2·5	6·6	-	12·2	-	12·3	0·4	~~Nil~~	~~tr.~~	-	0·2	~~tr~~	20
21	~~tr~~	-	-	3·1	-	-	3·4	2·0	0·4	-	0·2	0·1	21
22	0·6	~~tr~~	-	4·0	-	-	0·3	0·1	2·1	-	-	~~tr~~	22
23	~~tr~~	-	-	-	-	-	3·2	~~Nil~~	~~tr~~	0·4 (R)	0·4	6·5	23
24	~~tr~~	~~tr~~	2·7	0·4	-	-	-	0·1	-	-	0·1 (R)	2·0	24
25	0·3	1·5	0·3	2·5	1·7	1·2	14·0	-	~~tr~~	-	0·4	0·1	25
26	2·6	-	0·7	~~tr~~	8·4	~~tr~~	2·0	-	~~tr.~~	0·2 (R)	-	0·1	26
27	1·2	0·6	0·2	2·5	0·6	12·2	-	-	-	0·4 (R)	2·8	6·0	27
28	11·3	-	0·8	0·6	1·9	-	0·9	-	-	-	5·2	1·8	28
29	1·2	-	6·8	-	34·7	0·3	2·5	-	-	-	1·0	9·6	29
30	1·0	✕	0·2	3·9	~~tr~~	0·5	0·3	-	5·3	-	2·1	2·6	30
31	3·6	✕	0·2	✕	~~tr~~	✕	0·2	-	✕	6·3	✕	7·5	31
TOTAL 99	47·8	33·5	58·9	110·4	66·5	50·3	51·7	35·6	36·1	34·6	21·5	54·2	YEAR'S TOTAL ~~601·1~~ 601·1
Days with 0·2 mm. or more	16	10	17	25	12	11	25	12	13	14	15	21	191
1·0 mm and more	13	6	6	21	10	8	11	9	11	6	7	13	121

(44,284). Wt. 21,958—218. 500. 10/19. Gp.132. A.&E.W.

2649

2526 LINCOLNSHIRE

CROWLAND
BAND HSE

1915-16, 18-1920.

FORM A.
BRITISH RAINFALL.

12 JAN 1916

REC

Kept at Crowland ... n

in the County of Linc ... esttend

by W J Harg

auge 5 in.

Ground 6 ft. in.

Sea Level ft.

IMPORTANT NOT ... he result entered to the previous day. If an Ol ... this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	36	20			27				27		19	8	1
2								18	13				2
3	22	6	23	4				55	15		5	22	3
4			7				16	8				25	4
5		9		14	21		36	2				22	5
6	11				15		61					5	6
7	4	27	7				15	10				8	7
8	3		35			8	4	4					8
9		14									21	50	9
10	32							5					10
11	2		11				8				41		11
12					15			15			231		12
13		50	3		135								13
14		6					4					32	14
15	22										23	10	15
16		26				4						7	16
17		6					52				5		17
18			17								10		18
19							12						19
20	18											42	20
21	36						8						21
22	2						47					21	22
23			17		25								23
24							8		7	10			24
25		25					10		36	5			25
26						21				9		32	26
27			29			10	19					55	27
28		21				17			5	81			28
29						20		30				32	29
30		X				52							30
31	7	X		X		X			X	7	X		31
Total	195	210 2·10	149	18	238	132	300	149	103	112	355	401 4·01	YEAR'S TOTAL 23·60
Rain Days.	12	11	9	2	6	7	14	9	6	5	8	15	~~104~~

W. 8,000. X. 15.

2649

FORM A.
BRITISH RAINFALL.

12 JAN 1916

REGISTER OF RAINFALL

Kept at Crowland
in the County of Lincoln
by W. J. Hardy Esq.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Postland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	36	20			27				27		19	8	1
2								18	13				2
3	22	6	23	4				55	15		5	22	3
4			7				16	8				25	4
5		9		14	21		36	2				22	5
6	11				15		61					5	6
7	4	27	7				15	10				8	7
8	3		35			8	4	4					8
9		14									21	80	9
10	32							5					10
11	2		11				8				41		11
12					15			15			231		12
13		50	3		135								13
14		6					4					32	14
15	22										23	10	15
16		26				4						7	16
17		6					52				5		17
18			17								10		18
19							12						19
20	18											42	20
21	36						8						21
22	2						47					21	22
23			17		25								23
24							8		7	10			24
25		25					10		36	5			25
26						21				9		32	26
27			29			10	19					55	27
28		21				17			5	81			28
29						20		30				32	29
30		X				52							30
31	7	X		X		X			X	7	X		31
Total	195	200 2·10	149	18	238	132	300	147	103	112	355	401 4·01	YEAR'S TOTAL 23·60
Rain Days.	12	11	9	2	6	7	14	9	6	5	8	15	~~104~~

W. 8,000. X. 15.

2584

FORM A.
BRITISH RAINFALL.
12 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Crowland

in the County of Lincoln

by W L Hardy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.5			0.11	0.66				0.50		1
2	·32	0.5	0.7		0.53		0.4						2
3		0.15							0.30	0.23	0.5		3
4	0.39	0.17			0.8	0.12			0.38	0.7	0.15		4
5	0.3					0.11				0.14	0.33		5
6		0.10			0.2		0.14				0.23		6
7							0.23				0.8		7
8				0.13									8
9					0.49	0.26						0.30	9
10			0.56	0.3		0.22						0.9	10
11	0.9	0.45		0.15	0.19	0.11							11
12			0.28		0.37	0.27	0.3						12
13		0.17			0.40	0.2	0.23						13
14			0.6		0.10			0.7					14
15		·48 0.44	0.3						0.3				15
16		0.15	0.43	0.12			0.9	0.7		0.6			16
17		0.3	0.8	0.14			0.16	0.4	0.29	0.27			17
18		0.8	0.2	0.6				0.34	0.10		1.00	Snow	18
19			0.45	0.20					0.3		0.24		19
20	0.7		0.42								0.18	0.55	20
21	0.6			0.5							[illegible]	0.81	21
22		1.76			0.10							0.53	22
23						0.33		0.5			0.7	0.31	23
24	0.3							0.4					24
25	0.3		0.16					0.18		0.5			25
26								0.13		0.4	0.6		26
27			0.45			0.16		0.4		0.16			27
28			1.03										28
29		0.7				0.19		2.20		0.28			29
30		X				0.22		0.72		0.21			30
31		X		X		X		0.3	X		X		31
Total	1.02	3.66 3.66	4.09 ~~3.98~~	0.88	2.27	3.12 2.13	1.52 1.52	3.91	1.14 ~~[illegible]~~ 1.14	1.51	2.89	2.59	YEAR'S TOTAL 27.60
Rain Days.	8	12	14	8	9	12	8	12	6	10	12	6	117

W. 8,000, VIII. 16

B. Made

W J J [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Crowland
in the County of Lincoln
by W. J. Hardys Gauge

Lat. Long.
Time of Observation 9.30 a.m. 29
Nearest Railway Station Postland 19
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 6 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.16							0.11	0.16	1
2		0.15		0.14				0.30			0.4	0.22	2
3			0.10		0.51			0.31			0.84		3
4		0.7						0.2	0.90			0.3	4
5					0.25			0.34	0.45		0.37		5
6				0.10									6
7		0.15		0.28					0.5	0.8	0.8	0.10	7
8				0.3									8
9		0.13		0.6					0.30	0.39			9
10							0.55			0.5		0.9	10
11	0.26				0.53		0.10			0.60		0.16	11
12					0.7		0.9		0.12				12
13												0.3	13
14				0.6			0.26		0.24	0.24		0.3	14
15				0.86					0.15			0.14	15
16				0.35					0.65			0.13	16
17	0.89						1.16						17
18	0.23				0.25		0.10					0.13	18
19	0.6			0.8		0.3	0.16			0.13			19
20			0.5	0.4					0.6	0.11			20
21		0.29					0.22		0.14	0.28			21
22	0.10		0.29	0.4	0.8		0.16		0.6			0.30	22
23					0.39	0.10	0.8						23
24											0.8		24
25							0.10	0.18			0.10		25
26							1.18		0.5		0.13		26
27							0.21	0.29	0.18			0.7	27
28		0.15									0.19	0.29	28
29									0.82	0.4			29
30		X								0.14	0.16	0.13	30
31		X		X		X			X		X	0.11	31
Total	1.54	0.94	0.44	2.20 ~~2.07~~	2.08 ~~2.06~~	.13	4.37 ~~4.35~~	1.44	4.17 ~~4.27~~	2.06 ~~2.07~~	2.10 2.16	2.12	YEAR'S TOTAL 23.59
Rain Days.	5	6	3	12	7	2	13	6	14	10	10	16	104

W. 8,000, IX. 17.

B made

2306

17 JUN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Crowland

in the County of Lincoln

by J Goodacre Late W J Ward

Lat. Long.

Time of Observation 9.a.m.

Nearest Railway Station Postland

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.35		0.6			0.7	0.8				0.28	0.65	1
2	0.14						0.34		0.13		0.38	0.18	2
3			0.7								0.15		3
4	0.69		0.44					0.16				0.21	4
5	0.6								0.78			0.5	5
6	0.7												6
7											0.10		7
8											0.7	0.6	8
9			0.7	0.6									9
10			0.20										10
11	0.10		0.35	0.4									11
12			0.27	0.26			0.85			0.15		0.16	12
13	0.16												13
14	0.26		0.8	0.15									14
15	0.16	0.15											15
16	0.6	0.55											16
17		0.57									0.68		17
18			0.8					0.13				0.26	18
19	0.73	0.12	0.60				0.37	0.15	0.17			0.4	19
20	0.32	0.46	0.20				0.82	0.60	0.4				20
21		0.10	0.17			0.27	0.42					0.17	21
22									0.18			0.29	22
23					0.22	0.8				0.23			23
24						0.14				0.8			24
25			0.7					0.45					25
26	0.8											0.35	26
27		0.12		0.71									27
28	0.58			0.7				0.82		0.8		0.31	28
29	0.4					0.7		0.9		0.15	0.26		29
30		X		0.28		0.25						0.23	30
31		X		X		X			X		X	0.5	31
TOTAL	3.80	2.47	2.66	1.57	.22	.91	2.88	2.40	1.30	.72	1.92	3.01	YEAR'S TOTAL 23.86
Days with ·01 in. or more	15	7	13	7	1	6	6	7	5	5	7	14	93

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] [illegible] 2212

21 JAN 19[illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Crowland

in the County of Lincoln

by J. Goodacre

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·4	0·16		0·60			0·10			1
2						0·8		0·55	0·11	0·16			2
3							0·52		0·7	0·8			3
4					0·22		0·15	0·35	0·6			0·17	4
5		[illegible]	0·4	0·37			0·50	0·9	0·6			0·8	5
6							0·45						6
7				0·34	0·11		0·7	0·2				0·4	7
8	0·9			0·50	0·5			0·3					8
9	0·31			0·75				0·2		0·1			9
10				0·25							(0·05)	0·10	10
11	0·8			0·30			0·4						11
12	0·9			0·7									12
13				0·10		0·60		0·5	0·10		0·5		13
14				0·9		0·3	0·5		0·20		0·15		14
15			0·5						0·13				15
16					0·18								16
17				0·3					0·10			0·50	17
18				0·3		0·35		0·17	0·35				18
19				0·5									19
20		0·45		0·37		0·56		0·7	0·10				20
21	0·20			0·15			0·21	0·10	0·20				21
22				1·16			0·3		0·19			0·8	22
23													23
24					0·38							0·40	24
25					0·44		0·38						25
26			0·14	1,09									26
27	0·47					0·7	0·3				0·10	0·2	27
28	0·40		0·38		0·40	0·84	0·4				0·4		28
29					0·45		0·5				0·5	0·34	29
30		✕		0·8		0·1			0·11			0·18	30
31	0·6	✕		✕		✕	0·40		✕	0·16	✕	0·8	31
TOTAL	1·70	0·45	0·61	5·77	2·33	2·54	3·52	1·45	1·78	0·51	0·44	1·99	YEAR'S TOTAL 23·09
Days with ·01 in. or more	8	1	4	18	9	8	15	10	15	5	6	11	~~110~~
Days with ·04 in. or more	8	1	4	16	9	6	13	7	13	4	6	10	~~97~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

LINCOLNSHIRE.

CROWLE

N. LEVEL P.S

1911 — 1920

11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Pumpin

in the County of

by H.G. Tro

p 5 in.
bove Ground 2 ft. 6 in.
„ Sea Level ft.
9.0 am
on { Name Crowle
Distance 3 miles Direction E

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the g year in the space provided for it at the end surement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	10			20			05	.04		1
2								17					2
3	.29				.03							.05	3
4					.05			10		.08	.02		4
5			20	22					12	.09	.07	.08	5
6	.06			.02				.04		.09			6
7	20							.06		14		34	7
8													8
9	.06		12									27	9
10													10
11				.02								31	11
12	23										26		12
13			.09		.06	.03			37		.04		13
14	21		21			.07					.03	47	14
15		32	05 .08	.08							.04	36	15
16		.03	12										16
17			.07							04	12	13	17
18						.14					.07	15	18
19		.04	.06			65					39	.03	19
20						.04		01	18	08	38		20
21		.04		.10			18	54	12		.02	53	21
22		16	.03					15		11	.07		22
23								.07		.09	.10	05	23
24		11	11			57		~~54~~	57			09	24
25		.04	.06	.07		2.09		01		17			25
26		.04		25		.03			06	.05	06	14	26
27				.06	40		14	~~15~~		.27	47	21	27
28		.05	.08	.08				.79	30				28
29			.02	.22						19	.05	15	29
30				.05			.06		34			04	30
31					10					20			31
	–	.05	.10	–									
Total	1.05	.83	1.27	1.27	.94	3.90	.58	1.94	2.06	1.65	2.23	3.52	TOTAL for Year 56
No. of Rain Days.	1.05	.88	1.32	1.17	.64	3.84	.38	1.94	2.11	1.64	2.19	3.40	19.30

H. G. Trafford. Engineer.

W. 8,000, X. '11. 6 9 14 12 5 8 4 10 8 14 17 17 124

S. made

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Pumping Station Dirtness

in the County of Crowle (Lincoln)

by H. G. Trafford

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level ft.

Time of Observation 9.0 am

Nearest Railway Station:
Name Crowle
Distance 3 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05	10			20			05	.04		1
2								17					2
3	.29				.03							.05	3
4					.05			10		.08	.02		4
5			20	22					12	.09	.07	.08	5
6	.06			.02				.04		.09			6
7	20							.06		14		34	7
8													8
9	.06		12									27	9
10													10
11				.02								31	11
12	23										26		12
13			.09		.06	.03			37		.04		13
14	21		21			.07					.03	47	14
15		32	05 .08	.08							.04	36	15
16		.03	12										16
17			.07							04	12	13	17
18						.14					.07	15	18
19		.04	.06			65					39	.03	19
20						.04		01	18	08	38		20
21		.04		.10			18	54	12		.02	53	21
22		16	.03					15		11	.07		22
23								.07		.09	.10	05	23
24		11	11			57		~~54~~	57			09	24
25		.04	.06	.07		2.09		01		17			25
26		.04		25		.05			06	.05	06	14	26
27				.06	40		14	~~15~~		.27	47	21	27
28		.05	.08	.08				.79	30				28
29			.02	.22						19	.05	15	29
30				.05			.06		34			04	30
31					10					20			31
	–	.05	.10	–									
Total	1.05	.83	1.27	1.27	.94	3.90	.58	1.94	2.05	1.65	2.26	3.52	Total for Year 56
No. of Rain Days.	1.05	.88	1.32	1.17	.64	3.84	.38	1.94	2.11	1.64	2.19	3.40	19.30

H. G. Trafford. Engineer

W. 8,000, X. '11.

6 9 14 12 5 8 4 10 8 14 17 17 124

Cor. for wrong day. 24. II. 13.

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

X made

REGISTER OF RAINFALL IN 1912

Kept at North Level Pumping St. Ex. RM
in the County of Lincoln. 7
by Horace Geo. Trafford.

Lat. .... Long. ....
Time of Observation 9-0 am
Nearest Railway Station Crowle
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 2' ft. 6" in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.07	.	.16	.	.16	.21	.08	.	.	1
2	.	.	.	.	.	.23	.33	.	.18	.	.	.36	2
3	.	.	.06	.04	.	.20	.46	.	.	.	.	.	3
4	.14	.14	.	.	.	.63	.	.40	.18	.	.	.10	4
5	.09	.	.34	.	.10	.40	.	.25	.	.	.31	.	5
6	.	.	.	.	.12	.43	.	.	.	.	.	.	6
7	.71	.10	.	.	.06	.03	.04	.36	.	.	.	.	7
8	.	.	.	.	.	.04	.	.13	.07	.	.	.	8
9	.24	.14	.16	.	.	.03	.	.	.22	.	.	.	9
10	.02	.06	.	.06	.	.26	.	.	.	.	.	.	10
11	.	.	.06	.	.	.17	.	.05	.	.	.07	.	11
12	.10	.03	.	.	.	.07	.	.	.	.	.04	.58	12
13	.06	.11	.08	.	.	.11	.53	.	.	.	.33	.	13
14	.	.	.	.	.	.	.	.	.	.11	.16	.	14
15	.10	.	.32	.	.	.08	.	.08	.	.	.	.	15
16	.03	.05	.21	.	.39	.11	.	.	.	.	.	.	16
17	.37	.	.13	.	.15	.07	.	.	.	.11	.	.	17
18	.30	.	.22	.	.	.17	.02	.32	.	.	.	.10	18
19	.	.	.06	.	.	.02	.	.	.	.03	.	.	19
20	.34	.18	.	.	.	.	.59	.15	.	.06	.	.	20
21	.37	.	.	.	.24	.01	.15	.	.	.18	.	.	21
22	.	.	.23	.	.39	.	.41	.	.	.	.	.	22
23	.	.08	.	.	.68	.35	.39	.40	.	.	.	.11	23
24	.	.	.13	.	.04	.	.27	.26	.	.	.06	.	24
25	.31	.	.	.	.	.	.33	.07	.	.	.	.09	25
26	.	.	.	.	.	.23	.	.22	.	.	.14	.05	26
27	.	.16	.02	.	.	.	.21	.73	.	.78	.07	.17	27
28	.	.	.	.	.03	.26	.20	,	.	.66	.	.03	28
29	.	.	.	.	.	.	.06	.27	.	.48	.97	.08	29
30	.		.02	.	.	.10	.	.	.69	.08	.72	.	30
31	.		.04	.	.18		.	.	.	.03	.	.	31
	—	—	.07	—	.16	—	.16	.21	.08	—	—	—	YEAR'S TOTAL
Total	~~3.10~~	~~1.05~~	~~2.08~~	~~.17~~	~~2.38~~	~~4.16~~	~~3.99~~	~~3.85~~	~~1.55~~	~~2.60~~	~~2.26~~	~~1.67~~	28.94
Rain Days.	14	10	~~15~~ 16	~~3~~ 2	~~11~~ 12	~~23~~ 22	~~14~~ 15	15	~~6~~ [illegible]	~~11~~ 10	10	10	142
	3.18	1.05	2.15	.10	2.54	4.00	4.15	3.90	1.42	2.52	2.26	1.67	28.94 ✓

W. 7,500, XI. ·12

S. made ✓ F cnd fr auth WD 1.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

4- JAN 1914

Kept at North Level Pumping Station. #121
in the County of Lincoln.
by H. C. Trafford.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Crowle
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·	·	.15	·	·	·	·	·	·	1
2	·	·	.11	.09	·	·	·	·	.27	·	.03	·	2
3	·	.04	.03	·	·	·	·	·	·	·	.01	·	3
4	·	·	·	·	.24	·	·	·	.02	.02	·	.18	4
5	.58	·	·	·	.11	.13	.07	·	·	·	.20	.21	5
6	·	·	·	·	·	.24	·	·	·	.21	·	·	6
7	.03	·	.10	·	.47	.20	.02	·	·	.36	·	·	7
8	·	.12	·	·	.07	.11	·	·	·	.36	·	·	8
9	·	·	·	·	.26	.13	·	·	.05	·	.08	·	9
10	·	.28	.02	·	·	.03	·	·	·	·	.10	·	10
11	·	.02	·	·	·	·	·	·	·	·	.25	·	11
12	.93	·	·	.53	·	·	·	·	·	·	.22	·	12
13	·	·	·	·	·	.05	·	·	·	·	.10	·	13
14	·	·	·	·	·	·	·	·	.11	·	.11	·	14
15	.13	·	.28	·	·	·	·	·	·	.11	.03	·	15
16	.14	.06	.07	.13	·	·	·	·	.08	·	.11	·	16
17	·	·	.15	.04	·	·	·	·	.81	·	.03	·	17
18	·	·	.17	·	·	.05	·	·	.12	·	·	·	18
19	·	·	.09	·	·	·	.05	·	·	·	.07	·	19
20	.14	·	.04	·	·	·	·	·	·	·	·	·	20
21	.10	·	.03	.07	·	·	·	·	.04	.10	·	·	21
22	·	·	·	·	.09	·	.09	~~.68~~	·	·	.24	·	22
23	.11	·	.19	·	·	.08	·	.68	.09	·	·	·	23
24	.11	·	·	·	·	·	·	.02	.09	.04	·	·	24
25	.04	·	·	·	·	.14	·	·	·	·	·	·	25
26	·	.02	·	·	·	·	·	·	.06	·	·	·	26
27	·	.04	.05	.07	·	.03	·	·	·	.27	.10	.15	27
28	·	·	·	.15	·	.07	·	·	·	·	·	·	28
29	.19		.11	.23	·	·	·	·	·	·	·	·	29
30	·		.17	.40	.11	·	·	.05	·	.04	·	.72	30
31	.12		·	·	·	·	·	·	·	.22	·	·	31
Total	2.62 ✓	.58 ✓	1.61 ✓	1.71 ✓	.15 ~~1.35~~ 1.50	~~1.41~~ 1.26	.23	.75	1.74	1.73 ✓	1.68 ✓	(–) 1.26 ✓	YEAR'S TOTAL 16.57 16.67 ✓
Rain Days.	12	7	15	9	7	13	4	3	11	10	15	4	110

W.7,000, XI. 13

S W. M. G. Cord for [illegible] W.D. 12·VII·15

FORM A. BRITISH RAINFALL. 10. JUL. 1915

REGISTER OF RAINFALL IN 1914

Kept at North Level Pumping Station

in the County of Lincoln

by H. G. Trafford Engineer In Charge

Lat. — Long.

Time of Observation 9·0 am

Nearest Railway Station Crowle

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 2' ft. 6" in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·08) est.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04					·31			·12	·13	1
2							·75	·23				·03	2
3							1·96	·29			·12	·06	3
4			·17		·05		·11	·03			·05	·38	4
5				·16							·31	·16	5
6			·20		·13		·19	·06				·15	6
7		·04		·06	·10		·46						7
8		·01	·19		·08	·15					·09	·06	8
9	·39				·06	·32		·21	·10				9
10	·32					·61		·21					10
11	·27	·09		·10					·11				11
12		·01	·26	·03	·04	·10			·07		·24	·31	12
13									·23			·20	13
14			·15								·11	·10	14
15	·02						·10			·19	·40	·14	15
16	·06		·14				·09						16
17	·04						·21		·10				17
18		·09							·15			·10	18
19						·16						·49	19
20			·14									·17	20
21		·04	·08							·10			21
22		·15	·04			·07		·19		·09		·04	22
23	·03				·45			·08					23
24					·49	·10		ǂ					24
25				·10				1"·00			·26		25
26								·11		·63		·39	26
27			·27				·11	·35		·20	·07	·18	27
28												·48	28
29	·03									·12	·08	·28	29
30		✕	·11							·39			30
31		✕		✕		✕			✕		✕	·11	31
Total	– ~~1·16~~	·04 ~~·43~~	– ~~1·79~~	– ~~·45~~	1·40 ~~1·36~~	– ~~1·51~~	·31 ~~3·98~~	– ~~3·07~~	– ~~·76~~	·12 ~~1·72~~	·13 ~~1·85~~	(·08) ~~3·96~~	YEAR'S TOTAL 8 ~~22·08~~
Rain Days.	8	~~7~~ 8	~~12~~ 11	5	8	7	~~9~~ 10	12	6	8	11	20	113
	1·16	·47	1·7~~4~~5	·45	1·40	1·51	4·29	2·76	·76	1·84	1·86	(3·91)	22·16

W. 8,000. X. 14.

W. M.

Cord for aith a WD 12·VII·15

FORM A.
BRITISH RAINFALL.
10. JUL. 1915

REGISTER OF RAINFALL IN 1914

Kept at North Level Pumping Station
in the County of Lincoln
by H. G. Trafford. Engineer. In Charge.

~~Lat.~~ Long.
Time of Observation 9-0 am
Nearest Railway Station Crowle
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2' ft. 6" in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (.08) ext

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04					.31			.12	.13	1
2							.75	.23				.03	2
3							1.96	.29			.12	.06	3
4			.17		.05		.11	.03			.05	.38	4
5				.16							.31	.16	5
6			.20		.13		.19	.06				.15	6
7		.04		.06	.10		.46						7
8		.01	.19		.08	.15			.10		.09	06	8
9	.39				.06	.32		.21					9
10	.32					.61		.21	.11				10
11	.27	.09		.10					.07				11
12		.01	.26	.03	.04	.10			.23		.24	.31	12
13												.20	13
14			.15								.11	.10	14
15	.02						.10			.19	.40	.14	15
16	.06		.14				.09						16
17	.04						.21		.10				17
18		.09							.15			.10	18
19						.16						.49	19
20			.14									.17	20
21		.04	.08							.10			21
22		.15	.04			.07		.19		.09		.04	22
23	.03			[illegible]	.45			.08					23
24					.49	.10							24
25				.10				1.00			.26		25
26								.11		.63		.39	26
27			.27				.11	.35		.20	.07	18	27
28												.48	28
29	.03									.12	.08	.28	29
30		✕	.11							.39			30
31		✕		✕		✕			✕		✕	.11	31
	–	.04	–	–	1.40	–	.31	–	–	.12	.13	(.08)	YEAR'S TOTAL
Total	~~1.16~~	~~.43~~	~~1.79~~	~~.45~~	~~1.36~~	~~1.51~~	~~3.98~~	~~3.07~~	~~.76~~	~~1.72~~	~~1.85~~	~~3.96~~	~~22.04~~ 8
Rain Days.	8	8	12	5	8	7	~~9~~ 10	12	6	8	~~12~~ 11	20	113 ✓
	1.16	.47	1.75	.45	1.40	1.51	4.29	2.76	.76	1.84	1.86	(3.91)	22.16

W. 8,000. X. 14.

corrected for W.D 30.xi.16. Exd J 2732

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

21 JAN 1916

Kept at N. L. Pumping Station
in the County of Crowle Lincoln
by H. C. Trafford. Engineer

Lat. ________ Long. ________
Time of Observation 9.0 am
Nearest Railway Station Crowle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·12)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.09	.07				.16		.14		.09		1
2	.06	.17			.53			.47	.23		.09		2
3		.03	.10	.17		07	.07	.16					3
4	.47		.03	.04			.50	.58			04	.38	4
5	.21						1.00					.96	5
6	.08	.11			.06			.03			.07	.35	6
7		.20	.09				.70	.20				.03	7
8	.32	.21					.24	.32			.06		8
9		.08								.06	.03		9
10	.05							.10				.65	10
11	.14							.27					11
12			.10		.29		.09				.21	.15	12
13	.05			.27	.08		.12				.84		13
14		.62						.11					14
15		.04			.05							.19	15
16	.11							.15		.12	.36	.09	16
17		.18					.75						17
18	.09						.14						18
19		.20	.25					.05			.05		19
20							.09						20
21												.41	21
22	.09						.10					.06	22
23			.17				.08					.10	23
24	.05.		.06				.05		.10	.09			24
25			.12			.05			.68			.21	25
26						.13				.06		.07	26
27		.11					.05					.33	27
28		.07					.83			.43		.09	28
29								.33		.11		.03	29
30		X			.25						.22	.36	30
31	.11	X		X		X			X		X	.18	31
Total	.09 ~~1.95~~ 1.92	.07 ~~2.11~~ 2.09	— ~~.99~~ .92	— ~~.48~~ .48	— ~~1.26~~ 1.26	.16 ~~.25~~ .41	— ~~4.97~~ 4.81	.14 ~~2.77~~ 2.91	— ~~1.15~~ 1.01	.09 ~~.87~~ .96	— ~~2.06~~ 1.97	.12 ~~4.64~~ 4.76	YEAR'S TOTAL ~~23.50~~ 23.50
Rain Days.	14	13	~~9~~ 8	3	6	~~3~~ 4	~~16~~ 15	~~12~~ 13	~~4~~ 3	~~6~~ 7	~~11~~ 10	~~18~~ 19	115

W. 8,000. X. 15.

cwd fr auth HyWD ~~xx~~ 29 2666

FORM A. BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at North Level Pumping Station

in the County of Crowle. Lincoln

by H. G. Trafford Engineer In Charge.

Lat. Long.

Time of Observation 9.0am

Nearest Railway Station Crowle

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2' ft. 6" in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13		·14										1
2	·06		·24			·06	·13				·26		2
3		·42			·21				·16				3
4		·07					·16		·25	·20	·07		4
5	·02				·66	·05			·31	·10	·25		5
6		·27	·28	·11	·03	·30				·23	·14		6
7			·10		·41		·09				·25		7
8			·36		·06		·15			·02		27	8
9			·11										9
10		·08		·09	·50				·16			·25	10
11		·45	·28	·09		·24			·16				11
12			·50			·12	·07						12
13		·06	·11		·34	·10	·12					·15	13
14					·16			·23		·26			14
15			·65		·09					10			15
16		·15	·10	·10			·10	·33					16
17								·20					17
18	·13	·27		·23			·09	·12	·13	·18			18
19	·10		·14	·05				·22	·07	·05	·91		19
20	·03		·20					·04			·27	·18	20
21			·07	·13	·06			·17				·06	21
22				·07			·38					·28	22
23		·06								·07		·21	23
24		·47		·07							·08	·28	24
25		·13	·28			·16		·20				·13	25
26								·13			·11		26
27		·31	·07							·21			27
28		·16						·10					28
29					·06							·05	29
30		X				·40		·30		·26		·18	30
31		X		X		X			X		X		31
Total	~~·47~~	~~2·90~~ ·14	~~3·73~~	~~·84~~	2·58	1·43	1·29	2·04	1·24	1·68	2·34	2·04	YEAR'S TOTAL ~~22·68~~
Rain Days.	·34 ~~6~~	3·04 ~~13~~	3·59 ~~16~~	·94 ~~9~~	~~11~~	~~8~~	~~9~~	~~11~~	~~7~~	~~11~~	~~9~~	~~11~~	22·55 ~~121~~

W. 8,000, VIII. 16

Swede Cnd for WD 3934

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 8 JAN 1918

Kept at North Level Pumping Station.
in the County of Crowle Doncaster Lincoln
by H. C. Trafford. Engineer.

Lat. Long.
Time of Observation 9-0 am
Nearest Railway Station Crowle
Diameter of Funnel of Rain Gauge ·5" in.
Height of top of Gauge above Ground 2' ft. 6" in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ( )

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	27	.	.	.	.	.	.	.	.	1
2	.	.	.	18	.	.	.	40	08	.	10	.	2
3	.	.	.	.	.	14	.	17	.	.	.	.	3
4	.	.	.	.	.	.	.	39	.	.	.	.	4
5	.	.	.	.	.	.	.	.	.	33	.	.	5
6	32	.	17	16	.	.	.	.	.	25	04	.	6
7	.	.	.	.	.	.	.	.	.	.	.	.	7
8	40	.	.	.	.	10	.	10	.	50	.	.	8
9	66	.	.	16	.	.	.	1.19	.	78	.	.	9
10	.	.	10	06	.	.	.	25	.	02	36	.	10
11	39	.	45	10	19	.	.	10	.	07	05	.	11
12	.	.	.	54	.	.	.	.	.	41	.	.	12
13	34	.	.	03	42	.	.	39	.	12	.	09	13
14	14	.	.	.	.	.	.	16	16	04	.	.	14
15	18	.	.	.	.	.	.	06	.	.	.	.	15
16	06	.	.	.	.	.	05	05	.	.	.	12	16
17	.	.	.	.	.	.	.	.	.	.	.	50	17
18	.	.	.	24	46	.	07	07	09	.	.	.	18
19	11	.	·05	.	02	.	32	.	35	.	.	.	19
20	.	24	·08	03	32	13	.	.	.	.	.	.	20
21	.	38	.	.	05	25	.	17	.	.	42	.	21
22	.	07	.	.	.	.	.	.	.	.	.	.	22
23	.	.	18	.	.	.	.	08	.	16	.	.	23
24	.	.	.	.	04	.	.	12	.	.	.	10	24
25	.	.	.	.	.	21	.	.	.	24	10	.	25
26	.	.	06	.	.	.	16	.	.	07	.	.	26
27	.	.	04	.	.	.	.	39	11	06	20	.	27
28	05	.	.	.	.	19	16	42	.	.	.	08	28
29	.	.	·08	.	.	22	.	21	.	.	.	09	29
30	.	X	.	.	02	.	.	.	.	20	.	07	30
31	05	X	·05	X	.	X	14	08	X	.	X	.	31
Total	2.70	·69	27 ~~1.26~~ 1.53	~~1.77~~ 1.50	1.52	1.24	·90	4.80	·79	3.25	1.27	1.05	YEAR'S TOTAL 21.24
Rain Days.	11	3	10	10	8	7	6	19	5	14	7	7	107

W. 8,000, IX. 17.

110

B. Made

83

FORM A.
BRITISH RAINFALL
15. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at North Level Pumping Station
in the County of Lincoln
by H. G. Trafford. Engineer

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Crowle
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 2' ft. 6" in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·13	·06	·21		1
2		28		·07					·11			·29	2
3		·02			55			1·22			·40		3
4			·07					·09	·27		·21	·36	4
5					·16			·71		·15			5
6		·28		·87						·02			6
7	·17			·28		·13					·08		7
8									·18		·04		8
9		·18		·03		·05	·25		{·263}	·40		·05	9
10		13					·08		·12				10
11	·13				·35				·03			·06	11
12		10			·07		·49	·02					12
13				·08									13
14	·19						·05		·59	·15		23	14
15	·13						·25		·59			·11	15
16							·79		·38				16
17	·24				·16		·45			·08		·24	17
18	·22					·07	·29		·61			·23	18
19										·06		·63	19
20	·07	·12				·09	·72		·06				20
21					·42				·11	·14			21
22	·06								·05	·03		·27	22
23	·10				·33		·18						23
24		·07							·11				24
25						·15		·30					25
26							·18	·39	·10		·26	·04	26
27									·11		·14		27
28		·23	·28									·50	28
29		X							·11		·09	·11	29
30		X	·38								·09	·15	30
31		X	·15	X		X		·05	X		X		31
Total	1·31	1·41	·88	1·33	2·04	·49	3·73	2·78	3·92	1·09	1·52	3·27	YEAR'S TOTAL 23·77
Rain Days.	9	9	4	5	7	5	11	7	17	9	9	14	106

W. 6,500. VII. 18. W W C

B made [illegible] ~~W.~~ 1806 2383

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at North Level Pumping Station
in the County of Lincoln.
by H. G. Trafford. Engineer.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Medge - Hall
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	31	·06			·22		·19					·15	1
2	·08						·33		·10		·11		2
3	·9~~4~~0				·02		·39				·29	·08	3
4			·46			·20		·15	·10			·10	4
5	·09								·22			·05	5
6			·03									·12	6
7			·16		·20								7
8												·06	8
9											·25		9
10			·15	·08								·10	10
11			·57	·04	·02		·15				·14		11
12			·57			·06	·12			·22			12
13	·30								·64	·15			13
14	·30			·32			·24				·29		14
15	·18			·35								1·03	15
16	·10	·99			·24						·12		16
17		·17				·11					·16		17
18													18
19		·26	·71				·45	·84	·10		·06	·07	19
20	·33	·09					·12	·11	·09				20
21	·20	·34				·06	·21				·04	·24	21
22		·14							·16			·31	22
23						·09				·88			23
24					·05	·28				·12		·12	24
25		·02		·14				·34			·17		25
26			·18					·31				·35	26
27	·09			·38						·33			27
28				·09				·61		·17		·30	28
29	·20	X								·78		·05	29
30		X		·30		·22					·08	·10	30
31	·04	X		X		X	·17		X	·20	X		31
TOTAL	3·12	2·07	2·83	1·70	·75	1·02	2·34	2·36	1·41	2·85	1·71	3·2[illegible]	YEAR'S TOTAL 25·42
Days with ·01 in. or more	13	8	8	8	6	7	10	6	4	8	11	16	108

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

14 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at N. L. Pumping Station.

in the County of Lincoln

by H. G. Trafford. Engineer In Charge.

Lat. Long.

Time of Observation 9-0 am

Nearest Railway Station Crowle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30	·23		·27			·12			1
2				·09			·70		·10	·32		·20	2
3				·12	·03	·12	·66		·05	·11		·08	3
4							·24	·41		·76		·15	4
5			·10				·12	·12	·13	·01		·05	5
6			·17		·19								6
7			·09	·13									7
8		·07		·30			·12						8
9	·27			·42						·01			9
10	·08	·24		·17			·07	·14					10
11	·25			·17									11
12				·20								·27	12
13				·08		·29			·03		·10	·20	13
14	·03		·47			·18			·25		·06		14
15			·74	·19					·14	·21		·04	15
16		·07					·50		·02				16
17					·18				·26				17
18	·07						·02	·05	·08				18
19		1·46		·31				·05	·01				19
20	·07			·26		·56							20
21				·15			·28	·12					21
22				·20					·01				22
23							·27					·30	23
24				·05					·02			·03	24
25		·11	·04				·41		·01				25
26	·08						·10						26
27	·08			·07	·60	·14			·01		·41	·16	27
28	·83		·32	·06	·15						·15		28
29	·04		·18		·55		·04				·10	·38	29
30		✕		·07					·11		·18	·22	30
31	·22	✕		✕		✕			✕	·28	✕	·10	31
TOTAL	2·02	1·95	2·11	3·34	1·93	1·29	3·80	·89	1·23	1·82	1·00	2·18	YEAR'S TOTAL 23·56
Days with ·01 in. or more	11	5	8	19	7	5	14	6	15	8	6	13	~~117~~
Days with ·04 in. or more	10	5	8	19	6	5	13	6	8	6	6	12	104

2587 LINCOLNSHIRE
CROWLE, N. LEVEL P.S.
1910 ~~230~~
782714

Con… 23.III.11

10

FORM A2. BRITISH RAINFALL.

13 JAN 1911

Kept at North … 5" in.
… above Ground 2' ft. 6 in.
in the County of L… „ Sea Level … ft.
by Crowl… 9.0am
Name Crowle
Distance 3 Direction miles

IMPORTANT … and the result entered to the previous day. If an Observer prefers … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	.07	·	·	·	.61	·	·	·	.26	.03	1
2	.03	.31	·	·	.03	.01	.50	.06	.05	.37	.06	.50	2
3	·	.11	·	·	.06	·	.42	·	·	.17	·	.03	3
4	·	·	·	·	.10	·	.32	.06	·	·	·	.50	4
5	·	.07	·	.28	.19	·	·	·	·	·	·	.10	5
6	·	.02	·	·	.10	·	.68	·	·	·	·	·	6
7	·	·	.03	·	.04	·	.35	·	·	·	.26	·	7
8	·	.07	.28	·	·	.03	·	·	·	·	.11	.02	8
9	.08	·	.12	·	.35	.20	·	·	·	·	·	·	9
10	·	·	.06	.11	·	·	·	·	·	·	·	.07	10
11	.09	·	·	·	·	·	·	·	·	.05	.59	.08	11
12	·	·	·	·	.40	·	·	.33	.15	1.02	·	·	12
13	·	·	·	·	·	·	·	·	·	·	.29	.05	13
14	.02	.06	·	.04	·	·	·	·	·	·	.24	·	14
15	.09	.23	·	.38	.28	·	·	.50	·	·	.06	.21	15
16	.06	·	·	.06	·	·	·	·	·	·	·	.35	16
17	·	.06	·	.24	·	·	·	.04	·	.02	·	.17	17
18	.14	·	·	.0	·	·	·	·	·	.68	·	.04	18
19	·	·	.19	·	.16	·	·	.16	·	.08	.14	·	19
20	.09	·	·	·	.06	·	·	.03	·	·	·	·	20
21	·	.10	·	.06	·	·	.42	.17	·	.06	·	·	21
22	·	·	·	·	·	·	·	·	·	·	·	·	22
23	·	.10	·	.05	·	.18	.14	.09	·	·	·	·	23
24	.26	.06	·	.07	·	.10	.34	.21	·	·	.04	.06	24
25	.17	.05	·	.14	·	.52	.29	.02	·	·	·	·	25
26	·	.10	·	·	·	.19	.39	.37	·	·	·	·	26
27	·	·	·	.05	·	·	·	.09	·	·	·	.26	27
28	.36	·	·	·	·	.22	·	·	·	·	.92	·	28
29	·	.0	·	.17	.05	.18	.04	.27	·	.10	.06	.02	29
30	·		·	.14	·	.09	·	.02	·	·	·	·	30
31	·		·		.03	·	·	.01		·	·	·	31
Total	~~1.39~~	~~1.34~~ ·07	~~·75~~	~~1.79~~	~~1.85~~	~~1.72~~ ·61	~~4.50~~	~~2.43~~ 2·43	~~·20~~	~~2.55~~ ·26	~~3.03~~ ·03	~~2.49~~	TOTAL for year 24.04
No. of Rain Days	11	14	5	13	13	10	12	16	2	~~9~~ 10	12	16	133
9,000, IX. '10.	1·39	1·41	·68	1·79	1·85	2·33	3·89	2·43	·20	2·81	2·80	2·46	2404

Cor. for ~~mon~~

REGISTER OF RAIN 10

FORM A2. BRITISH RAINFALL.

13 JAN 1911

Kept at North Level Pumping Station

in the County of Lincoln

by Crowle Doncaster.

H. G. Trafford.

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 2' ft. 6 in.
" " " Sea Level ft.

Time of Observation 9. 0am

Nearest Railway Station
Name Crowle
Distance 3 Direction miles

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.07	.	.	.	.61	.	.	.	.26	.03	1
2	.03	.31	.	.	.03	.01	.50	.06	.05	.37	.06	.50	2
3	.	.11	.	.	.06	.	.42	.	.	.17	.	.03	3
4	.	.	.	.	.10	.	.32	.06	.	.	.	.50	4
5	.	.07	.	.28	.19	.	.	.	.	.	.	.10	5
6	.	.02	.	.	.10	.	.68	.	.	.	.	.	6
7	.	.	.03	.	.04	.	.35	.	.	.	.26	.	7
8	.	.07	.28	.	.	.03	.	.	.	.	.11	.02	8
9	.08	.	.12	.	.35	.20	.	.	.	.	.	.	9
10	.	.	.06	.11	.	.	.	.	.	.	.	.07	10
11	.09	.	.	.	.	.	.	.	.	.05	.59	.08	11
12	.	.	.	.	.40	.	.	.33	.15	1.02	.	.	12
13	.	.	.	.	.	.	.	.	.	.	.29	.05	13
14	.02	.06	.	.04	.	.	.	.	.	.	.24	.	14
15	.09	.23	.	.38	.28	.	.	.50	.	.	.06	.21	15
16	.06	.	.	.06	.	.	.	.	.	.	.	.35	16
17	.	.06	.	.24	.	.	.	.04	.	.02	.	.17	17
18	.14	.	.	.0	.	.	.	.	.	.68	.	.04	18
19	.	.	.19	.	.16	.	.	.16	.	.08	.14	.	19
20	.09	.	.	.	.06	.	.	.03	.	.	.	.	20
21	.	.10	.	.06	.	.	.42	.17	.	.06	.	.	21
22	.	.	.	.	.	.	.	.	.	.	.	.	22
23	.	.10	.	.05	.	.18	.14	.09	.	.	.	.	23
24	.26	.06	.	.07	.	.10	.34	.21	.	.	.04	.06	24
25	.17	.05	.	.14	.	.52	.29	.02	.	.	.	.	25
26	.	.10	.	.	.	.19	.39	.37	.	.	.	.	26
27	.	.	.	.05	.	.	.	.09	.	.	.	.26	27
28	.36	.	.	.	.	.22	.	.	.	.	.92	.	28
29	.	.0	.	.17	.05	.18	.04	.27	.	.10	.06	.02	29
30	.		.	.14	.	.09	.	.02	.	.	.	.	30
31	.		.		.03	.	.	.01		.	.	.	31
Total	~~1.39~~	.07 ~~1.34~~	~~.75~~	~~1.79~~	~~1.85~~	.61 ~~1.72~~	~~4.50~~	2.43 ~~1.43~~	~~.20~~	.26 ~~2.55~~	.03 ~~3.03~~	~~2.49~~	TOTAL for year 24.04
No. of Rain Days	11	14	5	13	13	10	12	16	2	~~9~~ 10	12	15	133

9,000, IX. '10.

1.39	1.41	.68	1.79	1.85	2.33	3.89	2.43	.20	2.81	2.80	2.46	2404

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

LINCOLNSHIRE

DENTON MANOR

1911 - 1920.

RI

Kept at Denton | 5 in.
in the County of L | Ground 3 ft. in.
by Sir C.G.E. We | Sea Level 310 ft.
a.m.
Name Grantham
Distance 4½ Direction N.E

IMPORTANT NOTI … he result entered to the previous day. If an Obs … rsal rule, he is earnestly requested to add the readi … r in the space provided for it at the end of this … ent of rain, the selection and placing … gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1						3	5			4	2	1
2	27			1	10		1	10			2	5	2
3	2	2		1	13			15		1		2	3
4	5	2	20	16				2	10	14	9	24	4
5	5			4				5		5		2	5
6	35		1					3		9		26	6
7	1									3	10	17	7
8	26		16						6	1	1	17	8
9	5		1	1							19	2	9
10	1	5	12	2				1		~~1~~	18	60	10
11	26							20			29		11
12	8		34						10	1 ~~2~~	6	1	12
13	1		8			3			12	2	2	49	13
14	1	1	6		34		2			2 ~~8~~	1	48	14
15		7	8							8	5	2	15
16	1		5			2	1			2	15	6	16
17		1	2			2				1	3	10	17
18		34	1			12					25	4	18
19	2	3			1	2			2	13	34	3	19
20	1	3		5		1	1	41	2	4		38	20
21		36		1				16	1	21	2	8	21
22	2	2	1	1		1		3		24	6	23	22
23		4	16			82	1	5	43	1	1	12	23
24	1	4	2	2		94				42		20	24
25		11	3	7	43	2			1		3	8	25
26		1		12	110	1				27	31	35	26
27		15	20	2			10	43	20	4	2	2	27
28		32	1	16		5		2	1		5	9	28
29			2			11	3		16	20	1	1	29
30			2	6	2	4			2	18		~~2~~	30
31			4							3		2	31
Total	1·5[illegible]1	163	165	77	213	222	·22	171	126	226	234	438	TOTAL for year
No. of Rain Days.	151 19	17	21	15	7	14	8	14	13	23	24	29	22·08

W. 8,000, X. '11.

204

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Denton Manor

in the County of Lincoln 3

by Sir C. G. E. Welby Bart, C.B.,

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 310 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Grantham
Distance 4½ Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1						3	5			4	2	1
2	27			1	10		1	10			2	5	2
3	2	2		1	13			15		1		2	3
4	5	2	20	16				2	10	14	9	24	4
5	5			4				5		5		2	5
6	35		1					3		9		26	6
7	1									3	10	17	7
8	26		16						6	1	1	17	8
9	5		1	1							19	2	9
10	1	5	12	2				1		~~1~~	18	60	10
11	26							20			29		11
12	8		34						10	1 ~~2~~	6	1	12
13	1		8			3			12	2	2	49	13
14	1	1	6		34		2			2 ~~8~~	1	48	14
15		7	8							8	5	2	15
16	1		5			2	1			2	15	6	16
17		1	2			2				1	3	10	17
18		34	1			12					25	4	18
19	2	3			1	2			2	13	34	3	19
20	1	3		5		1	1	41	2	4		38	20
21		36		1				16	1	21	2	8	21
22	2	2	1	1		1		3		24	6	23	22
23		4	16			82	1	5	43	1	1	12	23
24	1	4	2	2		94				42		20	24
25		11	3	7	43	2			1		3	8	25
26		1		12	110	1				27	31	35	26
27		15	20	2			10	43	20	4	2	2	27
28		32	1	16		5		2	1		5	9	28
29			2			11	3		16	20	1	1	29
30			2	6	2	4			2	18		~~2~~	30
31			4							3		2	31
Total	1·5~~3~~1	163	165	77	213	222	·22	171	126	226	234	438	TOTAL for year
No. of Rain Days.	1 3 1 19	17	21	15	7	14	8	14	13	23	24	29	22·08

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL.

17 JAN 19

REGISTER OF RAINFALL IN 1912

Cox MG

Kept at Denton Manor, Grantham

in the County of Lincolnshire 3

by Sir Charles G. E. Welby Bt. C.B.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2				33	2	4	4			45	1
2		2	2	2		12	72		6			3	2
3	14	2	1		3	41	2	41	13			10	3
4	5		46		5	36		15			34		4
5	7	2	4			11		5			3		5
6	58	4			2	1	12	22				4	6
7		8				6	2	10				3	7
8	41	26	28	5		3	15	3	36			4	8
9	5	10	11	15		14					2	20	9
10	1		1			10		33			15		10
11	10	6	1		1	3			4		3	65	11
12	5	35	5		1	28	26				5		12
13	1	3	1			8		3		2	14	3	13
14	9	1	32		1	16		9	1				14
15	1	1	8		35	18		1				6	15
16	62		13			7		9		19	2		16
17	12		8			18		13			4	42	17
18	13	1	11					4		1	3	1	18
19	23	10	2				25	26			2	2	19
20	14	1	17		15		69	7		24			20
21	1	1	59		47		19	9		17	4	1	21
22	1	9	3		78	2	83	35		1		8	22
23	7	5	26		4	1	48	55			16	6	23
24	24	1	1			7	2	11		1		14	24
25	2					57	1	28			30	30	25
26		1	4			7	29	1.43		52	15	40	26
27					1	12	1			59		14	27
28		1				4	6	38	1	25	52	44	28
29		2	6	1	4	10	16		45	17	9		29
30	6		1		22		65		8	3		4	30
31			9		34			15					31
Total	3.22	1.34	3.00	·23	2.53	3.65	4.95	5.39	1.18	2.21	2.13	3.69	YEAR'S TOTAL 33.52
Rain Days.	23	23	25	4	15	25	19	24	9	12	17	22	218

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5 - JAN 1914

Ex Hol

Kept at Denton Manor

in the County of Lincoln 3

by Sir C. G. E. Welby Bt, C.B.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1		16	3					69		4		1
2	1	10	2	8					9		6		2
3	1		10		41		4		3			1	3
4	44	1	1		6	1				1	12	17	4
5	6		1		2	7	1		6	1·33		1	5
6	1		8		51	7	4			36	1	2	6
7		4		1	10	3	2			81	1	1	7
8		1		1	26	17			1	64	11		8
9		26	5	1	1	19		3			11		9
10	2	1		4	7		25	7		1	40		10
11	111			37		1	1	31		1	36	1	11
12				1	2						25		12
13	8	1	8	5				5	2		15		13
14	7	1	53	4				2		9		1	14
15	12	1	40	25					28		4		15
16	5	6	79	11					65		1		16
17	3	3	10	6		72	1		1		2	1	17
18			15	10	1	1	5					3	18
19	10		6				1		6			2	19
20	7		3	5					3	25	8		20
21	1		20		3		17				20	1	21
22	23		37					7	22				22
23	1		3			6	2	4	8		2		23
24	2			6		1		6					24
25		1		9		2			2	1	1		25
26		8	24	7						32	6	20	26
27	1	3	2	5	14	2				1	1		27
28	20		37	13					1	3		12	28
29	1		17	45	20			14		6		29	29
30	42		4							13	6	4	30
31	1		1		17			1					31
Total	3·11	·67	4·02	2·07	2·01	1·39	·63	·80	2·26	4·07	2·13	·96	YEAR'S TOTAL 24·12 ✓
Rain Days.	24	14	24	21	14	13	11	10	15	15	21	15	197 ✓

W.7,000, XI. 13

W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
7 - JAN 1915

Kept at Denton Manor
in the County of Lincoln 3
by Sir C. G. E. Welby Bart. C.B.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Grantham G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1		3	1			84	20			3		1
2							8	29			10	19	2
3	1		2	1	16		19	33			11		3
4	22			23	1			5			51	28	4
5	3		14	31	7	9	18	9			1	1	5
6		3		9	12	1	3				5	2	6
7		5	41		4	1	1	1			1	7	7
8	5	3	2	9	11	81	2	21	2		1	3	8
9	46	2	14	23		1·22		6	9	1			9
10	40	8	4	13	2				3	1			10
11	1	5	39	33	8	11			4		34	31	11
12	2	2	10			3	14		30		2	33	12
13	2	10	17							17	32	16	13
14	2	2	27				13		1	37	25	27	14
15	9		17			1		5			15	12	15
16	3		4				6	1	3		2		16
17		19	5				1		18			20	17
18	1		5			33	13				1	41	18
19		7	2				1		1		3	6	19
20	1	14	20						2	3		1	20
21	2	30	5			1				6	3	12	21
22	1	1			78		2	6		29	2		22
23		14	6		16	1	9			3	1	2	23
24	1	1	26	5	12					9	32		24
25		1					10	15		67	1	35	25
26			3				1	8		12	28	36	26
27	3										1	17	27
28	5	3			2					16	30	78	28
29	5		7	2	1					42	3		29
30	1	X		2	5	5				3	26	24	30
31	1	X		X		X	34		X	7	X	4	31
Total	1·58	1·30	2·73	1·52	1·75	2·69	2·39	1·59	·73	2·53	3·24	4·55	YEAR'S TOTAL 26·60
Rain Days.	23	18	22	12	14	12	18	13	10	15	26	23	206

W. 8,000. X. 14.

2658

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

6. JAN 1916

Kept at Denton Manor
in the County of Lincoln
by Sir C. G. E. Welby Bt., C.B.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Grantham G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	18	13	1	–	36	–	–	2	21		9	7	1
2	2	3	11	14	–	9	–	48	2	2	1	2	2
3	39	–	5	13	–		22	37	3		2	15	3
4	36	–	–	–	–		1·60	30			–	94	4
5	4	24	–	–	16		–	5			9	40	5
6	2	15	7	10	–		72	9			–	3	6
7	19	34	4	–	–	6	18	23			2	43	7
8	11	12	1	7	–	–		3			2	–	8
9	2	7	–	–	–	3		–		3	6	36	9
10	33	–	2	–	–			20			12	1	10
11	1	–	2	5	17		12	31			37	8	11
12	1	–	–	32	14		3	–			103	–	12
13		62	–		43			1	5		–	–	13
14		6	–		2			1		1	–	26	14
15	28	–	–		1			11		1	29	12	15
16		22	–		3		1·40			1	–	2	16
17		10	–				·21~~40~~			1	–	1	17
18		14	21				–			1	5	2	18
19		6	–	–			10				1	–	19
20	29	–	–	1	–		–					32	20
21	15	3	–	–	5		23			1		5	21
22	11	–	20	4	1		27		1			14	22
23	7	11	–	1			9		5	9	3	18	23
24	2	–	11	2			31		74	5		7	24
25	1	–	3			37	11			1		9	25
26	1	16	–				2		1		1	27	26
27		8	1			22	35			56		8	27
28		22	5			–		26		10		–	28
29		–	–			4		10			26	29	29
30	6	✕	–	1		37		~~18~~		1	1	8	30
31	4	✕	–	✕		✕		18	✕	19	✕	10	31
Total	2·72	2·88	·94	·90	1·38	1·18	5·96	2·75	1·12	1·12	2·49	4·59	YEAR'S TOTAL 28·03
Rain Days.	22	18	14	11	10	7	16	16	8	15	17	26	~~[illegible]8~~ 180

W. 3,000. X. 15.

esx 75

2593

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1917

Kept at Denton Manor
in the County of Lincoln
by Sir C. G. E. Welby Bt. C.B.

Lat. Long.
Time of Observation 9 a.m. (8 a.m. during "Summer time")
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4		15			6	17				24		1
2	28	3	19		57	1	32		3	11	4		2
3		29		1			33		70	22	6		3
4	19	13	2		38	24		1	31	10	18		4
5	1		24	3	3	9				8	15	1	5
6	4	11	13	1	5	2	26			1	29		6
7	1		10	1	5	1	22			5	20	16	7
8			10							1	1	16	8
9	1		13		34	1			4	1	1	2	9
10		3	24	7		9	10		7	4		12	10
11	2	45	16	9	1	6			2			2	11
12	3	2	18	25	51	20	14		1	2		1	12
13		12	1	5	7	4	2	6				1	13
14		35	33		3			33	1	5		1	14
15		17	17		1		15	13	1	1			15
16		10	1	28	1		5	18		8		1	16
17	4	17	2	13			15	68	15	17			17
18	1	17	21	7		1		18	15	1	17		18
19	5	1	41	27		1		9	19		140	10	19
20	15		25	12				1			3	9	20
21	3		1	1			4				1	42	21
22		8			7	3					1	48	22
23		50		2		5	2	3		3	10	34	23
24		114	21	4				2		1		15	24
25		10	3					17		5	10	1	25
26	3	9	73			12		1		9	1		26
27		24	44			2	1	2	1	17			27
28		23			10				8	5	~~24~~	24	28
29	1	26			3	24		93		28	~~13~~	13	29
30		X			3	12		7		8	~~1~~	1	30
31		X		X		X		2	X	5	X		31
Total	·95	4·79	4·47	1·46	2·29	1·43	1·98	2·94	1·78	1·78	3·01	2·50	YEAR'S TOTAL 29.38
Rain Days.	16	22	24	16	16	19	14	17	14	24	~~16~~ 17	20	~~218~~ 219

W. 8,000, VIII. 16

2462

REGISTER OF ~~RAINFALL~~ Rain IN 1917

FORM A.
BRITISH RAINFALL.

3. JAN 1918

Kept at Denton Manor
in the County of Lincoln
by Sir C. G. E. Welby Bt. C.B.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2		18				1·01	·24		2	1	1
2		-		1		12		15		1	7		2
3		6	1	9				·99		25	1		3
4		6	8	1				7		52	-	2	4
5	18		5	16				2	10	2	14		5
6	1		-	-					1	6	4		6
7	31		3	-		3				53	-		7
8	41		-	14			14	1·26		39	5	1	8
9	14		5	3				9		1	9	1	9
10	(20)		37	10	14			13		6	6		10
11	6	7	8	20				7		26	1		11
12	15	4	1	-	14			11		20	1	5	12
13	5		2	5				17	2	1	1		13
14	15			6				4		1	-	3	14
15	4			-	4		24			6	1	2	15
16	7	19	1	8	-		2			4		18	16
17	1	1	5	15	40	5	8	7	5	10		7	17
18	8	-	-	8	8	2	67	-	54	3			18
19	5	8	8	1	7	1		5	4	1			19
20	5	18	6		26	1		7	9		18		20
21		1	5		5	15		1	-	2	1	1	21
22	2	-	15		-				6	10			22
23		1	-		9			13	8	4		2	23
24		-	-		1	40	5		-	25	7		24
25		1	4		-				-		3		25
26		1	3					45	15		12	2	26
27		1	2			5	4	46			1	1	27
28		1	11			36		42		1		11	28
29		-	1		1	23	4	1		32		10	29
30	4	X	1		-	-	62	19		1		1	30
31		X	10	X		X	5	9	X		X	8	31
Total	2·03	·70	1·42	1·35	1·29	1·43	1·95	6·06	1·38	3·32	·94	·76	YEAR'S TOTAL 22·63
Rain Days.	18	14	22	15	11	11	10	23	11	25	18	17	195

W. 8,000, IX. 17.

excd 920

12

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
13. 1. 19

Kept at Denton Manor
in the County of Lincoln
by Sir Charles Welby Bt. C.B.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1	3		1					4	1	19		1
2	2	14		10				46	1	2	2	14	2
3		5	7		40			19	3	1	46	1	3
4		3	8		1		7	6	85	1	29	4	4
5		1		1	13			7	17	11	1	1	5
6		5	1	15	1	2		1	1	7			6
7	10	9		17		2			3	8	13	1	7
8	1	3		4			8		7	4		3	8
9	1	40		7		2	13		31	20		1	9
10	6	2		2			44		1	19	2	3	10
11	3	7		2	21		3	1	6	20	1	6	11
12		21	2	2	5		7		9	2		2	12
13		1		2	14				16	1		2	13
14	31	1		6			10		21	7	1	9	14
15	48		1	41			6		13	1	1	12	15
16	2		1	31			1		6	1		3	16
17	20			3			50	2	3	8		17	17
18	28			1		6	8		30	1		16	18
19	3	1	8	2		5	1			10		17	19
20	2	5		16		10	4		1	2			20
21	2	2		11		1	1		26	19		2	21
22	12			1		4	2		2	2	2	26	22
23	10				45		18			1			23
24	1	14			1		30		5	4	13		24
25							11	25		1	7		25
26							19		7	1	8	6	26
27		1	1	1		2	9	21	18		14	5	27
28	1	24	19	2				1	1		17	46	28
29	1								62		1	3	29
30		X	32	2				2	2		9	38	30
31		X	14	X		X		4	X		X	1	31
Total	1·85	1·62	·89	1·80	1·44	·34	2·52	1·35	3·81	1·54	1·86	2·39	YEAR'S TOTAL 21·41
Rain Days.	20	20	11	23	9	9	20	12	27	25	18	25	219

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Denton Manor
in the County of Lincoln
by Sir C. G. E. Welby Bt., C.B.

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	29	5	4		26	-	44	-	-	8	8	34	1
2	23	3	-		2	-	47	-	43	9	18	8	2
3	79	-	6	-	-	-	47	-	19	-	28	3	3
4	9	-	32	-	-	5	2	21	4	-	3	34	4
5	6	7	1	-	-	-	1	2	28	-	-	4	5
6	1	-	5	-	1·45	-	-	-	-	1	6	13	6
7	4	-	26	-	1	-	-	-	-	-	-	-	7
8	8	-	1	8	1	1	-		-	1	1	-	8
9	1	-	-	7	-		-	-		-	2	-	9
10	-	-	22	7	1	-	-	-	-	-	5	8	10
11	6	-	58	3	-	-	42	-	-	1	1	1	11
12	1	-	40	6	-	18	-	-	4	-	7	1	12
13	14	-	1	14	-	1	-	-	6	2	-	1	13
14	32	4	1	16	-	-	-	-	21	-	3	1	14
15	28	2	11	10	-	-	-	-	-	1	8	55	15
16	1	96	-	2	-	-	-	4	-	-	11	-	16
17		41	-	2	1	4	-	-	-	-	20	1	17
18		1	5	-	1	-	-	20	-	-	1	11	18
19	1	14	79	-	-	8	1·98	60	26	-	5	3	19
20	48	9	52	-	-	5	·98	27	2	-	4	6	20
21	31	33	10	-	-	1	33	-	-	-	2	30	21
22	-	11	2	-	-	-	1	-	37	-	1	34	22
23	-	-	1	1	-	1	9	1	2	73	1	2	23
24		-	-	10	14	10	2	-	-	17	10	-	24
25	5	2	1	12	12	5	-	59	-	-	-	4	25
26	-	1	17	2	-	2	-	6	7	1	1	34	26
27	29	14	2	36		1	-	2		2	2	11	27
28	6	-	1	2	-	-	3	78	-	4	2	30	28
29	9	-	-	1	-	-	-	15	-	26	20	6	29
30	2	×	3	30	-	23	-	-	-	4	5	28	30
31	1	×	1	×	-	×	3	-	×	14	×	4	31
TOTAL	3·74	2·43	3·82	1·69	2·04	·85	5·30	2·95	1·99	1·64	1·75	3·67	YEAR'S TOTAL 31·87
Days with ·01 in. or more	24	15	2~~4~~5	18	10	1~~3~~4	14	12	12	15	26	26	~~209~~ 211

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·98 in on July 19

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Denton Manor

in the County of Lincoln

by Sir C. G. E. Welby Bt., C.B.

Lat. 52.54 N Long. 0.45 W

Time of Observation 9 a.m.

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	-	-	19	19	1	25	-	-	23	3	6	1
2	.	-	-	15	1	-	6	-	14	22		8	2
3	.	4	-	10	-	9	88	1	5	3		2	3
4	2	-	-	20	1		10	31	4	33		3	4
5	-	1	2	-	24		25	9	1	-		3	5
6	-	-	13	4	3		11	2	-	-		8	6
7	-	1	1	12	2		27	-	-	-		2	7
8	11	5	-	42	6		7	-	-	-		-	8
9	29	1	-	60	-		-	3	-	-		-	9
10	19	10	4	1	-		3	5	1	-		-	10
11	13	1	8	27	9	5	1	1	.	1	1	18	11
12	5	-	1	24	.	26	9	10	-	-	1	12	12
13	3	7	13	44	-	52	-	-	1	-	4	1	13
14	1	2	60	24	-	38	2	-	10	(11) (4)	18	1	14
15	2	6	135	19	-	-	-	-	7	5	2	2	15
16	-	1	-	11	2	-	1	-	5	11	-	-	16
17	-	-	-	-	12	-	1	-	51	4	-	2	17
18	16	1	-	7	12	14	3	12	13		-	-	18
19	7	53	-	32		8	-	2	5		1	2	19
20	2	27	-	31		32	2	-	-		-	1	20
21	3	-	-	4		.	17	12	1		-	-	21
22	1	-	-	26		-	10	-	12		-	-	22
23	-	1	.	-		-	11	-	1		-	34	23
24	-	-	11	1		-	-	1	-		4	8	24
25	-	8	3	8		5	58	-	-		1	1	25
26	13	-	4	1	2	-	12	.	-		-	1	26
27	7	1	4	5	1	55	11	.	-		28	27	27
28	47	1	13	4	2	-	5	-	1		10	5	28
29	5	.	14	-	65	1	7	-	1		5	39	29
30	3	X	4	14	3	19	1	.	17		8	28	30
31	12	X	-	X	4	X	-		X	18	X	12	31
TOTAL	2.03	1.31	2.90	4.65	1.68	2.65	3.53	.89	1.50	1.31	.86	2.26	YEAR'S TOTAL 25.57
Days with ·01 in. or more	21	17	16	26	17	13	25	12	18	10	13	24	213
Days with ·04 in. or more	12	8	12	23	8	11	17	6	11	8	7	12	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN.

DIGBY MANOR

1917-1918

FORM A.
BRITISH RAINFALL.

N 1918

REGIS 17

Kept at Digby Mano

in the County of Lincol

by R. A. S. Mack

g. 0°20'W

A.M. – 10 A.M. ST.

Digby

ain Gauge 5 in.

bove Ground 1 ft. – in.

, Sea Level 47 ft.

IMPORTANT NOTE.– nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	0·01	–	0·10	–	–	–	0·89	0·21	–	0·03	0·02	1
2	–	–	–	0·02	–	0·07	–	0·14	–	–	0·03	–	2
3	–	0·17	–	0·02	–	–	–	0·56	–	0·34	–	–	3
4	–	0·03	0·06	Trace	–	–	–	0·01	–	0·42	–	–	4
5	0·36	–	0·03	0·10	–	–	–	0·01	–	–	0·12	–	5
6	–	–	–	–	–	0·01	–	–	–	0·06	0·05	0·01	6
7	0·35	–	0·05	–	–	0·03	–	–	–	0·31	–	Trace	7
8	0·45	–	Trace	0·11	–	–	0·21	0·79	–	0·35	0·06	–	8
9	0·11	–	0·03	0·09	–	–	–	0·09	–	–	0·14	0·02	9
10	0·20	–	0·40	0·11	0·02	–	–	0·12	–	0·21	0·01	–	10
11	0·04	–	0·07	0·26	–	–	–	0·11	–	0·20	Trace	–	11
12	0·11	0·02	–	0·05	0·34	–	–	0·39	–	0·20	–	0·01	12
13	0·04	–	–	0·04	–	Trace	0·02	0·24	0·03	0·02	–	–	13
14	0·14	–	Trace	0·07	–	–	–	0·10	–	–	–	0·06	14
15	0·05	–	0·01	–	0·08	–	Trace	0·01	–	0·04	–	0·04	15
16	0·08	0·19	Trace	0·17	–	–	0·01	–	–	0·03	–	0·22	16
17	0·01	0·02	0·06	0·22	0·55	0·04	0·10	0·03	0·03	0·06	–	0·04	17
18	0·08	–	–	0·03	0·02	0·01	0·38	0·03	0·47	–	–	–	18
19	0·08	0·10	0·05	–	0·02	–	–	–	0·04	–	0·02	–	19
20	0·03	0·33	0·11	–	0·06	0·04	–	0·05	0·02	–	0·38	–	20
21	–	0·03	0·07	Trace	0·01	0·21	–	–	–	0·03	–	–	21
22	0·01	–	0·31	–	–	–	–	0·07	0·02	0·09	–	–	22
23	–	Trace	–	–	0·22	0·01	–	0·13	0·01	0·01	–	–	23
24	–	–	–	–	0·01	0·33	0·08	–	–	0·15	–	–	24
25	–	Trace	0·06	–	–	–	–	–	–	–	0·07	0·04	25
26	–	–	0·07	–	–	–	–	0·40	0·09	–	0·35	0·06	26
27	–	–	0·01	–	–	0·05	0·14	0·52	–	–	–	–	27
28	Trace	0·01	0·07	–	0·01	0·30	–	0·16	–	–	–	–	28
29	–	✕	–	–	–	0·07	0·01	Trace	–	0·21	–	0·16	29
30	0·11	✕	0·13	–	–	–	0·08	0·12	–	Trace	–	–	30
31	–	✕	0·05	✕	–	✕	0·11	0·11	✕	–	✕	0·11	31
Total	2·32	0·91	1·64	1·39	1·34	1·17	1·14	5·07	0·92	2·73	1·26	0·79	YEAR'S TOTAL 2068
Rain Days.	18	10	18	14	11	12	10	23	9	17	11	12	165

178'

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
JAN 1918

Kept at Digby Manor - Lincoln
in the County of Lincolnshire
by R. A. S. Mackenzie

Lat. 53°5′N Long. 0°20′W
Time of Observation 9 A.M. – 10 A.M. S.T.
Nearest Railway Station Digby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	0·01	–	0·10	–	–	–	0·89	0·21	–	0·03	0·02	1
2	–	–	–	0·02	–	0·07	–	0·14	–	–	0·03	–	2
3	–	0·17	–	0·02	–	–	–	0·56	–	0·34	–	–	3
4	–	0·03	0·06	Trace	–	–	–	0·01	–	0·42	–	–	4
5	0·36	–	0·03	0·10	–	–	–	0·01	–	–	0·12	–	5
6	–	–	–	–	–	0·01	–	–	–	0·06	0·05	0·01	6
7	0·35	–	0·05	–	–	0·03	–	–	–	0·31	–	Trace	7
8	0·45	–	Trace	0·11	–	–	0·21	0·79	–	0·35	0·06	–	8
9	0·11	–	0·03	0·09	–	–	–	0·09	–	–	0·14	0·02	9
10	0·20	–	0·40	0·11	0·02	–	–	0·12	–	0·21	0·01	–	10
11	0·04	–	0·07	0·26	–	–	–	0·11	–	0·20	Trace	–	11
12	0·11	0·02	–	0·05	0·34	–	–	0·39	–	0·20	–	0·01	12
13	0·04	–	–	0·04	–	Trace	0·02	0·24	0·03	0·02	–	–	13
14	0·14	–	Trace	0·07	–	–	–	0·10	–	–	–	0·06	14
15	0·05	–	0·01	–	0·08	–	Trace	0·01	–	0·04	–	0·04	15
16	0·08	0·19	Trace	0·17	–	–	0·01	–	–	0·03	–	0·22	16
17	0·01	0·02	0·06	0·22	0·55	0·04	0·10	0·03	0·03	0·06	–	0·04	17
18	0·08	–	–	0·03	0·02	0·01	0·38	0·03	0·47	–	–	–	18
19	0·08	0·10	0·05	–	0·02	–	–	–	0·04	–	0·02	–	19
20	0·03	0·33	0·11	–	0·06	0·04	–	0·05	0·02	–	0·38	–	20
21	–	0·03	0·07	Trace	0·01	0·21	–	–	–	0·03	–	–	21
22	0·01	–	0·31	–	–	–	–	0·07	0·02	0·09	–	–	22
23	–	Trace	–	–	0·22	0·01	–	0·13	0·01	0·01	–	–	23
24	–	–	–	–	0·01	0·33	0·08	–	–	0·15	–	–	24
25	–	Trace	0·06	–	–	–	–	–	–	–	0·07	0·04	25
26	–	–	0·07	–	–	–	–	0·40	0·09	–	0·35	0·06	26
27	–	–	0·01	–	–	0·05	0·14	0·52	–	–	–	–	27
28	Trace	0·01	0·07	–	0·01	0·30	–	0·16	–	–	–	–	28
29	–	×	–	–	–	0·07	0·01	Trace	–	0·21	–	0·16	29
30	0·11	×	0·13	–	–	–	0·08	0·12	–	Trace	–	–	30
31	–	×	0·05	×	–	×	0·11	0·11	×	–	×	0·11	31
Total	2·32	0·91	1·64	1·39	1·34	1·17	1·14	5·07	0·92	2·73	1·26	0·79	YEAR'S TOTAL 20·68
Rain Days.	18	10	18	14	11	12	10	23	9	17	11	12	165

178

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
4.1.19

Kept at Digby
in the County of Lincoln
by Pereira F Brown

Lat. 53°5'N Long. 0°20'W.
Time of Observation 9. a. m.
Nearest Railway Station Digby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 46. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							0.09.		0.22		0.16.	0.05	1
2			0.01.					0.36.				0.25	2
3	0.03.	0.25		0.02	0.31.			0.30	0.06		0.52		3
4					Trace			0.03.	0.62		0.40		4
5		0.05.	0.08.	0.04	0.10.			0.27.	0.07				5
6		0.03.		0.22.					0.03	0.07.			6
7	0.08.	0.02	0.03						0.13				7
8	0.06	0.06	0.01.	0.06		0.03.			0.07.			0.03.	8
9		0.45.		0.13.					0.16.	0.60		0.02.	9
10				0.01.					0.17.	0.18			10
11		0.08	0.01.	0.20	0.38.	0.03.	0.52			0.06		0.13.	11
12				0.03	0.12.				0.25	0.25			12
13		0.18.			0.11.								13
14	0.45.			0.04			0.13.		0.15	0.20.		0.21	14
15	0.37.			0.20					0.13.			0.12.	15
16				0.18.			0.12.		0.14.				16
17				0.08	2.79.		0.59.		0.05	0.06			17
18	0.33.			0.01.		0.03.	0.09.		0.29.				18
19	0.04.		0.08									0.14.	19
20	0.03	0.11.					0.06			0.04.	0.04	0.48	20
21	0.03.								0.31	0.12.		0.02	21
22	0.15.				0.08		0.03.				0.06		22
23			0.11.		0.35.		0.23					0.34	23
24										0.02			24
25					0.01.	0.63	0.21.	0.24	0.07.		0.26		25
26		0.14					0.23	0.13.			0.10		26
27							0.03	0.23				0.04	27
28		0.26							0.12		0.28	0.40	28
29											0.16	0.02	29
30		X	0.28	0.04					0.03.		0.12	0.17.	30
31		X	0.04	X		X			X		X		31
Total	1.57 ✓	1.63. ✓	0.65 ✓	1.26 ✓	4.25. ✓	0.72 ✓	2.33 ✓	1.56 ✓	3.07 ✓	1.60 ✓	2.10 ✓	2.42 ✓	YEAR'S TOTAL 23.16
Rain Days.	10. ✓	11. ✓	9. ✓	14. ✓	9.	4.	12 ✓	7. ✓	19. ✓	10. ✓	10. ✓	15.	131 ✓

W. 6,500. VII. 18. W W C

THE MANOR HOUSE,
DIGBY,
LINCOLN.

29th was Sunday, so (above book) gives no assistance.

11. 4. 19.

Dear Sir.

Your letter to hand re rainfall at Digby on September 29th. I have looked up the original register for 1918, and we registered no rain on that day. On the 28th we had 0.12. and my remarks are heavy showers, on the 30th 0.03. one shower, the 26th & 24th no rain, the 25th 0.07. I cannot call to mind anything about the 29th. It now occurs to me that I may be able to get some information about that date from my labour book, and will look it up before closing this letter.

On several occasions we missed heavy rains in September which places in the neighbourhood caught, as we notice many storms split just before they reach us, and are drawn by the river on one side and sea on the other. It is unaccountable to me, if it was a general rain that we escaped. I do not think I should make a mistake in putting down the figures but I would not say for certain it would not be so.

Yrs very truly
Percival F Brown.

Carle Salter Esqre

LINCOLN.

DOWSBY.

1916– 1920

FORM A.
BRITISH RAINFALL.

19 JAN 1917

REGISTE

Kept at Dowsby, ·20 W.

M.

in the County of Lincol pingale

by Miss M. Bu

auge ·5 in.

Ground 2 ft. 6 in.

Sea Level abt 12 ft.

IMPORTANT NOTE.—Ra le result entered to the previous day. If an Observer to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Raingauge only placed in position on the 27th of March.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·07	·07				·30		1
2					·44	·01	·19		·03	·22	·10		2
3							·40		·45	·20			3
4					·20	·25			·35	·03	·33		4
5				·01	·02	·23	·05			·13	·06		5
6				·09			·29			·04	·35		6
7					·24		·45			·07	·53	·08	7
8										·06		·23	8
9					·36	·10			·01	·01		·04	9
10				·04		·74	·06		·11	·10		·08	10
11				·16	·04	·13			·03			·02	11
12				·19	·46	·15	·05			·01			12
13					·17	·01	·02	·08					13
14					·04			·16	·02	·17			14
15					·04		·07	·01		·04			15
16				·17	·01		·01	·04					16
17				·22			·11	1·07	·19	·28			17
18				·02				·15	·12	·02	1·08		18
19				·19				·16	·06		·40	·28 S	19
20				·03							·12	·28 R	20
21							·01	·01				·68 S/R	21
22					·06	·04				·02	·03	·51	22
23					~~·32~~	·36	·02	·06			·10	·37	23
24				·05				·06		·01		·15	24
25					·02		·01	·23		·03	·06		25
26										·05		·02	26
27		Snow in the						·02		·10			27
28		great gale	·93								·02	·20	28
29						·26		1·62		·27		·13	29
30		X				·01		·12		·01			30
31		X		X		X		·01	X	·04	X		31
Total			~~·93~~	1·17	2·16	1·76	1·81	3·74	1·37	1·91	3·48	3·07	YEAR'S TOTAL ~~21~~·34 ~~since~~ 27th March 12·6
Rain Days.				11	13	13	15	15	10	22	13	14	

10 mos only

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

18 JAN 1917

REGISTE

Kept at Dowsby, nr Bourne
in the County of Lincoln
by Miss M. Burtt

Lat. 52 45 N Long. 0 20 W
Time of Observation 9 A.M.
Nearest Railway Station Rippingale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level abt 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·07	·07				·30		1
2					·44	·01	·19		·03	·22	·10		2
3							·40		·45	·20			3
4					·20	·25			·35	·03	·33		4
5				·01	·02	·23	·05			·13	·06		5
6				·09			·29			·04	·35		6
7					·24		·45			·07	·53	·08	7
8										·06		·23	8
9					·36	·10			·01	·01		·04	9
10				·04		·14	·06		·11	·10		·08	10
11				·16	·04	·13			·03			·02	11
12				·19	·46	·15	·05			·01			12
13					·17	·01	·02	·08					13
14					·04			·16	·02	·17			14
15					·04		·07	·01		·04			15
16				·17	·01		·01	·04					16
17				·22			·11	1·07	·19	·28			17
18				·02				·15	·12	·02	1·08		18
19				·19				·16	·06		·40	·28 S	19
20				·03							·12	·28 R	20
21							·01	·01				·68 S/R	21
22					·06	·04				·02	·03	·51	22
23					~~·36~~	·36	·02	·06			·10	·37	23
24				·05				·06		·01		·15	24
25					·02		·01	·23		·03	·06		25
26										·05		·02	26
27		Snow in the						·02		·10			27
28		great gale	·93								·02	·20	28
29					~~[illegible]~~	·26		1·62		·27		·13	29
30		X				·01		·12		·01			30
31		X		X		X		·01	X	·04	X		31
Total			~~·93~~	1·17	2·16	1·76	1·81	3·74	1·37	1·91	3·48	3·07	YEAR'S TOTAL ~~21·34~~
Rain Days.				11	13	13	15	15	10	22	13	14	~~Since~~ 27th March 126

Raingauge only placed in position on the 27th of March.

(9 mos only

W. 8,000, VIII. 16

Cnd by mr Watts

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

17. JAN 1

Kept at Dowsby, nr Bourne
in the County of Lincoln
by Miss M. Burtt

Lat. Long.
Time of Observation 9 to 9.30 A.M.
Nearest Railway Station Rippingale GNR
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level abt 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04 s		·19				1·04	·09			·05	1
2						·03		·15			·06		2
3		·02 s						·71		·29			3
4								·04		·35			4
5	·20		·08	·08 S & R				·01			·13		5
6	·07									·46	·01	·02	6
S & R 7	·38					·01				·10			7
8	·578			·09			·19	·85		·35	·07		8
S 9	·22		·02	·02 s				·04			·11	·03	9
S 10	·25		·34	·06 S &	·31			·12		·12			10
11	·01		·03	·23 R				·06		·16			11
12	·05	·05			·26			·37		·18	·02	·03	12
13			·06	·03			·03	·18	·01	·01			13
14	·19			·23			·01	·14					14
15	·01			·01	·01		·02	·21		·07		·05	15
16	·09	·15		·12						·06		·11 S & R	16
17		·01	·01	·17	·47		·11		·02	·08		·03 s	17
18	·04			·01	·01	·13	·55		·58				18
19	·04	·15	·08		·08			·01	·03				19
20	·01	·32	·16		·15				·02		·20		20
21			·04			·01				·01		·02	21
22	black frost		·14 s	·01				·03	·03	·13			22
23		·01			·24			·14	·08	·07			23
24		·01				·43				·25	·18		24
25			·01								·03		25
26			·08 s			·31		·42	·34		·34 S & R	·04 s	26
27						·12		·52					27
28			·09		·18	·50		·11		·02		·11	28
29					·05	·09	·07			·48		·04	29
S 30	·01	X					·19	·10					30
31		X		X		X	·11	·12	X		X	·09	31
Total	2·09	·76	1·14	1·25	1·46	1·63	1·28	5·37	1·20	3·13	1·15	·62	YEAR'S TOTAL 21·08
Rain Days.	15	9	13	13	10	9	9	21	9	18	10	12	158

W. 8,000, IX. 17.

Exd Cf.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

14.1.19

Kept at Dowsby

in the County of Lincoln

by Miss M Burtt.

Lat. 52·50 N Long. 0·17 W

Time of Observation 9 A.M.

Nearest Railway Station Rippingale GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02					·05		·17	·02	1
2		·18		·06				1·40		·03	·02	·21	2
3		·04	·09		·42			·22	·05		·85		3
4			·05					·03	·94		·29	·04	4
5		·02			·22			·21	·22	·09			5
6		·04		·14		·03		·02		·02			6
7	·08	·05		·13		·04			·01	·07	·09		7
8		·02		·02					·08	·03		·14	8
9	·05	·22		·18					·37	·38		·03	9
10	·04	·02		·02		·13	·13			·20	·01	·11 }	10 X
11	·06	·09		·01	·39		·31		·02	·30			11
12		·17	·04		·10		·13		·09	·02		·03	12
13					·20		·14		·21				13
14	·30	·02		·05					·14	·06		·08	14
15	·69s			·57			·39		·05			·20	15
16				·43			·08		·32			·01	16
17	·26			·11			·63			·02		·19	17
18	·22			·01s	1·60	·05	·26		·57			·33	18
19	·05	·03	·08	·03s			·01			·12		·21	19
20	·03	·05		·05		·07	·47		·02	·04	·01		20
21	·04								·22	·22			21
X 22	} ·16					·04	·04					·32	22
23					·36		·16						23
24		·15		·03			·02		·06	·02	·05		24
25						·12	·05	·19	·03	·01	·10		25
26							·10		·08		·14	·05	26
27				·06		·02	·15	·33	·08		·20	·02	27
28		·16	·12								·28	·46	28
29									·71		·02	·05	29
30		X	·24					·01	·02		·12	·16	30
31		X	·13	X		X		·03	X	·02	X	·03	31
Total	1·98	1·26	·75	1·92	3·29	·50	3·07	2·44	4·34	1·65	2·35	2·69	YEAR'S TOTAL 26·24
Rain Days.	13	15	7	17	7	8	16	9	22	17	14	21	166

W, 6,500, VII. 18. W W C

Two days rain, on one day's measurement. MB

2312

6 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Dowsby
in the County of Lincoln
by Miss M. Burtt

Lat. 52·5 N Long 0·17 W
Time of Observation 9 to 9.30 AM
Nearest Railway Station Rippingale GNR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level abt 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·05	·03		·14		·31			·05	·18	·50	1
2	·18	·01					·19		·10		·23	·12	2
3	·52		·85				·12		·02		·32		3
4	·04		·39			·01		·13	·01		·02	·24	4
5	·05	·06				·05		·01	·74			·02	5
6			·02		·14						·09	·03	6
7	·02		·20										7
8	·08		·01	·12							·09		8
9				·06						·02	·04		9
10			·24	·03						·01	·07	·07	10
11	·08		·23	·03	·09		·66				·03s		11
12	·01		·37	·08						·01	·01		12
13	·15			·18		·07				·03		·03	13
14	·27			·17			·01		·08		·02		14
15	·40	·09		·13						·07	·26s	·24	15
16	·01	·98		·03							·04		16
17		·32				·01					·18		17
18							·02	·17	·01			·09	18
19		·18	·65			·15	·73	·45	·20		·04	·01	19
20	·47	·06	·24			·03	·34	·20	·04		·03	·05	20
21	·27	·43	·12				·30				·01	·22	21
22		·16	·02				·04 ·03		·26		·03	·36	22
23			·01	·06		·09	·08	·01	·01	·49		·01	23
24				·10	·16	·12	·03			·08	·02		24
25	·09			·08	·14	·02		·50				·02	25
26			·19	·04				·09				·31	26
27	·22	·30	·02	·65				·09		·15			27
28				·08			·01	·65	·10	·21		·46	28
29	·05	×	×	·03		·04		·13		·32	·27s	·07	29
30	·02	×	·04	·21		·27				·09	·04	·32	30
31	·03	×		×		×	·02		×	·18	×	·04	31
Total	3·74	2·64	2·83	2·08	·67	·86	2·81	2·43	1·57	1·71	2·02	3·21	Year's Total 25·97
Days with ·01 in. or more	20	11	17	17	5	11	14	11	11	13	21	20	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2218

10 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dowsby

in the County of Lincoln

by Miss M. Burtt.

Lat. 52·50 N Long. 0·17 W

Time of Observation 9 A.M.

Nearest Railway Station Rippingale G.N.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level abt 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·21		·22			·34	·01	·08	1
2				·15	·01		·10	·02	·12	·04		·09	2
3		·02		·12		·11	·40			·10			3
4				·18	·04			·40	·10	·09		·09	4
5			·06	·04	·20		·40	·08	·08				5
6			·05	·03	·01		·20	·01	·08			·14	6
7		·01	·08	·13			·04					·05	7
8	·03	·02		·44	·07								8
9	·30			·80			·03	·12					9
10	·15	·07	·03	·20			·04	·04					10
11	·16		·05	·36	·11	·03	·03	·03				·22 S+R	11
12	·08			·19		·13	·01				·03	·10 s	12
13		·02	·07	·28		·66			·07			·03 s	13
14	·03		·49 R	·17		·16			·13	·03	·22		14
15		·02	1·13 r s	·02			·02		·30	·01		·05 s	15
16				·02	·08				·26	·02			16
17					·12				·07			·06	17
18	·04				·03	·16		·12					18
19	·05	·28		·14		·18		·09				·05	19
20	·09	·38		·45		·31	·01		·22				20
21				·21			·14	·07					21
22				·15			·04		·03			·01	22
23	·01	·01					·06					·34	23
24			·16	·03						·01 mist		·05	24
25		·04		·12	·30	·09	·52				·05 M.		25
26	·16		·03	·02	·60		·05					·02	26
27	·11	·02	·02	·08	·03	·54					·19	·21	27
28	·47		·21		·19		·09					·06	28
29	·05		·06		·83		·04				·08	·30	29
30	·03		·02	·11	·02	·04	·03		·15		·08	·26	30
31	·08		·02							·18		·13	31
TOTAL	1·84	·89	2·48	4·44	2·85	2·41	2·47	·98	1·61	·82	·66	2·34	YEAR'S TOTAL 23·79
Days with ·01 in. or more	16	11	15	24	16	11	20	10	12	9	7	20	=171
Days with ·04 in. or more	12	4	10	19	11	10	14	7	12	5	5	17	=126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGISTER OF

2550

2550 –
~~East Kirby~~
EAST KIRKBY - ~~Manor~~ HOUSE

1919 - ~~1920~~ 1920

782713

FORM A.
BRITISH RAINFALL

9 JAN 20

9 JAN 20

2550

Kept at East Kirkby House, nea … m … Stickney

in the County of Lincoln

by Capt R.S. Fieldsend

Gauge 5 in.

e Ground 1 ft. 0 in.

Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~	Nov.	Dec.	Date.
1	Not taken in			–	·16	–	·38	–	–	·04	·10	·30	1
2	these months			–	–	–	·30	–	·05	·10	·13	·24	2
3				–	–	–	·20	–	·08	–	·37	·02	3
4				–	–	·09	–	·04	–	–	·03	·10	4
5				–	–	–	–	–	·98	–	–	·12	5
6				–	–	–	·01	–	–	–	·12	·12	6
7				–	–	–	·01	–	–	–	·02	·07	7
8				·07	–	–	–	–	–	–	–	·04	8
9				–	–	–	–	–	–	·02	·03	·06	9
10				·02	–	–	–	–	–	·05	·20	–	10
11				·04	·02	–	·37	–	–	·02	·03	–	11
12				–	–	·08	·04	–	·01	·02	–	–	12
13				·06	–	–	·01	–	·08	·13	·10	–	13
14				·22	–	–	·01	–	·18	·02	·03	–	14
15				·32	–	–	–	–	–	–	·16	·28	15
16				·05	–	–	–	–	–	–	·03	–	16
17				–	·03	·03	·01	–	–	–	·28	–	17
18				–	–	–	·01	·13	–	–	·01	·13	18
19				–	–	·03	1·03	·68	·04	–	–	–	19
20				–	–	·11	·29	·40	·04	–	–	·09	20
21				–	–	·03	·18	–	·01	–	·03	·16	21
22				–	–	–	·04	–	·50	–	·02	·48	22
23				·02	–	·02	·07	·05	·05	–	·01	·02	23
24				·06	·26	·13	–	–	–	·25	·07	–	24
25				·13	·08	–	–	·63	–	·08	–	·12	25
26				·05	–	–	–	·46	·04	·05	·03	·34	26
27				·43	–	–	–	–	–	·74	–	·01	27
28				·05	–	·01	·01	·56	·04	·63	–	·33	28
29				·02	–	·04	·01	·22	–	·27	·26	·10	29
30		X		·21	–	·26	–	–	–	·06	·10	·22	30
31		X		X	–	X	·09	–	X	·26	X	·12	31
Total				1·75	·55	·83	3·07	3·17	2·10	2·74	2·16	3·46	YEAR'S TOTAL mp
Rain Days.				15	5	11	19	9	13	16	22	22	

W. 6,500. VII. 18. W W C

2550

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

3 JAN 20

3 JAN 20

Kept at East Kirkby House, near Spilsby

in the County of Lincoln

by Capt R.S. Fieldsend

Lat. Long.

Time of Observation 9.a.m.

Nearest Railway Station Stickney

Diameter of Funnel of Rain Gauge 5 in. 2550

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Not taken		in	–	·16	–	·38	–	–	·04	·10	·30	1
2	these months			–	–	–	·30	–	·05	·10	·13	·24	2
3				–	–	–	·20	–	·08	–	·37	·02	3
4				–	–	·09	–	·04	–	–	·03	·10	4
5				–	–	–	–	–	·98	–	–	·12	5
6				–	–	–	·01	–	–	–	·12	·12	6
7				–	–	–	·01	–	–	–	·02	·07	7
8				·07	–	–	–	–	–	–	–	·04	8
9				–	–	–	–	–	–	·02	·03	·06	9
10				·02	–	–	–	–	–	·05	·20	–	10
11				·04	·02	–	·37	–	–	·02	·03	–	11
12				–	–	·08	·04	–	·01	·02	–	–	12
13				·06	–	–	·01	–	·08	·13	·10	–	13
14				·22	–	–	·01	–	·18	·02	·03	–	14
15				·32	–	–	–	–	–	–	·16	·28	15
16				·05	–	–	–	–	–	–	·03	–	16
17				–	·03	·03	·01	–	–	–	·28	–	17
18				–	–	–	·01	·13	–	–	·01	·12	18
19				–	–	·03	1·03	·68	·04	–	–	–	19
20				–	–	·11	·29	·40	·04	–	–	·09	20
21				–	–	·03	·18	–	·01	[illegible]	·03	·16	21
22				–	–	–	·04	–	·50	–	·02	·48	22
23				·02	–	·02	·07	·05	·05	–	·01	·02	23
24				·06	·26	·13	–	–	–	·25	·07	–	24
25				·13	·08	–	–	·63	–	·08	–	·12	25
26				·05	–	–	–	·46	·04	·05	·03	·34	26
27				·43	–	–	–	–	–	·74	–	·01	27
28				·05	–	·01	·01	·56	·04	·63	–	·33	28
29				·02	–	·04	·01	·22	–	·27	·26	·10	29
30		X		·21	–	·26	–	–	–	·06	·10	·22	30
31		X		X	–	X	·09	–	X	·26	X	·12	31
Total				1·75	·55	·83	3·07	3·17	2·10	2·74	2·16	3·46	YEAR'S TOTAL mp
Rain Days.				15	5	11	19	9	13	16	22	22	

W. 6,500, VII. 18. W W C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at East Kirkby House, Spilsby
in the County of Lincoln
by Capt. R. S. Fieldsend

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Stickney 3½ miles 2550
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	[illegible]	—	·30	—	·20	—	—	·79	·03	·02	1
2	—	—	·01	·04	·01	—	·17	—	·06	·17	—	·17	2
3	—	—	—	·04	—	·05	·20	—	·16	·04	—	·25	3
4	—	—	—	·12	·04	—	·03	·40	·01	·10	—	·06	4
5	—	—	·04	·04	·43	—	·13	·16	·11	—	—	·08	5
6	—	—	·04	—	·15	—	·23	—	—	—	—	·18	6
7	·06	·01	·07	·07	—	—	·18	—	—	—	—	—	7
8	·02	·02	—	·30	·01	—	—	—	—	—	·02	—	8
9	·20	·02	—	·54	—	—	—	·03	—	—	—	—	9
10	·15	·03	·09	·18	—	—	·01	·01	—	—	—	·06	10
11	·17	—	·05	·23	·08	—	·02	—	—	—	—	·27	11
12	·05	—	·04	·14	—	—	—	—	—	—	·02	·11	12
13	·01	·02	·05	·25	—	·31	—	—	·10	—	—	·12	13
14	—	·01	·33	·30	—	·24	·01	—	·17	—	·10	—	14
15	·01	·08	·83	·04	—	—	·02	—	·26	·25	·02	·08	15
16	—	—	—	·02	·04	—	—	—	·06	·01	—	·03	16
17	—	—	—	—	·15	—	—	—	·42	·01	—	·03	17
18	·05	—	—	—	·03	·09	—	·08	·16	—	—	·02	18
19	·09	·30	—	·12	—	—	—	·58	·02	—	—	·03	19
20	·08	·37	—	·17	—	·38	·02	—	·02	—	—	—	20
21	—	—	—	·05	—	—	·21	·05	·18	—	—	·03	21
22	·01	—	—	·13	—	—	·01	·12	·16	—	—	—	22
23	—	—	—	—	—	—	·25	—	—	—	—	·20	23
24	—	—	·19	·04	—	—	—	—	—	—	—	·08	24
25	—	·06	·01	·08	·02	·05	·64	—	—	—	—	—	25
26	·07	—	·03	·09	·16	—	·09	—	—	—	—	·01	26
27	·10	·06	—	·15	·03	·34	—	—	—	—	·14	·18	27
28	·45	—	—	·11	·23	—	·05	—	—	—	·11	·01	28
29	·05	—	·26	—	·98	—	·07	—	—	—	·07	·35	29
30	—	✕	—	·14	—	·04	·03	—	·16	—	·06	·23	30
31	·16	✕	—	✕	·01	✕	·18	—	✕	·12	✕	·15	31
Total	1·73	·98	2·04	3·39	2·67	1·50	2·75	1·43	2·05	1·49	·57	2·75	Year's Total 23·35
Days with ·01 in. or more	17	11	14	24	16	8	21	8	15	8	9	24	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LINCOLNSHIRE

EAST KEAL RECTORY

1911 - 1920

RE

FORM A2.
BRITISH RAINFALL.

- 6 MAY 1912

Kept at East Keal Rec

in the County of Lincol

by Ronald H S

in.

Ground ft. 7 in.

ea Level 180 ft.

m.

ame SPILSBY. (G. N. Ry)

istance 2¼ Direction N. E.

IMPORTANT NOT the result entered to the previous day. If an Ob rsal rule, he is earnestly requested to add the read in the space provided for it at the end of this measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.00	.01	.00	.00	.00	.00	.01	.00	.06	.04	.02	1
2	.22	.00	.02	.00	.07	.14	.02	.01	.00	.06	.02	.01	2
3	.03	.04	.00	.04	.07	.00	.00	.03	.00	.10	.01	.00	3
4	.08	.02	.11	.07	.00	.00	.00	.00	.08	.41	.09	.23	4
5	.01	.01	.00	.07	.00	.00	.00	.03	.00	.01	.00	.20	5
6	.25	.00	.02	.01	.00	.00	.00	.03	.00	.17	.08	.21	6
7	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.11	.26	7
8	.21	.01	.15	.00	.00	.00	.00	.00	.00	.02	.10	.10	8
9	.02	.00	.04	.02	.00	.00	.00	.00	.00	.00	.01	.00	9
10	.03	.05	.04	.00	.00	.00	.00	.11	.00	.00	.41	.21	10
11	.31	.10	.00	.00	.00	.00	.00	.00	.00	.00	.35	.00	11
12	.23	.00	.29	.00	.00	.00	.00	.00	.20	.00	.01	.01	12
13	.01	.00	.19	.00	.01	.24	.00	.00	.01	.04	.00	.31	13
14	.00	.03	.06	.00	.45	.00	.00	.00	.00	.00	.04	.41	14
15	.00	.14	.13	.00	.00	.00	.00	.00	.03	.01	.04	.03	15
16	.00	.01	.08	.00	.00	.04	.00	.00	.00	.00	.20	.16	16
17	.01	.00	.01	.00	.00	.02	.00	.00	.00	.00	.02	.07	17
18	.00	.02	.02	.00	.00	.38	.00	.00	.00	.01	.28	.01	18
19	.01	.00	.00	.00	.01	.23	.08	.63	.04	.02	.20	.01	19
20	.01	.02	.00	.08	.00	.00	.05	.76	.26	.04	.02	.40	20
21	.00	.28	.00	.01	.00	.01	.00	.51	.00	.02	.02	.02	21
22	.03	.01	.02	.00	.00	.03	.00	.07	.00	.11	.10	.19	22
23	.00	.05	.34	.00	.00	1.29	.00	.01	.65	.00	.00	.04	23
24	.01	.06	.03	.05	.00	.88	.00	.00	.01	.56	.00	.08	24
25	.00	.00	.04	.23	.00	.09	.00	.00	.00	.04	.12	.09	25
26	.01	.00	.00	.11	.00	.00	.00	.00	.00	.29	.35	.28	26
27	.00	.08	.13	.25	.00	.00	.02	.56	.23	.03	.03	.03	27
28	.00	.21	.01	.23	.00	.01	.00	.06	.00	.05	.00	.06	28
29	.01		.00	.02	.00	.15	.07	.00	.51	.37	.00	.03	29
30	.00		.00	.00	.20	.02	.00	.00	.15	.11	.00	.00	30
31	.00		.01		.00		.00	.00		.00		.01	31
Total	1.63	1.15	1.76	1.19	.81	3.53	.24	2.92	2.17	2.53	2.65	3.48	TOTAL for year 24.06
No. of Rain Days	20	18	22	13	6	14	5	13	11	21	23	27	193.

7,000. X. '09.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
6 MAY 1912

Kept at East Keal Rectory, (Spilsby)

in the County of Lincoln 4

by Ronald. H Simpson (Rev).

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 180 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name SPILSBY. (G. N. Ry)
Distance 2¼ Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.00	.01	.00	.00	.00	.00	.01	.00	.06	.04	.02	1
2	.22	.00	.02	.00	.07	.14	.02	.01	.00	.06	.02	.01	2
3	.03	.04	.00	.04	.07	.00	.00	.13	.00	.10	.01	.00	3
4	.08	.02	.11	.07	.00	.00	.00	.00	.08	.41	.09	.23	4
5	.01	.01	.00	.07	.00	.00	.00	.03	.00	.01	.00	.20	5
6	.25	.00	.02	.01	.00	.00	.00	.03	.00	.17	.08	.21	6
7	.01	.01	.01	.00	.00	.00	.00	.00	.00	.00	.11	.26	7
8	.21	.01	.15	.00	.00	.00	.00	.00	.00	.02	.10	.10	8
9	.02	.00	.04	.02	.00	.00	.00	.00	.00	.00	.01	.00	9
10	.03	.05	.04	.00	.00	.00	.00	.11	.00	.00	.41	.21	10
11	.31	.10	.00	.00	.00	.00	.00	.00	.00	.00	.35	.00	11
12	.23	.00	.29	.00	.00	.00	.00	.00	.20	.00	.01	.01	12
13	.01	.00	.19	.00	.01	.24	.00	.00	.01	.04	.00	.31	13
14	.00	.03	.06	.00	.45	.00	.00	.00	.00	.00	.04	.41	14
15	.00	.14	.13	.00	.00	.00	.00	.00	.03	.01	.04	.03	15
16	.00	.01	.08	.00	.00	.04	.00	.00	.00	.00	.20	.16	16
17	.01	.00	.01	.00	.00	.02	.00	.00	.00	.00	.02	.07	17
18	.00	.02	.02	.00	.00	.38	.00	.00	.00	.01	.28.	.01	18
19	.01	.00	.00	.00	.01	.23	.08	.63	.04	.02	.20	.01	19
20	.01	.02	.00	.08	.00	.00	.05	.76	.26	.04	.02	.40	20
21	.00	.28	.00	.01	.00	.01	.00	.51	.00	.02	.02	.02	21
22	.03	.01	.02	.00	.00	.03	.00	.07	.00	.11	.10	.19	22
23	.00	.05	.34	.00	.00	1.29	.00	.01	.65	.00	.00	.04	23
24	.01	.06	.03	.05	.00	.88	,00	,00	,01	.56	.00	.08	24
25	.00	.00	.04	.23	.00	.09	.00	.00	.00	.04	.12	.09	25
26	.01	.00	.00	.11	.00	.00	.00	.00	.00	.29	.35	.28	26
27	.00	.08	.13	.25	.00	.00	.02	.56	.23	.03	.03	.03	27
28	.00	.21	.01	.23	.00	.01	.00	.06	.00	.05	.00	.06	28
29	.01		.00	.02	.00	.15	.07	.00	.51	.37	.00	.03	29
30	.00		.00	.00	.20	.02	.00	.00	.15	.11	.00	.00	30
31	.00		.01		.00		.00	.00		.00		.01	31
Total	1.63	1.15	1.76	1.19	.81	3.53	.24	2.92	2.17	2.53	2.65	3.48	TOTAL for year 24·06
No. of Rain Days	20	18	22	13	6	14	5	13	11	21	23	27	193.

7,000. X. '09.

Ex 786

REGISTER OF RAINFALL IN 1912.

FORM A2. BRITISH RAINFALL.

8 FEB 1913

Kept at East Keal Rectory,

in the County of Lincoln 4

by R. H. Simpson.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Spilsby.
Distance 2¼m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01.	·02		·22	·24	·12	·11	·01.		·64	1
2		·04				·02	·47.	·01.		·02		·04	2
3	·16	·01.	·01.		·07.	·29.		·38.	·08	·03.		·10.	3
4	·04		·27.		·02	·42		·05.			·33.		4
5	·09.	·09.			·01.	·10.		·03.			·01.		5
6	·67.	·09			·05		·48.	·17.	·25		·01.	·04	6
7	·02			·01.		·11.		·12	·10			·01	7
8	·29	·08	·05.	·01		·19	·30.	·02	·31.			·02	8
9	·02	·11.	·01.	·08.		·16.			·03	·01.		·28	9
10						·01.		·39.	·09.		·07	·01.	10
11	·10	·01			·02				·01.		·02	·36.	11
12	·06	·22	·14.			·05					·55	·01.	12
13	·01	·04.						·06.		·01.	·42		13
14	·04		·07.			·12.		·11.	·02.		·02	·02	14
15		·01	·18.		·40	·21.						·01.	15
16	·10.		·11.		·11.	·20		·18.		·18.	·01.		16
17	·09.		·22.			·30.		·13.				·14	17
18	·18		·12.			·01.	·08			·05		·05.	18
19	·34	·23.				·04.	·05.	·25	·03	·02	·02	·01.	19
20	·10	·01.			·23		·82	·13.		·18.			20
21			·44.		·38.		·17.				·07.	·02	21
22		·09.			1·13.	·07	·41	·15				·18.	22
23	·11	·05.	·16.		·01.		·06.	·46			·12	·06.	23
24	·16		·02			·22.	·08	·01.	·01.			·07.	24
25	·01.					·19.	·05	·55.			·12	·18.	25
26		·01	·04.			·05.	·09.	1·82.		·46.	·05	·32	26
27						·05.	·19.	·10.		·34.		·15.	27
28				·03.	·03.		·02	·48.		·23.	·43.	·45.	28
29				·01.		·02	·30.	·03.	·51.	·19.	·40.	·01.	29
30	·01		·01.		·05.	·05.	·01		·33.	·05.			30
31			·11.		·09.		·50	·27.		·03.			31
Total	2.60.	1.09	1.97.	·16!	2·60.	3·10	4·32.	6·02	1·88.	1·81.	2·65	3·18.	TOTAL for year 31·38
No. of Rain Days.	20.	15.	17.	6	14	23	18	24.	13.	15.	16.	24.	205.

W. 8,000, X. '11.

average per month = 2·615".

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at East Keal Rectory
in the County of Lincoln 4
by R. H. Simpson.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Spilsby.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·00	·00.	·10.	·05	·00	·00	·00	·00	1·49	·00	·05	00	1
2	·01.	·01.	·03	·01.	·23	·00	·10	·00	·01	·00	·00	·00	2
3	·01.	·00	·12.	·00	·36	·00	·00	·00	·00	·04	·00	00	3
4	·37.	·00.	·00.	·00	·11	·00	·05.	·00	·05	·23	·23.	·06	4
5	·01.	·00.	·00	·00	·00	·01	·01	·02	·06	·77	·02	·00	5
6	·01.	·00	·02.	·00	·32	·07	·00	·00	·00	·79	·00	·00	6
7	·00.	·01.	·00.	·01	·07	·06	·00	·00	·00.	·64	·02	·01	7
8	·00.	·00	·00	·01	·53	·14	·00	·00	·01.	·01	·10	·00	8
9	·00.	·28.	·02	·02	·08	·02	·00	·14	·00.	·01	·07	·00	9
10	·00.	·00	·00	·05	·02	·00	·12	·00	·00	·01.	·36	00	10
11	·98.	·00.	·00	·51	·03	·03	·01	·01.	·00	·00	·03	00	11
12	·00.	·01	·00.	·01	·00	·01	·00	·00	·00	·00	·16	00.	12
13	·05.	·00.	·03	·01	·00	00	·00	·03	·00	·00	·33.	00	13
14	·02.	·00.	·37	·01	·00	00	·02	·00	·00	·07	·01.	00	14
15	·13.	·01.	·08	·14	·00	00	·01.	·00	·22	·00	·04	00	15
16	·10.	·08.	·42	·08.	·00	00	·00	·00	·28	·00	·05.	00	16
17	·02.	·02	·16	·04	·00	·12	·00	·00	·01	·00	·00.	·07	17
18	·00.	·00.	·06	·05	·00	00	·03	·02	·00	·00	·00.	·04	18
19	·09.	·00.	·04	·00	·00	00	·00	·00	·16	·00	·00.	·02	19
20	·31.	·00.	·03	·02	·00	00	·00	·00	·03	·26	·04	·00	20
21	·12.	·00.	·02	·01	·04	00	·31	·00	·00	·00	·14	00	21
22	·07.	·00.	·11	·00	·01	00	·12	·14	·09	·00	·00.	00	22
23	·03.	·00	·01	·00	·00	·02	·02	·04	·07.	·03	·00	00	23
24	·03.	·00.	·00	·06	·00	·10	·00	·07.	·00	·00	·04	00	24
25	·01.	·00.	·00	·09	·00	·00	·00	·00.	·00	·00	·00.	02	25
26	·00.	·18.	·04	·02	·09	·02	·00	·00.	·00	·42.	·10	·11.	26
27	·01.	·04	·00	·00	·00	·04	·00	·00.	·00	·01.	·01.	·00	27
28	·22.	·01.	·08	·09	·00	·00	·00.	·00.	·01	·13.	·00	·03	28
29	·12		·12	·35	·04	·06	·00	·05.	·01	·05.	·00.	·23.	29
30	·18.		·01	·03.	·13	·00.	·00.	·00.	·00.	·04.	·00	·01	30
31	·00		·00		·08		·00.	·02		·00.		·00	31
Total	2·90.	·65.	1·87.	1.67	2·14	·64	·80	·54.	2·50.	3·51.	1·80	·60.	YEAR'S TOTAL 19·62
Rain Days.	22	10.	20.	22	15	12.	11.	10.	14.	16.	18.	10	180

W. 7,500, XI. ·12

6X 9M

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL,
15 FEB 1915

Kept at East Keal Rectory, (Spilsby)
in the County of Lincoln. 4
by R. H. Simpson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Spilsby. G. N. Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·02	·00	·00	·00	·06	·45	·00	·01	·09	·00	1
2	·00	·00	·00	·00	·00	·00	·00	·08	·00	·00	·09	·02	2
3	·00	·00	·15	·00	·14	·00	·05	·00	·00	·00	·00	·00	3
4	·11	·00	·07	·18	·01	·01	·00	·01	·00	·00	·29	·01	4
5	·00	·01	·16	·02	·10	·00	·04	·16	·00	·00	·00	·00	5
6	·00	·06	·00	·04	·15	·00	·08	·02	·00	·00	·05	·07	6
7	·00	·02	·25	·00	·04	·07	·00	·00	·00	·00	·00	·03	7
8	·23	·03	·04	·01	·13	·90	·00	·11	·00	·00	·00	·00	8
9	·39	·01	·17	·17	·01	1·09	·00	·00	·03	·00	·00	·00	9
10	·50	·04	·00	·02	·01	·01	·00	·00	·05	·00	·00	·00	10
11	·02	·01	·26	·31	·05	·04	·00	·00	·09	·00	·30	·15	11
12	·07	·02	·01	·00	·02	·00	·21	·00	·20	·00	·00	·37	12
13	·05	·09	·24	·00	·00	·00	·00	·00	·00	·09	·09	·16	13
14	·01	·02	·15	·00	·00	·00	·01	·00	·00	·13	·20	·17	14
15	·05	·00	·23	·00	·00	·00	·00	·00	·00	·00	·23	·47	15
16	·06	·00	·05	·00	·00	·00	·03	·00	·02	·00	·04	·00	16
17	·03	·18	·01	·00	·00	·00	·01	·00	·12	·01	·01	·08	17
18	·00	·00	·01	·00	·00	·00	·02	·00	·03	·00	·01	·25	18
19	·00	·00	·12	·00	·00	·00	·06	·00	·20	·00	·09	·02	19
20	·02	·03	·34	·00	·00	·02	·00	·00	·00	·20	·00	·00	20
21	·00	·11	·15	·00	·00	·02	·00	·03	·00	·03	·00	·23	21
22	·00	·00	·00	·04	·37	·02	·08	·07	·00	·16	·00	·09	22
23	·00	·05	·03	·04	·03	·03	·06	·00	·00	·00	·00	·08	23
24	·00	·00	·01	·06	·00	·01	·00	·03	·00	·06	·18	·00	24
25	·00	·00	·00	·00	·00	·00	·02	·05	·00	·56	·01	·04	25
26	·00	·00	·00	·00	·00	·00	·03	·13	·00	·08	·17	·30	26
27	·00	·00	·00	·00	·00	·00	·01	·01	·00	·00	·00	·19	27
28	·03	·03	·00	·00	·00	·00	·00	·00	·00	·29	·17	·95	28
29	·07		·10	·00	·02	·00	·00	·00	·00	·41	·00	·00	29
30	·01		·00	·01	·00	·01	·00	·00	·00	·01	·23	·24	30
31	·00		·01		·00		·25	·02		·07		·10	31
Total	1·65	·71	2·58	·90	1·08	2·23	1·02	1·17	·74	2·11	2·25	4·02	YEAR'S TOTAL 20·46
Rain Days.	15	15	22	11	13	12	16	13	8	14	17	21	177

W. 8,000. X. 14.

Ct MF

2699

FORM A.
BRITISH RAINFALL.

25 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at East Keal Rectory.

in the County of Lincoln.

by R. H. Simpson.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Spilsby.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·20			·37				·08		·21	·12	1
2	·01	·01	·34	·08		·01		·60	·04		·13		2
3	·32		·03	·05			·45				·04	·20	3
4	·01						1·64	·02			·01	·86	4
5	·04	·04			·09			·25			·08	·27	5
6	·05	·19	·07	·04			·70	·16		·01		·01	6
7	·23	·24	·19				·51	·21	·02		·03	·63	7
8	·04	·01					·02	·02		·01	·02	·01	8
9		·06				·01		·10		·02	·02	·33	9
10	·26		·01					·01					10
11	·01		·01		·18		·07	·12			·30	·11	11
12	·09			·16	·24		·05	·44		·02	·97	·01	12
13	·01	·45			·33			·25	·05		·01		13
14		·17			·02			·25		·01		·25	14
15	·26	·02					·13	·69		·02	·71	·06	15
16		·20					·71	·04			·08	·07	16
17	·08	·05					·07				·01	·08	17
18		·02	·12								·15		18
19		·07	·01				·05			·51			19
20	·18			·02						·11		·39	20
21	·10	·12					·33					·05	21
22	·20	·01	·15				·13					·21	22
23	·07	·10					·19		·04	·02	·03	·09	23
24			·16				·06		·28	·05		·19	24
25	·03		·01			·15	·01			·07	·04	·10	25
26	·03	·07				·01			·01	·01	·01	·45	26
27	·01	·02	·02				·11			·45		·06	27
28	·01	·01	·06			·07		·09	·02	·28			28
29		X	·01					·07			·27	·24	29
30	·05	X		·02			·02					·02	30
31	·12	X		X		X		·26	X	·14	X	·11	31
Total	2·43	2·06	1·19	·37	1·23	·25	5·25	3·58	·54	1·73	3·12	4·92	YEAR'S TOTA 26·67
Rain Days.	24	20	14	6	6	5	18	17	8	15	19	25	177

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd FW

2630

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
6. FEB 1917

Kept at *East Keal Rectory*

in the County of *Lincoln.*

by *R. H. Simpson.*

Lat. Long.

Time of Observation *9. a. m. G. T.*

Nearest Railway Station *Spilsby.*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *—* ft. *6"* in.

" " " " Sea Level *180.* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02			·05	·20				·08		1
2	·18	·07	·07		·28		·28		·02	·10	·08.		2
3		·06	·02				·53		·40	·30	·02		3
4	·21	·24	·01		·19	·25.	·02		·11.	·10.	·28	·13.	4
5	·03		·06		·02	·23	·01			·20.	·06	·10.	5
6	·01	·08	·20	·13	·07		·10.				·23	·19	6
7	·02	·01	·17		·35		·17			·02	·57.	·09.	7
8			·11		·05		·01				·005	·16	8
9			·10		·39	·32			·03		·005	·21	9
10		·02	·08	·05		·19	·02	·18	·08	·09	·005	·04	10
11	·06	·49	·18	·15	·01	·39	·01	·005	·01			·01	11
12	·01.	·02	·11	·01	·38	·25	·06			·02			12
13		·09	·08		·09		·01	·08		·005		·01	13
14		·02		·01	·14	·01		·02		·01			14
15		·12	·58	·005	·10		·05	·09	·04	·07		·05	15
16		·03	·05	·26			·03	·36		·01		·08	16
17	·03		·01	·37		·01	·12	·42	·23	·12	·01	·03	17
18		·12		·09		·005		·20	·05	·16	·63		18
19	·19	·005.	·01	·23				·03	·05	·005.	·22	·06	19
20	·05		·07	·01				·07	·01.		·09	·21	20
21		·01	·18	·28			·14	·01			·01	·58	21
22		·10	·01		·10	·01	·005	·005		·03		·37	22
23	·02	·25				·27	·01	·005		·01	·07	·32	23
24		·70		·01		·01		·06		·20		·07	24
25		·10	·10					·20		·10	·10	·04	25
26		·08						·02		·04	·21		26
27		·05	·26					·01		·07			27
28		·18	·20			·06		·005		·01.	·005.	·17.	28
29		·12				·29		·40.		·15.		·16.	29
30		✕			·005.	·02		·14.		·06		·005	30
31	·01	✕		✕		✕		·08.	✕	·01.	✕	·04	31
Total	·84	2·965.	2·68	1·605	2·175.	2·365	1·775	2·39	1·03	1·89	2·68	3·125	YEAR'S TOTAL 25·52.
Rain Days.	13.	23	23	~~13~~ 12	14	~~16~~ 15	18	~~21~~ 19	11	~~24~~ 23	~~19~~ 17	23. 2	218 210

W. 8,000, VIII. 16

Exd CFE

2500

FORM A.
BRITISH RAINFALL.

26 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at East Keal Rectory

in the County of Lincoln

by R. H. Simpson.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Spilsby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·05				·71	·10		·02		1
2	·08			·10		·16		·25	·01		·03.		2
3	·005	·09	·005	·10		·02		·46		·29	·005		3
4			·02	·01				·005		·415			4
5	·18		·06	·11.				·01	·25		·15.		5
6				·005		·15			·005	·01	·02		6
7	·34		·01			·18.				·455	·14		7
8	·40		·005	·11			·07	·45		·34	* (·195)		8
9	·02		·04	·04				·065		·01.	·17	·01.	9
10	·20		·36	·07	·005			·155	·01	·07	·065.		10
11	·06		·01.	·72				·03		·20.			11
12	·09	·02		·02	·52			·66		·16.			12
13	·23.			·05	·005		·04	·26	·15	·015		·01.	13
14	·17		·005	·08			·01	·08				·02	14
15	·10			·03			·10	·45		·04	·01.	·09.	15
16	·09	·24	·005	·21			·02	·005		·05.		·40	16
17	·01	·02	·04	·22	·64	·06	·07	·02	·04	·115.		·03.	17
18	·04			·02	·02		·34	·07.	·40				18
19	·09	·08	·10		·01	·005			·06.				19
20	·01.	·40	·05		·005						·26	·01.	20
21		·04	·06		·01	·07				·005	·07.	·01.	21
22	·01		·04					·015.		·14.			22
23		·04	·005		·14	·005		·19	·01.			·01	23
24	·005	·005			·01.	·28.	·05			·125.	·04	·01.	24
25			·03.				·03			·005	·14	·15.	25
26			·08.			·02		·45.	·06.		·29	·20.	26
27			·02			·08	·02	·52			·005	·03.	27
28		·01.	·11.		·33.	·32		·10.		·005		·12	28
29					·005	·05.	·04			·22		·04	29
30	·08		·08	·005			·04	·14		·005		·005	30
31	·02.						·18.	·10.				·08.	31
Total	2·23	·985	1·135.	1·95	1·7	1·4	1·01.	5·195.	1·095	2·675	(1·61)	1·225.	YEAR'S TOTAL 22·21
Rain Days.	~~21~~ 20	11.	~~21~~ 18	~~18~~ 17	~~12~~ 10	~~13~~ 12	13	23	11	~~20~~ 18	~~16~~ 15	~~17~~ 16	~~196~~ 184

W. 8,000, IX. 17.

* This amount is estimated, being the mean between the amounts registered at Hagnaby and Spilsby on that day. E. Keal being 2 miles from each place. R. H. S.

Ecd E.F.E.

51

REGISTER OF RAINFALL IN 1918 1918

FORM A.
BRITISH RAINFALL
22.1.19

Kept at East Keal rectory, Spilsby.

in the County of Lincolnshire.

by R.H.Simpson.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Spilsby.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		,005	01	025		005		.165	.01	.13	07	1
2	.10	.10	.005	.06				.21	.01	.005	.02	.35	2
3	.02	.02	.04		.20			.05	.05		.77		3
4	.01	.03	.055				.03	.10	.535		.22	.02	4
5			.01	.08	.03			.62	.08	.03			5
6		.02		.22		.03		.02	.005	.01	.005	.025	6
7	.07	.01		.05		.03			.005	.07	.08		7
8		.005	.005	.01		.01	.18	.005	.16		.025	.13	8
9	.08	.26		.07		.03	.03		.38	.37		.03	9
10	.04	.01		.01			.28			.07		.08	10
11	.07	.04		.02	.38		.26		.13	.45	.01	.19	11
12	.005	.18	.01	.095	.14		.035		.14	.01		.02	12
13		.02		.005	.155~~5~~	.005			.15			.005	13
14	.21			.06			.22		.16	.06		.13	14
15	.29			.46		.01	.40		.15			.16	15
16	.01			.14		.02			.55	.01		.02	16
17	.17			.03	.25		.56	.02	.03	.025		.13	17
18	.24			.05	.005	.02	.15		.28			.27	18
19	.055	.005	.035	.03			.005	.01		.07		.48	19
20	.03	.09			.0	.04	.10		.04	.06			20
21	.02				.005	.05			.16	.07			21
22	.09			.02	.03	.005					.005	.47	22
23	.10	.005			1.20		.13				.005		23
24	.005	.19			.12		.035		.07	.02	.02		24
25		.005	.02			.58	.15	.14	.02	.005	.02	.005	25
26					.01	.01	.14	.19	.04		.09	.01	26
27			.01	.08	.005	.02		.28	.03		.07	.10	27
28	.005	.12	.065			.01			.01		.06	.31	28
29	.01	✕				.005			.60		.02	.015	29
30	.01	✕	.25	.04	.005				.11		.05	.12	30
31	.01	✕	.05	✕	.005	✕		.005	✕	.03	✕	.05	31
Total	1.66	1.11	.56	1.54	2.565	.875	2.71	1.65	4.06	1.375	1.60	3.19	YEAR'S TOTAL 22.895
Rain Days.	~~24~~ 23	~~17~~ 15	~~13~~ 11	20	~~16~~ 13	~~16~~ 15	~~17~~ 16	~~12~~ 11	~~26~~ 25	~~18~~ 17	~~17~~ 15	~~24~~ 23	~~220~~ 204

W. 6,500, VII. 18. W W C

2353

17 FEB 20

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at East Keal rectory, Spilsby

in the County of LINCOLN.

by Ronald H.Simpson

Lat. Long.

Time of Observation 9 a.m Greenwich time

Nearest Railway Station Spilsby G.N.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.12	.03	.01		.18		.20			.04	.125	.33	1
2	.13		.01				.20		.075	.02	.20	.26	2
3	.47		.02		.01	.01	.29		.07		.39	.01	3
4	.01		.35			.08	.005	.06			.03	.10	4
5	.10								1.04			.15	5
6	.005		.12				.01		.005		.09	.12	6
7			.10									.055	7
8	.08			.08						.01	.03	.03	8
9										.03	.03		9
10			.18	.01						.12	.22	.05	10
11	.09		.24	.04	.04		.42			.025	.07	.01	11
12			.41			.09	.08		.005	.03	.01		12
13	.19		.005	.15			.02		.015	.12	.12		13
14	.38			.14					.12	.02	.025		14
15	.29	.06	.03	.32							.13	.27	15
16		1.08	.005	.04							.015		16
17		.38			.06	.03	.05				.29		17
18							.05	.13	.02			.10	18
19		.19	.35			.09	.59	.75	.04		.005	.01	19
20	.27	.10	.21			.06	.32	.30	.025			.06	20
21	.27	.53	.09			.04	.16	.005	.005		.015	.22	21
22		.13	.04				.05		.54		.025	.46	22
23			.015	.06		.02	.010	.04	.025	.19	.025	.05	23
24			.005	.02	.29	.11				.075	.08		24
25	.09	.005	nil	.18	.10			.71			.015	.14	25
26	.05	.01	.125	.09				.41	.035	.07	.005	.40	26
27	.01	.06		.48				.02		.51			27
28	.04			.08		.005		.52		.69		.36	28
29	.09			.04		.05	.01	.17		.23	.25	.09	29
30	.01	╳	.03	.15		.24				.05	.09	.22	30
31	.025	╳	.01	╳		╳	.10		╳	.18	╳	.065	31
Total	2.72 ~~1.88~~	2.575	2.355	1.88	.68	.825	2.655	3.115	2.02	2.41	2.285	3.56	YEAR'S TOTAL 27.08 ~~26.18~~
Rain Days.	19	10	~~18~~ 20	15	6	11	~~16~~ 17	10	13 ~~11~~	17	~~22~~ 23	23	184 ~~178~~

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

10 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at East Keal rectory
in the County of Lincoln.
by R. H. Simpson

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Spilsby.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ... ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01.	·28		·46.			·27	·05	·015	1
2			·005	·09	·005		·05		·07	·18		·17	2
3		·005		·05		·045.	·03		·12	·04		·10	3
4				·13	·07		·02	·40	·005	·08		·05	4
5			·05		·48		·16	·13	·08			·11	5
6			·02	·025	·10		·15					·12	6
7	·04	·005	·04	·08	·005		·11.					·035	7
8	·04	·02		·31.	·015					·005	·025		8
9	·20	·025		·64				·09					9
10	·16	·03	·07	·125								·06	10
11	·13	·005	·06	·24	·08		·01					·42	11
12	·04		·04	·165	·005						·03	·11.	12
13	·005	·015	·03	·38		·36			·14			·13	13
14	·005	·02	·37	·13		·21.	·01.		·17		·10	·01.	14
15	·005	·065	·30				·01.		·16	·14		·05	15
16				·01	·05				·04	·03		·055	16
17	·005		·005		·09				·44	·005		·03	17
18	·045	·005			·045	·20		·115	·08			·02	18
19	·08	·26		·15		·04		·86	·03			·02	19
20	·09	·34		·125		·31.	·02.	·01	·03				20
21				·055			·31.	·02	·23.			·01	21
22	·01			·115			·01.	·03	·27				22
23			·20				·21.				·005	·20	23
24			·05	·03			·055			·005		·09	24
25		·04	·02	·055	·04	·05	·68						25
26	·09			·08	·19		·14						26
27	·05	·06	·06	·125	·03	·38					·13	·14	27
28	·41		·22.	·085	·485		·045				·08	·005	28
29	·04				·43		·07				·08	·31.	29
30		✕		·18		·05	·04		·11.		·08	·22	30
31	·15	✕		✕	·005	✕	·30		✕	·09	✕	·18	31
TOTAL	1·595	·895	1·54	3·385	2·405	1·645	2·89	1·655	1·975	·845	·58	2·66	YEAR'S TOTAL 22·07·
Days with ·01 in. or more	17 ~~15~~	12 ~~10~~	15 ~~14~~	24	16 ~~14~~	9	21	8.	15 ~~16~~	8 ~~7~~	9 ~~8~~.	24	~~168~~ 178
	14	5	11.	20	12	9	14	5.	12.	6.	6.	17.	131.

·04 or more

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LINCOLN.

FULBECK.

1911, 1914 — 1920

REC 9 11

ardly Mr O

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Fulbeck Pa
p 5 in.

bove Ground .... ft. .... in.

in the County of Lincoln
„ Sea Level 180 ft.

by V F Willson
a

Nearest Railway Station
Name Leadenham
Distance 2 mls Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02*										·01		1
2	·18				·07		·03	·03				·03	2
3	·01	·02	·01		·07		·01	·10			·02	·04	3
4	·03	·~~0~~03	·20	·01*				·18	·11	·04	·07		4
5	·04			·16*				01		·16		·21	5
6	14		·01	·06				·03		·04	·03	·03	6
7	·03							·03		24	·04	18	7
8	·26		·17	·01					01			17	8
9	·04		·01								·02	18	9
10		·04	·02	01							·24		10
11	·25							·01			·24	·49	11
12	·10*		·28						·26		·04		12
13			·12*			·08			·03	02	·03		13
14	·02	·01	·04*		·45	·02	·02				·02	·40	14
15		·03	·07*							·07	·01	·35	15
16			·03			·04				01	·18	·02	16
17			·01			·03					·02	·05	17
18		·19	·03			·09					·23	·05	18
19	·02	·05			·01	·09	·02	·03	·01	06	·28	·03	19
20		·04		·04		01		·28	·02	01		·03	20
21	·01	·32	·01					·11	·02	11	·04	·25	21
22		·02	·11	·02				·10		33	·08	·10	22
23		·10	·10			·97		·15	·53		01	·22	23
24		01	04	·04		·84				30		·07	24
25		·11	03	·11		·02		01	·01		·08 shut	·20 shut	25
26				·07	56					20	·42*	·03	26
27		·06	·18	·12			·05	·24	·16	07	01	·40	27
28		·18	·01	·14							04	·03	28
29			01	·02		15	21	·	·15	·13	01	3·56 ·08	29
30			·02		·13	~~·150~~7		16	05	·16		01	30
31			·06			8				02		02	31
Total	1·15	1·14	1·57	·81	1·29	2·41	·34	1·47	1·36	1·97	2·17	3·67	TOTAL for year 1935
No. of Rain Days	14	·15	23	·13	6	12	6	15	12	17	24	26	183

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REC 911

Kept at Fulbeck Parsonage.

in the County of Lincoln 3

by V F Willson

RAIN GAUGE
Pattern approx Mr O
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 180 ft.

Time of Observation 9a

Nearest Railway Station
Name Leadenham
Distance 2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02*										·01		1
2	·18	—		—	·07		·03	·03	—			·03	2
3	·01	·02	·01		·07		·01	·10		—	·02	·04	3
4	·03	·03	·20	·01*	—			·18	·11	·04	·07		4
5	·04			·16*				01		·16		·21	5
6	14		·01	·06				·03		·04	·03	·03	6
7	·03							·03		24	·04	18	7
8	·26		·17	·01					01			17	8
9	·04		·01								·02	18	9
10		·04	·02	01							·24		10
11	·25							·01			·24	·49	11
12	·10*		·28						·26		·04		12
13			·12*			·08			·03	02	·03		13
14	·02	·01	·04*		·45	·02	·02				·02	·40	14
15		·03	·07*							·07	·01	·35	15
16			·03			·04				01	·18	·02	16
17			·01			·03					·02	·05	17
18		·12	·03			·09					·23	·05	18
19	·02	·05			·01	·09	·02	·03	·01	06	·28	·03	19
20		·04		·04		01		·28	·02	01		·03	20
21	·01	·32	·01					·11	·02	11	·04	·25	21
22		·02	·11	·02				·10		33	·08	·10	22
23		·10	·10			·97		·15	·53		01	·22	23
24		01	04	·04		·84				30		·07	24
25	—	·11	03	·11		·02		01	·01		·08 sleet	·20 sleet	25
26				·07	56					20	·42*	·03	26
27		·06	·18	·12		—	·05	·24	·16	07	01	·40	27
28		·18	·01	·14							04	·03	28
29			01	·02		15	21	·	·15	·13	01	3.5 ·08	29
30			·02		·13	~~·50~~ 7		16	05	·16		01	30
31			·06			0				·02		02	31
Total	1·15	1·14	1·57	·81	1·29	2·41	·34	1·47	1·36	1·97	2·17	3·67	TOTAL for year 1935
No. of Rain Days	14	·15	23	·13	6	12	6	15	12	17	24	26	183

7,000. X. '09.

Co.ly Nv.O. 9. VI.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Fulbeck E4

in the County of Lincolnshire 3 BR

by John Charlton 7th Co. W.R.V. Farm 98

Lat. 53.N Long. .5 W.

Time of Observation 9. A.M.

Nearest Railway Station Leadenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0	0.02	0	0	0.	0.03	0.15	0	0.01	0.03	0	1
2	0	0	0	0	0	0	0.94	0.37	0.01	0	0.08	0.09	2
3	0.01	0	0.09	0.01	0.17	0	0.13	0.13	0	0	0.02	0	3
4	0.11	0	0.01	0.21	0.02	0	0.16	0.05	0	0	0.54	0.16	4
5	0	0	0.09	0.06	0 16	0.06	0	0.09	0	0	0.01	0.01	5
6	0	0.03	0	0.05	0.11	0.01	0.32	0.01	0	0	0.02	0.04	6
7	0	0.12	37 0.27	0.01	0.07	0.02	0.02	0.01	0	0	0	0.09	7
8	0.09	0.04	0.02	0.01	0.14	0.92	0.01	0.16	0.02	0.01	0	0.03	8
9	0.47	0.01	0.11	0.12	0.01	0.96	0	0.05	0.03	0.02	0	0	9
10	0.38	0.04	0.04	0.13	0.01	0.0	0	0	0.09	0	0	0.01	10
11	0	0.03	0.26	0.29	0.03	0.09 ~~0.89~~	0	0	0.10	0	0.34	0.30	11
12	0.04	0	0.06	0.01	0.02	0.02	0.03	0	0.35	0	0.01	0.30	12
13	0.03	0.09	0.11	0	0	0	0	0	0.01	0.08	0.18	0.14	13
14	0	0.05	0.10	0	0	0	0.13	0	0	0.11	0.08	0.16	14
15	0.04	0	0.13	0	0	0.02	0.02	0.02	0	0.07	0.24	0.17	15
16	0.02	0	0.06	0	0	0	0.09	0.01	0.01	0	0.02	0	16
17	0.04	0.17	0.02	0	0	0	0.02	0	0.10	0	0	0.18	17
18	0.01	0	0.04	0	0	0.36	0.15	0	0.01	0	0.01	0.30	18
19	0	0.07	0.04	0	0	0	0.12	0	0.01	0.05	0.05	0.06	19
20	0	0.07	0.31	0	0	0.01	0.01	0	0.04	0	0	0	20
21	0.01	0.27	0.07	0	0	0.13	0	0.01	0	0.04	0.01	0.19	21
22	0	0.01	0.01	0	0.94	0	0.26	0.02	0	0.25	0	0.03	22
23	0	0.07	0.05	0	0.08	0.05	0.04	0	0.01	0.02	0	0.02	23
24	0	0.01	0.06	0.06	0.02	0.01	0.01	0	0	0.03	0.33	0	24
25	0	0.02	0.01	0	0.01	0	0.04	0.17	0	0.68	0.01	0.32	25
26	0	0	0.28	0	0	0	0.01	0.05	0	0.14	0.41	0.30	26
27	0.02	0	0.01	0	0	0	0.03	0.01	0	0.36	0.01	0.09	27
28	0.04	0.03	0	0	0	0	0.01	0	0	0.58	0.22	0.89	28
29	0.03		0.11	0.02	0	0	0	0	0	0.07	0.01	0.01	29
30	0.01	X	0.01	0.04	0.03	0.03	0	0	0	0	0.30	0.23	30
31	0	X	0.01	X	0.02	X	0.35	0	X	0.07	X	0.08	31
Total	1.37	1.13	2.50	1.02	1.84	~~3.49~~ 2.69	2.93	1.31	0.79	2.59	2.93	4.20	YEAR'S TOTAL ~~26.10~~ 25.30
Rain Days.	17	17	28	13	16	14	23	16	13	17	22	25	221

W. 8,000. X. 14.

[illegible] 2606

~~W~~ Ely [illegible]

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 10 JAN 1917

Kept at Fulbeck

in the County of Lincolnshire

by J. Charlton. for Lt. Col. W. R. Fane

Lat. 53° 3 Long. 0°·37 W

Time of Observation 9 a.m.

Nearest Railway Station Leadenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·5	0·0	4·3	0·0	0·0	3·1	3·1	0·0	0·2	0·0	4·4	0·0	1
2	2·4	1·1	8·8	0·0	14·4	0·2	10·4	0·0	0·6	4·1	1·2	0·0	2
3	4·1	6·2	0·3	1·0	0·9	0·0	5·4	0·0	23·5	5·5	0·4	0·0	3
4	4·6	3·3	0·2	0·0	3·7	4·1	0·3	0·0	9·0	1·1	5·8	0·0	4
5	0·3	0·2	0·3	0·0	0·5	4·2	0·2	0·0	0·1	3·2	3·7	0·2	5
6	1·3	3·1	3·8	0·8	1·6	0·2	7·3	0·1	0·1	0·3	6·5	0·0	6
7	0·2	0·2	7·0	0·2	2·2	0·0	7·8	0·0	0·0	1·4	2·8	5·3	7
8	0·2	0·0	3·2	0·0	0·1	0·0	0·2	0·0	0·0	0·0	0·4	4·7	8
9	0·0	0·0	1·7	0·0	13·1	0·6	0·0	0·0	1·2	0·0	0·0	2·1	9
10	0·0	0·6	3·1	0·7	0·4	0·4	0·0	0·0	1·3	3·7	0·1	2·8	10
11	2·4	12·9	8·6	3·3	0·1	2·0	1·3	0·0	0·4	0·1	0·0	0·2	11
12	0·6	1·6	2·4	3·3	9·6	5·9	1·7	0·0	0·1	0·6	0·1	1·1	12
13	0·1	3·1	2·2	0·4	6·1	1·6	0·2	0·6	0·1	0·2	0·0	0·8	13
14	0·0	2·4	0·6	0·2	1·2	0·2	0·0	3·0	6·2	1·7	0·0	0·3	14
15	0·0	2·1	11·7	0·2	0·2	0·1	4·7	6·9	0·5	0·6	0·1	0·0	15
16	0·0	3·1	3·9	5·6	0·3	0·0	1·8	2·2	0·2	0·2	0·0	0·3	16
17	0·5	2·3	0·2	10·2	0·2	0·0	2·7	5·1	7·2	4·7	0·0	0·7	17
18	0·0	3·9	0·2	1·6	0·1	0·1	0·1	9·9	4·2	1·5	47·9	0·1	18
19	0·5	0·2	1·8	4·8	0·2	0·0	0·1	2·5	4·6	0·1	8·3	2·2	19
20	3·0	0·0	8·1	5·2	0·0	0·0	0·3	0·1	0·2	0·1	0·6	1·3	20
21	0·1	0·2	9·5	2·8	3·2	0·0	1·6	0·0	0·2	0·1	0·2	9·5	21
22	0·0	3·8	0·3	0·2	1·6	0·8	0·2	0·0	0·1	1·2	0·1	9·8	22
23	0·5	11·1	0·9	0·2	0·0	1·1	0·3	0·9	6·1	0·1	2·4	11·5	23
24	0·2	19·8	0·1	0·7	0·1	0·4	0·1	1·2	0·0	0·1	0·2	4·1	24
25	0·0	1·3	2·9	0·1	0·2	0·3	0·0	5·1	0·2	1·5	3·6	0·2	25
26	0·4	3·9	0·2	0·1	0·0	0·9	0·0	1·7	0·1	1·6	2·2	0·0	26
27	0·1	3·7	15·6	0·0	0·0	0·1	0·1	0·6	0·2	3·2	0·1	0·0	27
28	0·0	3·5	8·8	1·7	0·0	1·6	0·1	0·2	0·2	0·2	0·1	3·6	28
29	0·0	8·1	0·2	0·2	0·0	7·7	0·0	21·8	0·1	6·1	0·0	3·0	29
30	0·0	X	0·0	0·0	0·1	0·1	0·0	1·7	0·0	3·4	0·0	0·2	30
31	0·0	X	0·0	X	0·4	X	0·0	0·3	X	1·7	X	0·1	31
Total	22·0	101·7	110·9	43·5	60·5	35·1	50·3	63·9	54·9	48·6	91·2	~~7~~64·1	YEAR'S TOTAL 746·7
Rain Days.	16 ~~19~~	25 25	28 29	20 22	19 22	18 22	19 23	15 18	19 26	22 28	16 22	19 23	~~226~~ 236 281

W. 8,000, VIII. 16

5 made

2475

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

16 JAN 1918

Kept at Fulbeck
in the County of Lincolnshire
by J. Charlton for L^t. C^ol. Fane

Lat. 53·03 Long. 0·37
Time of Observation 9 a.m.
Nearest Railway Station Leadenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·0	0·1	0·0	4·2	0·1	0·0	0·2	25·8	4·2	0·1	1·2	0·3	1
2	1·1	0·0	0·0	0·2	0·0	1·3	0·0	4·4	0·1	9·2	0·2	0·0	2
3	0·0	0·0	1·0	0·6	0·0	0·1	0·0	24·5	0·1	4·6	0·0	0·1	3
4	0·0	4·3	2·8	0·3	0·0	0·1	0·0	0·2	0·1	12·1	2·6	0·1	4
5	7·0	0·0	1·1	2·9	0·0	0·0	0·0	0·9	0·4	0·1	1·2	0·1	5
6	0·2	0·0	0·2	0·2	0·0	0·9	0·0	0·2	0·2	2·3	0·0	0·1	6
7	7·7	0·0	0·0	0·0	0·0	0·2	0·0	0·0	0·2	6·3	2·1	0·2	7
8	12·1	0·0	0·8	2·5	0·0	0·0	1·9	7·0	0·0	8·8	1·5	0·0	8
9	1·9	0·0	0·5	0·9	0·0	0·0	0·2	1·7	0·1	0·3	0·0 2·0	0·1	9
10	7·1	0·0	12·2	1·9	2·9	0·0	0·0	3·3	0·1	1·2	5·3	0·1	10
11	0·5	0·0	2·1	6·7	0·0	0·0	0·0	1·4	0·2	5·4	0·0	0·2	11
12	2·9	0·5	0·1	0·2	6·0	0·0	0·0	1·5	0·3	4·4	0·3	1·3	12
13	1·5	0·1	0·4	0·3	0·1	0·0	0·2	5·6	0·5	0·4	0·3	0·0	13
14	4·4	0·1	0·0	1·9	0·0	0·0	0·0	1·4	0·1	0·2	0·2	0·7	14
15	3·4	0·1	0·1	0·0	1·2	0·1	1·1	0·2	0·2	0·9	0·3	0·8	15
16	2·5	4·1	0·0	2·8	0·2	0·0	0·2	0·0	0·0	0·6	0·0	4·3	16
17	0·4	4·1	1·1	4·9	11·9	1·3	3·4	1·0	1·3	2·4	0·0	2·3	17
18	1·8	0·4	0·1	0·6	0·9	0·6	11·3	1·9	12·9	0·4	0·0	0·0	18
19	1·6	0·0	1·6	0·0	7·2	0·0	0·2	0·3	0·7	0·1	0·0	0·0	19
20	1·2	2·7	1·1	0·1	3·7	0·2	0·1	1·1	2·6	0·0	8·0	0·0	20
21	0·1	5·5	1·0	0·2	0·2	6·3	0·0	0·3	0·3	0·4	0·0	0·1	21
22	0·3	0·6	2·2	0·0	0·2	0·2	0·0	1·4	0·9	1·9	0·0	0·0	22
23	0·3	0·2	0·1	0·0	1·7	0·2	0·0	2·4	1·4	0·5	0·0	0·3	23
24	0·2	0·4	0·2	0·0	0·5	6·1	0·7	0·2	0·2	8·0	1·9	0·1	24
25	0·0	0·2	1·0	0·0	0·0	0·1	0·2	0·0	0·0	0·0	0·8	0·1	25
26	0·0	0·0	1·9	0·0	0·1	0·0	0·0	12·0	3·9	0·3	6·9	1·3	26
27	0·0	0·0	0·4	0·0	0·0	4·7	2·7	11·6	0·3	0·0	0·3	0·5	27
28	0·0	0·0	0·8	0·0	0·1	6·0	0·2	2·6	0·0	0·4	0·0	3·4	28
29	0·1		0·1	0·0	9·2	1·8	0·4	0·3	0·0	6·1	0·0	0·9	29
30	1·6	X	0·1	0·0	0·3	0·1	7·8	2·2	0·1	0·2	0·0	0·0	30
31	0·4	X	3·7	X	0·0	X	0·9	3·0	X	0·0	X	2·9	31
Total	60·3	23·4	36·7	31·4	46·5	30·3	31·7	130·4	31·4	77·6	33·2	20·3	YEAR'S TOTAL 553.2
Rain Days.	~~24~~ 21	~~15~~ 11	~~26~~ 20	~~18~~ 17	~~18~~ 14	~~18~~ 13	~~17~~ 16	28 7	~~25~~ 19	~~27~~ 24	16	~~22~~ 14	213

+ Dew

W. 8,000, IX. 17.

W. Hob. Cor. for auth. 25.IV.19.

24

FORM A.
BRITISH RAINFALL
21·1·19

REGISTER OF RAINFALL IN 1918

Kept at Fulbeck

in the County of Lincolnshire

by John Charlton. for Lt. Col. Fane

Lat. 53·03 Long. 0·37

Time of Observation 9 A.M

Nearest Railway Station Leadenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					Mp	Mc							
1	0·7	0·8	0·4	0·2	0·4	0·0	0·0	0·0	2·7	0·4	3·1	1·1	1
2	0·4	7·4	0·3	0·4	0·0	0·0	0·0	12·3	0·1	0·5	0·5	5·1	2
3	0·3	1·4	2·1	0·2	11·1	0·0	0·0	9·8	0·4	0·2	13·1	0·3	3
4	– –	0·4	0·9	0·0	0·2	0·0	0·3	1·3	14·9	0·3	5·4	0·6	4
5	– –	0·0	1·4	0·3	4·4	0·0	0·0	4·9	4·6	2·1	0·2	0·2	5
6	– –	1·2	0·2	4·9	0·2	1·2	0·0	0·3	1·6	0·9	0·1	0·3	6
7	3·4	0·9	0·0	3·4	0·1	0·6	0·0	0·0	0·7	1·6	1·6	0·3	7
8	0·9	0·6	0·4	0·2	0·0	0·1	0·9	0·0	1·4	1·0	0·2	0·3	8
9	1·1	11·6	0·1	5·9	0·0	0·8	3·4	0·0	5·7	10·4	0·0	0·4	9
10	0·7	0·8	0·0	0·3	0·0	0·0	8·4	0·0	0·3	7·3	0·1	0·9	10
11	1·9	0·8	0·0	3·6	10·2	0·0	5·2	0·0	1·1	5·1	0·0	1·6	11
12	0·3	4·4	0·4	0·2	4·5	0·0	2·2	0·0	1·6	0·4	0·1	0·6	12
13	0·0	1·1	0·1	0·4	2·1	0·0	0·1	0·0	3·9	0·0	0·1	0·3	13
14	5·2	0·4	0·0	2·3	0·2	1·3	4·1	0·0	5·9	2·0	0·0	3·7	14
15	13·9	0·0	0·0	3·6	0·1	0·3	3·2	0·0	3·2	0·2	0·0	3·2	15
16	0·0	0·1	0·3	6·2	0·0	1·1	0·1	0·0	2·6	0·0	0·0	0·5	16
17	4·3	0·1	0·0	0·7	2·93 in 74·2	0·0	13·6	0·5	0·3	1·8	0·0	3·0	17
18	3·9	0·0	0·0	0·4	0·1	0·1	4·7	0·0	17·3	0·3	0·0	4·7	18
19	0·8	0·3	4·3	0·9	0·0	0·2	0·3	0·0	0·3	2·1	0·0	1·0	19
20	0·8	2·0	0·2	1·3	0·0	1·2	0·9	0·0	0·0	0·6	0·2	0·3	20
21	0·5	0·0	0·0	0·3	0·0	0·2	0·1	0·0	6·3	3·8	0·2	0·1	21
22	4·9	0·4	0·0	0·1	2·1	0·5	1·4	0·0	0·3	0·3	0·5	7·9	22
23	1·6	0·3	0·0	0·0	7·9	0·0	10·6	0·0	0·2	0·2	0·1	0·2	23
24	– –	3·8	0·0	0·1	0·1	0·0	0·3	0·0	0·8	0·9	1·4	1·8	24
25	– –	0·2	0·0	0·1	0·0	4·7	5·6	4·0	0·3	0·2	1·1	0·1	25
26	– –	0·2	0·0	0·0	0·0	0·0	4·1	1·3	1·3	0·3	4·6	0·4	26
27	0·3	0·4	0·0	0·6	0·0	1·8	6·2	5·2	1·4	0·2	5·8	1·3	27
28	– –	5·6	5·4	0·2	0·0	0·2	0·1	0·0	0·1	0·0	0·4	11·1	28
29	– –	✕	0·4	0·0	0·0	0·0	0·0	0·0	12·0	0·0	0·3	3·2	29
30	0·1	✕	5·6	0·0	0·0	0·0	0·0	0·0	0·5	0·0	3·0	8·8	30
31	0·1	✕	0·9	✕	0·0	✕	0·0	0·4	✕	0·6	✕	0·4	31
Total	46·1	~~44·2~~ 45·2	23·4	36·8	117·9	14·3	75·8	39·8	91·8	43·2	42·1	63·4	YEAR'S TOTAL ~~639·1~~
Rain Days.	19	22	15	22	12	13	18	10	27	25	17	29	229

640·1

W. 6,500. VII. 18. W W C

Complete rain record for 1918

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

17 JAN 20

Kept at Fulbeck

in the County of Lincolnshire

by J. Charlton for Col. Fane

Lat. 53.03 Long. 0 37

Time of Observation 9 a.m.

Nearest Railway Station Leadenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.1	2.1	0.7	0.4	6.2	0.0	8.3	0.1	0.3	1.1	2.2	6.8	1
2	4.9	0.9	0.1	0.1	0.1	0.0	6.3	0.0	11.4	0.2	3.8	2.4	2
3	19.3	0.1	0.4	0.0	0.2	2.1	7.9	0.0	3.8	0.0	8.9	0.7	3
4	1.8	0.1	9.4	0.0	0.0	1.3	0.2	2.8	1.2	0.0	1.1	5.9	4
5	3.7	0.7	0.2	0.0	0.0	0.2	0.0	0.1	8.8	0.0	0.1	3.1	5
6	0.2	0.0	0.4	0.0	9.2	0.0	0.0	0.0	0.2	0.1	1.0	1.6	6
7	0.4	0.0	6.4	0.0	0.7	0.0	0.0	0.0	0.0	0.1	0.1	0.2	7
8	2.3	0.0	0.2	1.9	0.1	0.3	0.0	0.0	0.0	0.1	0.6	0.2	8
9	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.2	9
10	0.0	0.0	4.4	0.8	0.0	0.0	0.0	0.0	0.0	0.8	2.8	1.3	10
11	0.9	0.0	14.5	0.7	0.1	0.0	7.9	0.0	0.0	0.2	0.6	0.3	11
12	0.2	0.0	6.7	0.6	0.0	2.4	1.5	0.0	0.1	0.6	1.5	0.0	12
13	3.8	0.0	0.2	2.8	0.0	0.0	0.3	0.0	6.1	1.3	0.3	0.1	13
14	9.1	0.2	0.0	6.2	0.0	0.0	0.3	0.0	2.0	0.1	0.8	0.3	14
15	14.4	1.3	2.2	3.2	0.0	0.0	0.0	0.0	0.3	0.1	1.3	8.6	15
16	0.2	29.8	0.1	0.5	0.2	0.0	0.0	1.8	0.0	0.0	1.8	0.4	16
17	0.0	11.7	0.3	0.0	0.0	1.8	0.9	0.1	0.0	0.0	5.1	0.2	17
18	0.2	0.3	0.5	0.0	0.0	0.0	0.2	5.8	0.8	0.0	0.4	1.8	18
19	0.0	3.9	18.4	0.0	0.0	2.2	22.7	20.2	3.0	0.0	0.8	0.9	19
20	11.6	1.8	12.2	0.0	0.0	1.4	7.6	4.3	3.6	0.0	0.2	1.7	20
21	7.6	10.4	1.8	0.0	0.0	0.6	9.2	0.2	0.3	0.0	0.8	4.4	21
22	0.0	2.4	0.4	0.0	0.0	0.1	0.9	0.0	18.1	0.0	0.9	8.1	22
23	0.0	0.2	0.3	1.6	0.0	1.5	0.8	0.8	0.2	13.4	0.3	0.6	23
24	0.2	0.1	0.0	2.3	4.7	3.7	0.5	0.8	0.3	2.8	1.1	0.0	24
25	2.1	0.8	0.0	4.0	3.7	2.6	0.4	14.9	0.0	0.2	0.4	0.7	25
26	0.3	1.0	2.6	0.9	0.1	0.3	0.0	2.9	0.0	0.3	0.8	5.7	26
27	5.1	1.9	0.4	11.1	0.0	0.0	0.0	1.8	0.0	0.9	1.6	1.9	27
28	2.6	0.4	0.0	0.7	0.0	0.0	0.6	18.5	0.0	2.3	0.1	6.0	28
29	1.5		0.0	0.9	0.0	1.3	0.1	4.2	0.0	8.4	6.4	2.8	29
30	0.8	✕	0.5	6.9	0.0	6.2	0.0	0.1	0.0	1.3	1.3	6.1	30
31	0.3	✕	1.4	✕	0.0	✕	0.6	0.0	✕	2.6	✕	1.8	31
TOTAL	96.9	70.1	84.6	45.9	25.3	28.0	77.2	79.4	60.6	42.0	47.5	71.6 4	YEAR'S TOTAL 731.6 ~~735.4~~
Days with 0·2 mm. or more	26	17	23	18	7	15	19	13	16	15	27	28	224

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

wdg A Ex Cab. 4/2/20 2328

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Fulbeck [M.O.]

in the County of Lincolnshire

by Col. W. V. R. Fane

Lat. 53° 3′ Long. 0° 37′ W.

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·1	2·1	0·7	0·4	6·2	-	8·3	~~0·6~~	0·3	1·1	2·2	6·8	1
2	4·9	0·9	0·1	0·1	0·1	-	6·3	0·1	11·4	0·2	3·8	2·4	2
3	19·3	0·1	0·4	-	0·2	2·1	7·9	-	3·8	-	8·9	0·7	3
4	1·8	0·1	9·4	-	-	1·3	0·2	-	1·2	-	1·1	5·9	4
5	3·7	0·7	0·2	-	-	0·2	-	2·8	8·8	-	0·1	3·1	5
6	0·2	-	0·4	-	9·2	-	-	0·1	0·2	0·1	1·0	1·8	6
7	0·4	-	6·4	-	0·7	-	-	-	-	0·1	0·1	0·2	7
8	2·3	-	0·2	1·9	0·1	0·3	-	-	-	0·1	0·6	0·2	8
9	0·3	-	-	0·3	-	-	-	-	0·1	0·1	0·4	0·2	9
10	-	-	4·4	0·8	-	-	-	-	-	0·8	2·8	1·3	10
11	0·9	-	14·5	0·7	0·1	-	7·9	-	-	0·2	0·6	0·3	11
12	0·2	-	6·7	0·6	-	2·4	1·5	-	0·1	0·6	1·5	-	12
13	3·9	-	0·2	2·8	-	-	0·3	-	6·1	1·3	0·3	0·1	13
14	9·1	0·2	-	6·2	-	-	0·3	-	2·0	0·1	0·8	0·3	14
15	14·4	1·3	2·2	3·2	-	-	-	-	0·3	0·1	1·3	8·6	15
16	0·2	29·8	0·1	0·5	0·2	-	-	6·8	-	-	1·8	0·4	16
17	-	11·7	0·3	-	-	1·8	0·9	0·1	-	-	5·1	0·2	17
18	0·2	0·3	0·5	-	-	-	0·2	5·8	0·8	-	0·4	1·8	18
19	-	3·9	18·4	-	-	2·2	22·7	20·2	3·0	-	0·8	0·9	19
20	11·6	1·8	12·2	-	-	1·4	7·6	4·3	3·6	-	0·2	1·7	20
21	7·6	10·4	1·8	-	-	0·6	9·2	0·2	0·3	-	0·8	4·4	21
22	-	2·4	0·4	-	-	0·1	0·9	-	18·1	-	0·9	8·1	22
23	-	0·2	0·3	1·6	-	1·5	0·8	0·8	0·2	18·4	0·3	0·6	23
24	0·2	0·1	-	2·3	4·7	3·7	0·5	0·8	0·3	2·8	1·1	-	24
25	2·1	0·8	-	4·0	3·7	2·6	0·4	14·9	-	0·2	0·4	0·7	25
26	0·3	1·0	2·6	0·9	0·1	0·3	-	2·9	-	0·3	0·8	5·7	26
27	5·1	1·9	0·4	11·1	-	-	-	1·8	-	0·9	1·6	1·9	27
28	2·6	0·4	-	0·7	-	-	0·6	18·5	-	2·3	0·1	6·0	28
29	1·5		-	0·9	-	1·3	0·1	4·2	-	8·4	6·4	2·8	29
30	0·8		0·5	6·9	-	6·2	-	0·1	-	1·3	1·3	5·1	30
31	0·3		1·4		-		0·6	-		2·6		1·8	31
TOTAL	96·9 ~~98·1~~	70·1	84·7	45·9	25·3	28·0 ~~27·0~~	77·2	79·4 ~~85·0~~	60·6	42·0	47·5	74·0	YEAR'S TOTAL 731·6 ~~737·3~~
Days with 0·2 mm. or more	26	17	23	18	7	15	19	13	16	15	27	28	224

739

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3203

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Fulbeck

in the County of Lincolnshire

by J. Charlton

Lat. 53·03 Long. 0·37

Time of Observation 9 A.M.

Nearest Railway Station Leadenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·4	0·3	0·0	4·1	5·3	0·1	2·8	0·0	0·0	6·7	0·6	1·5	1
2	0·1	0·0	0·1	4·4	0·2	0·0	0·7	0·0	3·2	2·6	0·1	2·4	2
3	0·0	1·1	0·0	4·7	0·0	1·8	8·4	0·4	3·5	0·6	0·0	0·7	3
4	0·4	0·1	0·0	4·8	0·0	0·1	2·1	10·8	1·7	7·3	0·0	1·3	4
5	0·1	0·2	0·5	0·3	2·6	0·0	3·4	4·5	1·0	0·2	0·0	0·6	5
6	0·1	0·0	1·6	0·8	1·6	0·0	3·5	0·2	0·0	0·0	0·0	2·5	6
7	0·0	0·1	1·0	1·1	0·1	0·0	0·6	0·0	0·0	0·0	0·0	0·4	7
8	0·3	1·1	0·3	4·2	0·4	0·0	0·4	0·0	0·0	0·4	0·0	0·2	8
9	5·9	0·1	0·0	13·3	0·2	0·0	0·1	2·9	0·3	0·2	0·0	0·2	9
10	6·3	1·3	0·8	0·7	0·0	0·0	0·4	0·2	0·0	0·0	0·2	0·2	10
11	3·4	0·4	1·2	13·9	2·0	0·5	0·3	1·8	0·0	0·1	0·1	4·4	11
12	1·7	0·1	0·1	4·2	0·2	1·9	0·0	0·2	0·1	0·0	0·1	3·9	12
13	1·1	0·4	2·1	9·5	0·0	14·3	0·0	2·5	0·1	0·0	0·2	1·3	13
14	0·3	0·5	12·4	2·9	0·0	2·4	2·2	0·2	4·3	0·8	4·7	0·0	14
15	0·2	2·1	26·4	7·5	0·0	0·1	0·3	0·0	1·5	4·1	0·6	1·4	15
16	0·0	0·2	0·0	0·7	1·0	0·0	0·4	0·0	0·8	1·6	0·1	1·2	16
17	0·0	0·0	0·1	0·0	1·9	0·0	0·2	0·0	9·4	0·3	0·1	0·7	17
18	2·8	0·0	0·0	1·4	2·2	1·2	0·0	3·1	3·6	0·0	0·0	0·2	18
19	1·4	25·7	0·0	5·8	0·2	2·5	0·3	1·4	0·2	0·1	0·2	0·1	19
20	2·4	5·3	0·0	10·7	0·0	6·7	0·9	0·0	0·3	0·0	0·2	0·1	20
21	0·3	0·1	0·0	2·2	0·0	0·0	3·8	2·0	0·2	0·0	0·2	0·0	21
22	0·7	0·6	0·0	4·4	0·0	0·1	0·3	0·0	1·4	0·0	0·2	0·1	22
23	0·2	0·2	0·0	0·2	0·0	0·0	2·3	0·0	0·3	0·3	0·2	7·6	23
24	0·0	0·1	2·7	0·8	0·0	0·0	0·7	0·0	0·0	0·1	0·1	2·6	24
25	0·0	1·1	1·4	2·7	4·6	1·1	16·2	0·0	0·0	0·3	0·2	0·2	25
26	2·1	0·2	0·6	0·3	9·7	0·2	1·9	0·0	0·0	0·2	0·1	0·2	26
27	1·1	0·4	0·4	2·1	6·7	8·6	0·1	0·0	0·0	0·2	4·5	7·1	27
28	12·3	0·0	3·8	1·1	1·1	0·0	0·9	0·0	0·0	0·2	2·6	0·8	28
29	0·9	0·0	5·2	0·1	11·8	0·0	3·8	0·0	0·3	0·2	1·2	9·3	29
30	1·2	╳	0·4	3·9	0·4	0·8	0·1	0·0	4·2	0·0	2·1	8·1	30
31	3·2	╳	0·5	╳	0·4	╳	0·6	0·0	╳	8·5	╳	3·5	31
TOTAL	47·9	41·7	61·6	121·8	52·6	42·4	57·7	30·2	36·4	35·0	18·6	62·8	YEAR'S TOTAL 599·7
Days with 0·2 mm. or more	22	17	17	28	19	12	25	13	17	18	15	26	229
Days with 1·0 mm. or more	13	7	10	21	12	9	11	8	10	6	5	15	127

2230

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(Mo)

Kept at Fulbeck

in the County of Lincolnshire

by Col. W. V. R. Fane

Lat. 53° 3' N Long. 0° 37' W.

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge ......in.

Height of top of Gauge above Ground ......ft. ......in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.4	0.3	-	4.1	5.3	0.1	2.8	-	-	6.7	0.6	1.5	1
2	0.1	-	0.1	4.4	0.2	-	0.7	-	3.2	2.6	0.1	2.4	2
3	-	1.1	-	4.7	-	1.8	8.4	0.4	3.5	0.6	-	0.7	3
4	0.4	0.1	-	4.8	-	0.1	2.1	10.8	1.7	7.3	-	1.3	4
5	0.1	0.2	0.5	0.3	2.6	-	3.4	4.5	1.0	0.2	-	0.6	5
6	0.1	-	1.6	0.8	1.6	-	3.5	0.2	-	-	-	2.5	6
7	-	0.1	1.0	1.1	0.1	-	0.6	-	-	-	-	0.4	7
8	0.3	1.1	0.3	4.2	0.4	-	0.4	-	-	0.4	-	0.2	8
9	5.9	0.1	-	13.3	0.2	-	0.1	2.9	0.3	0.2	-	0.2	9
10	5.3	1.3	0.8	0.7	-	-	0.4	0.2	-	-	0.2	0.2	10
11	3.4	0.4	1.2	13.9	2.0	0.5	0.3	1.8	-	0.1	0.1	4.4	11
12	1.7	0.1	0.1	4.2	0.2	1.9	-	0.2	0.1	-	0.1	3.9	12
13	1.1	0.4	2.1	9.5	-	14.3	-	2.5	0.1	-	0.2	1.3	13
14	0.3	0.5	12.4	2.9	-	2.4	2.2	0.2	4.3	0.8	4.7	-	14
15	0.2	2.1	26.4	7.5	-	0.1	0.3	-	1.5	4.1	0.6	1.4	15
16	-	0.2	-	0.7	1.0	-	0.4	-	0.8	1.6	0.1	1.2	16
17	-	-	0.1	-	1.9	-	0.2	-	9.4	0.3	0.1	0.7	17
18	2.8	-	-	1.4	2.2	1.2	-	3.1	3.6	-	-	0.2	18
19	1.4	25.7	-	5.8	0.2	2.5	0.3	1.4	0.2	0.1	0.2	0.1	19
20	2.4	5.3	-	10.7	-	6.7	0.9	-	0.3	-	0.2	0.1	20
21	0.3	0.1	-	2.2	-	-	3.8	2.0	0.2	-	0.2	-	21
22	0.7	0.6	-	4.4	-	0.1	0.3	-	1.4	-	0.2	0.1	22
23	0.2	0.2	-	0.2	-	-	2.3	-	0.3	0.3	0.2	7.6	23
24	-	0.1	2.7	0.8	-	-	0.7	-	-	0.1	0.1	2.6	24
25	-	1.1	1.4	2.7	4.6	1.1	16.2	-	-	0.3	0.2	0.2	25
26	2.1	0.2	0.6	0.3	9.7	0.2	1.9	-	-	0.2	0.1	0.2	26
27	1.1	0.4	0.4	2.1	6.7	8.6	0.1	-	-	0.2	4.5	7.1	27
28	12.3	-	3.8	1.1	1.1	-	0.9	-	-	0.2	2.6	0.8	28
29	0.9	-	5.2	0.1	11.8	-	3.8	-	0.3	0.2	1.2	9.3	29
30	1.2		0.4	3.9	0.4	0.8	0.1	-	4.2	-	2.1	8.1	30
31	3.2		0.5		0.4		0.6	-		8.5		3.5	31
TOTAL	47.9 ✓	41.7 ✓	61.6 ✓	112.8 ✓	52.6 ✓	42.4 ✓	57.7 ✓	30.2 ✓	36.4 ✓	35.0 ✓	18.6 ✓	62.8 ✓	YEAR'S TOTAL ✓ 599.7
Days with 0·2 mm. or more	22 ✓	17 ✓	17 ✓	28 ✓	19 ✓	12 ✓	25 ✓	13 ✓	17 ✓	18 ✓	15 ✓	26 ✓	2361 229 ✓
	13	7	10	20	12	9	11	8	10	6	5	15	129

(44,284). Wt. 958—218. 500. Gp.132. &E.W.

Copied from M 3203.

LINCOLN.

GAINSBOROUGH.

NORTH SANDSFIELD

1911 – 1914

RE 911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at North Sand

in the County of Linco

by J. Cerud

op 5 in.

above Ground 1 ft. 9 in.

„ Sea Level 23 ft.

8 a.m.

tion { Name Great Central
Distance 1 m Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at ... and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0.16					1
2	0.21s											0.09	2
3													3
4			0.16						0.13	0.35	0.20	0.14	4
5				0.16s				0.22		0.09			5
6	0.23										0.13	0.37	6
7													7
8			0.15								0.07	0.40	8
9													9
10												0.37	10
11	0.42							0.24			0.24		11
12	0.10s				0.13				0.55				12
13			0.18									0.43	13
14			0.06s		0.15							0.50	14
15		0.18											15
16			0.15								0.17	0.17	16
17			0.06			0.36							17
18		0.10				0.16					0.46	0.15	18
19						0.11	0.30				0.25		19
20								0.45	0.12	0.32		0.45	20
21		0.24								0.08			21
22								0.09		0.20	0.05	0.20	22
23		0.12	0.20			0.60			0.50				23
24		0.04				2.07						0.14	24
25				0.40						0.16			25
26					0.64					0.29	0.39	0.40	26
27			0.14	0.12				0.50	0.30				27
28												0.13	28
29		0.10	0.02	0.22			0.13		0.23				29
30										0.30			30
31			0.06		0.07								31
Total	0.96	0.78	1.18	0.90	0.99	3.30	0.43	1.66	1.83	1.79	1.96	3.94	TOTAL for year 19.72
No. of Rain Days.	4	6	10	4	4	5	2	6	6	8	9	14	78

W. 8,000, X. '11.

RE 1911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at North Sandsfield, Gainsboro

in the County of Lincolnshire 6

by J. Creed

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 9 in.
,, ,, ,, Sea Level 23 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Great Central
Distance 1 m Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								0-16					1
2	0-21 s											0.09	2
3													3
4			0-16						0.13	0-35	0.20	0-14	4
5				0.16 s				0.22		0.09			5
6	0-23										0-13	0-37	6
7													7
8			0-15								0.07	0-40	8
9													9
10												0.37	10
11	0.42							0-24			0.24		11
12	0.10 s				0.13				0.55				12
13			0-18									0-43	13
14			0.06 s		0-15							0-50	14
15		0-18											15
16			0-15								0.17	0-17	16
17			0.06			0-36							17
18		0-10				0-16					0.46	0-15	18
19						0-11	0.30				0-25		19
20								0.45	0.12	0-32		0-45	20
21		0-24								0.08			21
22								0.09		0.20	0.05	0-20	22
23	0.12		0.20			0.60			0.50				23
24		0.04				2.07						0-14	24
25				0-40						0-16			25
26					0-64					0.29	0-39	0-40	26
27			0.14	0-12				0.50	0.30				27
28												0-13	28
29		0.10	0.02	0-22			0-13		0.23				29
30										0.30			30
31			0.06		0.07								31
~~Total~~	0-96	0-78	1.18	0-90	0-99	3.30	0-43	1-66	1-83	1-79	1.96	3.94	TOTAL for year 1972
No. of Rain Days.	4	6	10	4	4	5	2	6	6	8	9	14	78

W. 8,000, X. '11.

Cor for arith 10.111.13 ~~W~~ Y C

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at North Sandsfield Gardens

in the County of Lincolnshire 6

by J. Creed

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 23 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name G. C. R
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						0.62	0.05		0.20			0.48 S	1
2						0.23	0.50		0.06				2
3	0.20				0.04			0.45	0.17			0.05	3
4	0.03		0.40		0.07	1.03			0.03	~~0.44~~	0.44		4
5		0.10 S			0.04	0.29		0.17					5
6	0.62	0.13			0.07			0.39					6
7					0.02	0.09			0.04				7
8	0.30	0.15	0.24				0.08		0.20				8
9		0.10		0.17		0.03					0.03		9
10						0.30		0.17				0.04	10
11	0.17					0.03						0.64	11
12	0.07	0.24	0.13			0.20	0.44						12
13						~~0.11~~				0.20	0.50		13
14			0.33			0.11		0.08					14
15			0.17		0.39	0.10							15
16	0.42		0.13			0.17		0.12		0.11			16
17	0.21 S		0.17			0.17	0.03	0.24				0.21	17
18	0.05		0.10										18
19	0.35	0.25				0.04	0.55	0.19					19
20	0.34				0.19		0.34			0.22			20
21			0.32		0.37		0.23						21
22		0.05			0.64	0.10	0.20	0.21				0.18	22
23			0.19				0.25	0.39			0.13		23
24	0.22						0.05					0.13	24
25						0.28	0.21	0.07			0.13		25
26		0.08					0.27	1.23		0.68	0.17	0.33	26
27						0.25	0.17			1.00		0.10	27
28				0.04	0.03		0.06	0.27		0.20	0.63 S	0.25	28
29						0.20	0.03	0.04	0.63	0.11			29
30					0.35					0.04			30
31			0.29		0.20		0.30	0.31					31
Total	2.98	1.10	2.47	0.21	2.41	4.24	3.76	4.33	1.33	2.56	2.03	2.41	29.83 Total for Year 29.83
No. of Rain Days.	12	8 ~~10~~	11	2	12	18	17	15	7	8	7	10	127

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
10 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at North Sandsfield
in the County of Lincolnshire
by J. Cereed

6

Lat. Long.
Time of Observation 8 a m
Nearest Railway Station G. C. R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.10						0.29				1
2			0.04		0.19								2
3	0.03		0.15		0.36							0.10	3
4	0.83				0.04	0.06	0.08			0.15	0.17	0.12	4
5						0.15	0.07			0.21			5
6			0.05	0.06	0.44	0.02	0.07			0.58			6
7		0.19			0.17					0.64			7
8					0.31	0.16			0.07		0.10		8
9		0.20			0.03						0.05		9
10							0.12						10
11	1.10^s			0.56^s		0.05		0.06			0.55		11
12						0.03					0.15		12
13			0.06					0.08	0.07		0.15		13
14	0.09		0.39							0.08	0.05		14
15	0.17		0.35	0.10					0.04		0.24		15
16			0.05								0.03		16
17			0.31	0.17		0.05			1.60				17
18			0.13	0.11			0.03					0.04	18
19	0.16		0.05										19
20	0.12								0.07	0.10	0.04		20
21					0.07		0.09	0.02			0.10		21
22			0.28					0.64	0.12				22
23								0.07	0.11				23
24	0.13^8			0.10		0.19		0.04					24
25	0.23			0.06		0.04			0.07			~~0.19~~	25
26	0.04	0.22	0.09	0.10						0.36		0.19	26
27				0.30		0.11					0.12		27
28	0.22		0.20	0.18	0.02	0.19						0^s.25	28
29			0.14	0.43	0.08			0.03				0^s.20	29
30	0.23									0.15	0.02		30
31					0.05								31
Total	3.35	0.61	2.39	2.17	1.76	1.05	0.46	0.94	2.44	2.27	1.77	0.90	YEAR'S TOTAL 20.11
Rain Days.	12	3	15	11	11	11	6	7	9	8	13	6	112

W. 7,500, XI. 12

cond fr anth 3.IV.15 ~~W~~ DL

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at North Sandsfield Gainsborough
in the County of Lincolnshire 6
by J. D. Sandars Esqr.
J. Creed Gardener

Lat. .... Long. ....
Time of Observation 8 a.m
Nearest Railway Station G.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·07

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0·77	0·22					1
2							0·19	0·39			0·12	0·06	2
3			0·16				0·22				0·07	0·19	3
4	0·12		0·08	0·16						0·04	0·24	0·26	4
5			0·14	0·11	0·22		0·07				0·08	0·10	5
6				0·08	0·07		0·04				0·03	0·05	6
7		0·04	0·19	0·04	0·10	0·05					0·02	0·12	7
8	0·14				0·11	0·26	0·08	0·16	0·06				8
9	0·17			0·04		0·70							9
10	0·25	0·10		0·03									10
11			0·27	0·04		0·11			0·08		0·20	0·21	11
12							0·03		0·22			0·16	12
13	0·03		0·14 s							0·06	0·14	0·15	13
14		0·06					0·07			0·30	0·30 s	0·08	14
15		0·03	0·21								0·14		15
16			0·06				0·11		0·04				16
17	0·13	0·02							0·33			0·06	17
18						0·29						0·36	18
19			0·14				0·03				0·05	0·12	19
20		0·04	0·15							0·07			20
21		0·16	0·04			0·06		0·26				0·12	21
22					0·65	0·03	0·08	0·06		0·18			22
23		0·03			0·40	0·07	0·04					0·04	23
24			0·04	0·09	0·03			0·35			0·23		24
25								0·07		0·70		0·23	25
26			0·05					0·14		0·18	0·11	0·25	26
27												0·50	27
28										0·12		0·36	28
29	0·07		0·08							0·24			29
30		X		0·02						0·03	0·24	0·12	30
31		X		X	0·03	X	0·23		X	0·07	X	0·05	31
Total	0·91	0·48	1·75	0·~~59~~ ·61	1·61	1·57	1·96	~~1·67~~ 1·65	0·73	1·99	1·97	3·59	YEAR'S TOTAL 18·82
Rain Days.	7	8	14	9	8	8	13	8	5	11	14	21	~~126~~

W. 8,000. X. 14.

2584 LINCOLNSHIRE

GATE BURTON HALL

1915-20

~~1915~~

FORM A.
BRITISH RAINFALL.
28 JAN 1916

RE

Kept at Gate B
in the County of Lin
by J. D. Sand

-30
Stow Park
Gauge 5 in.
ve Ground 2 ft. 6 in.
Sea Level 97 ft.

IMPORTANT NO the result entered to the previous day. If an versal rule, he is earnestly requested to add the re r in the space provided for it at the end of t Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.07							0-45	0.06		0.05		1
2		0-11	0-15		0-45	0.08		0-12	0-06				2
3	0-38	0.04		0-21			0-45	0-57				0-26	3
4	0-25						1-55					0.78	4
5	0.04	0.05						0.65				0.40	5
6		0-13		0-05	0-35		0-56	0.08					6
7	0-28	0-28	0-14		0-15		0-46	0-18			0-14	0-16	7
8	0.04	0.06					0.03	0-30		0.05	0.02		8
9								0.09				0.39	9
10	0.32							0-27					10
11	0-10			0.03	0.40		0.07				0-14	0.25 s	11
12	0.06			0-24	0-12			0.14			0.86		12
13		0-43			0.08								13
14		0-03			0.03							0.21	14
15	0-27							0.10			0.31 s	0.13	15
16					0-05			0-30					16
17		0.54					0.74						17
18		0-12	0.13 s										18
19							0.32	0.03		0.07			19
20	0-06						0.07					0.36	20
21	0.13 s											0.03	21
22	0.04		0-14	0-07			0-15					0-11	22
23	0-03	0-14							0-16	0.05			23
24			0.12			0.02	0.20		0-43	0.05		0.18	24
25						0.21	c			0.08		0.13	25
26		0-12				0-12	0.09		0-05			0.21	26
27		0.08				0-12				0.44		0.23	27
28		0-15	0-13 s				0.12	0-28		0-10			28
29					0-10						0-35	0.29	29
30	0.05	✕		0-03		0-05						0.04	30
31	0-10	✕		✕		✕	0.04	0.13	✕	0.08	✕		31
Total	2.22	2.28	0-81	0-63	1.73	0.60	4.85	3.09	0-78	0.92	1.87	4.16	YEAR'S TOTAL 23.94
Rain Days.	16	14	6	6	9	6	14	15	5	8	7	17	123

W. 8,000. X. 15.

✓

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 28 JAN 1916

Kept at Gate Burton Hall
in the County of Lincolnshire
by J. D. Sandars Esqr

Lat. Long.
Time of Observation 8-30
Nearest Railway Station Stow Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 97 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.07							0-45	0.06		0.05		1
2		0-11	0-15		0-45	0.08		0-12	0-06				2
3	0-38	0.04		0-21			0-45	0-57				0-26	3
4	0-25						1-55					0.78	4
5	0.04	0.05						0.65				0.40	5
6		0-13		0-05	0-35		0-56	0.08					6
7	0-28	0-28	0-14		0-15		0-46	0-18			0-14	0-16	7
8	0.04	0.06					0.03	0-30		0.05	0.02		8
9								0.09				0.39	9
10	0.32							0-27					10
11	0-10			0.03	0.40		0.07				0-14	0.25 s	11
12	0.06			0-24	0-12			0.14			0.86		12
13		0-43			0.08								13
14		0-03			0.03							0.21	14
15	0-27							0.10			0.31 s	0.13	15
16					0-05			0-30					16
17		0.54					0.74						17
18		0-12	0.13 s										18
19							0.32	0.03		0.07			19
20	0-06						0.07					0.36	20
21	0.13 s											0.03	21
22	0.04		0-14	0-07			0-15					0-11	22
23	0-03	0-14							0-16	0.05			23
24			0.12			0.02	0.20		0-43	0.05		0.18	24
25						0.21	c			0.08		0.13	25
26		0-12				0-12	0.09		0-05			0.21	26
27		0.08				0-12				0.44		0.23	27
28		0-15	0-13 s				0.12	0-28		0-10			28
29					0-10						0-35	0.29	29
30	0.05	X		0-03		0-05						0.04	30
31	0-10	X		X		X	0.04	0.13	X	0.08	X		31
Total	2.22	2.28	0-81	0-63	1.73	0-60	4.85	3.09	0-78	0.92	1.87	4.16	YEAR'S TOTAL 23.94
Rain Days.	16	14	6	6	9	6	14	15	5	8	7	17	123

W. 8,000. X. 15.

2661

FORM A.
BRITISH RAINFALL.
10. JAN 1917

REGISTER OF RAINFALL IN 1916

and [illegible]

Kept at Gate Burton Hall
in the County of Lincolnshire
by J. Creed Gardener to J. F. Sandars Esqe

Lat. Long.
Time of Observation 8-30
Nearest Railway Station Stow Park.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 97 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.14				0.12				0.18		1
2	0.12		0.42^{s}		0.44				0.08		0.15		2
3		0.43		0.08			0.37			0.22			3
4	0.09	0.13			0.37	0.37			0.54		0.24		4
5			0.04^{s}		0.03	0.07				0.34	0.11		5
6		0.29	0.22^{s}		0.28		0.12				0.37		6
7			0.22^{s}		0.07					0.08	0.08		7
8			0.15^{s}										8
9			0.08		0.64	0.15						0.50	9
10		0.04		0.07			0.40		0.21				10
11	0.10	0.48	0.20	0.15		0.12							11
12			0.25		0.14	0.26	0.21						12
13		0.05	0.11				0.08	0.09					13
14		0.13	0.48		0.13			0.08					14
15		0.12					0.11	0.09					15
16		0.13	0.10	0.09									16
17		0.03		0.36			0.09	0.22	0 22	0.22			17
18		0.21		0.12				0.30	0.14	0 09	0.85		18
19	0.08		0.12	0.14					0.21		0.24	0.10^{s}	19
20	0.03		0.18	0.22									20
21			0.15				0.13						21
22		0.13^{s}								0.07		0.64^{s}	22
23		0.08				0.39							23
24		$0 58^{s}$						0.18				0.60	24
25		0.04	0.17					0.14			0.27		25
26								0.05		0.09			26
27		0.32					0.61						27
28		0 21	0.70^{s}									0.06	28
29		0.08				0.67		0.96		0.24		0.18	29
30		✕				0.04				0.14			30
31		✕		✕		✕			✕		✕		31
Total	0.42	3.40	3.73	1.23	2.10	2.07	2.24 2.24	2.11	1.40	1.49	2.49	2.08	YEAR'S TOTAL 24.76 24.56
Rain Days.	5	~~8~~18	17	8	8	8	10	9	6	9	9	6	~~113~~

W. 8,000, VIII. 16

2529

FORM A.
BRITISH RAINFALL.

14 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Gate Burton Hall Gdo

in the County of Lincolnshire

by J D Sandars Esqr.

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station Stow Park Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 97 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								1.00	0.05				1
2	0.05			0.13				0.28					2
3								0.42					3
4			0.16 s							0.44			4
5	0.31			0.08 s						0.07	0.13		5
6													6
7	0.29		0.08 s			0.10		0.02		0.36			7
8	0.67			0.15 s				1.35		0.50	0.08		8
9				0.21 s				0.34			0.18		9
10	0.29 s		0.53	0.13 s	0.43			0.23	0.07				10
11				0.45 s						0.29			11
12					0.18			0.08					12
13	0.30 s								0.06	0.11			13
14	0.33 s			0.11								0.34	14
15	0.08 s						0.13	0.10		0.02			15
16		0.17					0.02					0.35	16
17			0.07	0.21	0.71	0.12		0.08		0.10			17
18	008						0.45		0.45				18
19		0.17	0.05		0.38								19
20		0.29			0.05	0.10					0.47		20
21		0.07				0.11							21
22			0.24 s					0.08					22
23					0.13							0.09	23
24						0.50		0.18		0.27	0.12		24
25												0.03	25
26						0.10		0.36	0.11				26
27			0.20			0.06	0.40	0.38					27
28						0.10		0.09					28
29					0.06		0.03			0.23		0.20	29
30	0.13	✕					0.11	0.09					30
31		✕	0.22 s	✕		✕		0.07	✕		✕		31
Total	2.53	0.70	1.55	1.47	1.94	1.19	1.14	5.15	0.74	2.39	0.98	1.01	YEAR'S TOTAL 20.79
Rain Days.	10 ✓	4 ✓	8 ✓	8 ✓	7 ✓	8 ✓	6 ✓	17 ✓	5 ✓	10 ✓	5 ✓	5 ✓	~~103~~

W. 8,000, IX. 17.

1.84

93

3rd Cop

78

FORM A.
BRITISH RAINFALL.

18

REGISTER OF RAINFALL IN 1918

Kept at Gate Burton Hall
in the County of Lincolnshire
by J. D. Sandars Esqr

Lat. Long.
Time of Observation 8- a.m.
Nearest Railway Station Stow Park Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~97~~ 2 ft. in.
" " " " Sea Level 97 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									0.28		0-26	0-26	1
2		0-37						0-27	0.06			0-26	2
3			0-06		0-65			0.50			0.46		3
4									0-33		0.32	0-20	4
5					0-11			0-38	0.06				5
6				0-33									6
7	0.16^s			0-11		0.05			0.08	0-18	0.10		7
8									0-38				8
9		0-46		0-10					0-31	0-46		0.05	9
10							0-36						10
11		0-10			0-43							0.11	11
12		0-16		0-20			0.42	0-28		0-17			12
13					0-15								13
14	$0\text{-}32^s$								0-43	0.11		0.22	14
15	$0\text{-}26^s$			0-10			0-20		0-43			0-20	15
16						0-18			0-20			0.06	16
17	0.20^s						0-38		0-22			0.15	17
18	0.17						0.27		0-56			0.27	18
19			0-10							0.16		0.64	19
20		0.06				0.09	0.60						20
21	0.15				0-64				0-16	0-10			21
22												0-35	22
23					0.42		0.13						23
24		0-13					0-16		0.08				24
25						0-65	0-12	0.17					25
26							0.30				0-30	0.05	26
27								0-37	0-12		0-21		27
28		$0\text{-}32^s$	0-23								0.13	0 35	28
29									0.27			0.06	29
30		X	0-31									0 28	30
31		X		X		X		0.04	X		X		31
Total	1.26	1.60	0.70	0-84	2.40	0.97	2.94	2.01	3.97	1.18	1.78	3.51	YEAR'S TOTAL 23.16
Rain Days.	6	7	4	5	6	4	10	7	16	6	7	16	~~94~~

W, 6,500. VII. 18. W W C

W. P [illegible]

2378

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Gate Burton Hall

in the County of Lincolnshire

by J. D. Sandars Esqr

Lat. Long.

Time of Observation 8 30

Nearest Railway Station Stow Park Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

„ „ „ „ Sea Level 97 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.20	0.13^{s}	0.06		0.20		0.13			0.12	0.08	0.08	1
2	0.09						0.37		0.21		0.18		2
3	0.70						0.39		0.04		0.24		3
4			0.38			0.13	0.15	0.14	0.06			0.18	4
5	0.10								0.14			0.10	5
6											0.10	0.15	6
7			0.10		0.11								7
8	0.13												8
9											0.12		9
10			0.17								0.11^{s}	0.11	10
11			0.70		0.29		0.21						11
12			0.38	0.23		0.09	0.10						12
13	0.23								0.35	0.20			13
14	0.30			0.24			0.11				0.19		14
15	0.10	0.17	0.06	0.20							0.14^{s}	0.73	15
16		0.81^{s}									0.03		16
17		0.41^{s}				0.08					0.23		17
18									0.05			0.09	18
19		0.16	0.57				0.49	0.44	0.12		0.12	0.03	19
20	0.39	0.14	0.05			0.11	0.21	0.23	0.08			0.06	20
21	0.23	0.37	0.07^{s}				0.17				0.05	0.21	21
22		0.16							0.64			0.32	22
23					0.15	0.03	0.07			0.70			23
24				0.12	0.13	0.30		0.35		0.15		0.14	24
25				0.32	0.12	0.02		0.40					25
26			0.12						0.12			0.30	26
27				0.46				0.62		0.23			27
28							0.01	0.10		0.10		0.35	28
29				0.04		0.08				0.76	0.20^{s}	0.10	29
30				0.30		0.13					0.10	0.18	30
31	0.13^{s}						0.16			0.23		0.07	31
TOTAL	2.60	2.35	2.66	1.91	~~1.10~~ 1.00	0.97	2.57	2.28	1.81	2.49	1.89	3.20	YEAR'S TOTAL 25.73 ~~25.83~~
Days with ·01 in. or more	11	8	11	8	6	9	13	7	10	8	14	17	~~122~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ Wad [illegible]

1225

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gate Burton Hall

in the County of Lincolnshire

by J. D. Sandars Esqr
pr. J. Creed

Lat. Long.
Time of Observation 8-30 a.m.
Nearest Railway Station Stow Park St. G. N. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.38

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.22	0.18		0.32			0.11		0.03	1
2				0.10					0.15	0.13		0.15	2
3				0.27			0.64		0.22	0.20			3
4				0.10			0.18	0.35	0.05	0.56		0.19	4
5					0.14		0.08	0.17	0.04			0.04	5
6			0.10	0.06			0.07						6
7							0.13						7
8		0.10		0.46			0.05						8
9	0.21			0.41									9
10	0.16	0.10		0.18			0.15						10
11	0.23			0.20									11
12				0.25								0.275	12
13	0.03			0.19		1.00						0.205	13
14			0.485	0.11		0.21	0.05		0.20		0.19		14
15			2.07	0.09					0.20	0.32			15
16							0.09		0.04				16
17					0.26				0.48				17
18	0.13								0.08				18
19		1.16		0.21		(.51)							19
20	0.09	0.40		0.28									20
21				0.08			0.44	0.21					21
22				0.17					0.07				22
23							0.08					0.31	23
24			0.14	0.05								0.10	24
25		0.07	0.10	0.02			0.65						25
26	0.10		0.04	0.10	0.53								26
27	0.17				0.26	0.17					0.35	0.21	27
28	0.64				0.02						0.28	0.07	28
29	0.06		0.20		0.41		0.15				0.05	0.42	29
30	0.04	✕		0.30					0.16		0.15	0.15	30
31	0.21	✕	0.06	✕		✕	0.42		✕	0.28	✕	0.13	31
TOTAL	2.07	1.83	3.19	3.85	179	1.89	3.48	0.73	1.69	1.60	1.02	2.27	YEAR'S TOTAL 25.41
Days with ·01 in. or more	~~12~~	~~5~~	~~8~~	~~21~~	~~7~~	~~3~~	~~15~~	~~3~~	~~11~~	~~6~~	~~5~~	~~13~~	~~1.09~~
Days with ·04 in. or more	11	5	8	20	6	3	15	3	11	6	5	12	1.05

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2570 LINCOLNSHIRE

GRAINSBY HALL

1917 – 20

RE

FORM A. BRITISH RAINFALL.

16 FEB 1918

Kept at Grain

...ne o'clock. a.m.

in the County of L

North Thoresby

...n Gauge 5 in.

by J. Butters.

...ve Ground 1 ft. ½ in.

Sea Level .... ft.

IMPORTANT N... ...l the result entered to the previous day. If an ... ...versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·03	·00	·00	·00	·00	·00	·90	·15	·00	·05	·04	1
2	·07	·00	·00	·16	·00	·02	·00	·28	·00	·00	·00	·00	2
3	·01	·13	·00	·00	·00	·05	·00	·29	·00	·10	·00	·00	3
4	·00	·04	·03	·00	·00	·00	·01	·00	·00	·35	·00	·00	4
5	·07	·00	·07	·17	·00	·00	·00	·12	·14	·02	·18	·00	5
6	·00	·00	·00	·00	·00	·00	·00	·01	·02	·00	·05	·00	6
7	·39	·00	·04	·00	·00	·29	·00	·00	·00	·61	·00	·00	7
8	·40	·00	·00	·10	·00	·00	·00	·46	·00	·77	·10	·00	8
9	·14	·00	·03	·16	·00	·00	·00	·01	·00	·00	·32	·03	9
10	·36	·00	·46	·09	·07	·00	·00	·06	·03	·09	·13	·00	10
11	·06	·00	·00	·55	·00	·00	·00	·04	·00	·29	·00	·00	11
12	·15	·00	·00	·06	·10	·00	·00	·12	·00	·09	·00	·00	12
13	·13	·00	·00	·01	·00	·00	·01	·13	·13	·03	·00	·00	13
14	·35	·00	·02	·22	·03	·00	·02	·02	·00	·00	·00	·04	14
15	·16	·00	·00	·02	·00	·00	·01	·65	·00	·07	·02	·06	15
16	·26	·21	·00	·23	·00	·00	·00	·01	·00	·03	·00	·34	16
17	·04	·02	·05	·13	·52	·26	·00	·21	·02	·10	·00	·04	17
18	·07	·00	·00	·03	·06	·00	·43	·05	·36	·01	·00	·09	18
19	·06	·08	·24	·00	·02	·00	·01	·00	·04	·00	·00	·00	19
20	·02	·25	·09	·02	·00	·01	·00	·00	·25	·00	·22	·03	20
21	·00	·11	·17	·00	·01	·16	·00	·00	·00	·00	·06	·00	21
22	·00	·00	·14	·00	·00	·00	·00	·05	·02	·08	·00	·00	22
23	·00	·02	·00	·00	·16	·01	·00	·08	·00	·00	·00	·04	23
24	·00	·00	·00	·00	·06	·34	·00	·03	·00	·27	·11	·08	24
25	·00	·01	·07	·00	·00	·00	·06	·00	·00	·02	·10	·29	25
26	·00	·00	·13	·00	·00	·00	·00	·57	·12	·00	·38	·22	26
27	·00	·00	·01	·00	·00	·02	·12	·54	·00	·00	·00	·06	27
28	·00	·02	·11	·00	·00	·27	·00	·23	·00	·00	·00	(·17)	28
29	·01		·05	·00	·00	(·03)	·02	·00	·00	·27	·00	·08	29
30	·06	X	·07	·00	·00	·00	·15	·02	·00	·00	·00	·00	30
31	·05	X	·00	X	·00	X	·19	·04	X	·00	X	·06	31
Total	2·89	·92	1·78	1·95	1·03	1·46	1·03	4·92	1·28	3·20	1·72	1·64	YEAR'S TOTAL 23·82
Rain Days.	21	11	17	14	9	11	11	24	11	17	12	16	174

183.

W. 8,000, IX. 17.

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL.
16 FEB 1918

Kept at Grainsby Hall
in the County of Lincolnshire
by J. Butters, Gardener.

Lat. Long.
Time of Observation nine oclock. a.m.
Nearest Railway Station North Thoresby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ½ in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·03	·00	·00	·00	·00	·00	·90	·15	·00	·05	·04	1
2	·07	·00	·00	·16	·00	·02	·00	·28	·00	·00	·00	·00	2
3	·01	·13	·00	·00	·00	·05	·00	·29	·00	·10	·00	·00	3
4	·00	·04	·03	·00	·00	·00	·01	·00	·00	·35	·00	·00	4
5	·07	·00	·07	·17	·00	·00	·00	·12	·14	·02	·18	·00	5
6	·00	·00	·00	·00	·00	·00	·00	·01	·02	·00	·05	·00	6
7	·39	·00	·04	·00	·00	·29	·00	·00	·00	·61	·00	·00	7
8	·40	·00	·00	·10	·00	·00	·00	·46	·00	·77	·10	·00	8
9	·14	·00	·03	·16	·00	·00	·00	·01	·00	·00	·32	·03	9
10	·36	·00	·46	·09	·07	·00	·00	·06	·03	·09	·13	·00	10
11	·06	·00	·00	·55	·00	·00	·00	·04	·00	·29	·00	·00	11
12	·15	·00	·00	·06	·10	·00	·00	·12	·00	·09	·00	·00	12
13	·13	·00	·00	·01	·00	·00	·01	·13	·13	·03	·00	·00	13
14	·35	·00	·02	·22	·03	·00	·02	·02	·00	·00	·00	·04	14
15	·16	·00	·00	·02	·00	·00	·01	·65	·00	·07	·02	·06	15
16	·26	·21	·00	·23	·00	·00	·00	·01	·00	·03	·00	·34	16
17	·04	·02	·05	·13	·52	·26	·00	·21	·02	·10	·00	·04	17
18	·07	·00	·00	·03	·06	·00	·43	·05	·36	·01	·00	·09	18
19	·06	·08	·24	·00	·02	·00	·01	·00	·04	·00	·00	·00	19
20	·02	·25	·09	·02	·00	·01	·00	·00	·25	·00	·22	·03	20
21	·00	·11	·17	·00	·01	·16	·00	·00	·00	·00	·06	·00	21
22	·00	·00	·14	·00	·00	·00	·00	·05	·02	·08	·00	·00	22
23	·00	·02	·00	·00	·16	·01	·00	·08	·00	·00	·00	·04	23
24	·00	·00	·00	·00	·06	·34	·00	·03	·00	·27	·11	·08	24
25	·00	·01	·07	·00	·00	·00	·06	·00	·00	·02	·10	·29	25
26	·00	·00	·13	·00	·00	·00	·00	·57	·12	·00	·38	·22	26
27	·00	·00	·01	·00	·00	·02	·12	·54	·00	·00	·00	·06	27
28	·00	·02	·11	·00	·00	·27	·00	·23	·00	·00	·00	(·17)	28
29	·01		·05	·00	·00	(·03)	·02	·00	·00	·27	·00	·08	29
30	·06	X	·07	·00	·00	·00	·15	·02	·00	·00	·00	·00	30
31	·05	X	·00	X	·00	X	·19	·04	X	·00	X	·06	31
Total	2·89	·92	1·78	1·95	1·03	1·46	1·03	4·92	1·28	3·20	1·72	1·64	YEAR'S TOTAL 23·82
Rain Days.	21	11	17	14	9	11	11	24	11	17	12	16	174

183.

W. 8,000, IX. 17.

60

MR and G my stats

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 3. 2. 19

Kept at Grainsby Hall

in the County of Lincolnshire

by J. Butters Gardener

Lat. Long.

Time of Observation nine. a.m.

Nearest Railway Station North thoresby

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one 1 ft. ½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	·01											2	
1	·10	·02	·00	·00	·00	·00	·00	·00	·17	·02	·12	·02	1
2	·00	·09	·00	·08	·00	·00	·00	·11	·09	·01	·01	·40	2
3	·00	·00	·05	·00	·35	·00	·00	·18	·00	·00	·67	·00	3
4	·00	·04	·03	·00	·01	·00	·00	·02	·40	·01	·47	·07	4
5	·00	·00	·06	·07	·18	·00	·00	·91	·00	·07	·00	·00	5
6	·12	·16	·00	·37	·00	·00	·00	·00	·00	·03	·00	·03	6
7	·00	·05	·00	·14	·00	·04	·00	·00	·00	·08	·14	·00	7
8	·10	·02	·07	·00	·00	·00	·07	·00	·29	·00	·06	·04	8
9	·04	·28	·00	·05	·00	·05	·05	·00	·28	·35	·00	·02	9
10	·15	·13	·00	·03	·00	·00	·26	·00	·00	·09	·00	·05	10
11	·00	·08	·00	·04	·38	·00	·00	·00	·02	·34	·00	·08	11
12	·00	·09	·06	·11	·09	·00	·38	·01	·07	·08	·00	·00	12
13	·32	·04	·00	·02	·12	·00	·00	·00	·20	·00	·00	·11	13
14	·34	·00	·00	·07	·00	·08	·12	·00	·24	·00	·00	·36	14
15	·00	·00	·00	·15	·00	·02	·11	·00	·33	·00	·00	·06	15
16	·19	·00	·00	·31	·00	·00	·01	·00	·12	·05	·00	·29	16
17	·21	·02	·00	·00	·10	·00	·44	·00	·07	·05	·00	·17	17
18	·08	·00	·00	·40	·00	·02	·18	·00	·53	·00	·00	·23	18
19	·07	·02	·09	·26	·00	·00	·00	·04	·00	·09	·00	·00	19
20	·04	·07	·00	·00	·00	·02	·03	·00	·01	·06	·00	·00	20
21	·08	·00	·00	·00	·00	·03	·00	·00	·32	·03	·00	·01	21
22	·12	·00	·00	·04	·00	·02	·01	·00	·00	·02	·00	·30	22
23	·00	·00	·00	·00	·77	·00	·12	·00	·03	·00	·00	·00	23
24	·00	·12	·00	·00	·02	·00	·04	·00	·06	·07	·05	·00	24
25	·00	·00	·03	·00	·00	(·00)	·06	·18	·07	·00	·04	·07	25
26	·00	·00	·00	·00	·00	·00	·65	·29	·09	·00	·07	·05	26
27	·02	·07	·02	·00	·00	·03	·00	·26	·09	·00	·06	·06	27
28	·01	·18	·27	·00	·00	·00	·03	·02	·00	·00	·01	·38	28
29	·00		·00	·00	·00	·00	·00	·00	·47	·00	·02	·12	29
30	·00	X	·21	·03	·00	·00	·00	·02	·09	·00	·04	·19	30
31		X	·11	X	·00	X	·00	·00	X	·00	X	·01	31
Total	2·00	1·48	1·00	2·17	2·02	0·34 ✓	2·56	2·04	4·04	1·45	1·76	3·12	YEAR'S TOTAL 23·98
Rain Days.	17	17	11	16	9	9 ✓	16	11	22	17	13	23	181

W, 6,500, VII. 18. W W O

2361

9 FEB 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Grainsby Hall

in the County of Lincolnshire

by J. Butters. Gardener

Lat. Long.

Time of Observation 9 oclock

Nearest Railway Station North Thoresby

Diameter of Funnel of Rain Gauge 5 inches

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·05	·02	·00	·24	·00	·93	·00	·02	·04	·09	·15	1
2	·09	·04	·01	·00	·00	·00	·38	·00	·17	·01	·15	·11	2
3	·56	·00	·02	·00	·02	·00	·35	·00	·05	·00	·32	·01	3
4	·03	·00	·42	·00	·00	·07	·00	·00	·06	·00	·09	·04	4
5	·32	·08	·01	·00	·00	·01	·00	·00	·60	·00	·02	·09	5
6	·02	·00	·12	·00	·00	·00	·02	·03	·00	·05	·06	·12	6
7	·01	·00	·14	·00	·00	·00	·00	·00	·00	·00	·00	·10	7
8	·09	·00	·00	·09	·00	·00	·00	·00	·00	·04	·07	·14	8
9	·00	·00	·01	·00	·00	·00	·00	·00	·00	·07	·11	·00	9
10	·00	·00	·14	·02	·02	·00	·24	·00	·00	·03	·23	·17	10
11	·00	·00	·92	·06	·17	·00	·04	·00	·00	·09	·09	·00	11
12	·03	·00	·43	·05	·00	·14	·13	·00	·13	·09	·02	·01	12
13	·17	·00	·02	·18	·00	·00	·02	·00	·19	·12	·24	·00	13
14	·36	·00	·00	·17	·00	·00	·00	·02	·03	·02	·09	·27	14
15	·51	·00	·07	·14	·00	·00	·00	·00	·00	·01	·10	·00	15
16	·00	1·31	·00	·16	·00	·00	·00	·00	·00	·00	·03	·02	16
17	·00	·46	·00	·02	·01	·09	·00	·06	·00	·00	·20	·15	17
18	·00	·00	·00	·00	·00	·00	·02	·29	·04	·00	·00	·01	18
19	·01	·19	·25	·03	·00	·04	·30	·38	·07	·00	·10	·09	19
20	·24	·10	·02	·00	·00	·10	·27	·26	·09	·00	·00	·18	20
21	·17	·33	·08	·00	·00	·07	·12	·00	·02	·00	·02	·36	21
22	·00	·02	·04	·00	·00	·00	·09	·00	27 ·29	·00	·05	·02	22
23	·00	·00	·03	·05	·00	·06	·13	·01	·00	·44	·02	·08	23
24	·00	·00	·00	·02	·16	·04	·00	·00	·00	·07	·05	·02	24
25	·06	·03	·00	·12	·04	·03	·00	·49	·00	·00	·06	·49	25
26	·02	·08	·24	·11	·00	·00	·00	·45	·06	·18	·09	·03	26
27	·04	·15	·00	·47	·00	·00	·03	·00	·00	·76	·05	·24	27
28	·07	·00	·00	·08	·00	·00	·04	·96	·00	·62	·00	·08	28
29	·07		·02	·11	·00	·05	·00	·18	·00	·37	·18	·26	29
30	·15		·00	·19	·00	·18	·00	·02	·00	·06	·14	·03	30
31	·07		·10		·00		·09	·00		·29		·00	31
TOTAL	3·39	2·84	3·11	2·07	0·66	0·91	3·09	3·15	1·79	3·35	2·66	3·27	YEAR'S TOTAL
Days with ·01 in. or more	22	12	21	18	7	12	17	12	14	19	26	26	30·28

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

206

done 12.4.21

WGW

7 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Grainsby Hall & Garden

in the County of Lincolnshire

by J. Butters. Gardener.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station North Thoresby. G.N

Diameter of Funnel of Rain Gauge 5 inch

Height of top of Gauge above Ground 1 ft. ½ inch

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·07	·24	·00	·21	·00	·00	·63	·05	·02	1
2	·00	·00	·01	·13	·00	·00	·02	·00	·06	·26	·00	·22	2
3	·00	·00	·00	·23	·00	·09	·04	·00	·04	·08	·00	·09	3
4	·00	·00	·00	·19	·02	·00	·18	·41	·01	·09	·00	·01	4
5	·00	·02	·02	·00	·40	·00	·35	·06	·00	·00	·01	·12	5
6	·00	·00	·08	·11	·08	·00	·21	·00	·00	·00	·00	·06	6
7	·02	·00	·05	·05	·00	·00	·12	·00	·00	·00	·00	·12	7
8	·05	·07	·00	·46	~~·05~~	·00	·00	·00	·00	·03	·02	·00	8
9	·26	·08	·00	·51	·00	·00	·03	·08	·00	·02	·00	·00	9
10	·33	·16	·06	·12	·05	·00	·02	·00	·00	·00	·00	·07	10
11	·28	·00	·07	·15	·00	·00	·01	·00	·00	·00	·00	·14	11
12	·03	·00	·04	·16	·00	·03	·00	·00	·00	·00	·05	·20	12
13	·00	·07	·12	·30	·03	·24	·00	·00	·06	·00	·00	·09	13
14	·02	·00	·45	·24	·00	·03	·04	·00	·37	·03	·41	·03	14
15	·00	·05	·51	·18	·00	·00	·02	·00	·06	·36	·00	·02	15
16	·00	·00	·00	·02	·00	·00	·00	·00	·04	·01	·00	·08	16
17	·00	·00	·00	·00	·00	·00	·00	·00	·33	·03	·00	·05	17
18	·14	·00	·00	·00	·03	·08	·04	·02	·04	·00	·00	·01	18
19	·07	1·64	·00	·10	·11	·03	·00	·53	·00	·00	·00	·00	19
20	·12	·21	·00	·15	·05	·29	·05	·00	·00	·00	·00	·03	20
21	·00	·00	·00	·13	·03	·00	·27	·09	·02	·01	·00	·00	21
22	·04	·01	·00	·09	·00	·00	·03	·07	·03	·01	·00	·00	22
23	·00	·01	·25	·00	·00	·00	·16	·00	·01	·02	·00	·18	23
24	·04	·01	·10	·01	·00	·00	·04	·01	·00	·00	·01	·22	24
25	·00	·03	·04	·05	·00	·04	·60	·00	·00	·00	·00	·00	25
26	·08	·04	·00	·22	·09	·00	·13	·00	·00	·00	·00	·01	26
27	·15	·06	·07	·11	·29	·21	·00	·00	·01	·00	·08	·20	27
28	·57	·00	·34	·31	·37	·00	·04	·00	·00	·00	·15	·06	28
29	·05	·00	·00	·00	3·40	·00	·03	·00	·01	·01	·04	·36	29
30	·02	╳	·00	·20	·00	·00	·02	·00	·18	·00	·07	·21	30
31	·26	╳	·00	╳	·03	╳	·22	·00	╳	·01	╳	·22	31
TOTAL	2·53	2·46	2·21	4·29	5·22	1·04	2·88	1·27	1·27	1·60	0·89	2·82	YEAR'S TOTAL ~~24·72~~ 28·48
Days with ·01 in. or more	18	14	15	25	15 ~~16~~	9	24	7	15	15	10	25	192 ~~193~~
Days with ·04 in. or more	14	9	13 ~~12~~	23	10 ~~11~~	6	16 ~~15~~	6	9	5	7	18	~~135~~ 136

LINCOLNSHIRE

GRANTHAM

SALTERSFORD

1911 – 1920

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

RE

Kept at Saltersf

in the County of Lin

by H Preston

in.

round ft. in.

ea Level ft. as before 2534

ame

stance Direction

IMPORTANT NOTE … e result entered to the previous day. If an Obse… al rule, he is earnestly requested to add the readi… in the space provided for it at the end of this … t of rain, the selection and placing … and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.07			.03	.03	1
2	.16				.11			.12			.01	.04	2
3		.01			.16			.13		.03	.01	.01	3
4	.07	.02	.22	.11					.12	.16	.08	.25	4
5	.03			.02				.10		.04		.02	5
6	.26							.02		.11		.25	6
7											.16	.16	7
8	.25		.15						.06		.02	.20	8
9	.04										.30	.01	9
10		.04	.12								.13	.60	10
11	.26							.02			.29		11
12	.10		.32						.15		.04		12
13			.15			.08			.13		.01	.50	13
14			.05		.31		.01			.04		.45	14
15		{ .07	.10							.07	.05		15
16		[illegible]	.03			.03				.01	.20	.08	16
17						.04					.06	.09	17
18		.35				.14				.01	.23	.04	18
19		.01				.06			.02	.10	.36	.04	19
20		.04		.03			.01	.27	.06	.05		.37	20
21		.34						.11		.16	.02	.06	21
22	.02	.01						.07		.22	.04	.28	22
23		.04	.13			.77	.01	.23	.54		.01	.09	23
24		.03	.05			.81				.54		.25	24
25		.15	.01	.07	.17	.02					.04	.02	25
26				.08	1.10	.02				.25	.29	.36	26
27		.12	.23	.01			.05	.16	.17	.01		.01	27
28		.32		.16		.04		.02			.03	.09	28
29		X				.12	.05		.17	.20			29
30		X	.02	.06	.02	.05			.02	.13			30
31		X	.01	X		X			X	.01	X		31
Total	1.19	1.55	1.59	.54	1.87	2.18	.13	1.32	1.44	2.14	2.41	4.30	TOTAL for year 20.66
No. of Rain Days.	9	14	14	8	6	12	5	[illegible]	10	18	12	25	155

W. 8,000, X. '11.

R[illegible] RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 23 JAN 1912

Kept at Saltersford

in the County of Lincoln 3

by H Preston

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft. 2534

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						—		.07			.03	.03	1
2	.16				.11			.12			.01	.04	2
3		.01			.16			.13		.03	.01	.01	3
4	.07	.02	.22	.11					.12	.16	.08	.25	4
5	.03			.02				.10		.04		.02	5
6	.26							.02		.11		.25	6
7											.16	.16	7
8	.25		.15						.06		.02	.20	8
9	.04										.30	.01	9
10		.04	.12								.13	.60	10
11	.26							.02			.29		11
12	.10		.32						.15		.04		12
13			.15			.08			.13		.01	.50	13
14			.05		.31		.01			.04		.45	14
15		07	.10							.07	.05		15
16		.	.03			.03				.01	.20	.08	16
17						.04					.06	.09	17
18		.35				.14				.01	.23	.04	18
19		.01				.06			.02	.10	.36	.04	19
20		.04		.03			.01	.27	.06	.05		.37	20
21		.34						.11		.16	.02	.06	21
22	.02	.01						.07		.22	.04	.28	22
23		.04	.13			.77	.01	.23	.54		.01	.09	23
24		.03	.05			.81				.54		.25	24
25		.15	.01	.07	.17	.02					.04	.02	25
26				.08	1.10	.02				.25	.29	.36	26
27		.12	.23	.01			.05	.16	.17	.01		.01	27
28		.32		.16		.04		.02			.03	.09	28
29		X				.12	.05		.17	.20			29
30		X	.02	.06	.02	.05			.02	.13			30
31		X	.01	X		X			X	.01	X		31
Total	1.19	1.55	1.59	.54	1.87	2.18	.13	1.32	1.44	2.14	2.41	4.30	TOTAL for year 20.66
No. of Rain Days.	9	14	14	8	6	12	5	[illegible]	10	18	22	25	155

W. 8,000, X. '11.

W 7C

Cor for arith 15.V.13

2534

FORM A2.
BRITISH RAINFALL.

13 MAY 1913

REGISTER OF RAINFALL IN 1912

Kept at Saltersford

in the County of Lincoln

3

by H Preston F.G.S.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level ft. 2534

Time of Observation 7 a m

Nearest Railway Station
Name Grantham
Distance 2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.31	.06	.01	.05			.43	1
2		.08	.02	.02		.25	.60		.02			.02	2
3	.16				.01	.55	.02	.49	.10			.04	3
4	.04		.42		.05	.31		.09			.33		4
5	.05	.02	.01			.13		.02			.02		5
6	.61	.12					.36	.24				.02	6
7		.06				.05	.01	.15				.01	7
8	.45	.24	.20	.01		.01	.12	.01	.26			.07	8
9	.02	.14	.19	.13		.20						.21	9
10								.26	.01		.15		10
11	.07	.08				.03			.05		.04	.53	11
12	.06	.42	.06			.28	.37				.12		12
13		.06				.02				.02	.17	.02	13
14	.08		.33			.13		.08	.02				14
15		.02	.12		.26	.22						.08	15
16	.60		.10		.06	.05		.10		.17			16
17	.15		.14			.21		.14			.04	.40	17
18	.10		.11					.03		.01	.03		18
19	.21	.11	.02				.20	.32	.01		.05		19
20	.15	.01	.11		.13		.77	.09		.23			20
21			.62		.40		.23	.07		.07	.03	.01	21
22		.08	.03		.78		.51	.35				.11	22
23	.12	.10	.24		.04		.68	.59		.02	.11	.05	23
24	.25					.17		.05				.18	24
25	.01					.70	.01	.30			.30	.24	25
26			.04			.05	.29	1.47		.50	.20	.45	26
27						.18	.10			.42		.13	27
28					.03	.09	.03	.41		.34	.41	.45	28
29		.01	.03		.02	.18	.18		.46	.18	.12		29
30	.06	X			.26				.15	.02			30
31		X	.08	X	.67	X	.57	.16	X		X	.02	31
Total	3.19	1.55	2.87 ~~[illegible]~~	.16	2.71	4.12	5.11	5.43	1.13	1.98	2.12	3.47	TOTAL for year 33.84
No. of Rain Days.	18	15	19	3	17	21	18	22	10	11	15	20	184

33.84

W. 8,000, X. '11.

REGISTER OF RAINFALL IN ~~18~~ 1913

16 MAY 1914

2534

Kept at Saltersford Ex. Mg by W Preston F G S

in the County of Lincoln 3

Lat. Lon. Time of Observation 9 am

RAIN GAUGE.
Diameter 5
Height of top above Ground
" " " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles*," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14	.02					.67		.04		1
2		.09		.08					.07		.08		2
3			.09		.45		.07		.02				3
4	.38				.09		.01			.05	.20	.12	4
5	.05					.02	.03		.11	1.14		.02	5
6	.01		.12		.59	.03	.01		.01	.40			6
7		.03			.17	.03				.75			7
8					.25	.16			.01	.13	.10		8
9		.25	.04	.02	.02	.15	.06	.02			.11		9
10	.05				.05		.02	.05			.47		10
11	1.13			.42				.27			.40		11
12	~~[illegible]~~				.02						.23	.01	12
13	.07		.07	.03				.06	.03		.19		13
14	.07		.48	.02			.04	.01		.08			14
15	.14		.43	.28					.18		.03		15
16	.04	.09	.62	.08					.76				16
17		.05	.10	.08		.16			.01		.01		17
18			.15	.10			.05					.01	18
19	.10		.05			.02	.01		.16				19
20	.10		.10	.05						.39	.08		20
21			.19		.05		.18				.20		21
22	.18		.32					.02	.19				22
23	.01		.03			.07		.03	.06				23
24	.04			.05		.03		.05					24
25		.02		.12		.02						.01	25
26		.10	.18	.10						.38	.08	.23	26
27		.06		.08	.05	.03							27
28	.20		.38	.24								.10	28
29		×	.17	.45	.27			.26		.02		.26	29
30	.35	×	.02							.10	.06	.05	30
31		×		×	.13	×			×		×		31
Totals	2.92	.69	3.68	2.22	2.14	.72	.48	.77	2.28	3.44	2.28	.81	22.43
Total from Jan.	16	8	19	17	12	11	10	9	13	10	15	9	149

K/3,000/10/92.

Rain days

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

Sc. Mg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-3 FEB 1915

2534

Kept at Saltersford
in the County of Lincoln 3
by H Preston F G S

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01				.64	.20			.05		1
2							.08	.27			.10	.32	2
3			.02		.14		.15	.18					3
4	.30			.21	.02			.04			.63	.24	4
5	.02		.14	.25	.06	.08	.17	.12			.01		5
6		.02		.06	.09		.01				.03	.06	6
7		.08	.37		.04							.05	7
8	.05			.08	.20	.91		.20	.29			.02	8
9	.44	.02	.17	.16		1.13		.03	.02				9
10	.48	.05	.04	.12					.04				10
11		.08	.30	.30	.06	.14			.06		.38	.37	11
12			.08				.30		.32			.35	12
13	.04	.11	.15							.17	.39	.15	13
14	.03		.18				.18			.25	.30	.24	14
15	.11		.20								.06	.15	15
16	.02		.01				.04		.03		.08		16
17	.03	.22					.01		.20			.24	17
18			.09			.05	.11				.02	.30	18
19		.07	.04				.09		.02		.03	.08	19
20		.10	.24						.04	.04			20
21		.23	.07			.07				.07	.04	.10	21
22	.02		~~[illegible]~~		1.26		.07	.05		.20			22
23		.04	.04		.10	.04	.08			.03		.09	23
24			.21	.04	.08					.06	.32		24
25		.02	.07				.08	.13		.70		.35	25
26							.01	.11		.10	.30	.27	26
27	.02											.15	27
28	.04	.03								.11	.35	.80	28
29	.02	X	.08	.02	.02					.44	.02		29
30		X				.06				.04	.30	.22	30
31		X		X	.01	X	.31		X	.08	X	.06	31
Total	1.62	1.07	2.51	1.24	2.08	2.48	2.33	1.33	1.02	2.27	3.31	4.60	YEAR'S TOTAL 25.86
Rain Days.	14	13	20	9	12	8	16	10	9	13	18	21	163

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
2534

REGISTER OF RAINFALL IN 1915

Kept at Saltersford
in the County of Lincoln
by Henry Preston F.G.S.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20	.12			.32		.01		.10		.18	.07	1
2		.04	.11	.18		.07		.40	.05				2
3	.44		.08	.14			.20	.15	.02			.18	3
4	.35						1.25	.29				1.06	4
5	.02	.25			.36			.06			.09	.36	5
6	.03	.15	.08	.08			.85	.10				.05	6
7	.15	.33	.03				.20	.25				.49	7
8	.07	.10						.02			.02		8
9	.02	.06		.02						.01	.07	.40	9
10	.29		.01					.02			.15		10
11			.03	.03	.24		.13	.19			.45	.14	11
12	.03			.30	.18			.19			1.27		12
13		.68			.71			.01	.02				13
14		.06						.02		.01		.24	14
15	.28	.02			.01			.10			.28	.14	15
16		.23			.01		1.16						16
17		.10					.22						17
18		.18	.16								.09		18
19		.05					.09					.01	19
20	.23											.40	20
21	.13	.03					.19					.05	21
22	.14		.15	.08	.04		.28					.11	22
23	.02	.08		.01			.05		.06	.07	.01	.20	23
24	.01		.13	.01			.23		.68	.08		.09	24
25						.23	.15			.02		.09	25
26	.04	.15					.09		.01			.29	26
27		.08	.03			.18	.56		.01	.53		.07	27
28		.18	.03			.06		.23		.13			28
29		X				.06		.10			.28	.32	29
30	.07	X				.25						.05	30
31	.03	X		X		X		.17	X	.19	X	.08	31
Total	2.55	2.89	.84	.85	1.87	.85	5.66	2.30	.95	1.04	2.89	4.89	YEAR'S TOTAL 27.58
Rain Days.	19	19	11	9	8	6	16	16	8	8	11	22	153

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 19

Kept at Saltersford

in the County of Lincoln

by H. Preston F.G.S.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in. 2534

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.13			.09	.07			.10	.23		1
2	.34	.03	.20		.68		.24		.01	.17	.07		2
3		.28	.02				.25		.49		.06		3
4	.16	.21	.01		.30	.31			.19	.08	.21		4
5	.01		.01		.02	.15				.09	.19		5
6	.05	.12	.20	.01	.16		.23				.31		6
7	.01		.20		.09	.02	.32			.10	.25	.14	7
8			15 [illegible]									.19	8
9			.07		.40	.01			.01			.08	9
10		.03	.15	.09		.07	.07		.06	.04		.13	10
11	.03	.43	.32	.12	.02	.06			.01			.01	11
12	.03	.02	.13	.20	.35	.17	.15			.01			12
13		.12	.11	.03	.13	.14	Trace	.08					13
14		.35	.03		.05		Trace	.25		.04			14
15		.14	.37				.14	.01					15
16		.05	.16	.26	.02		.06	.10					16
17	.02	.06		.15			.04	1.12	.18	.20			17
18		.17	.01	.03				.13	.20	.02	1.60		18
19	.05	.02	.15	.09				.16	.19		.40	.13	19
20	.15		.32	.10							.04	.10	20
21	.02		.35				.03					.45	21
22		.06			.04	.08		.02		.05		.60	22
23	.04	.44				.07		.02			.11	.34	23
24		.95	.01	.04								.15	24
25		.31	.24					.14		.10	.08		25
26	.03	.61	.02			.01				.11			26
27		.12	.77					.01	.01	.25			27
28		.32	.45 +	.09	.03					.02		.26	28
29		.33				.19		1.19		.25		.15	29
30		╳			.04	.10		.07		.09			30
31		╳		╳		╳		.02	╳	.04	╳	.01	31
Total	.97	5.17	4.58	1.21	2.33	1.47	1.60	3.32	1.35	1.76	3.55	2.74	YEAR'S TOTAL ~~29.45~~ 30·05
Rain Days.	14	22	25	12	14	14	11	14	10	18	12	14	180

W. 8,000, VIII. 16 Feb 16 23 & 28th snow + Continuous Snow Blizzard

2463

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Saltersford

in the County of Lincoln

by Henry Preston F.G.S.

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge .... in. 2534

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17				1·05	·18		·02		1
2						·08		·23			·05		2
3		·06		·07				·84		·20			3
4		·04	·10					·04		·53			4
5	·18		·02					·01	·15	·01	·16		5
6				·17					·01	·13	·05		6
7	·29		·03							·45			7
8	·68			·12			·15	1·68		·38	·05		8
9	·17		·03	·04				·06			·09		9
10	·12		·40	·10	·14			·23		·06	·05	·01	10
11	·02		·06	·26				·22		·20			11
12	·20	·08			·23		·02	·02		·19			12
13	·04			·05				·21	·02			·02	13
14	·13			·06								·02	14
15	·02				·01		·12			·07		·02	15
16	·10	·20		·08						·02		·17	16
17			·06	·18	·52	·06	·13	·01	·03	·10		·09	17
18	·11			·07	·02	·01	·62		·58				18
19	·09	·08	·08		·08			·02	·05				19
20	·04	·22	·06		·20			·12			·19		20
21			·02		·03	·01				01·			21
22			·08					·06	·09	·08			22
23		·02			·07			·17	·06	01·	·05	·02	23
24						·24		·01		·20	·02		24
25								·44	·10		·19	01·	25
26			·04					·53				·03	26
27			·02			·39		·32				·12	27
28		·02	·11		·13	·41	·06			·32		·11	28
29		X			·06	·04	·31	·15					29
30	·08	X					·07	·13				·11	30
31		X	·07	X		X			X		X		31
Total	2·27	·72	1·18	1·37	1·49	1·24	1.48	6.55	1·27	2.96	·92	·73	YEAR'S TOTAL 22.18
Rain Days.		2.99	4.17	5.54	7.03	8.27	9.75	16.30	17.57	20.53	21.45	22.18	
	15	8	15	12	11	8	8	22	10	17	11	12	149

W. 8,000, IX. 17.

Exd. C/E

13

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.
14.1.19
2534

Kept at Saltersford

in the County of Lincoln

by Henry Preston F.G.S

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04							·05		·19	·01	1
2		·15		·05				·70		·01	·02	·25	2
3		·03	·08		·44			·26			·48		3
4		·02	·04					·05	·82		·33	·02	4
5		·03		01·	·14			·15	·20	·11			5
6		·05		25		01				·04	·13		6
7	·04	·05		·35		·01			·02	·09			7
8							·06		·09	02		·03	8
9	·02	·42		·06		·03	·20		·34	26		·01	9
10	·06			·01			·45			20·		·06	10
11	·03	·06		·02	·27		·04		·04	25		·06	11
12		·20	·02	·01	·14		·13		·04			·02	12
13				·06	·16				·17			·01	13
14	31·			05			·13		·23	·08		·09	14
15	·30			·48			·10		·07			·15	15
16				·33					·12			·02	16
17	·19			·04			·57		·08	·07		·18	17
18	·27					·01	·15		·23			·14	18
19	·03	·03	·04	·04		·01				·10		21·	19
20	·01	·04		·13			·02		·01				20
21	·02			·05		·07			·29	·19		·01	21
22	·14				·05	·02			·01		·04	·26	22
23	·10				·22		·06				·06		23
24		·17					25·		·06	·05	·04		24
25							·15	·19	·01		·07		25
26							·05		·04		·27	·07	26
27				·08			·26	·17	·15		·21	·04	27
28		·29	·19								·01	·47	28
29		X							·65		·11	·04	29
30		X	·29	·03								·35	30
31		X	·11	X		X		·03	X		X		31
Total	1.52	1.58	·77	2.05	1.42	·16	2.62	1.55	3.72	1.47	1.96	2.50	YEAR'S TOTAL 21.32
Rain Days.	13	14	7	18	7	7	15	7	22	13	13	22	158

W. 6,500, VII. 18. W W C

2317

4121

JAN 20

2534

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Saltersford n Grantham

in the County of Lincoln

by H. J. Preston F.G.S.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·07	·04		·20		·28			·07	·10	·32	1
2	·15						·50		·27	·04	·22	·09	2
3	·87		·03				·48		·17		·37	·02	3
4	·08		·35			·07	·01	·23	·64		·02	·28	4
5	·06	·08							·37			·02	5
6			·02		139						·07	·02	6
7	·02		·35										7
8	·08		·01	·13							·03		8
9				·08							·02		9
10			·22	·07						·02	·06	·07	10
11	·04		·33	·02	·03		~~·44~~				·02		11
12			·36	·03		·15			·01		·06		12
13	·13			·15			·01		·05	·03			13
14	·34	·02		·17				·01	·13		·01		14
15	·11	·06	·09	·12							·18	·47	15
16		1·27	·01	·04	·10			·02			·07		16
17	·01	·38	·04			·04					·21		17
18			04				·02	·23				·11	18
19		·13	95			·11	1·54	·57	·30		·06	·03	19
20	·51	·10	70			·02	·49	·22	·03		·02	·10	20
21	·28	36	·08				·37				·01	·22	21
22		·13	·10						·35			·36	22
23				·02		·05	·08	·01		·83	·02	·01	23
24				·09	·19	·08	·02	·07		·13	·11		24
25	·06	·04		·16	·08	·06		·52				·03	25
26		·03	·26	·01				·08	·06			·33	26
27	24	·14		·36		·01		·08		·03	·01	·12	27
28	·05			·05			·03	·55		·10	·04	·34	28
29	·13	×		·04		·02		·13		·32	·17	·06	29
30	·01	×	·03	·33		·24				·04	·04	·30	30
31	·03	×	·01	×		×	·02		×	·30	×	·03	31
TOTAL	3·47	281	392	187	199	85	429	272	178	191	192	333	YEAR'S TOTAL
Days with ·01 in. or more	20	13	19	17	6	11	14	12	11	11	23	21	30·86

177

(44,283). Wt.21,958—218. 7500. 10/19. ~~Gp.132.~~ A.&E.W.

2222

6 JAN 1921

2534

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Saltersford.
in the County of Lincoln
by H. Preston.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·25.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·22		·17			·30	·05	·06	1
2				·15			·02		·12	·11		·06	2
3		·02		·04		·06	·56		·08	·06			3
4	·01			·22	·03		·11	·35	·08	·36		·07	4
5			·04		·20		·15	·10	·62			·03	5
6			·05	·03	01 ~~49~~		·18	·03				·11	6
7			·01	·14	·01		·08					·02	7
8	·15	·04		·42	·04		·07						8
9	·27			·60				·06					9
10	·17	·14	·05	·02			·02	·04			·02		10
11	·14		·05	·70	·09		·01					·17	11
12	·06		·01	·21			·09	·09			·02	·14	12
13	·03	·05	·11	·44		·74					·02	·01	13
14	·01	·01	·60	·16		·17			·13	·14	·23	·02	14
15	·01	·04	·90	·17			·02			·06	·01	·01	15
16				·08	·03				·06	·04			16
17					·10				·38	·03		·03	17
18	·13			·07	08	·04	·02	·12	·11				18
19	·08	·45		·21		·19		·05	·06			·02	19
20	·06	·39		·30		·21	·02					·01	20
21	·01						·23	·11	·04				21
22				·24			·08	·01	·15				22
23	·01	·01					·11				·04	·32	23
24			·12	·01						·02		·07	24
25		·06	·02	·12	·12		·58						25
26	·11		·06	·01	·03		·11					·01	26
27	·07	·01		·06		·40				·01	·26	·27	27
28	·50		·18	·01	·02		·04				·18	·04	28
29	·05		·10		·32	·01	·05			·01	·05	·38	29
30	·03	✕		·15	·02	·09			·15		·09	·28	30
31	·08	✕	·02	✕		✕			✕	·15	✕	·12	31
TOTAL	1·98	1·22	2·32	4·68	1·32	1·91	2·72	·96	1·38	1·29	·97	2·25	YEAR'S TOTAL 23,00
Days with ·01 in. or more	20	11	15	2~~4~~5	15	9	21	10	12	12	11	22	183
Days with ·04 in. or more	1~~2~~3	7	11	20	8	8	15	8	11	8	7	13	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

LINCOLN.

GRANTHAM.

"62, HIGH ST."

1911 – 1917

REGIS

Kept at 62 High St

in the County of Linco

by Wm H. Bird

5 in.

Ground 1 ft. – in.

Sea Level 202 ft.

a-m.

Name Grantham

Distance Direction

IMPORTANT NOTE.—R measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	–	0·15	–	–	–	–	1
2	0·15	–	–	–	0·08	–	–	0·09	–	–	0·04	0·05	2
3	–	0·10	–	0·01	0·12	–	–	0·14	–	–	0·02	–	3
4	0·04	0·01	0·23	0·12	–	–	–	–	0·12	0·10	0·07	0·24	4
5	0·03	–	–	0·07	–	–	–	0·06	–	0·06	–	0·01	5
6	0·25	–	0·01	–	–	–	–	0·02	–	0·05	0·03	0·26	6
7	–	–	–	–	–	–	–	–	–	–	0·11	0·12	7
8	0·27	–	0·11	–	–	–	–	–	0·01	–	0·02	0·17	8
9	0·03	–	–	–	–	–	–	–	–	–	0·25	0·02	9
10	–	0·02	0·08	–	–	–	–	–	–	–	0·15	0·50	10
11	0·35	–	–	–	–	–	–	0·05	–	–	0·25	–	11
12	–	–	0·30	–	–	–	–	–	0·10	–	0·05	–	12
13	–	–	0·15	–	–	0·03	–	–	0·13	0·03	0·02	0·52	13
14	–	–	0·04	–	0·30	–	–	–	–	–	–	0·43	14
15	–	0·05	0·11	–	–	–	–	–	–	0·13	0·03	0·02	15
16	–	–	0·03	–	–	–	–	–	–	0·01	0·17	0·05	16
17	–	–	–	–	–	0·02	–	–	–	–	0·03	0·12	17
18	–	0·39	–	–	–	0·12	–	–	–	–	0·39	0·03	18
19	–	0·02	–	–	–	0·04	–	–	0·02	0·10	0·39	0·10	19
20	–	0·04	–	0·05	–	–	–	0·30	0·02	–	–	0·30	20
21	–	0·34	–	–	–	–	–	0·13	–	0·25	0·05	0·06	21
22	–	0·02	0·04	0·01	–	–	–	0·07	–	0·28	0·05	0·25	22
23	–	–	0·10	–	–	0·87	–	0·29	0·54	–	0·01	0·09	23
24	–	0·04	0·06	–	–	0·98	–	–	–	0·46	–	0·39	24
25	–	0·10	0·05	0·08	–	0·02	–	0·03	0·01	–	0·05	0·03	25
26	–	–	–	0·09	1·47	0·04	–	–	–	0·28	0·32	0·34	26
27	–	0·11	0·25	0·02	–	–	0·05	0·64	0·18	0·03	–	0·01	27
28	–	0·28	–	0·15	–	0·04	–	0·01	–	–	0·04	0·10	28
29	–		–	0·01	–	0·12	0·05	–	0·15	0·13	–	–	29
30	–		0·02	0·04	–	0·03	–	–	0·03	0·19	–	–	30
31	–		0·02		–			–		–		–	31
Total	1·12	1·52	1·60	0·65	1·97	2·31	0·10	1·98	1·31	2·10	2·54	4·21	TOTAL for year
No. of Rain Days.	7	13	16	11	4	11	2	13	11	14	22	24	~~21·41~~

W. 8,000, X. '11.

148 days. 21·41

REGIS

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

Kept at 62 High St. Grantham
in the County of Lincolnshire 3
by W. H. Bird

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 202 ft.
Time of Observation 9. a-m.
Nearest Railway Station Name Grantham
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	0·15	–	–	–	–	1
2	0·15	–	–	–	0·08	–	–	0·09	–	–	0·04	0·05	2
3	–	0·10	–	0·01	0·12	–	–	0·14	–	–	0·02	–	3
4	0·04	0·01	0·23	0·12	–	–	–	–	0·12	0·10	0·07	0·24	4
5	0·03	–	–	0·07	–	–	–	0·06	–	0·06	–	0·01	5
6	0·25	–	0·01	–	–	–	–	0·02	–	0·05	0·03	0·26	6
7	–	–	–	–	–	–	–	–	–	–	0·11	0·12	7
8	0·27	–	0·11	–	–	–	–	–	0·01	–	0·02	0·17	8
9	0·03	–	–	–	–	–	–	–	–	–	0·25	0·02	9
10	–	0·02	0·08	–	–	–	–	–	–	–	0·15	0·50	10
11	0·35	–	–	–	–	–	–	0·05	–	–	0·25	–	11
12	–	–	0·30	–	–	–	–	–	0·10	–	0·05	–	12
13	–	–	0·15	–	–	0·03	–	–	0·13	0·03	0·02	0·52	13
14	–	–	0·04	–	0·30	–	–	–	–	–	–	0·43	14
15	–	0·05	0·11	–	–	–	–	–	–	0·13	0·03	0·02	15
16	–	–	0·03	–	–	–	–	–	–	0·01	0·17	0·05	16
17	–	–	–	–	–	0·02	–	–	–	–	0·03	0·12	17
18	–	0·39	–	–	–	0·12	–	–	–	–	0·39	0·03	18
19	–	0·02	–	–	–	0·04	–	–	0·02	0·10	0·39	0·10	19
20	–	0·04	–	0·05	–	–	–	0·30	0·02	–	–	0·30	20
21	–	0·34	–	–	–	–	–	0·13	–	0·25	0·05	0·06	21
22	–	0·02	0·04	0·01	–	–	–	0·07	–	0·28	0·05	0·25	22
23	–	–	0·10	–	–	0·87	–	0·29	0·54	–	0·01	0·09	23
24	–	0·04	0·06	–	–	0·98	–	–	–	0·46	–	0·39	24
25	–	0·10	0·05	0·08	–	0·02	–	0·03	0·01	–	0·05	0·03	25
26	–	–	–	0·09	1·47	0·04	–	–	–	0·28	0·32	0·34	26
27	–	0·11	0·25	0·02	–	–	0·05	0·64	0·18	0·03	–	0·01	27
28	–	0·28	–	0·15	–	0·04	–	0·01	–	–	0·04	0·10	28
29	–		–	0·01	–	0·12	0·05	–	0·15	0·13	–	–	29
30	–		0·02	0·04	–	0·03	–	–	0·03.	0·19	–	–	30
31	–		0·02		–			–		–		–	31
Total	1·12	1·52	1·60	0·65	1·97	2·31	0·10	1·98	1·31	2·10	2·54	4·21	TOTAL for year
No. of Rain Days.	7	13	16	11	4	11	2.	13	11	14	22	24	

W. 8,000, X. '11.

148 days. 21·41

Ex My

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at 62 High St. Grantham
in the County of Lincoln 3
by W H Bird

Lat. Long.
Time of Observation 9. a-m.
Nearest Railway Station Grantham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	0·05	–	0·28	0·05	0·03	0·07	–	–	0·41	1
2	–	0·08	0·02	0·03	–	0·34	0·68	–	0·02	–	–	0·01	2
3	–	–	–	–	–	0·48	0·02	0·47	0·10	–	–	0·04	3
4	0·18	–	0·41	–	0·07	0·25	–	0·09	–	–	0·30	–	4
5	0·08	–	0·01	–	–	0·10	–	0·05	–	–	0·02	–	5
6	0·59	0·15	–	–	0·01	–	0·27	0·20	–	–	–	0·03	6
7	–	0·06	–	–	–	0·06	0·01	0·08	–	–	–	0·01	7
8	0·40	0·32	0·25	–	–	–	0·20	0·05	0·32	–	–	–	8
9	0·04	0·06	0·23	0·13	–	0·17	–	–	–	–	–	0·23	9
10	–	–	–	–	–	0·01	–	0·52	0·01	–	0·14	–	10
11	0·08	0·10	–	–	0·01	0·05	–	0·02	0·04	–	0·05	0·53	11
12	0·05	0·35	0·04	–	–	0·30	0·35	–	–	–	0·15	–	12
13	–	0·05	–	–	–	0·02	–	0·01	–	0·03	0·15	0·02	13
14	0·07	–	0·35	–	–	0·15	–	0·08	0·02	–	–	–	14
15	–	–	0·05	–	0·37	0·19	–	0·01	–	–	–	–	15
16	0·65	–	0·08	–	0·07	0·04	–	0·05	–	0·14	–	–	16
17	0·22	–	0·12	–	–	0·19	–	0·10	–	–	0·05	0·50	17
18	0·10	–	0·09	–	–	–	–	0·03	–	0·02	0·01	0·01	18
19	0·21	0·20	0·01	–	–	–	0·20	0·28	–	0·02	0·05	–	19
20	0·13	–	0·32	–	0·14	–	0·77	0·05	–	0·20	–	–	20
21	–	–	0·30	–	0·40	–	0·30	0·05	–	0·08	0·03	–	21
22	–	0·06	0·03	–	0·88	–	0·44	0·44	–	–	–	0·08	22
23	0·15	0·07	0·25	–	0·03	–	0·70	0·45	–	0·02	0·08	0·04	23
24	0·18	–	0·02	–	–	0·16	–	0·05	–	–	–	0·15	24
25	–	–	–	–	–	0·55	0·01	0·30	–	–	0·30	0·25	25
26	–	0·05	0·05	–	–	0·08	0·25	1·40	–	0·50	0·23	0·35	26
27	–	–	–	–	0·03	0·14	0·12	–	–	0·54	–	0·12	27
28	–	–	–	–	0·04	0·06	0·10	0·37	0·02	0·27	0·40	0·47	28
29	–	–	0·08	–	0·03	0·36	0·14	0·01	0·42	0·17	0·05	–	29
30	0·05		–	–	0·27	0·01	–	–	0·13	0·03	–	–	30
31	–		–		0·85	–	0·58	0·15		–		0·03	31
Total	3·18	1·55	2·71	0·21	3·20	3·99	5·19	5·34	1·15	2·02	2·01	3·28	YEAR'S TOTAL 33·83
Rain Days.	16	12	19	3	14	22	18	26	10	12	15	18	185

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at 62 High St. Grantham

in the County of Lincolnshire 3

by W A Bird

Lat. Long.

Time of Observation 9 a-m

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·11	0·03	–	–	–	–	0·75	–	0·10	–	1
2	–	0·10	0·01	0·05	–	–	0·05	–	0·12	–	0·07	–	2
3	0·01	–	0·10	–	0·42	–	–	–	0·02	–	–	0·02	3
4	0·40	–	–	–	0·07	–	–	–	0·01	0·02	0·20	0·12	4
5	0·05	–	–	–	–	0·03	0·05	–	0·11	1·22	–	–	5
6	–		0·07	–	0·61	0·02	0·01	–	0·01	0·49	–	–	6
7	–		–	–	0·14	0·04	–	–	–	0·65	–	–	7
8	–	0·03	–	–	0·26	0·25	–	–	0·02	0·09	0·10	–	8
9	–	0·25	0·05	0·03	0·01	0·13	0·07	0·02	–	–	0·10	–	9
10	0·04	–	–	–	0·05	–	0·02	0·04	–	–	0·37	–	10
11	1·54	–	–	0·43	–	–	–	0·03	–	–	0·33	–	11
12	–	–	–	–	0·03	–	–	–	–	–	0·20	–	12
13	–	–	0·09	–	–	–	–	0·08	0·03	–	0·15	–	13
14	0·12	–	0·46	0·06	–	–	–	0·03	–	0·07	–	–	14
15	0·10	–	0·35	0·20	–	–	–	–	0·21	–	–	–	15
16	–	0·08	0·68	0·05	–	–	–	–	0·43	–	–	–	16
17	–	0·02	0·06	0·05	–	0·28	–	–	0·06	–	–	–	17
18	–	–	0·10	0·06	–	–	0·10	–	–	–	–	0·03	18
19	0·10	–	0·09	–	–	–	–	–	0·22	–	–	0·02	19
20	0·11	–	0·04	0·07	–	–	–	–	0·02	0·35	0·09	–	20
21	–	–	0·27	–	0·03	–	0·15	–	–	–	0·15	–	21
22	0·18	–	0·33	–	–	–	–	0·05	0·22	–	–	–	22
23	–	–	0·04	–	–	0·07	–	0·06	0·05	–	–	–	23
24	0·03	–	–	0·05	–	0·05	–	0·04	–	–	–	–	24
25	–	0·03	–	0·11	–	–	–	–	0·01	–	–	–	25
26	–	0·10	0·18	0·09	–	0·02	–	–	–	0·40	0·06	0·21	26
27	–	0·05	–	0·04	0·07	0·03	–	–	–	–	0·01	–	27
28	0·19	–	0·28	0·23	–	–	–	–	–	–	–	0·16	28
29	–		0·17	0·45	0·31	–	–	0·27	–	–	–	0·24	29
30	0·43		–	–	–	–	–	–	–	–	0·08	–	30
31	–		–		0·30		–	–		–		–	31
Total	3·30	0·66	3·48	2·00	2·30	0·92	0·45	0·62	2·29	3·29	2·01	0·80	YEAR'S TOTAL 22·12
Rain Days.	13	8	19	16	12	10	7	9	16	8	14	7	139

W.7,000, XI. 13

6X ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

25 JAN 1915

Kept at 62 High St. Grantham

in the County of Lincolnshire 3

by W H Bird

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0·03	-	-	-	0·80	0·18	-	-	0·04	0·01	1
2	-	-	-	-	-	-	0·06	0·25	-	-	0·10	0·32	2
3	-	-	0·02	-	0·15	-	0·14	0·28	-	-	-	-	3
4	0·19	-	-	0·23	-	-	-	0·07	-	-	0·58	0·20	4
5	-	-	0·13	0·25	0·07	0·08	0·27	0·07	-	-	0·01	-	5
6	-	0·03	-	0·07	0·06	-	-	-	-	-	0·04	0·02	6
7	-	0·10	0·40	-	0·12	-	-	-	-	-	-	0·08	7
8	0·06	-	-	0·06	0·17	0·86	0·02	0·18	0·20	-	-	0·02	8
9	0·48	0·02	0·15	0·18	-	1·09	-	0·05	0·03	-	-	-	9
10	0·48	0·06	0·04	0·15	0·01	-	-	-	0·02	-	-	-	10
11	-	0·05	0·35	0·32	0·09	0·05	-	-	0·04	-	0·45	0·40	11
12	-	-	0·10	-	-	0·02	0·23	-	0·33	-	0·02	0·37	12
13	0·04	0·10	0·09	-	-	-	-	-	-	0·22	0·30	0·18	13
14	0·02	-	0·15	-	-	-	0·18	-	0·01	0·38	0·29	0·22	14
15	0·03	-	0·14	-	-	-	-	0·02	-	-	0·11	0·11	15
16	-	-	0·03	-	-	-	0·03	-	0·04	-	0·04	-	16
17	0·04	0·20	0·05	-	-	-	-	-	0·17	-	-	0·20	17
18	-	-	0·06	-	-	0·08	0·15	-	-	-	-	0·35	18
19	-	0·09	0·01	-	-	-	0·07	-	-	-	0·05	0·06	19
20	-	0·08	0·25	-	-	-	-	-	0·02	-	-	-	20
21	0·03	0·24	0·05	-	-	0·04	-	-	-	0·10	0·03	0·09	21
22	-	0·02	-	-	1·20	-	0·08	0·04	-	0·20	-	-	22
23	-	0·07	0·03	-	0·12	0·10	0·05	-	-	0·02	-	0·10	23
24	-	-	0·21	0·05	0·17	-	-	-	-	0·08	0·36	-	24
25	-	0·03	-	-	-	-	0·03	0·11	-	0·68	0·02	0·33	25
26	-	-	0·06	-	-	-	-	0·04	-	0·10	0·29	0·26	26
27	0·02	-	-	-	-	-	-	-	-	-	-	0·15	27
28	0·04	0·03	-	-	0·01	-	-	-	-	0·09	0·31	0·94	28
29	0·03		0·07	-	0·02	-	-	-	-	0·40	0·03	-	29
30	-	X	-	0·03	-	0·06	-	-	-	0·04	0·25	0·22	30
31	-	X	-	X	0·03	X	0·35	-	X	0·06	X	0·04	31
Total	1·46	1·12	2·42	1·34	2·22	2·38	2·46	1·29	0·86	2·37	3·32	4·67	YEAR'S TOTAL 25·91 ✓
Rain Days.	12	14	21	9	13	9	14	11	9	12	19	22	165 ✓

W. 8,000. X. 14.

2661

FORM A. BRITISH RAINFALL

1-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at 62 High St Grantham
in the County of Lincolnshire
by W H Bird

Lat. .... Long. ....
Time of Observation 9. a-m.
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·14	0·10	–	–	0·37	–	0·01	0·03	–	–	0·12	0·05	1
2	–	0·02	0·12	0·20	–	0·07	–	0·41	0·06	–	–	–	2
3	0·35	–	0·05	0·10	–	–	0·93	0·12	0·03	–	–	0·20	3
4	0·43	–	–	–	–	–	0·55	0·46	–	–	–	0·90	4
5	0·03	0·28	–	–	0·25	–	–	0·05	–	–	0·08	0·40	5
6	0·04	0·06	0·10	0·07	–	–	0·80	–	–	–	–	0·01	6
7	0·18	0·32	0·05	–	–	–	0·15	0·23	–	–	–	0·43	7
8	0·10	0·11	–	0·06	–	–	–	0·03	–	–	0·04	–	8
9	0·01	0·04	–	–	–	–	–	–	–	–	0·03	0·44	9
10	0·25	–	–	–	–	–	–	0·18	–	–	0·10	–	10
11	–	–	0·03	–	0·30	–	0·10	0·20	–	–	0·45	0·12	11
12	0·03	–	–	0·44	0·20	–	–	–	–	–	0·90	–	12
13	0·01	0·70	–	–	0·50	–	–	–	0·04	–	–	–	13
14	–	0·06	–	–	0·02	–	–	–	–	–	–	0·22	14
15	0·25	0·03	–	–	–	–	–	0·06	–	–	0·28	0·10	15
16	–	0·20	–	–	–	–	1·35	–	–	–	–	–	16
17	–	0·07	–	–	–	–	0·20	–	–	–	–	–	17
18	–	0·11	0·85	–	–	–	–	–	–	–	0·05	0·02	18
19	–	0·05	–	–	–	–	0·09	–	–	–	–	–	19
20	0·24	–	–	–	–	–	–	–	–	–	–	0·38	20
21	0·15	0·02	–	–	–	–	0·20	–	–	–	–	0·08	21
22	0·13	–	0·20	0·08	0·04	–	0·21	–	–	–	–	0·07	22
23	0·04	0·12	–	–	–	–	0·03	~~[illegible]~~	0·07	0·08	0·03	0·20	23
24	–	–	0·12	–	–	–	0·20	–	0·65	0·07	–	0·04	24
25	0·02	–	–	–	–	0·23	0·04	–	–	–	–	0·06	25
26	–	0·15	–	–	–	–	0·05	–	0·02	–	–	0·26	26
27	–	0·10	–	–	–	0·15	0·22	–	–	0·55	–	0·06	27
28	–	0·23	–	–	–	0·03	–	0·30	–	0·12	–	–	28
29	–		–	–	–	0·01	–	–	–	–	0·25	0·35	29
30	0·07	X	–	–	–	0·33	–	–	–	–	–	0·07	30
31	0·03	X	–	X	–	X	–	0·18	X	0·18	X	0·08	31
Total	2·50	2·77	1·52	0·95	1·68	0·82	5·13	2·25	0·87	1·00	2·33	4·54	YEAR'S TOTAL 26·36
Rain Days.	19	19	8	6	7	6	16	12	6	5	11	22	137

W. 8,000. X. 15.

2596

End HW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 FEB 1917

Kept at 62 High St. Grantham
in the County of Lincolnshire
by W A Bird

Lat. .... Long. ....
Time of Observation 9. a-m.
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	–	0·10	–	–	0·20	0·18	–	–	–	0·20	–	1
2	0·25	0·03	0·20	–	0·70	0·03	0·28	–	0·01	0·17	0·08	–	2
3	–	0·25	0·03	0·02	–	–	0·49	–	0·70	0·18	0·05	–	3
4	0·15	0·15	0·02	–	0·37	0·29	–	–	0·20	0·10	0·20	–	4
5	0·02	–	0·01	–	0·04	0·05	–	–	–	0·08	0·13	–	5
6	0·03	0·12	0·25	0·04	0·05	–	0·25	–	–	–	0·30	–	6
7	–	–	0·22	–	0·06	–	0·25	–	–	–	0·20	0·18	7
8	–	–	0·12	–	–	–	–	–	–	–	–	0·21	8
9	–	–	0·10	–	0·35	0·03	–	–	0·05	–	–	0·05	9
10	–	0·08	0·17	0·05	–	0·10	0·07	–	0·05	0·10	–	0·12	10
11	0·04	0·38	0·33	0·10	–	0·08	–	–	0·01	–	–	0·02	11
12	0·02	0·03	0·10	0·35	0·37	0·25	0·15	–	–	0·05	–	0·01	12
13	–	–	0·11	0·05	0·10	0·07	–	0·07	–	–	–	–	13
14	–	0·40	–	–	0·04	–	–	0·38	–	0·05	–	–	14
15	–	0·27	0·38	–	–	–	0·20	0·10	–	0·04	–	–	15
16	–	0·07	0·18	0·25	0·02	–	0·06	0·11	–	–	–	–	16
17	0·03	0·07	–	0·18	–	–	0·07	0·86	0·19	0·20	–	–	17
18	–	0·16	–	0·05	–	–	–	0·16	0·18	0·03	1·63	–	18
19	–	–	0·15	0·05	–	–	–	0·20	0·38	–	0·35	0·10	19
20	0·25	–	0·40	0·08	–	–	–	–	–	–	0·03	0·18	20
21	0·03	–	0·25	–	–	–	0·04	–	–	–	–	0·35	21
22	–	0·08	–	–	0·10	0·06	–	–	–	0·03	–	0·55	22
23	0·03	0·55	–	–	–	0·05	–	0·04	–	0·01	0·10	0·47	23
24	–	1·06	–	0·05	–	–	–	0·03	–	–	–	0·14	24
25	–	0·15	0·21	–	0·03	–	–	0·13	–	0·06	0·07	–	25
26	0·04	0·20	0·03	–	–	0·01	–	–	–	0·10	0·02	–	26
27	–	0·14	0·85	–	–	–	–	0·03	–	0·21	–	–	27
28	–	0·30	0·60	0·14	0·02	–	–	~~[illegible]~~	–	0·03	–	0·25	28
29	–	0·34	–	–	–	0·25	–	1·10 ~~[illegible]~~	–	0·25	–	0·14	29
30	–	X	–	–	–	0·05	–	0·05	–	0·08	–	–	30
31	–	X	–	X	–	X	–	0·02	X	0·03	X	–	31
Total	0·93	4·83	4·81	1·41	2·25	1·52	2·04	3·28	1·77	1·80	3·36	2·77	YEAR'S TOTAL 30·77
Rain Days.	12	20	22	13	13	14	11	14	9	19	13	14	174

W. 8,000, VIII. 16

√ 2465

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at 62 High St. Grantham
in the County of Lincolnshire
by W H Bird

Lat. Long.
Time of Observation 9-a-m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 202 ft.

11 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	0·22	–	–	–	1·14	0·33	–	0·05	0·02	1
2	–	–	–	–	–	0·18	–	0·27	–	–	0·04	–	2
3	–	0·17	–	0·10	–	–	–	0·98	–	0·40	–	–	3
4	–	–	0·09	–	–	–	–	0·07	–	0·46	–	–	4
5	0·18	–	0·04	0·15	–	–	–	0·01	0·15	0·03	0·14	–	5
6	–	–	–	–	–	–	–	–	–	–	0·04	–	6
7	0·33	–	0·03	–	–	–	–	–	–	0·62	–	–	7
8	0·60	–	–	0·15	–	–	0·15	1·68	–	0·37	0·07	–	8
9	0·07	–	0·05	–	–	–	–	0·08	–	–	0·12	–	9
10	0·22	–	0·36	0·17	0·10	–	–	0·07	–	0·06	0·05	–	10
11	0·04	–	0·05	0·25	–	–	–	0·28	–	0·25	–	–	11
12	0·17	–	–	–	0·24	–	–	0·08	–	0·15	–	0·02	12
13	0·06	–	–	0·05	–	–	–	0·21	0·04	–	–	–	13
14	0·18	–	–	–	–	–	–	–	–	–	–	–	14
15	0·03	–	–	–	0·03	–	0·22	–	–	0·07	–	0·07	15
16	0·07	0·09	–	0·11	–	–	0·02	–	–	0·04	–	0·15	16
17	0·03	–	0·05	0·18	0·54	0·02	–	–	0·05	0·09	–	0·05	17
18	0·10	–	–	0·05	0·03	0·01	0·68	0·02	0·61	–	–	–	18
19	0·09	0·11	0·08	–	0·05	–	–	–	0·03	–	–	–	19
20	–	0·20	–	–	0·21	–	–	0·05	0·15	–	0·20	–	20
21	–	–	0·07	–	–	0·07	–	–	–	–	–	–	21
22	–	–	0·08	–	–	–	–	0·05	0·15	0·07	–	–	22
23	–	0·03	–	–	0·12	–	–	0·28	0·03	0·02	–	–	23
24	–	–	–	–	–	0·35	0·05	0·01	–	0·23	0·12	–	24
25	–	0·01	0·03	–	–	–	–	–	–	–	0·03	–	25
26	–	–	0·07	–	–	–	–	0·52	0·13	–	0·17	0·05	26
27	–	–	0·03	–	–	–	0·02	0·54	–	–	–	0·02	27
28	–	0·02	0·10	–	–	0·65	–	0·28	–	–	–	0·14	28
29	–		–	–	0·01	0·20	0·03	–	–	0·35	–	0·10	29
30	–	X	–	–	–	–	0·33	0·17	–	–	–	–	30
31	–	X	0·09	X	–	X	0·10	0·10	X	–	X	0·12	31
Total	2·17	0·63	1·22	1·43	1·33	1·48	1·60	6·89	1·67	3·21	1·03	0·74	YEAR'S TOTAL 23·40
Rain Days.	14 ✓	7	15	10	9 ✓	7	9	21	10 ✓	15 ✓	11	10 ✓	138

2·85 ✓

W. 8,000, IX. 17.

LINCOLN.

GRANTHAN.

"THE BORO SURVEYOR'S OFFICE"

1911 - 1920

REGIS ll

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

Kept at The Boro' Surveyor's 5 in.

e Ground 13 ft. 6 in.

in the County of Lincoln Sea Level 202 ft.

A.M.

by W. Wright, Bo Name Grantham

Distance 800 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·13					1
2	·13				·07			·05			·03	·05	2
3					·15			·16		·01	·02		3
4	·05	·03	·22	·10 Snow				·02	·11	·12	·07	·2	4
5	·02	·02		·03 do.				·06		·05		·02	5
6			·03					·03		·07	·02	·18	6
7	·3										·1	·15	7
8	·25		·12						·02		·01	·15	8
9	·05		·01								·2	·02	9
10		·04	·06								·24	·45	10
11	·26							·03			·2	·	11
12	·07		·3						·12		·05	·01	12
13			·12			·02			·11	·04	·01	·47	13
14			·05		·28							·37	14
15		·05	·11				·02			·05	·03	·01	15
16			·03			·05				·01	·15	·04	16
17											·03	·08	17
18		·4	·01			·1					·32	·03	18
19						·02			·01	·1	·45	·03	19
20		·05		·01				·27	·03	·02		·34	20
21		·35		·03				·10		·23	·04	·07	21
22	·01	·03	·03	·01		·01		·04		·22	·05	·23	22
23			·08			·78		·26	·45			·15	23
24		·05		·01		·80				·41		·25	24
25		·12	·08 snow	·08	·31	·04			·01		·03	·02	25
26		·03		·08	·94	·05				·25	·29	·32	26
27		·08	·22	·01			·05	·32	·15	·03		·02	27
28		·27		·15		·04		·02			·03	·08	28
29						·1	·05		·14	·15		·01	29
30				·05	·02	·05			·04	·15		·01	30
31			·05							·01			31
Total	1·14	1·52	1·52	·56	1·77	2·02	·12	1·49	1·19	1·92	2·37	3·76	TOTAL for year 19·42
No. of Rain Days	9	13	16	11	6	12	3	13	11	17	21	27	159

9,000, IX. '10.

REGIS ll

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at The Boro' Surveyor's Office, Grantham

in the County of Lincoln 3

by W. Wright, Borough Surveyor.

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 13 ft. 6 in.
" " " Sea Level 202 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Grantham
Distance 800 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·13					1
2	·13				·07			·05			·03	·05	2
3					·15			·16		·01	·02		3
4	·05	·03	·22	·10 Snow				·02	·11	·12	·07	·2	4
5	·02	·02		·03 do.				·06		·05		·02	5
6			·03					·03		·07	·02	·18	6
7	·3										·1	·15	7
8	·25		·12						·02		·01	·15	8
9	·05		·01								·2	·02	9
10		·04	·06								·24	·45	10
11	·26							·03			·2	·	11
12	·07		·3						·12		·05	·01	12
13			·12			·02			·11	·04	·01	·47	13
14			·05		·28							·37	14
15		·05	·11				·02			·05	·03	·01	15
16			·03			·05				·01	·15	·04	16
17											·03	·08	17
18		·4	·01			·1					·32	·03	18
19						·02			·01	·1	·45	·03	19
20		·05		·01				·27	·03	·02		·34	20
21		·35		·03				·10		·23	·04	·07	21
22	·01	·03	·03	·01		·01		·04		·22	·05	·23	22
23			·08			·78		·26	·45			·15	23
24		·05		·01		·80				·41		·25	24
25		·12	·08 snow	·08	·31	·04			·01		·03	·02	25
26		·03		·08	·94	·05				·25	·29	·32	26
27		·08	·22	·01			·05	·32	·15	·03		·02	27
28		·27		·15		·04		·02			·03	·08	28
29						·1	·05		·14	·15		·01	29
30				·05	·02	·05			·04	·15		·01	30
31			·05							·01			31
Total	1·14	1·52	1·52	·56	1·77	2·00	·12	1·49	1·19	1·92	2·37	3·76	TOTAL for year 19·42
No. of Rain Days	9	13	16	11	6	12	3	13	11	17	21	27	159

9,000, IX. '10.

Ex M L

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
7 - JAN 1913

Kept at The Borough Surveyor's Office, Grantham

in the County of Lincoln 3

by Wm Wright, Borough Surveyor.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 13 ft. 6 in.
" " " Sea Level 202 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Grantham
Distance 800 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.25	.03		.07			.31	1
2		.2 Snow	.02	.03		.3	.62	.03	.02			.02	2
3	.15				.01	.42		.35	.08			.03	3
4	.05		.38		.03	.23		.1			.3		4
5	.03	.01 "				.08		.02			.03		5
6	.47 Snow + rain	.10			.01		.24	.18					6
7		.05				.05	.03	.10				.03	7
8	.22 "	.19	.2	.04			.16	.04	.31			.02	8
9	.04	.15	.21	.13		.16						.19	9
10								.5			.12		10
11	.06	.06				.04			.04		.04	.52	11
12	.05	.3	.03		.01	.28	.32				.14		12
13		.05			.02	.02					.15	.01	13
14	.06		.25			.15		.06					14
15		.02	.08		.34	.16			.02			.04	15
16	.32 Snow + rain		.08		.07	.05		.08		.12			16
Snow 2" 17	.03		.11			.15		.1			.03	.38	17
18	.06		.08					.03		.01	.03		18
19	.19	.1	.01				.19	.3		.01	.04		19
20	.12	.02	.09		.11		.75	.04	.01	.2			20
21			.53		.32		.21	.05		.07	.02		21
22		.05	.05		.81		.44	.31				.06	22
23	.09	.05	.21		.02		.64	.55			.1	.03	23
24	.19 Snow + rain		.01			.15		.05				.14	24
25	.05					.61		.25			.28	.21	25
26			.03			.07	.24	1.50		.43	.26	.35	26
27					.01	.12	.11			.46		.1	27
28					.05	.04	.06	.37	.02	.3	.4	.44	28
29			.06		.04	.3	.13		.34	.15	.1 Snow + rain		29
30	.06 Snow				.25				.1	.02			30
31			.05		.80		.5	.15				.02	31
Total	2.24	1.35	2.48	.20	2.90	3.63	4.67	5.16	1.01	1.77	2.04	2.90	TOTAL for year
No. of Rain Days	18	14	19	3	16	20	16	22	10	10	15	18	30.35

188

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1913

cod fr auth 1.IV.14

FORM A. BRITISH RAINFALL. 17 JAN 1914

Kept at The Borough Surveyor's Office, Grantham

in the County of Lincoln 3~~4~~ BR

by Wm Wright, Borough Surveyor.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 13 ft. 6 in.

" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·1	·02		.	–		·75		·03		1
2		·09		·05		.	·06		·10		·68		2
3	·01		·1		·41	.			·01				3
4	·35		·01		·09	.	·01			·01	·17	·08	4
5	·4				·01	·02	·02		·08	1·00		·01	5
6			·05		·60	-	·01			·46		·02	6
7		·02			·13	·05				·64		·01	7
8					·21	·23			·02	·10	·10		8
9		·22	·04	·02	·01	·12	·07	·02			·09		9
10					·04		·01	·02			·37		10
11	·35 snow			·36				·02			·33		11
12					·01						·22		12
13	·04		·06	·04				·06	·03		·15		13
14	·04		·47				·01	·02		·07			14
15	·1		·42	·22					·21		·02		15
16	·04	·06	·55 snow	·11					·43				16
17		·01	·05	·04		·33	·01		·06		·01		17
18			·09	·06			·06					·02	18
19	·06		·07				·03		·18				19
20	·09		·05	·04						·33	·03		20
21	·01		·29		·03		·12				·16		21
22	·11		·32					·04	·19				22
23			·02			·08		·02	·05				23
24	·02			·05		·04		·05					24
25		·02		·06		·02							25
26		·09	·18	·01						·37	·05	·24	26
27		·06	·01	·01	·08	·03							27
28	·13		·25	·2						·01		·10 snow	28
29			·14	·42	·31			·27				·25 Do-	29
30	·38		·02							·05	·08		30
31					·26								31
Total	2·13 ✓	·57 ✓	3·29 ✓	1·71 ✓	2·19 ✓	·92 ✓	·41 ✓	·52 ✓	2·11	3·04	1·89	·73	YEAR'S TOTAL 19·51
Rain Days.	15	8	21	16	13	9	11	9	12	10	15	8	147

1·89 19·51

W. 7,500, XI. 12

10 · 14

Ex Dl

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at The Borough Surveyor's Office Guildhall, Grantham 3
in the County of Lincoln
by Wm Wright, Borough Surveyor

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Grantham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 6 in.
" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·75	·16			·03		1
2							·07	·20			·06	·22	2
3			·01	·01	·14		·12	·27			·03		3
4	·16		·01	·20				·03			·49	·21	4
5			·11	·26	·07	·07	·19	·09			·01		5
6		·02		·06	·07		·03				·05	·02	6
7	·01	·03	·33		·10							·07	7
8	·04	·03	·02	·05	·15	·81		·14	·21			·02	8
9	·42	·01	·14	·15		1·07		·05	·02				9
10	·50	·05	·03	·10					·02				10
11		·05	·31	·32	·08	·05			·04		·45	·28	11
12			·05		·01	·01	·23		·30			·30	12
13	·03	·08	·12							·20	·33	·12	13
14			·15				·16			·33	·06 snow	·20	14
15	·08		·12				·03	·02			·15	·15	15
16	·02		·03				·03		·02		·05		16
17	·02	·17	·01						·16			·16	17
18			·05			·06	·15					·36	18
19		·08	·03				·06		·01		·05	·06	19
20		·07	·20						·02				20
21	·01	·20	·08			·04				·09	·03	·08	21
22					1·25		·07			·15			22
23		·06	·02		·10	·08	·04	·03		·02		·08	23
24			·18	·04	·18					·06	·33		24
25		·03					·03	·07		·61	·01	·28	25
26			·07					·04		·09	·28	·32	26
27	·01											·13	27
28	·04	·02			·01					·09	·38	·70 snow + rain	28
29	·02		·04		·01					·38	·02		29
30				·02		·06				·02	·25	·20	30
31					·04		·32			·05		·05	31
Total	1·36	·90	2·13	1·21	2·21	2·25	2·28	1·10	·80	2·09	3·06	4·01	YEAR'S TOTAL 23·40
Rain Days.	13	14	23	10	13	9	15	11	9	12	19	21	169

W.7,000, XI. 13

2650

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Borough Surveyor's Office, Guildhall, Grantham
in the County of Lincoln
by Wm. Wright, M.I.M.C.E.

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Grantham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 6 in.
" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·09			·35		·01	·03	·59		·11	·05	1
2		·02	·08	·13		·07		·42	·07			·02	2
3	·37		·07				·25	·20	·01			·16	3
4	·43			·11			1·25	·47			·08	·84	4
5	·02	·20			·23			·04				·34	5
6	·02	·10	·08	·05			·14	·02				·03	6
7	·18	·30	·04	·02			·13	·20				·41	7
8	·07	·09		·04				·02			·01		8
9	·02	·04									·03	·34	9
10	·25							·23			·12		10
11			·04		·24		·09	·23			·42	·13 snow	11
12	·01			·39	·15			·02			·89		12
13	·01	·60			·52			·02	·03				13
14		·06										·17	14
15	·26							·05			·20	·10	15
16		·19			·03		1·22					·16	16
17		·07					·23						17
18		·11	·09 snow								·06		18
19		·03					·08						19
20	·23											·37	20
21	·13	·02					·23					·04	21
22	·15		·17	·06			·23					·11	22
23	·05	·08 snow		·01					·05	·06	·05		23
24	·01	·03	·11				·21		·63	·05			24
25						·20	·04			·01		·26	25
26	·02	·14					·09		·02			·16	26
27		·09				·15	·23			·50		·15	27
28		·24	·03 snow					·19		·15			28
29						·03		·14			·24	·28	29
30	·06	X				·29						·06	30
31	·03	X		X		X		·16	X	·14	X	·07	31
Total	2·45	2·50	·71	·81	1·52	·74	4·43	2·44	1·40	·91	2·21	4·25	YEAR'S TOTAL 24·37
Rain Days.	20	19	9	8	6	5	15	16	7	6	11	21	143

W. 8,000. X. 14.

2595

FORM A.
BRITISH RAINFALL.
8 JAN

REGISTER OF RAINFALL IN 1916

Kept at The Guildhall. Grantham

in the County of Lincoln

by ~~W. Wright~~ Borough Surveyor.
J. H. DREW, M.Inst.C.E.I., M.I.M+Cy.E., M.R.S.I.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 17 ft. 0 in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·10			·17	·17				·02		1
2	·22	·03	·19		·65	·03	·29			·06	·08		2
3		·21	·02				·51		·58	·20	·02		3
4	·16	·15	·01		·32	·23			·20	·13	·15		4
5	·01		·01		·03	·05				·07	·10	~~17~~	5
6	·03	·12	·22 snow	·03	·05	·02	·12				·26		6
7			·16 "		·05		·27			·01	·22	·17	7
8			·08 "									·15	8
9			·09 "		·37							·05	9
10			·10 "	·06		·12	·06		·02	·03		·12	10
11	·04	·42 rain snow	·22	·10		·06			·05				11
12	·02	·02	·10	·32	·35	·23	·12			·04			12
13		·11	·08	·06	·11	·06		·07					13
14		·29 snow			·05	·01		·35		·05			14
15		·23	·34				·09	·07		·04			15
16		·09 snow	·17	·25			·10	·10					16
17	·02	·06		·16			·06	·82	·18	·15			17
18		·16		·03				·15	·12	·03	1·30		18
19	·06		·15	·05		·01		·19	·33		·28	·11	19
20	·18		·33	·05							·02	·06	20
21	·01		·31	·03			·03					·39	21
22		·05 snow			·10	·04				·03	·01	·45	22
23	·03	·28 snow				·05		·03		·01	·08	·45	23
24		·49 snow		·03								·10	24
25		·05 snow	·20		·03			·13		·05	·06		25
26	·03	·10 snow	·03							·06			26
27		·11 snow	·43 snow					·02		·17			27
28		·24 snow	·40 "	·11	·04					·02		·34	28
29		·29				·23		·82		·22		·07	29
30					·04	·05		·28		·08			30
31								·01		·02			31
Total	·85	3·50	3·74	1·28	2·19	1·36	1·82	3·04	1·48	1·47	2·60	2·46	YEAR'S TOTAL 25·79
Rain Days.	13	20	22	13	13	15	11	13	7	20	13	12	172

W. 8,000. X. 15.

2464

FORM A.
BRITISH RAINFALL.

- 2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Borough Surveyor's Office, Grantham

in the County of Lincoln

by J. H. Drew M.I.C.E.I., Borough Surveyor.

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Grantham G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 17 ft. 0 in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05				·95	·21		·03	·02	1
2				·04 } snow		·15		·22			·05		2
3				·06 do.				·82		·15			3
4		·07	·02					·09		·55			4
5	·20	·02	·03	·15 do.				·01	·10	·03	·12		5
6										·03	·03		6
7	·25		·01			·02			·01	·57			7
8	·60			·14			·14	1·47		·35	·05		8
9	·08		·03	·04				·07		·02	·11		9
10	·19		·40	·10	·10			·09		·05			10
11	·03		·05	·24 snow				·20		·21	·05		11
12	·11	·04						·06	·01	·16			12
13				·03	·25			·19	·02			·03	13
14	·05 snow			·05									14
15	·15 do.						·20			·07		·04	15
16	·02 do.			·07			·01			·03		·16	16
17	·05	·16	·06	·15	·55	·05	·07		·02	·09		·03	17
18	·07			·05	·01	·02	·59		·52				18
19	·04	·06	·09		·10			·01	·05				19
20		·19	·04 snow		·15			·04	·13		·18		20
21			·01 "		·01	·03				·01			21
22			·01 "					·04	·02	·07			22
23					·10			·22	·13	·02		·02	23
24						·28	·03			·20	·12		24
25			·11										25
26			·01					·44	·13		·20	·02	26
27			·01			·10		·50					27
28		·02	·16			·48	·02	·33				·13	28
29					·01	·20	·03			·30		·10	29
30	·06	×					·26	·14					30
31		×		×		×	·05	·09	×		×	·10	31
Total	1·90 ✓	·56 ✓	1·04 ✓	1·17 ✓	1·28 ✓	1·33 ✓	1·40 ✓	5·98 ✓	1·35 ✓	2·91 ✓	·94 ✓	·65 ✓	YEAR'S TOTAL 20·51 ✓
Rain Days.	14 ✓	7 ✓	15 ✓	13 ✓	9 ✓	9 ✓	10 ✓	20 ✓	12 ✓	18 ✓	10 ✓	10 ✓	147 ✓

W. 8,000, VIII. 16

Cove 8L

14

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
3. 1. 19

Kept at Borough Surveyor's Office Guildhall, Grantham

in the County of Lincoln

by J. H. Drew, M. Inst. C.E.I., Borough Surveyor.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Grantham G. N. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 17 ft. 0 in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·05				·06	·02	·17	·09	1
2		·15	·09	·03				·59			·01	·22	2
3		·05			·42			·29			·46		3
4	·02	·02	·04					·04	·76			·02	4
5				·01	·12			·12	·18	·09			5
6		·03		·18		·02			·01	·05			6
7	snow ·14	·06		·31		·01			·02	·12	·10		7
8		·01					·06		·07	·01		·03	8
9	snow ·03	·51		·08			·18		·33	·20			9
10		·01		·03					·01	·23		·04	10
11		·04		·01	·26		·01			·25		·04	11
12	·14	·19	·01	·01	·11		·06		·10			·03	12
13				·02	·13				·02			·01	13
14	·29			·05			·11		·16	·05		·08	14
15				·39			·07		·27			·09	15
16	snow ·60			·32					·07			·01	16
17	·17			·03			·54	·02	·08	·08		·17	17
18	·20					·01	·06		·10	·08		·15	18
19	·08		·04	·05					·30	·01		·22	19
20	·06	·04		·15		·10	·03		·01	·20			20
21	·14			·07					·24				21
22	·04				·02	·03	·01					·25	22
23	·10				·12		·10		·01				23
24	·01	·18					·49		·05	·04	·04	·01	24
25							·10	·19					25
26				·03			·15		·07		·08	·06	26
27		·02				·01					·20	·03	27
28		·29	·17					·17	·13		·07	·49	28
29									·01			·02	29
30		✗	·30						·61		·10	·33	30
31		✗	·06	✗		✗		·04	✗		✗		31
Total	2·02	1·60	·71	1·77	1·23	·18	1·97	1·46	3·67	1·43	1·23	2·39	YEAR'S TOTAL 19·66
Rain Days.	14	14	7	17	8	6	14	8	24	14	9	21	156

W. 6,500, VII. 18. W W G

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Borough Surveyor's Office, Guildhall, Grantham.
in the County of Lincoln
by J. H. Drew, M. Inst. C.E.I. Borough Surveyor.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Grantham, G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 17 ft. 0 in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·07			·21		·34			·06	·08	·32	1
2	·20		·02		·04		·52		·26	·05	·18	·05	2
3	·88		·04				·26		·18		·33	·35	3
4	·08		·32				·01	·24	·03			·02	4
5	·10	·07				·07			·36				5
6			·03		1·04			·01			·05	·04	6
7	·02		·28										7
8	·07		·02	·04							·03		8
9			·01								·03		9
10			·20	·16						·02	·06 snow	·07	10
11	·04		·48	·02	·01		·41						11
12			·35	·04		·15			·01	·01	·05 snow		12
13	·03			·11						·01			13
14	·40	·03		·14					·15		·01		14
15	·15	·06	·10	·14					·18		·07	·42	15
16		1·30 snow			·10						·07		16
17		·41	·02								·22		17
18						·04	·01	·04				·13	18
19		·14	1·22			·07	1·17	·16	·30		·05	·04	19
20	·45	·11	·71			·05	·59	·55				·07	20
21	·36	·35	·08				·37	·24	·03				21
22		·08	·06				·06		·36		·01	·32	22
23				·02		·01			·02	·72			23
24				·08		·10				·15			24
25	·05	·02		·15	·15	·05		·62			·06	·03	25
26		·03	·15		·09	·02			·06			·35	26
27	snow ·29	·09	·04	·09				·05		·03	·04	·04	27
28				·20 snow			·02	·64		·14	·02	·38	28
29	·15			·25		·01		·15		·25	·17 snow	·05	29
30	·02	×	·02	·30		·24				·04	·04	·35	30
31	·02	×		×		×	·01		×	·25	×	·04	31
Total	3·64	2·76	4·15	1·74	1·64	·81	3·77	2·70	1·94	1·73	1·57	3·07	YEAR'S TOTAL 29·52
Rain Days.	18	13	19	14	7	11	12	10	12	12	19	18	165

W. 8,000, IX. 17.

Sch A13

2224

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Borough Surveyor's Office, Grantham

in the County of Lincoln

by Gilbert a Ballard. OBE ~~[illegible]~~, Borough Surveyor.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Grantham G N R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 17 ft. 0 in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·20		·17			·27	·03	·05	1
2				·16	·01		·02		·12	·15			2
3		·04		·14		·10	·65	·01	·07	·03			3
4	·01			·18	·03		·10	·30	·07	·35		·05	4
5			·02		·18		·19	·10	·02			·03	5
6			·06	·03	·03		·12	·02				·09	6
7			·01	·12			·11						7
8	·14	·04		·46			·07						8
9	·30	·01		·62	·03			·08	·01				9
10	·15	·12	·02	·01			·03	·03					10
11	·25		·06	·57	·06		·01	·01			·01	·19	11
12	·05		·01	·19		·10	·11	·03			·01	·12	12
13	·04	·04	·12	·30		·97			·06				13
14		·01	·69	·15		·17	·01		·01	·07	·02		14
15		·05	1·62	·17			·02		·07	·03	·17	·05	15
16				·11	·05				·06	·02			16
17					·13				·41	·04		·02	17
18	·17			·04	·07	·06		·12	·12				18
19	·08	·52 Rain & snow		·20		·11			·10				19
20	·02	·30 Rain & snow		·36		·17	·03						20
21	·07			·01			·14		·02				21
22	·01			·21			·06	·10	·13				22
23							·13	·01				·33	23
24			·11	·01			·08					·06	24
25		·08	·02	·11	·03		·54						25
26	·12		·05	·01	·05	·03	·11				·04		26
27	·05		·02	·08	·02	·42					·26	·25	27
28	·59 snow rain		·10	·02	·02		·03				·24	·19	28
29	·04		·15			·01	·04				·05	·25	29
30	·03	×		·14	·21	·09			·13		·08	·30	30
31	·09	×	·01	×		×			×	·17	×		31
Total	2·21	1·21	3·07	4·55	1·12	2·23	2·77	·81	1·40	1·13	·91	1·98	Year's Total 23·39
Days with ·01 in. or more	18	10	16	26	15	11	22	11	15	9	10	14	177
	14	8	9	20	8	9	15	5	11	6	6	12	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LINCOLNSHIRE

GRIMSBY

ABBEY RD

1911 – 1920

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

911

ng.

on

9 a.m.

ge 5" in.

above Ground 3 ft. — in.

Sea Level 25 ft.

Kept at 41 Abbey

in the County of

by Isaac J.

NOTE.—Rain should be m
of rain and particulars as to th
to Dr. H. R. MILL, 62, Camd

Full instructions for the measurement
Observers," sent post-free on application

Date.	Jan.	Feb.	Ma							Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	·10	—	—							—	·05	·06	1
2	—	—	—							—	·03	·05	2
3	—	·04	—	·14	·09	·09	—	·07	—	·17	—	—	3
4	·07	—	·15	·03	·01	—	—	—	·09	·30	·22	·28	4
5	·07	—	·05	·11	—	—	—	·09	—	·07	·07	·20	5
6	·10	—	·03	·03	—	—	—	—	—	—	·20	·19	6
7	—	·05	·06	—	—	—	—	—	—	—	·05	—	7
8	—	—	·22	—	—	—	—	—	·03	—	·03	·07	8
9	—	—	·02	·04	—	—	—	—	—	·04	·02	·17	9
10	·07	·06	·11	—	—	—	—	—	—	—	—	·24	10
11	·41	—	—	—	—	—	—	—	—	—	·25	—	11
12	·18	—	·04	—	·03	·03	—	—	·46	—	—	—	12
13	—	—	·40	—	·03	·32	—	—	—	—	—	·23	13
14	—	·18	·39	—	·14	·01	·01	—	·01	—	·02	·24	14
15	—	—	·20	—	·01	—	—	—	—	·06	—	·13	15
16	—	—	·15	·02	—	·03	·01	—	—	—	·15	·09	16
17	—	—	·03	—	—	·08	—	—	—	—	—	·09	17
18	—	·06	—	—	—	·32	—	—	—	—	·72	·02	18
19	—	—	—	—	·01	·25	·09	·08	—	—	·18	—	19
20	—	·02	—	·13	—	—	·20	·33	—	·04	—	·30	20
21	·01	—	—	—	—	—	—	·06	·25	—	·08	·03	21
22	·06	·03	—	—	—	—	—	·15	—	—	·16	·07	22
23	—	·23	·11	·07	—	1·85	—	—	·48	·02	~~·07~~	·07	23
24	—	·03	·03	·12	—	1·35	—	—	—	·28	—	·04	24
25	—	·05	—	—	—	·27	—	—	—	·24	·07	—	25
26	—	—	—	·02	—	—	—	—	—	—	·53	~~·28~~	26
27	—	·06	·20	·16	—	—	·08	·49	·22	·40	—	·04	27
28	—	·21	·03	·25	—	·03	—	—	—	—	—	·16	28
29	—		·02	·03	—	—	·27	—	·55	·23	—	—	29
30	—		—	—	·21	—	—	—	·24	·20	—	·04	30
31	—		—		·09		·02	—		—		·02	31
Total	1·07	1·02	2·24	1·15	0·65	4·63	0·96	1·28	2·33	2·05	2·83	3·14	TOTAL for year 23·35
No. of Rain Days	9	12	18	13	10	12	9	8	9	12	17	24	153

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

911

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

Kept at 41 Abbey Road Grimsby

in the County of Lincoln 5

by Isaac J. Wood

Lat. Long.

Nearest Railway Station

Time of Observation 9 a.m.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. — in.

" " " Sea Level 25 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	—	—	—	·08	—	—	—	·05	·06	1
2	—	—	—	—	·03	—	·20	·01	—	—	·03	·05	2
3	—	·04	—	·14	·09	·09	—	·07	—	·17	—	—	3
4	·07	—	·15	·03	·01	—	—	—	·09	·30	·22	·28	4
5	·07	—	·05	·11	—	—	—	·09	—	·07	·07	·20	5
6	·10	—	·03	·03	—	—	—	—	—	—	·20	·19	6
7	—	·05	·06	—	—	—	—	—	—	—	·05	—	7
8	—	—	·22	—	—	—	—	—	·03	—	·03	·07	8
9	—	—	·02	·04	—	—	—	—	—	·04	·02	·17	9
10	·07	·06	·11	—	—	—	—	—	—	—	—	·24	10
11	·41	—	—	—	—	—	—	—	—	—	·25	—	11
12	·15	—	·04	—	·03	·03	—	—	·46	—	—	—	12
13	—	—	·40	—	·03	·32	—	—	—	—	—	·23	13
14	—	·18	·39	—	·14	·01	·01	—	·01	—	·02	·27	14
15	—	—	·20	—	·01	—	—	—	—	·06	—	·13	15
16	—	—	·15	·02	—	·03	·01	—	—	—	·15	·09	16
17	—	—	·03	—	—	·08	—	—	—	—	—	·09	17
18	—	·06	—	—	—	·32	—	—	—	—	·72	·02	18
19	—	—	—	—	·01	·25	·09	·08	—	—	·18	—	19
20	—	·02	—	·13	—	—	·20	·33	—	·04	—	·30	20
21	·01	—	—	—	—	—	—	·06	·25	—	·08	·03	21
22	·06	·03	—	—	—	—	—	·15	—	—	·16	·07	22
23	—	·23	·11	·07	—	1·85	—	—	·48	·02	— ~~·07~~	·07	23
24	—	·03	·03	·12	—	1·35	—	—	—	·28	—	·04	24
25	—	·05	—	—	—	·27	—	—	—	·24	·07	—	25
26	—	—	—	·02	—	—	—	—	—	—	·53	·28	26
27	—	·06	·20	·16	—	—	·08	·49	·22	·40	—	·04	27
28	—	·21	·03	·25	—	·03	—	—	—	—	—	·16	28
29	—		·02	·03	—	—	·27	—	·55	·23	—	—	29
30	—		—	—	·21	—	—	—	·24	·20	—	·04	30
31	—		—		·09		·02	—		—		·02	31
Total	1·07	1·02	2·24	1·15	0·65	4·63	0·96	1·28	2·33	2·05	2·83	3·14	TOTAL for year 23·35
No. of Rain Days	9	12	18	13	10	12	9	8	9	12	17	24	153

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at "Ernecroft," Abbey Rd. Grimsby
in the County of Lincoln 5
by Walt. J. Wood

Lat. .... Long. ....
Nearest Railway Station Grimsby Town
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " Sea Level 25 — ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·13	·01	·01	—	·27	—	—	·09	—	—	·62	1
2	—	·18	—	·01	—	·08	·45	—	—	·07	—	—	2
3	·15	·04	·02	—	—	·72	—	·17	·10	—	—	·08	3
4	·09	—	·30	—	·01	·19	—	·17	—	—	·17	—	4
5	—	·01	—	—	·02	·19	—	—	—	—	—	—	5
6	·76	·13	—	—	·06	·09	—	·12	·28	—	·02	—	6
7	·14	—	—	—	—	·01	·16	·25	·13	—	—	·03	7
8	·10	·11	·11	·07	—	—	·04	—	·28	—	·01	—	8
9	·02	·10	·14	·09	—	·04	—	—	·02	—	—	—	9
10	·01	—	—	·04	—	·67	—	·17	·15	—	—	·03	10
11	·08	·12	—	—	—	—	—	·05	·02	—	·23	·63	11
12	—	·15	·07	—	—	·42	·08	—	—	—	·85	—	12
13	·02	—	·02	—	·04	·21	—	·05	—	·20	·40	—	13
14	·02	—	·26	—	—	·13	·04	—	·05	·02	·05	·15	14
15	·03	·01	·44	—	·37	·18	—	·06	—	—	—	—	15
16	—	—	·05	—	·12	·05	—	·07	—	—	—	—	16
17	·30	—	·18	—	—	·25	—	·05	—	—	—	·11	17
18	·10	—	·07	—	—	—	—	—	—	·12	—	·04	18
19	·37	·25	—	—	—	·74?	·46	·32	—	·01	—	·04	19
20	·09	·02	·01	—	·26	—	·18	·05	—	·29	—	—	20
21	—	—	·21	—	·44	—	·04	—	—	·06	—	·08	21
22	—	·04	·07	—	·83	·05	·06	·30	—	—	—	—	22
23	—	—	·12	—	·02	—	·11	·34	—	—	·31	—	23
24	·29	·02	—	—	—	·07	·20	—	—	—	—	·20	24
25	·06	—	—	—	—	·21	·08	·01	—	—	·13	—	25
26	—	·10	·08	—	—	·02	—	1·24	—	·59	·14	·39	26
27	—	—	·09	—	—	·02	·09	·18	—	·60	—	—	27
28	—	—	—	—	·06	·06	·10	·34	—	·25	·70	·46	28
29	—		—	·02	—	·04	·10	·01	·50	·21	—	—	29
30	—		·02	—	—	—	·02	—	·22	·20	—	—	30
31	—		·43		·20		·25	·23		·06		·01	31
Total	2·63	1·41	2·70 6·74	·24 6·98	2·43 9·41	4·71? 14·12	2·46 16·68	4·18 20·76	1·84 22·60	2·68 25·28	3·01 28·29	2·82 31·11?	TOTAL for year
No. of Rain Days.	17	15 32	20 52	6 58	12 70	23 93	17 110	20 130	11 141	13 154	11 165	14 179	

1,000, I. '12.
EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

Dd. ✓ 407

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 JAN 1914

Kept at Grimsby, Abbey Road

in the County of Lincolnshire

by W. J. Wood

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·16					1·55		·07		1
2		·03	·08	·07			·08				·02		2
3	·01	·01	·13	·02	·23					·08		·06	3
4	·57	·05					·08		·05	·54	·39	·20	4
5	·03		·03		·05	·04		·03		·32			5
6		·02			·10	·02				·19			6
7		·09								·67			7
8					·56	·15	·04		·05	·07	·18		8
9		·19		·04	·19	·06		·05			·10	·04	9
10					·05		·15			·07	·48		10
11	1·23			·61		·02					·12		11
12						·05							12
13				·03				·03	·04		·29	·01	13
14	·09	·08	·37				·02			·04			14
15	·14		·37	·34					·05		·10		15
16	·03		·38						·40		·08		16
17	·05	·03	·64	·06		·17	·02				·03		17
18				·06	·06	·02						·02	18
19			·22		·03				·02				19
20	·25									·33	·08		20
21	·16		·06		·08		·10		·20				21
22	·06		·22				·05	·87	·05				22
23	·13					·04	·10	·07	·10	·03			23
24	·14			·03		·15							24
25				·09		·02				·02			25
26		·18	·04	·05		·05				·44	·20	·23	26
27		·12				·05				·01	·05		27
28	·17		·20	·11	·01				·02	·03		·05	28
29			·18	·37	·08			·03			·01	·10	29
30	·63				·13							·05	30
31								·10					31
Total	3·69	·80	3·01	2·04	1·57	·84	·64	1·18	2·53	2·84	2·20	·76	YEAR'S TOTAL 22·10
Rain Days.	15	10	14	14	12		9	7	11	14	15	9	143

W. 7,500, XI. 12

3.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
JAN 1915

Kept at Ernecroft, Abbey Rd. Grimsby
in the County of Lincoln 5
by Walt J. Wood

Lat. 53°-34·5′ Long. 0° W.
Time of Observation 9 a.m.
Nearest Railway Station Grimsby Town
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 23′-0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	—	—	—	1·65	·25	—	—	·18	·16	1
2	—	—	—	·02	—	—	—	·25	—	—	—	·10	2
3	—	—	·03	—	·12	—	·10	·02	—	—	—	—	3
4	—	—	·12	·13	—	·01	—	—	—	—	·37	·23	4
5	·10	—	—	·08	·37	—	·02	·14	—	·01	—	—	5
6	·05	·03	—	·10	·11	—	·15	—	—	—	·06	·20	6
7	—	·14	·51	·16	·17	·06	—	—	—	—	—	·22	7
8	·25	—	—	—	·06	·25	—	—	—	—	—	·01	8
9	·43	—	—	·10	—	·61	—	—	·27	—	—	—	9
10	·65	·08	—	·02	—	—	—	—	·05	·02	—	—	10
11	—	·03	—	·21	·15	·27	—	—	—	—	·25	·46	11
12	—	·05	·30	—	—	—	·05	—	·13 ·13	—	·01	·40	12
13	—	—	·16	—	—	—	—	—	—	—	—	·14	13
14	—	·05	—	—	—	—	·02	—	—	·15	·06	·18	14
15	—	—	·45	—	—	·01	—	—	—	—	·50	·45	15
16	·16	—	·7	—	—	—	·04	—	·07	—	·12	—	16
17	·08	·10	—	—	—	—	—	—	·47	—	—	·34	17
18	—	—	·03	—	—	—	·08	—	·02	—	—	·25	18
19	—	—	·15	—	—	—	—	—	—	—	—	·01	19
20	·06	·03	·14	—	·04	·07	—	—	—	·21	·24	·16	20
21	—	·26	·03	—	—	·04	—	·08	·05	—	—	—	21
22	—	—	—	—	·79	·06	·19	·04	—	·13	—	—	22
23	—	—	—	—	·18	—	·01	—	—	—	—	·15	23
24	—	—	—	·13	—	—	—	·06	—	—	·24	—	24
25	—	·12	—	—	—	—	·03	·07	—	·70	·02	·22	25
26	—	—	—	—	—	—	·10	·20	—	·07	—	·32	26
27	—	—	—	—	—	—	·07	—	—	·03	—	·10	27
28	—	·03	—	—	—	—	—	—	—	·15	—	1·15	28
29	·04	X	·11	—	·08	—	—	—	—	·76	·10	·18	29
30	—	X	—	—	—	—	—	—	—	—	·04	—	30
31	—	X	—	X	—	X	·27	—	X	·10	X	·08	31
Total	1·82	·92	2·14	·95	2·07	1·38	2·78	1·11	1·06 ✓	2·33	2·19	5·51	YEAR'S TOTAL 24·26
Rain Days.	9	11	13	9	10	9	14	9	7	11	13	22	137 ✓

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
6. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ernecroft, Abbey Rd, Grimsby
in the County of Lincoln
by Walt. J. Wood, M. I. Mech. E.

Lat. 53° 34·5' N Long. 0°
Time of Observation 9 a.m.
Nearest Railway Station Grimsby Town
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·35	·04	·04	·76	—	—	—	·45	—	·10	·04	1
2	—	·08	·19	·12	—	—	·03	·11	·13	—	·10	—	2
3	·46	—	·03	·05	—	—	·89	—	—	—	·13	·31	3
4	·07	—	—	—	—	—	·97	—	—	—	·10	·92	4
5	·08	·05	—	—	·12	—	—	·12	—	·01	·14	·35	5
6	·03	·35	·09	·07	·03	—	·88	—	—	—	—	·05	6
7	—	·35	·23	—	—	—	·68	·32	—	—	·06	·17	7
8	—	·01	—	—	—	—	—	·02	—	·03	·05	—	8
9	—	·08	·02	—	—	—	·04	·08	—	—	—	·42	9
10	·45	—	—	—	—	—	—	·77	—	—	·05	·02	10
11	·05	—	—	—	·45	—	—	—	—	—	·17	·03	11
12	·15	—	—	·21	·08	—	·13	·03	—	·12	1·25	·12	12
13	—	·78	—	—	—	—	·22	—	—	—	·06	—	13
14	—	·28	—	—	—	—	—	·01	—	·05	—	·21	14
15	·36	·03	—	—	—	—	·13	—	—	—	·21	·05	15
16	—	·31	—	—	—	—	·61	—	—	—	—	·03	16
17	·28	·14	—	—	—	—	·10	—	—	—	·04	—	17
18	—	·11	·65	—	—	—	—	—	·08	—	—	·05	18
19	—	·12	—	—	—	—	·07	—	—	·18	—	—	19
20	·13	—	—	·03	—	—	—	—	—	·01	—	·43	20
21	·11	—	—	—	·04	—	·04	—	—	—	—	·03	21
22	·09	—	—	—	·02	—	·03	—	—	—	·08	·14	22
23	·03	·11	·09	—	—	—	·11	—	·09	—	·13	·01	23
24	·07	—	·12	—	—	·02	·02	—	·33	·05	—	·22	24
25	—	—	·03	·02	—	·21	—	—	—	·17	·01	·05	25
26	·05	·30	·05	—	—	·06	—	—	·03	—	—	·28	26
27	—	·10	—	—	—	—	·04	—	—	·37	—	·25	27
28	—	·10	—	—	—	·41	—	·29	—	—	—	·06	28
29	·02	X	—	—	·18	—	—	—	·02	·32	·36	·21	29
30	·15	X	—	·04	—	—	—	·05	·04	—		·04	30
31	—	X	—		—		—	·16		·15		·17	31
Total	2·79	3·65	1·54	·58	1·68	·70	4·99	1·96	1·17	1·46	3·04	4·66	YEAR'S TOTAL 28·22
Rain Days.	18	18	11	8	8	4	17	11	8	11	17	26	157

W. 7,500, XI. 12

82

2648
~~344~~

FORM A.
BRITISH RAINFALL.
30 JAN 19

REGISTER OF RAINFALL IN 1916

Kept at *Abbey Road Grimsby*

in the County of *Lincolnshire*

by *W. J. Wood*

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.31	—		.06	12			.03	.22		1
2	.10	.09	.16	—	.30				10	.04	.06		2
3		.08	.09	.04			.07		26	.06			3
4	.11		.05	.02	31	67				.18	26		4
5	.05		.12		.03	.24				.16	.10		5
6	.04	65	33	.16	11		.11			.03	29		6
7			21	.01	.23		.33			.05	.06	45	7
8			23		.06						.04	.11	8
9			15		92	.56						.25	9
10			.04	.04		33	.08		.14	.07		.04	10
11		.47	.50	11		(34)	.03		.01			.16	11
12	.11	.04	.05		31	.50	14			.03			12
13		.04	.08		.36		.18	.05		.16		.09	13
14		.10	.02		.12			.05		.02			14
15		.28	.62				.01	.06	.05	.03			15
16		.10	.04	.22			.11	.09				.11	16
17	.01		.01	.12			.11	.08	.15	.08	.05		17
18		.20	.01	.49				1.23	.14	.16	79		18
19	.13		.01	.05				.05	.11		.22	.05	19
20	.09		.16	.05		.06		.20			.04	.04	20
21		.12	.18				.08					.40	21
22		.12	.02			.05				.05		.33	22
23		.03				.09	.01					.27	23
24		.37	.02			.04	.01	.11			.14	.25	24
25		.15	.23					.15		.36	.08	.02	25
26		.10	.05					.03		.04	.11		26
27		.21	.45			.03				.07			27
28		.19	.31					.02				.09	28
29						.70		.31		.17		.22	29
30	.02	X				.02		.02		.06		.04	30
31		X		X		X	.02	.02	X		X		31
Total	.75	3.34	4.45	1.31	2.75	3.69	1.41	2.47	.96	1.85	2.46	2.92	YEAR'S TOTAL 28.36
Rain Days.	10	18	27	11	10	14	15	15	8	20	14	17	179

W. 8,000. X. 15.

87

Esc 87

2516
~~331~~

FORM A.
BRITISH RAINFALL.

2 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at Abbey Rd, Grimsby Enmecroft

in the County of Lincolnshire

by W. J. Wood

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				–				.73			.04	.10	1
2	.05			.26		.06		.21					2
3		.06	.06	.01		.06		.19					3
4	.05	.01	.02	.21						.38			4
5													5
6									.14	.50	.11		6
7	.17					.42				.03		.01	7
8	.58			.12				.61		.30	.04		8
9	.10		.07	.22				.04			.10	.03	9
10	.35		.44	.22	.18					.06	.14		10
11	.03							.15		.20			11
12	.12			.08				.10		.15			12
13	.08			.05			.02	.19	.07	.03			13
14	.25			.03				.30					14
15	.35			.03			.05		.08	.08	.04	.18	15
16	.20	.24		.18						.11	–	.23	16
17	.03			.25	.40	.23	.03	.18				.20	17
18	.10		.05	.03	.08		.35	.21	.39				18
19	.08	.09			.03		.03			.04			19
20	.03	.31	.26	.04							.23		20
21		.10	.25			.27							21
22			.10			.06		.08	.02				22
23					.19	.59	–	.15					23
24							.10	.06	.03	.10		.02	24
25			.09							.15		.43	25
26			.18			.30		.69	.06		.63	.10	26
27						.06		.50					27
28			.18			.16	.09	.16				.12	28
29	.02						.03	.27		.20			29
30	.02	✕	.22			.03	.05	.09					30
31	.03	✕	.05	✕		✕	–	.12	✕		✕		31
Total	2.64	.81	1.97	1.73	.88	2.24	.75	5.03	.79	2.33	1.33	1.42	YEAR'S TOTAL 21.92
Rain Days.	19	6	13	14	5	11	9	20	7	14	8	10	136

130

W. 8,000, VIII. 16

82

~~310~~ 66

REGISTER ~~OF~~ Of RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 22.1.19

Kept at Grimsby

in the County of Lincolnshire

by W. J. Wood

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							–		·11	–	·10		1
2		·17		·06				·06	·09		·07	·33	2
3	·15		·04		·18			·25		·03	·59		3
4		·03			·20			·04	·29		·36	·07	4
5		·02	·02		·21			·78		·03			5
6		·11		·43						·02			6
7	·15	·02		·04		·10				·10	·15	·03	7
8						·03	·10		·24				8
9		·24					·02		·27	·23		·06	9
10		·02					·12		·08	·08		(·08)	10
11	·20	·20		·12	·04		·09			·30			11
12		·11			·38		·30	·37	·04	·06			12
13					·12				·08			·09	13
14	·37			·12			·10		·36	·01		·14	14
15	·35						·12		·43			·25	15
16				·32		·03	·02		·11	·01		·05	16
17	·20			·02	·05		·31	·02	·09	·10		·33	17
18	·19						·51		·30	·07			18
19			·15					·04				·28	19
20	·07	·12				·04	·19		·03				20
21					·04	·01			·31				21
22	·15				·01	·03	·01			·15		·27	22
23					·58		·10		·03				23
24		·05					·46		·05	·05	·05		24
25			·03			·04		·30			·03		25
26							·35	·10	·09			·10	26
27			·01			·01	·02	·42	·13		·17	·10	27
28		·25	·22					·01	·01			·22	28
29									·34			·08	29
30		X	·26						·05		·07	·11	30
31		X	·07	X		X			X		X	·05	31
Total	1·83	1·34	·80	1·11	1·81	·29	2·82	2·39	3·53	1·24	1·59	2·64	YEAR'S TOTAL 21·39
Rain Days.	9	12	8	7	10	8	16	11	22	14	9	18	144

W. 8,000, IX. 17.

notified 28-1-20

end 7C

2367

FORM A.
BRITISH RAINFALL.

31 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at "Ernecroft" Abbey Road, Grimsby

in the County of Lincoln

by Walt. J. Wood

Lat. 53-34·5' Long. 0"

Time of Observation 9 a.m.

Nearest Railway Station Grimsby.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 23. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·03	·02	—	·28	—	·45	—	—	·06	·19	·11	1
2	·08	·14	—	—	·02	—	·53	—	·12	—	·28	·07	2
3	·51	·05	—	—	—	—	·40	—	·04	—	·19	·10	3
4	·12	—	·46	—	—	·07	—	·04	·08	—	·09	—	4
5	·23	—	—	—	—	·02	01	—	·40	—	—	·11	5
6	·01	—	·07	—	—	—	—	—	—	—	·11	·05	6
7	—	—	·10	—	—	—	—	—	—	—	·08	·11	7
8	·07	—	—	·01	—	—	—	—	—	·03	—	—	8
9	—	—	—	—	—	—	—	—	—	·05	·20	—	9
10	—	—	·11	—	—	—	—	—	—	—	·19	·24	10
11	—	—	·70	·04	25	—	·22	—	—	·06	·11	—	11
12	·18	—	·56	—	—	·11	·07	—	·07	·20	·02	—	12
13	—	·05	—	—	—	—	·12	—	·11	·15	·36	—	13
14	·36	·03	·01	·31	—	—	—	·03	—	—	—	—	14
15	·31	—	·04	·31	—	—	—	·01	—	—	·25	·30	15
16	·03	1·05	—	·08	—	—	—	—	—	—	—	—	16
17	—	·42	—	—	—	·10	—	·06	—	—	·08	·01	17
18	—	—	—	—	—	—	—	·08	—	—	·07	·10	18
19	—	·22	·37	—	—	·02	·25	·49	·11	—	—	—	19
20	·23	·08	—	—	—	·09	·23	·33	·05	—	—	—	20
21	·09	·31	—	—	—	·15	·12	—	—	—	·04	·14	21
22	—	·06	—	—	—	—	·11	—	—	—	·06	·32	22
23	—	—	·12	—	—	·04	—	—	·15	·32	—	—	23
24	—	—	—	—	16	—	—	—	—	—	·03	·09	24
25	·05	—	—	·26	—	·02	—	·49	—	—	·07	—	25
26	—	·07	·18	·12	—	—	—	—	—	·31	·06	·48	26
27	·08	·24	—	·45	—	—	·05	·35	—	·68	—	—	27
28	·03	—	—	—	—	—	·03	·73	—	·44	—	·32	28
29	—	✕	—	·10	—	·14	—	·09	—	·45	·13	·11	29
30	—	✕	—	·18	—	·14	—	—	—	—	·07	·22	30
31	·24	✕	·18	✕	—	✕	06	—	✕	·04	✕		31
Total	~~2·08~~ 2·80	2·75	2·92	1·86	·71	·90	2·65	2·70	1·13	2·79	2·68	2·88	YEAR'S TOTAL ~~26·05~~ 26·77
Rain Days.	17	13	13	10	4	11	14	11	9	12	21	17	152

W. 8,000, VIII. 16

2267

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

19 JAN 1921

Kept at "Ernecroft" Abbey Road, Grimsby

in the County of Lincoln

by Walt J. Wood.

Lat. 53° - 34·5' N Long. 0

Time of Observation 9 a.m.

Nearest Railway Station Grimsby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·06	·25	—	·15	—	—	·58	—	—	1
2	—	—	—	·08	—	—	—	—	·05	·34	—	·30	2
3	—	—	—	·19	—	·07	·17	—	·05	·02	—	·09	3
4	—	—	—	·13	—	—	·32	·33	·01	·06	—	—	4
5	—	—	—	·08	·30	—	·22	·05	·03	—	—	·05	5
6	—	—	·17	—	·08	—	·21	—	—	—	—	·09	6
7	—	—	—	·15	—	—	·12	—	—	—	—	·19	7
8	·05	·05	—	·45	·06	—	—	—	—	·02	—	—	8
9	·10	·04	—	·45	—	—	—	·31	·01	—	—	—	9
10	·22	·26	·07	·15	—	—	·02	—	—	—	—	·07	10
11	·37	—	·06	·03	·02	—	—	—	—	—	—	·14	11
12	—	—	—	·22	—	—	·03	—	—	—	·03	·27	12
13	—	·03	·08	·09	—	·15	—	—	·04	—	—	·05	13
14	—	—	·43	·22	—	—	·05	—	·27	·05	·12	—	14
15	—	·04	·54	·10	—	—	·01	—	·13	·30	·04	—	15
16	·06	—	—	—	·01	—	·01	—	·03	—	—	—	16
17	—	—	—	—	·07	—	·04	—	·28	·04	—	·02	17
18	·17	—	—	—	·04	·05	·09	—	—	—	—	·09	18
19	·06	1·45	—	·05	·07	—	—	·56	—	—	—	—	19
20	—	·15	—	·28	—	·53	·03	—	—	—	—	·03	20
21	—	—	—	·08	—	—	·24	·10	—	—	·01	—	21
22	·16	—	—	·07	—	—	·01	·04	·13	—	·02	—	22
23	—	—	—	—	—	—	—	—	—	—	—	·19	23
24	·02	·02	·20	—	—	—	·20	—	—	—	·01	·08	24
25	—	·02	·09	·05	—	—	·58	—	—	—	—	—	25
26	·07	·02	·04	—	·05	·02	·09	—	—	—	—	—	26
27	·11	·10	—	·38	·31	·22	—	—	—	—	·10	—	27
28	·50	—	·28	·27	·09	—	—	—	—	—	—	—	28
29	·06	—	·32	·04	2·00	—	·04	—	—	—	·09	·62	29
30	·04	X	—	·05	—	—	—	—	·15	—	—	·41	30
31	·14	X	·02	X	—	X	·18	—	X	—	X	—	31
TOTAL	2·13	2·18	2·30	3·67	3.35 ~~3·29~~	1·04	2·81	1·39	1·18	1·41	·42	2·69	YEAR TOTAL 24.57 ~~24·51~~
Days with ·01 in. or more	15	11	12	23	13	6	21	6	12	8	8	16	151
Days with ·04 in. or more	14	7	11	22	10	5	15	6	8	6	4	14	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Smade

LINCOLNSH. 25
2559 –

HACKTHORN HALL

1913 – 1920

782713

FORM A.
BRITISH RAINFALL.

21 MAY 1914

2559

REGISTE 1913.

Long.

Kept at Hackthorn — ation 9 a.m.

in the County of Linco — ay Station Lincoln – 8 miles

ain Gauge 5 in.

by William Popple(gard) & E. W. — of Gauge above Ground 4 ft. 6 in.

" " Sea Level about 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.10		.01	.79							1
2			.03	.05		.07			.47		.03		2
3		.01	.10			.03	.02						3
4					.33	.03				.05		.01	4
5	.67	.06			.03	.39	.05		.03	.12	.15	.02	5
6			.02			.01	.03		.02	.42			6
7	.02	.02	.05		.43	.03		.03		.28			7
8		.07			.08	.03				.58	.01		8
9		.01	.01		.48	.07			.01	.08	.08	.01	9
10		.20	.05		.04	.02		.18			.12	.04	10
11				.03	.02		.01				.40		11
12	[snow] .58			snow. .45.		.04		.31			.24		12
13						.02					.25		13
14			.01	.05				.06	.04		.25		14
15	.07	.02	.31	.02						.05	.03		15
16	.17		.36	.22							.14	.01	16
17		.01	.30	.10					.29		.05		17
18		.02	.11	.16		.05			.24				18
19			.15	.07		.03	.03				.02	.02	19
20	.08		.04										20
21	.11		.02	.02					.13	.24	.03		21
22	.03		.10	.01	.08		.18	.01			.15		22
23	.07		.19				.01	.83	.10				23
24	.15					.02	.03	.03	.11				24
25	.03			.08		.16							25
26	.01	.08		.15		.02			.01	.02	.02		26
27		.18	.05	.02		.01				.32	.03	.22	27
28		.03	.01	.02		.10					.01.		28
29	.22	X	.21							.02	~~.29~~	.29 } snow	29
30	.02	X	.15	.28	.34		~~.0~~	.03		.04	~~.13~~	.13 } snow	30
31	.25	X	.01	X		X			X		X		31
Total	~~2.48~~ .02	~~.73~~ .10	~~2.38~~	~~1.73~~ .01	~~1.84~~	~~1.00~~	~~.36~~	~~1.48~~	~~1.45~~	~~2.22~~	~~2.01~~	~~.82~~ .75	YEAR'S TOTAL ~~18.50~~ 18.43
Rain Days.	~~15~~ 16	13	~~22~~ 21	~~16~~ 17	~~10~~ 9	15	8	8	11	12	18	9	
	2.50	.81	2.28	1.74	1.83	1.00	.36	1.48	1.45	2.22	2.01	.75	

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

21 MAY 1914

2559

REGISTE 1913.

Kept at Hackthorn Hall

in the County of Lincoln

by William Popple [gardener to E. W. Cracroft]

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Lincoln - 8 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level about 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·10		·01	~~·79~~							1
2			·03	·05		~~·7~~			·47		·03		2
3		·01	·10			~~·03~~	·02						3
4					·33	~~·05~~				·05		·01	4
5	·67	·06			·03	·39	·05		·03	·12	·15	·02	5
6			·02			·01	·03		·02	·42			6
7	·02	·02	·05		·43	·03		·03		·28			7
8		·07			·08	·03				·58	·01		8
9		·01	·01		·48	·07			·01	·08	·08	·01	9
10		·20	·05		·04	·02		·18			·12	·04	10
11				·03	·02		·01				·40		11
12	[snow] ·58			snow. ·45.		·04		·31			·24		12
13						·02					·25		13
14			·01	·05				·06	·04		·25		14
15	·07	·02	·31	·02						·05	·03		15
16	·17		·36	·22							·14	·01	16
17		·01	·30	·10					·29		·05		17
18		·02	·11	·16		·05			·24				18
19			·15	·07		·03	·03				·02	·02	19
20	·08		·04										20
21	·11		·02	·02					·13	·24	·03		21
22	·03		·10	·01	·08		·18	·01			·15		22
23	·07		·19				·01	·83	·10				23
24	·15					·02	·03	·03	·11				24
25	·03			·08		·16							25
26	·01	·08		·15		·02			·01	·02	·02		26
27		·18	·05	·02		·01				·32	·03	·22	27
28		·03	·01	·02		·10					·01.		28
29	·22	×	·21							·02	~~·29~~	·29 } snow	29
30	·02	×	·15	·28	·34		~~·0~~	·03		·04	~~·13~~	·13 }	30
31	·25	×	·01	×		×			×		×		31
Total	·02 ~~2.48~~	·10 ~~·73~~	~~2.38~~	·01 ~~1.73~~	~~1.84~~	~~1.00~~	~~·36~~	~~1.48~~	~~1.45~~	~~2.22~~	~~2.01~~	~~·82~~ ·75	YEAR'S TOTAL ~~18.50~~ 18·43
Rain Days.	~~15~~ 16	13	~~22~~ 21	~~16~~ 17	~~10~~ 9	15	8	8	11	12	18	9	157
	2·50	·81	2·28	1·74	1·83	1·00	·36	1·48	1·45	2·22	2·01	·75	18·43

W.7,000, XI. 13

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 196 13

Kept at Hackthorn Hall.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·03	·05	—	—	—	—	·47	—	·03	—		1
2	—	·01	·10	—	—	—	·02	—	—	—	—	—		2
3	—	—	—	—	·33	—	—	—	—	·05	—	·01		3
4	·67	·06	—	—	·03	·39	·05	—	·03	·12	·15	·02		4
5	—	—	·02	—	—	·01	·03	—	·02	·42	—	—		5
6	·02	·02	·05	—	·43	·03	—	·03	—	·28	—	—		6
7	—	·07	—	—	·08	·03	—	—	—	·58	·01	—		7
8	—	·01	·01	—	·48	·07	—	—	·01	·08	·08	·01		8
9	—	·20	·05	—	·04	·02	—	·18	—	—	·12	·04		9
10	—	—	—	·03	·02	—	·01	—	—	—	·40	—		10
11	·58	—	—	·45	—	·04	—	·31	—	—	·24	—		11
12	—	—	—	—	—	·02	—	—	—	—	·25	—		12
13	—	—	·01	·05	—	—	—	·06	·04	—	·25	—		13
14	·07	·02	·31	·02	—	—	—	—	—	·05	·03	—		14
15	·17	—	·36	·22	—	—	—	—	—	—	·14	·01		15
16	—	·01	·30	·10	—	—	—	—	·29	—	·05	—		16
17	—	·02	·11	·16	—	·05	—	—	·24	—	—	—		17
18	—	—	·15	·07	—	·03	·03	—	—	—	·02	·02		18
19	·08	—	·04	—	—	—	—	—	—	—	—	—		19
20	·11	—	·02	·02	—	—	—	—	·13	·24	·03	—		20
21	·03	—	·10	·01	·08	—	·18	·01	—	—	·15	—		21
22	·07	—	·19	—	—	—	·01	·83	·10	—	—	—		22
23	·15	—	—	—	—	·02	·03	·03	·11	—	—	—		23
24	·03	—	—	·08	—	·16	—	—	—	—	—	—		24
25	·01	·08	—	·15	—	·02	—	—	·01	·02	·02	—		25
26	—	·18	·05	·02	—	·01	—	—	—	·32	·03	·22		26
27	—	·03	·01	·02	—	·10	—	—	—	—	·01	—		27
28	·22	·10	·21	—	—	—	—	—	—	·02	—	·29		28
29	·02	X	·15	·28	·34	—	—	·03	—	·04	—	·13		29
30	·25	X	·01	·01	—	—	—	—	—	—	—	—		30
31	·02	X	—	X	—	X	—	—	X	—	X	—		31
TOTAL	2·50	·81	2·28	1·74	1·83	1·00	·36	1·48	1·45	2·22	2·01	·75	Year's Total 18·43	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

cwd for W.D. 2.IV.15

Inc. 149

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

5 - JAN 1915

2559

Kept at Hawthorn

in the County of Lincoln 3

by William Popple

Lat. 53¼ Long. 30' W

Time of Observation 9 am

Nearest Railway Station Lincoln 8 miles

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground 4 ft. 8 in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01		·02			·21			·07	·23	1
2			·02		–	–	·76	·26	–	·01	·02	·01	2
3			–				·13	·19			·09	·05	3
4			·24		·16		·15	·02			·03	·05	4
5	·15		·07	·23	·15			·01		·01	·26	·27	5
6	·01		·13	·05	·20	·02	·17	·13			·02		6
7	·~~23~~	·07		·06	·14		·05	·01			·02		7
8	·~~25~~	·05	·21	·05	·08	·04						·05	8
9	·23 ~~32~~	·01	·02	·01	·06	·33		·15	·05			·20	9
10	·25	·01	·04	·03		·75			·04				10
11	·32	·09		·03	·01				·13			·01	11
12		·01	·26	·12	·04	·02			·26		·30		12
13	·02		·02								·04	·16	13
14	·05	·05	·10							·01	·26	·16	14
15			·12				·13			·29	·16	·07	15
16	·05		·03				·03				·34	·08	16
17	·02		·02	–			·07		·04		·02	·21	17
18	·03	·01					–		·27	–			18
19	·					·45	·07				·01	·10	19
20	–		·10				·02				·03	·28	20
21		·02	·07	–						·02		·09	21
22		·19	·14			·10	·03	·07		·01	·01		22
23			·02	·01	·74	·02	·07	·08	–	·15		·04	23
24		·02	·05		·24	·23	·03			·01		·02	24
25				·08						·71	·26		25
26		·02					·01	·07		·15	·03		26
27			·04	–			·01	·15	–		·06	·10	27
28	·02										·01	·44	28
29	·01									·08	·03	·56	29
30	·04	X	·11		·03					·41		·75	30
31	–	X		X		X			X	·02	X	·22	31
		·01	–	·02	–	–	·21	–	–	·07	·23	·86	
Total	~~1.20.~~	~~·55~~	~~1.82~~	~~·67~~	~~1.87.~~	~~1.96.~~	~~1.73.~~	~~1.35.~~	~~·79~~	~~1.88~~	~~2.07.~~	~~4.15.~~	YEAR'S TOTAL ~~20.04~~
Rain Days.	1·20 13	·56 ~~12~~ 13	1·81 ~~21~~ 20	·69 ~~10~~ 11	1·85 ~~12~~ 11	1·96 9	1·94 ~~15~~ 16	1·14 +2 11	·79 6	1·95 ~~13~~ 14	2·23 21	3·98 23	20·10 168

W. 8,000. X. 14.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~14

Kept at Hackthorn

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·02	–	–	–	·76	·26	–	·01	·02	·01		1
2	–	–	–	–	–	–	·13	·19	–	–	·09	·05		2
3	–	–	·24	–	·16	–	·15	·02	–	–	·03	·05		3
4	·15	–	·07	·23	·15	–	–	·01	–	·01	·26	·27		4
5	·01	–	·13	·05	·20	·02	·17	·13	–	–	·02	–		5
6	–	·07	–	·06	·14	–	·05	·01	–	–	·02	–		6
7	–	·05	·21	·05	·08	·04	–	–	–	–	–	·05		7
8	·23	·01	·02	·01	·06	·33	–	·15	·05	–	–	·20		8
9	·25	·01	·04	·03	–	·75	–	–	·04	–	–	–		9
10	·32	·09	–	·03	·01	–	–	–	·13	–	–	·01		10
11	–	·01	·26	·12	·04	·02	–	–	·26	–	·30	–		11
12	·02	–	·02	–	–	–	–	–	–	–	·04	·16		12
13	·05	·05	·10	–	–	–	–	–	–	·01	·26	·16		13
14	–	–	·12	–	–	–	·13	–	–	·29	·16	·07		14
15	·05	–	·03	–	–	–	·03	–	–	–	·34	·08		15
16	·02	–	·02	–	–	–	·07	–	·04	–	·02	·21		16
17	·03	·01	–	–	–	–	–	–	·27	–	–	–		17
18	–	–	–	–	–	·45	·07	–	–	–	·01	·10		18
19	–	–	·10	–	–	–	·02	–	–	–	·03	·28		19
20	–	·02	·07	–	–	–	–	–	–	·02	–	·09		20
21	–	·19	·14	–	–	·10	·03	·07	–	·01	·01	–		21
22	–	–	·02	·01	·74	·02	·07	·08	–	·15	–	·04		22
23	–	·02	·05	–	·24	·23	·03	–	–	·01	–	·02		23
24	–	–	–	·08	–	–	–	–	–	·71	·26	–		24
Rl 25	–	·02	–	–	–	–	·01	·07	–	·15	·03	–		25
26	–	–	·04	–	–	–	·01	·15	–	–	·06	·10		26
27	·02	–	–	–	–	–	–	–	–	–	·01	·44		27
28	·01	·01	–	–	–	–	–	–	–	·08	·03	·56		28
29	·04	X	·11	–	·03	–	–	–	–	·41	–	·75		29
30	–	X	–	·02	–	–	–	–	–	·02	·23	·22		30
31	–	X	–	X	–	X	·21	–	X	·07	X	·06		31
TOTAL	1·20	·56	1·81	·69	1·85	1·96	1·94	1·14	·79	1·95	2·23	3·98	Year's Total 20·10	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)

(P.T.O.)

Slip completed for WD 30-iii-16 ✓

2694

REGISTER OF RAINFALL IN 1915

BRITISH RAINFALL. FORM A.
7 JAN 1916
2559

Kept at Hackthorn
in the County of Lincoln
by William Popple - gardener to E. W. Cracroft

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lincoln - 8 miles S.S.W.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 4 ft. 4 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.10	.14		.03		.01		.13		.06	.01	1
2	.08	.16			.63			.35	.04		.09	.04	2
3		.02	.21	.09		.04		.57	.04	.01			3
4	.34		.03	.08			.84	.08			.01	.27	4
5	.31		.01		.38		1.06	.15			.01	.78	5
6	.04	.05						.08		.01	.08	.48	6
7	.03	.26	.08	.06			.95	.07				.03	7
8	.34	.35	.02			.03	.50	.26	.04			.18	8
9	.02	.04	.02				.01	.19			.06		9
10		.04						.02		.04	.03	.35	10
11	.31							.14			.01	.01	11
12	.05		.03		.40		.20	.03				.19 Snow	12
13	.12			.27	.07		.11	.65		.01	.16		13
14	.01	.47			.18						.79		14
15		.15			.06			.14		.02		.27	15
16	.28							.05			.46 Snow	.10	16
17		.35			.05		.44					.01	17
18		.15					.16					.01	18
19	.02	.12	.07 Snow								.02	.01	19
20		.07					.11			.10	.02		20
21	.08											.42	21
22	.08				.12		.18					.04	22
23	.13		.15	.05	.02							.11	23
24	.01	.12 Snow	.02				.16		.06	.02	.03	.06	24
25		.02 Snow	.18	.02		.01	.16		.36	.03		.20	25
26			.02	.01		.38				.14		.08	26
27	.02	.12				.03	.01					.33	27
28	.01	.07 Snow					.12			.50		.13	28
29						.01		.22		.12		.01	29
30	02	X			.08	.04		.02			.35	.30	+ 30
31	.08	X		X	.01	X	.09		X	.01	X	.04	31
	.10	.14	—	.03	—	.01	—	.13	—	.06	.01	.15	YEAR'S TOTAL
Total	~~2.44~~	~~2.66~~	~~0.98~~	~~0.58~~	~~2.03~~	~~0.54~~	~~5.11~~	~~2.42~~	~~0.67~~	~~1.01~~	~~2.18~~	~~4.46~~	~~25.08~~
	2.48	2.70	.84	.61	2.00	.55	5.10	2.55	.54	1.07	2.13	4.60	25.17
Rain Days.	22	18	12	8	11	8	16	17	5	13	15	26	171

W. 8,000. X. 15.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~ 15

Kept at Hackthorn

in the County of

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·16	—	—	·63	—	—	·35	·04	—	·09	·04		1
2	—	·02	·21	·09	—	·04	—	·57	·04	·01	—	—		2
3	·34	—	·03	·08	—	—	·84	·08	—	—	·01	·27		3
Rl · 4	·31	—	·01	—	·38	—	1·06	·15	—	—	·01	·78		4
5	·04	·05	—	—	—	—	—	·08	—	·01	·08	·48		5
6	·03	·26	·08	·06	—	—	·95	·07	—	—	—	·03		6
7	·34	·35	·02	—	—	·03	·50	·26	·04	—	—	·18		7
8	·02	·04	·02	—	—	—	·01	·19	—	—	·06	—		8
9	—	·04	—	—	—	—	—	·02	—	·04	·03	·35		9
10	·31	—	—	—	—	—	—	·14	—	—	·01	·01		10
11	·05	—	·03	—	·40	—	·20	·03	—	—	—	·19		11
12	·12	—	—	·27	·07	—	·11	·05	—	·01	·16	—		12
13	·01	·47	—	—	·18	—	—	—	—	—	·79	—		13
14	—	·15	—	—	·06	—	—	·14	—	·02	—	·27		14
15	·28	—	—	—	—	—	—	·05	—	—	·46	·10		15
16	—	·35	—	—	·05	—	·44	—	—	—	—	·01		16
17	—	·15	—	—	—	—	·16	—	—	—	—	·01		17
18	·02	·12	·07	—	—	—	—	—	—	—	·02	·01		18
19	—	·07	—	—	—	—	·11	—	—	·10	·02	—		19
20	·08	—	—	—	—	—	—	—	—	—	—	·42		20
21	·08	—	—	—	·12	—	·18	—	—	—	—	·04		21
22	·13	—	·15	·05	·02	—	—	—	—	—	—	·11		22
23	·01	·12	·02	—	—	—	16	—	·06	·02	·03	·06		23
24	—	·02	·18	·02	—	·01	·16	—	·36	·03	—	·20		24
25	—	—	·02	·01	—	·38	—	—	—	·14	—	·08		25
26	·02	12	—	—	—	·03	·01	—	—	—	—	·33		26
27	·01	·07	—	—	—	—	·12	—	—	·50	—	·13		27
28	—	·14	—	—	—	·01	—	·22	—	·12	—	·01		28
29	·02	X	—	—	·08	·04	—	·02	—	—	·35	·30		29
30	·08	X	—	·03	·01	·01	·09	—	—	·01	·01	·04		30
31	·10	X	—	X	—	X	—	·13	X	·06	X	·15		31
TOTAL	2·48	2·70	·84	·61	2·00	·55	5·10	2·55	·54	1·07	2·13	4·60	Year's Total 25·17	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

cwd for W.P.

2629

2559

FORM A. BRITISH RAINFALL. 9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hackthorn

in the County of Lincoln

by William Popple, gardener to E. W. Cracroft

Lat. 53 20" Long. 20" W

Time of Observation 9 a.m.

Nearest Railway Station Lincoln - 8 miles

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground Four ft. eight in.

" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·03.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·10				·09		·01		·10		1
2	·02					·10	·26				·21		2
3	·11	·06	·23		·48		·05		·02	·07	·06		3
4	·11	·36	·03 snow	·02			·08		·37	·12	·05		4
5	·02	·17			·40	·81	·01		·19	·09	·18		5
6	·01		·04 snow		·02	·36				·12	·12		6
7		·23	·10 snow	·02	·24		·17				·39		7
8			·24 snow		·09		·10			·12	·11	·21	8
9			·11 snow		·01						·02	·08	9
10			·10 snow		·59	·33			·03			·11	10
11		·03	·03	·06		·28	·04		·12	·01		·08	11
12	·11	·46	·14	·14	·02	·16	·05		·03			·01	12
13		·03	·11		·18	·23	·22			·01			13
14		·05	·07	·01	·26	·01	·01			·02		·05	14
15		·08	·01		·06	·01		·05		·02			15
16		·10	·32				·07	·19		·01			16
17		·12	·09	·20			·03	·10		·01			17
18	·05			·48			·22	1.27	·23	·12			18
19		·13	·01	·11		·02		·26	·09	·08	·55		19
20	·04	·03	·04	·18				·01	·10		·20	·19 snow	20
21	·02		·26	·06				·10			·02	·03 snow & rain }	21
22	·03	·02	·10					·29				·38	22
23		·15 (snow)	·01	·02		·07				·15	·01	·21 snow & rain }	23
24		·09 (snow)		·03		·12	·03	·01		·01	·08	·37	24
25		·69 snow				·02		·16		·05		·14	25
26		·11 snow	·08					·18		·18	·15		26
27	·01	·13 snow	·04			·13		·10		·03			27
28		·12	·47 snow			·01	·06		·02	·20			28
29		·11	·17			·02						·10	29
30		X			·02	·62		·78		·13		·21	30
31		X		X	·01	X		·03	X	·05	X	·01	31
Total	– ·68.	·10 3.27.	– 3.10.	– 1.33.	– 2.38.	·09 3.30.	– 1.49.	·01 3.53.	– 1.21.	16 1.60.	– 2.25.	·03 2.18.	YEAR'S TOTAL 26.32
Rain Days.	·53 ~~12~~ 11	3.37 ~~21~~ 22	3.00 ~~24~~ 23	12	13	3.39 ~~17~~ 18	1.40 ~~16~~ 15	3.54 ~~14~~ 15	1.20 ~~11~~ 10	1.70 ~~21~~ 22	2.15 15 14	2.21 15 16	26.20 91

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~16

Kept at Hackthorn

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	—	—	·10	·26	—	—	—	·21	—		1
2	·11	·06	·23	—	·48	—	·05	—	·02	·07	·06	—		2
3	·11	·36	·03	·02	—	—	·08	—	·37	·12	·05	—		3
4	·02	·17	—	—	·40	·81	·01	—	·19	·09	·18	—		4
5	·01	—	·04	—	·02	·36	—	—	—	·12	·12	—		5
6	—	·23	·10	·02	·24	—	·17	—	—	—	·39	—		6
7	—	—	·24	—	·09	—	·10	—	—	·12	·11	·21		7
8	—	—	·11	—	·01	—	—	—	—	—	·02	·08		8
9	—	—	·10	—	·59	·33	—	—	·03	—	—	·11		9
10	—	·03	·03	·06	—	·28	·04	—	·12	·01	—	·08		10
11	·11	·46	·14	·14	·02	·16	·05	—	·03	—	—	·01		11
12	—	·03	·11	—	·18	·23	·22	—	—	·01	—	—		12
13	—	·05	·07	·01	·26	·01	·01	—	—	·02	—	·05		13
14	—	·08	·01	—	·06	·01	—	·05	—	·02	—	—		14
15	—	·10	·52	—	—	—	·07	·19	—	·01	—	—		15
16	—	·12	·09	·20	—	—	·03	·10	—	·01	—	—		16
17	·05	—	—	·48	—	—	·22	1·27	·23	·12	—	—		17
18	—	·13	·01	·11	—	·02	—	·26	·09	·08	·55	—		18
19	·04	·03	·04	·18	—	—	—	·01	·10	—	·20	·19		19
20	·02	—	·26	·06	—	—	—	·10	—	—	·02	·03		20
21	·03	·02	·10	—	—	—	—	·29	—	—	—	·38		21
22	—	·15	·01	·02	—	·07	—	—	—	·15	·01	·21		22
23	—	·09	—	·03	—	·12	·03	·01	—	·01	·08	·37		23
24	—	·69	—	—	—	·02	—	·16	—	·05	—	·14		24
25	—	·11	·08	—	—	—	—	·18	—	·18	·15	—		25
26	·01	·13	·04	—	—	·13	—	·10	—	·03	—	—		26
27	—	·12	·47	—	—	·01	·06	—	·02	·20	—	—		27
28	—	·11	·17	—	—	·02	—	—	—	—	—	·10		28
29	—	·10	—	—	·02	·62	—	·78	—	·13	—	·21		29
30	—	X	—	—	·01	·09	—	·03	—	·05	—	·01		30
31	—	X	—	X	—	X	—	·01	X	·10	X	·03		31
TOTAL	·53	3·37	3·00	1·33	2·38	3·39	1·40	3·54	1·20	1·70	2·15	2·21	Year's Total 26·20	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

2494

FORM A. BRITISH RAINFALL. 2559

17. JAN 1010

REGISTER OF RAINFALL IN 1917

and for WD

Kept at Hackthorn

in the County of Lincoln

by William Popple (Gardener)

Lat. N. 53 Long. 30' W

Time of Observation 9. am

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03		01					15	07				1
2		03		25 sn.				1.39	16		07	01	2
3	14			62 sn		05		15			02		3
4		06 sn.				03.		·27		20			4
5		03	02 sn.					·02		29			5
6	31		01.	10					07	02	05		6
7										07	02		7
8	37		01 sn.			02				32			8
9	57			14 sn				1.28		72	08		9
10	14 sn.		01 sn	22 sn				·06			13		10
11	24		63.	06 sn	58			·16	07	10	04		11
12	03			53 sn						20			12
13	12			06.	19			·43		12			13
14	08 sn			04				·18	07	03.	~~01~~ 01		14
15	43 sn							·35			~~02~~	03	15
16				06	02		01	·79		02	~~05~~	05	16
17	09 sn.	14		15			05	·01		02	~~34~~	34	17
18	03	02	06	24	45		04	·03	02	06			18
19	04			03	01		51	·04	37				19
20	04	08	04		11	02			03				20
21		34	04						22		52		21
22		03	04 sn.		01	06		·04					22
23			06 sn.					·21	01	09			23
24		01			11			·07		06	~~02~~	02	24
25						46	02	·03		13	13		25
26		01	04							02	04		26
27			10 sn			04		·39	06	~~07 sn~~	~~07 sn.~~ ·33	07 sn.	27
28			01			06	11	·31			~~02~~	02	28
29			~~05~~			03		·05			~~11~~	11	29
30		✕	05			12				32.	~~06~~	06	30
31	03.	✕	01	✕		✕	38.	·10	✕		✕		31
Total	2.69 2.66	·01 ·75 ·76	1.14 1.13	1.90 1.90	1.48 1.48	·89 ·89	·15 1.12 1.27	6.51 6.43	1.15 1.08	2.79 2.79	1·44 1·44	·02 ·71 ·73	YEAR'S TOTAL 22.57 22.56
Rain Days.	16 15	10	16 15	13	8	10	7 8	23.	10	18	~~9~~ 12	10	153

W. 8,000, IX. 17.

2.34 {The wettest month we have ever recorded}

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 196 17

Kept at Hackthorn .

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·03	—	·25	—	—	—	1·39	·16	—	·07	·01		1
2	·14	—	—	·02	—	·05	—	·15	—	—	·02	—		2
3	—	·06	—	—	—	·03	—	·27	—	·20	—	—		3
4	—	·03	·02	—	—	—	—	·02	—	·29	—	—		4
5	·31	—	·01	·10	—	—	—	—	·07	·02	·05	—		5
6	—	—	—	—	—	—	—	—	—	·07	·02	—		6
7	·37	—	·01	—	—	·02	—	—	—	·32	—	—		7
8	·57	—	—	·14	—	—	—	1·28	—	·72	·08	—		8
9	·14	—	·01	·22	—	—	—	·06	—	—	·13	—		9
10	·24	—	·63	·06	·58	—	—	·16	·07	·10	·04	—		10
11	·03	—	—	·53	—	—	—	—	—	·20	—	—		11
12	·12	—	—	·06	·19	—	—	·43	—	·12	—	—		12
13	·08	—	—	·04	—	—	—	·18	·07	·03	·01	—		13
14	·43	—	—	—	—	—	—	·35	—	—	—	·03		14
15	—	—	—	·06	·02	—	·01	·79	—	·02	—	·05		15
16	·09	·14	—	·15	—	—	·05	·01	—	·02	—	·34		16
17	·03	·02	·06	·24	·45	—	·04	·03	·02	·06	—	—		17
18	·04	—	—	·03	·01	—	·51	·04	·37	—	—	—		18
19	·04	·08	·04	—	·11	·02	—	—	·03	—	—	—		19
20	—	·34	·04	—	—	—	—	—	·22	—	·52	—		20
21	—	·03	·04	—	·01	·06	—	·04	—	—	—	—		21
22	—	—	·06	—	—	—	—	·21	·01	·09	—	—		22
23	—	·01	—	—	·11	—	—	·07	—	·06	—	·02		23
24	—	—	—	—	—	·46	·02	·03	—	·13	·13	—		24
25	—	·01	·04	—	—	—	—	—	—	·02	·04	—		25
26	—	—	·10	—	—	·04	—	·39	·06	—	·33	·07		26
27	—	—	·01	—	—	·06	·11	·31	—	—	—	·02		27
28	—	·01	—	—	—	·03	—	·05	—	—	—	·11		28
29	—	X	·05	—	—	·12	—	—	—	·32	—	·06		29
30	·03	X	·01	—	—	—	·38	·10	—	—	—	—		30
31	—	X	—	X	—	X	·15	·07	X	—	X	·02		31
TOTAL	2·66	·76	1·13	1·90	1·48	·89	1·27	6·43	1·08	2·79	1·44	·73	Year's Total 22·56	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

~~copy~~ WD Gauge

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 2559

4. 1. 19

46

Kept at Hackthorn

in the County of Lincoln

by William Popple (gardener to E. W. Cracroft

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·40 Snow	·14					·02	·04		·07	1
2				·03					·26	·01	·07	·10	2
3		·18	·02	·11				·11	·03	·02	·02	·37	3
4		·02	·06		·36			·30		·01	·32	·01	4
5		·03	·01		·01			·03	·44	·01	·57	·16	5
6			·01		·09			·50	·03	·17		·01	6
7	·01	·03		·30		·02			·02	·01		·01	7
8	·03 Snow	·01		·11		·04			·02	·07	·12	·01	8
9		·02		·03			·05		·30	·03	·02		9
10	·05 Snow	·30		·04		·13	·05		·32	·42		·03	10
11	·03	·05					·26			·14		·07	11
12	·05	·10		·02	·38		·10		·01	·06		·11	12
13		·21		·21			·07	·08	·05	·06		·02	13
14		·01		·02	·12				·14	·01			14
15	·18	·01		·10		·04	·15		·22	·05		·11	15
16	·24 Snow			·08			·13		·30			·30	16
17				·08		·02	·01		·14			·05	17
18	·15 Snow			·01	·84		·49	·03	·16	·10		·20	18
19	·22 ~~sn~~			·01			·10		·34	·01		·41	19
20	·05 ~~sn~~	·02	·03	·01		·02	·01	·02	·01	·06		·60	20
21	·04 ~~sn~~	·05				·06	·29			·03			21
22	·04 ~~sn~~				·08	·05			·16	·03			22
23	·10 ~~sn~~				·03	·01	·02			·16		·40	23
24	·19				·68		·06			·01			24
25		·11			·02		·06		·02	·01			25
26						·32	·15	·32	·02		·25		26
27							·27	·02	·06	·01	·16	·02	27
28						·02	·12	·48	·09		·15	·04	28
29			·21								·14	·26	29
30	·01	✕							·25		·01	·04	30
31	F	✕	·35	✕		✕			✕		✕	·11	31
	–	·40	·14	–	–	–	–	·02	·04	–	·07	·02	YEAR'S TOTAL
Total	1·41	1·15	1·09	1·30	2·61	·73	2·39	1·89	3·41	1·53	2·03	3·51	23·05
Rain Days.	15	16	8	15	10	11	18	10	24	23	12	6	187
	1·39	1·55	·83	1·16	2·61	·73	2·39	1·91	3·43	1·49	2·10	3·46	

W. 6,500. VII. 18. W W C

Section **A** for the entry of Daily Observations

Station No.........................

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1918

Kept at Hackthorn.

in the County of.........................

Diameter of funnel of gauge.................in.

Height of top of gauge above ground.........ft..........in.

Height of ground above sea level.................ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·03	—	—	—	—	·26	·01	·07	·10		1
2	—	18	·02	·11	—	—	—	·11	·03	·02	·02	·37		2
3	—	·02	06	—	36	—	—	·30	—	·01	·52	·01		3
RP. 4	—	·03	·01	—	·01	—	—	·03	·44	·01	·57	·16		4
5	—	—	·01	—	·09	—	—	50	·03	·17	—	·01		5
6	·01	·03	—	·30	—	02	—	—	·02	·01	—	·01		6
7	·03	·01	—	·11	—	·04	—	—	·02	·07	·12	·01		7
8	—	·02	—	·03	—	—	·05	—	·30	·03	·02	—		8
9	·05	·30	—	·04	—	·13	·05	—	·32	·42	—	·03		9
10	·03	·05	—	—	—	—	·26	—	—	·14	—	·07		10
11	·05	·10	—	·02	·38	—	·10	—	·01	·06	—	11		11
12	—	·21	—	·21	—	—	·07	·08	·05	·06	—	·02		12
13	—	·01	—	·02	12	—	—	—	·14	·01	—	—		13
14	·18	·01	—	·10	—	·04	·15	—	·22	·05	—	·11		14
15	·24	—	—	·08	—	—	·13	—	·30	—	—	·30		15
16	—	—	—	·08	—	02	·01	—	·14	—	—	·05		16
17	·15	—	—	·01	·84	—	·49	·03	·16	·10	—	·20		17
18	·22	—	—	·01	—	—	·10	—	·34	·01	—	·41		18
19	·05	·02	03	·01	—	·02	·01	02	·01	·06	—	·60		19
20	·04	·05	—	—	—	·06	·29	—	—	·03	—	—		20
21	·04	—	—	—	·08	·05	—	—	·16	·03	—	—		21
22	10	—	—	—	·03	·01	·02	—	—	·16	—	·40		22
23	·19	—	—	—	·68	—	·06	—	—	·01	—	—		23
24	—	·11	—	—	·02	—	·06	—	·02	·01	—	—		24
25	—	—	—	—	—	·32	·15	·32	·02	—	·25	—		25
26	—	—	—	—	—	—	·27	·02	·06	·01	·16	·02		26
27	—	—	—	—	—	·02	·12	·48	·09	—	·15	·04		27
28	—	·40	·21	—	—	—	—	—	—	—	·14	·26		28
29	·01	X	—	—	—	—	—	—	·25	—	·01	·04		29
30	—	X	·35	—	—	—	—	—	·04	—	·07	·11		30
31	—	X	·14	X	—	X	—	·02	X	—	X	·02		31
TOTAL	1·39	1·55	·83	1·16	2·61	·73	2·39	1·91	3·43	1·49	2·10	3·46	Year's Total 23·05	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

corrd for WD

4 M

2348
2559

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Hackthorn
in the County of Lincoln
by William Copple (Gardener to E. W. Cracroft)

Lat. 53° 20' Long. 30' W.
Time of Observation 9 a.m.
Nearest Railway Station Lincoln - 8 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 8 in.
" " " " Sea Level Abt 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·08.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03 snow			·34		·19	·17			·12	·10	1
2	·22	·05	·03		·23		·25		·04	·05	·01	·12	2
3	·08	·06.	·02				·40		·28		·17	·08	3
4	·50		·01		·04		·72		·06		·28		4
5			·37			·20	·04	·10	·06		·07	·08	5
6	·05							·01	·22			·10	6
7	·01		·03							·02	·03	·18	7
8	·01		·06	·02	·03							·02	8
9	·12				·01						·05	·02	9
10			·03								·11		10
11			·14	·04	·02					·01	·02	·16	11
12			·80	·04	·05		·25			·03	snow ·12	·01	12
13			·39	·02		·08	·12			·02			13
14	·22			·09					·13	·11	·03		14
15	·40			·26			·02		·08		snow ·08	·02	15
16	·26.	·10	·05	·36						·01	·08	·41	16
17		·65		·02							·06		17
18		·25.		·01	·03	·06					·25	·01	18
19							·01	·11	·01		·01	·04	19
20	·02	·15	·40			·07	·48	·51	·03		·13	·02	20
21	·37	·14	·06			·06	·12	·26	·06		·02	·15	21
22	·26.	·40	snow ·10			·01	·12	·01	·02.		·02	·15	22
23		·14					·03.		·55		·02	·40	23
24			·01	·04		·15				·70		·03	24
25			·02	·06	·26.	·40				·14		·08	25
26	·15			·25	·04	·07		·52		·04	·01	·08	26
27		·03	·10	·02				·30	·06	·17		·45	27
28	·05			snow. ·64		·01				·24	·04	·05	28
29	·04 snow			·04			·02	·79		·58		·25	29
30	·08	╳				·04		·15		·07	snow ·20	·08	30
31	·06 snow	╳	·02	╳		╳			╳		╳	·25	31
	·03	–	–	·34	–	·19	·17	–	–	·12	·10	·08	YEAR'S TOTAL
TOTAL	~~2.92~~ 2.93	~~2.07~~ 1.97	2.64	~~1.91~~ 2.25	~~1.05~~ ·71	~~1.15~~ 1.34	~~2.77~~ 2.75	~~2.93~~ 2.76	1.60	~~2.19.~~ 2.31	~~1.93~~ 1.91	~~3.34~~ 3.32	~~26.43.~~ 26.49
Days with ·01 in. or more	19	~~11~~ 10	18.	~~15~~ 16	~~10~~ 9	~~11~~ 12	14	~~11~~ 10	13.	~~14~~ 15	23.	26	185

2649

Section **A** for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~19

COPY

Kept at Hackthorn

in the County of ....

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·05	·03	—	·23	—	·25	—	·04	·05	·01	·12		1
2	·08	·06	·02	—	—	—	·40	—	·28	—	·17	·08		2
3	·50	—	·01	—	·04	—	·72	—	·06	—	·28	—		3
4	—	—	·37	—	—	·20	·04	·10	·06	—	·07	·08		4
5	·05	—	—	—	—	—	—	·01	·22	—	—	·10		5
6	·01	—	·03	—	—	—	—	—	—	·02	·03	·18		6
7	·01	—	·06	·02	·03	—	—	—	—	—	—	·02		7
8	·12	—	—	—	·01	—	—	—	—	—	·05	·02		8
9	—	—	·03	—	—	—	—	—	—	—	·11	—		9
10	—	—	·14	·04	·02	—	—	—	—	·01	·02	·16		10
11	—	—	·80	·04	·05	—	·25	—	—	·03	·12	·01		11
12	—	—	·39	·02	—	·08	·12	—	—	·02	—	—		12
13	·22	—	—	·09	—	—	—	—	·13	·11	·03	—		13
14	·40	—	—	·26	—	—	·02	—	·08	—	·08	·02		14
15	·26	·10	·05	·36	—	—	—	—	—	·01	·08	·41		15
16	—	·65	—	·02	—	—	—	—	—	—	·06	—		16
17	—	·25	—	·01	·03	·06	—	—	—	—	·25	·01		17
18	—	—	—	—	—	—	·01	·11	·01	—	·01	·04		18
19	·02	·15	·40	—	—	·07	·48	·51	·03	—	·13	·02		19
20	·37	·14	·06	—	—	·06	·12	·26	·06	—	·02	·15		20
21	·26	·40	10	—	—	·01	·12	·01	·02	—	·02	·15		21
22	—	·14	—	—	—	—	·03	—	·55	—	·02	·40		22
23	—	—	·01	·04	—	·15	—	—	—	·70	—	·03		23
24	—	—	·02	·06	·26	·40	—	—	—	·14	—	·08		24
25	·15	—	—	·25	·04	·07	—	·52	—	·04	·01	·08		25
26	—	·03	·10	·02	—	—	—	·30	·06	·17	—	·45		26
27	·05	—	—	·64	—	·01	—	—	—	·24	·04	·05		27
28	·04	—	—	·04	—	—	·02	·79	—	·58	—	·25		28
29	·08	X	—	—	—	·04	—	·15	—	·07	·20	·08		29
30	·06	X	·02	·34	—	·19	—	—	—	—	·10	·25		30
31	·03	X	—	X		X	·17	—	X	·12	X	·08		31
TOTAL	2·93	1·97	2·64	2·25	·71	1·34	2·75	2·76	1·60	2·31	1·91	3·32	Year's Total 26·49	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Conf WD   Ex Pl   2248   2559

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hackthorn

in the County of Lincoln

by William Popple (gardener to E. W. Cracroft)

Lat. 53.20" Long. 30 W

Time of Observation 9 a.m.

Nearest Railway Station Lincoln - 8 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 8 in.

" " " " Sea Level abt 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.22		·01	·13	·01	·02	·41		·10	·20	·12	1
2				·15	·21		·29			·25	·05	·02	2
3				·13			·05		·06	·10		·13	3
4		·02		·18		·07	·25	·01	·12	·15		·06	4
5				·22	·02		·11	·38	·03	·37		·05	5
6			·01	·03	·27		·12	·23	·10			·04	6
7			·12	·04	·03		·10					·10	7
8	·02	·01	·06	·04			·24					·02	8
9	·05	·05		·41	·05		·03			·01	·01		9
10	·13	·02		·42			·02	·11	·02				10
11	·14	·09	·05	·03			·05	·01				·03	11
12	·22		·05	·14									12
13	·02			·22	·04		·03	·02					13
14		·03	·07	·22		·45			·06			snow ·08	14
15	·01		·32	·15		·19	·03		·25		·11	snow ·03	15
16	·01	·04	snow? 1.34s	·16			·01		·10	·41		snow ·03	16
17			·01	·04			·05		·03	·62			17
18							·05		·34	·02		·04	18
19	·08			·03	·12	·14		·02	·06			·01	19
20	·08	1.50		·31	·07	·03		·15	·10				20
21	·04	·25		·50		·45	·02		·01				21
22				·06			·20	·06					22
23	·02			·19			·03		·07				23
24							·02		·02			·23	24
25			·16	·05		·04		·01				·11	25
26	·05	·04	·11	·04			·61			~~·03~~	·03		26
27	·06		·03	·08	·27		·04						27
28	·19	·03		·14	1.59	·14				~~·12~~	·12	·23	28
29	·52		·20	·11	·01	·02	·02			~~·18~~	·18	·03	29
30	·05	X	·22		·68		·02			~~·4~~	·04	·40	30
31	03	X	·01 01	X	·05	X			X		X	·23	31 25.46
Total	·22 ~~1.80~~ 1.94	~~2.30~~ 2.08	~~2.76~~ ~~15~~ 2.77	·13 ~~4.10~~ 4.22	·01 ~~3.54~~ 3.42	·02 ~~1.54~~ 1.55	·41 ~~2.41~~ 2.80	· ~~1.41~~ 1.00	10 ~~1.37~~ 1.47	·20 ~~1.43~~ 1.53	·12 ~~·74~~ ·66	·15 ~~1.99~~ 2.02	YEAR'S TOTAL ~~25.39~~
Days with ·01 in. or more	19	~~12~~ 11	~~15~~ 16	27	14	10	24	~~11~~ 10	~~15~~ 16	9	8	20	184
Days with ·04 in. or more	13	~~7~~ 6	11	~~23~~ 24	~~11~~ 10	7	~~13~~ 14	~~6~~ 5	~~10~~ 11	6	6.	13.	126

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

Metform 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~20

Kept at Hackthorn.

in the County of

Diameter of funnel of gauge ..... in.
Height of top of gauge above ground ..... ft. ..... in.
Height of ground above sea level ..... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·15	·21	—	·29	—	—	·25	·05	·02		1
2	—	—	—	·13	—	—	·05	—	·06	·10	—	·13		2
3	—	·02	—	·18	—	·07	·25	·01	·12	·15	—	·06		3
4	—	—	—	·22	·02	—	·11	·38	·03	·37	—	·05		4
5	—	—	·01	·03	·27	—	·12	·23	·10	—	—	·04		5
6	—	—	·12	·04	·03	—	·10	—	—	—	—	·10		6
7	·02	·01	·06	·04	—	—	·24	—	—	—	—	·02		7
8	·05	·05	—	·41	·05	—	·03	—	—	·01	·01	—		8
9	·13	·02	—	·42	—	—	·02	·11	·02	—	—	—		9
10	·14	·09	·05	·03	—	—	·05	·01	—	—	—	·03		10
11	·22	—	·05	·14	—	—	—	—	—	—	—	—		11
12	·02	—	—	·22	·04	—	·03	·02	—	—	—	—		12
13	—	·03	·07	·22	—	·45	—	—	·06	—	—	·08		13
14	·01	—	·32	·15	—	·19	·03	—	·25	—	·11	·03		14
15	·01	·04	1·34	·16	—	—	·01	—	·10	·41	—	·03		15
16	—	—	·01	·04	—	—	·05	—	·03	·02	—	—		16
17	—	—	—	—	—	—	·05	—	·34	·02	—	·04		17
18	·08	—	—	·03	·12	·14	—	·02	·06	—	—	·01		18
19	·08	1·50	—	·31	·07	·03	—	·15	·10	—	—	—		19
20	·04	·25	—	·50	—	·45	·02	—	·01	—	—	—		20
21	—	—	—	·06	—	—	·20	·06	—	—	—	—		21
22	·02	—	—	·19	—	—	·03	—	·07	—	—	—		22
23	—	—	—	—	—	—	·02	—	·02	—	—	·23		23
24	—	—	·16	·05	—	·04	—	·01	—	—	—	·11		24
25	·05	·04	·11	·04	—	—	·61	—	—	—	·03	—		25
26	·06	—	·03	·08	·27	—	·04	—	—	—	—	—		26
27	·19	·03	—	·14	1·59	·14	—	—	—	—	·12	·23		27
28	·52	—	·20	·11	·01	·02	·02	—	—	—	·18	·03		28
29	·05	—	·22	—	·68	—	·02	—	—	—	·04	·40		29
30	·03	X	·01	·13	·05	·02	—	—	·10	—	·12	·23		30
31	·22	X	·01	X	·01	X	·41	—	X	·20	X	·15		31
TOTAL	1·94	2·08	2·77	4·22	3·42	1·55	2·80	1·00	1·47	1·53	·66	2·02	Year's Total 25·46	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

LINCOLNSHIRE

HAGWORTHINGHAM

GLEBE HSE

1911 — 1920

RE 1

FORM A2. BRITISH RAINFALL. 3 JAN 19

Kept at Hagworth 5 in.

Ground 1 ft. 1 in.

in the County of Lin

Sea Level 252 ft. 2564

by R. Wrigh a.m.

Name Spilsby

Distance 4½ Direction S. E.

IMPORTANT NOT the result entered to the previous day. If an O ersal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placi tish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·11	—	—	—	—	—	—	0·03	—	0·04	0·05	0·06	1
2	0·29	—	0·02	—	0·15	0·14	0·01	—	—	0·11	0·03	0·12	2
3	0·01	0·07	—	0·08	0·15	—	—	0·05	—	0·10	0·02	—	3
4	0·02	0·01	0·10	0·10	—	—	—	—	0·02	0·23	0·10	0·21	4
5	0·06	—	—	0·13	—	—	—	0·08	—	0·03	—	0·25	5
6	0·46	—	0·04	—	—	—	—	0·05	—	—	0·10	0·30	6
7	—	—	—	—	—	—	—	—	—	—	0·13	0·23	7
8	0·21	—	0·17	—	—	—	—	—	0·01	—	0·15	0·09	8
9	0·02	—	0·07	0·05	—	0·02	—	—	—	—	—	0·01	9
10	0·06	0·03	0·17	—	—	—	—	0·09	—	—	0·07	0·26	10
11	0·20	0·08	—	—	—	—	—	0·01	—	—	0·40	—	11
12	0·27	—	0·35	—	0·02	—	—	—	0·29	—	—	0·01	12
13	—	—	0·25	—	—	0·15	—	—	—	0·09	0·02	0·41	13
14	—	0·06	0·21	—	0·42	—	—	—	—	—	—	0·50	14
15	—	0·18	0·29	—	—	—	—	—	0·01	—	0·06	0·04	15
16	—	—	0·08	—	—	0·04	—	—	—	—	0·20	0·10	16
17	—	—	0·03	—	—	0·18	—	—	—	—	0·02	0·15	17
18	—	0·09	—	—	—	0·26	—	—	—	—	0·39	0·02	18
19	—	—	—	—	0·01	0·75	0·08	0·24	0·01	0·06	0·16	0·01	19
20	—	—	—	0·11	—	—	0·02	1·98	0·40	0·03	0·02	0·31	20
21	—	0·37	—	—	—	—	—	0·61	—	0·02	0·04	0·02	21
22	0·05	—	0·01	—	—	0·03	—	0·06	—	0·10	0·09	0·20	22
23	—	0·05	0·34	—	0·01	1·50	—	0·01	0·57	—	—	0·13	23
24	—	0·06	0·03	0·06	—	1·70	—	0·01	—	0·58	—	0·08	24
25	—	—	0·08	0·25	—	0·11	—	0·02	—	—	0·03	0·12	25
26	—	—	—	0·04	—	—	—	—	—	0·32	0·38	0·31	26
27	—	0·16	0·14	0·40	—	—	—	0·38	0·22	0·05	—	0·01	27
28	—	0·68	—	0·30	—	0·05	—	—	—	0·02	—	0·10	28
29	—	×	—	0·01	—	0·09	0·08	—	0·54	0·46	—	0·02	29
30	—	×	0·02	—	0·14	—	—	—	0·19	0·10	—	0·01	30
31	—	×	0·03	×	—	×	—	—	×	—	×	0·02	31
Total	1·76	1·84	2·43	1·53	·90	5·02	0·19	3·62	2·26	2·34	2·44	4·10	TOTAL for year 28·45
No. of Rain Days	12	12	19	11	7	13	4	14	10	16	20	29	167

9,000, IX. '10.

REGISTER OF RAINFALL IN

W5 15

FORM A2.
BRITISH RAINFALL
5 JAN 19

2564

Kept at Hagworthingham

in the County of Lincoln 4

by R. Wright

RAIN GAUGE	Pattern
	Diameter of top 5 in.
	Height of top above Ground 1 ft. 1 in.
	" " " Sea Level 252 ft.

Time of Observation 9 a.m.

Nearest Railway Station — Name Spilsby — Distance 4½ — Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·11	—	—	—	—	—	—	0·03	—	0·04	0·05	0·06	1
2	0·29	—	0·02	—	0·15	0·14	0·01	—	—	0·11	0·03	0·12	2
3	0·01	0·07	—	0·08	0·15	—	—	0·05	—	0·10	0·02	—	3
4	0·02	0·01	0·10	0·10	—	—	—	—	0·02	0·23	0·10	0·21	4
5	0·06	—	—	0·13	—	—	—	0·08	—	0·03	—	0·25	5
6	0·46	—	0·04	—	—	—	—	0·05	—	—	0·10	0·30	6
7	—	—	—	—	—	—	—	—	—	—	0·13	0·23	7
8	0·21	—	0·17	—	—	—	—	—	0·01	—	0·15	0·09	8
9	0·02	—	0·07	0·05	—	0·02	—	—	—	—	—	0·01	9
10	0·06	0·03	0·17	—	—	—	—	0·09	—	—	0·07	0·26	10
11	0·20	0·08	—	—	—	—	—	0·01	—	—	0·40	—	11
12	0·27	—	0·35	—	0·02	—	—	—	0·29	—	—	0·01	12
13	—	—	0·25	—	—	0·15	—	—	—	0·09	0·02	0·41	13
14	—	0·06	0·21	—	0·42	—	—	—	—	—	—	0·50	14
15	—	0·18	0·29	—	—	—	—	—	0·01	—	0·06	0·04	15
16	—	—	0·08	—	—	0·04	—	—	—	—	0·20	0·10	16
17	—	—	0·03	—	—	0·18	—	—	—	—	0·02	0·15	17
18	—	0·09	—	—	—	0·26	—	—	—	—	0·39	0·02	18
19	—	—	—	—	0·01	0·75	0·08	0·24	0·01	0·06	0·16	0·01	19
20	—	—	—	0·11	—	—	0·02	1·98	0·40	0·03	0·02	0·31	20
21	—	0·37	—	—	—	—	—	0·61	—	0·02	0·04	0·02	21
22	0·05	—	0·01	—	—	0·03	—	0·06	—	0·10	0·09	0·20	22
23	—	0·05	0·34	—	0·01	1·50	—	0·01	0·57	—	—	0·13	23
24	—	0·06	0·03	0·06	—	1·70	—	0·01	—	0·58	—	0·08	24
25	—	—	0·08	0·25	—	0·11	—	0·02	—	—	0·03	0·12	25
26	—	—	—	0·04	—	—	—	—	—	0·32	0·38	0·31	26
27	—	0·16	0·14	0·40	—	—	—	0·38	0·22	0·05	—	0·01	27
28	—	0·68	—	0·30	—	0·05	—	—	—	0·02	—	0·10	28
29	—	X	—	0·01	—	0·09	0·08	—	0·54	0·46	—	0·02	29
30	—	X	0·02	—	0·14	—	—	—	0·19	0·10	—	0·01	30
31	—	X	0·03	X	—	X	—	—	X	—	X	0·02	31
Total	1·76	1·84	2·43	1·53	·90	5·02	0·19	3·62	2·26	2·34	2·44	4·10	TOTAL for year 28·45
No. of Rain Days	12	12	19	11	7	13	4	14	10	16	20	29	167

9,000, IX. '10.

Ex M L

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

Kept at Hagworthingham
in the County of Lincoln 4
by R. Wright

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 252 ft.
2264
Time of Observation 9. a. m.
Nearest Railway Station
Name Spilsby
Distance 4½ Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	0.24	0.16	0.19	0.10	—	—	0.70	1
2	—	—	—	—	—	0.05	0.66	—	—	0.04	—	—	2
3	0.22	0.02	—	—	0.11	0.35	—	0.34	0.11	0.01	—	0.16	3
4	0.08	0.03	0.25	—	0.02	0.39	—	0.04	—	—	0.46	—	4
5	0.10	—	—	—	—	0.47	—	—	0.01	—	—	—	5
6	0.87	0.02	—	—	0.03	—	0.35	0.17	0.24	—	—	0.03	6
7	0.10	0.16	—	—	—	0.10	—	—	0.16	—	—	0.01	7
8	0.30	—	—	—	—	0.11	0.07	0.10	0.30	—	—	—	8
9	—	0.03	0.07	0.09	—	0.13	—	—	0.04	—	—	0.35	9
10	0.02	0.20	0.02	—	—	0.03	—	0.35	0.12	—	0.08	—	10
11	0.11	—	—	—	0.01	—	—	—	0.02	—	0.01	0.34	11
12	0.08	0.03	0.24	—	—	0.11	—	—	—	—	0.64	—	12
13	0.08	0.28	—	—	—	0.03	—	0.05	—	0.05	0.44	—	13
14	0.08	0.03	0.14	—	—	0.11	—	0.12	0.03	—	0.03	0.04	14
15	0.02	—	0.24	—	0.36	0.26	—	—	—	—	—	—	15
16	0.12	—	0.18	—	0.13	0.12	—	0.17	—	0.25	0.01	—	16
17	0.31	—	0.27	—	—	0.47	—	0.23	—	—	—	0.09	17
18	0.20	—	0.09	—	—	0.01	0.07	—	—	0.08	—	0.07	18
19	0.37	0.32	—	—	—	0.10	0.08	0.16	—	0.02	0.04	—	19
20	0.12	—	—	—	0.07	—	0.96	0.03	—	0.21	—	—	20
21	—	0.01	0.71	—	0.50	—	0.12	—	—	—	0.0~~4~~5	—	21
22	—	0.10	0.16	—	0.80	0.06	0.35	0.12	—	0.04	—	0.20	22
23	0.14	0.02	—	—	0.07	—	0.25	0.50	—	—	0.12	—	23
24	0.16	—	0.03	—	—	0.13	0.30	0.02	—	—	—	0.16	24
25	0.05	—	—	—	—	0.67	0.02	0.41	—	—	0.19	0.27	25
26	—	—	0.03	—	—	0.01	0.07	2.35	—	0.74	0.08	0.33	26
27	—	0.01	—	—	—	0.06	0.24	0.02	—	0.53	—	0.33	27
28	—	—	—	0.01	0.05	—	—	0.62	—	0.23	0.78	0.43	28
29	—	—	—	—	—	0.09	0.14	0.06	0.62	0.23	0.45	—	29
30	—	X	0.01	—	0.02	0.02	0.04	—	0.50	0.50	—	—	30
31	—	X	0.12	X	0.07	X	0.55	0.26	X	0.07	X	—	31
Total	3.53	1.26	2.56	0.10	2.24	4.12	4.43	~~4~~6.31	2.25	3.00	3.38	3.57	TOTAL for year
No. of Rain Days.	20	14	15	2	13	24	17	21	12	14	14	15	3~~4~~6.69

~~181~~

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914
2564

Kept at Hagworthingham
in the County of Lincoln 4
by R. Wright

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Spilsby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.21	0.04	—	—	—	—	0.68	—	0.21	—	1
2	0.03	0.03	0.05	0.05	—	—	0.11	—	—	—	—	—	2
3	—	—	0.11	—	—	—	—	—	0.01	0.10	—	—	3
4	0.50	—	—	—	0.40	0.01	0.06	—	0.09	0.34	0.29	—	4
5	0.05	—	—	—	0.08	—	—	—	0.03	2.75	—	0.08	5
6	—	—	—	—	0.35	0.10	—	0.04	—	0.93	0.06	—	6
7	—	0.03	—	—	0.04	0.06	—	—	—	0.71	—	—	7
8	—	—	—	—	0.59	0.14	—	—	—	—	0.14	—	8
9	—	0.25	—	0.03	0.07	0.03	—	0.11	—	—	0.16	—	9
10	—	—	—	0.05	—	—	0.61	—	—	—	0.52	—	10
11	0.61	—	—	0.42	—	0.05	—	—	—	—	0.18	—	11
12	—	—	—	—	—	0.04	—	—	—	—	0.22	—	12
13	—	—	0.04	0.02	—	—	—	0.03	—	—	—	—	13
14	0.03	0.03	0.43	—	—	—	0.30	—	—	0.11	0.08	—	14
15	0.16	—	0.30	0.42	—	—	—	—	0.20	—	0.06	—	15
16	0.10	0.02	0.50	0.15	—	—	—	—	0.31	—	—	—	16
17	0.05	0.08	0.48	0.10	—	0.12	—	—	0.35	—	—	0.03	17
18	—	—	0.14	0.04	—	—	—	—	—	—	0.05	—	18
19	—	—	0.04	—	—	—	—	0.03	0.10	—	—	0.05	19
20	0.39	—	0.07	—	—	—	—	—	—	[illegible]	—	—	20
21	0.06	—	0.14	—	0.01	—	0.34	—	—	·38	0.23	—	21
22	0.16	—	0.17	—	—	—	0.16	0.29	0.09	—	—	—	22
23	0.10	—	—	—	—	0.05	0.08	0.02	0.06	—	—	—	23
24	—	—	—	0.08	—	0.07	—	0.05	—	—	0.10	—	24
25	—	—	—	0.15	—	—	—	—	—	—	—	0.01	25
26	—	0.19	0.04	0.04	—	—	—	—	—	0.50	0.10	0.15	26
27	—	0.05	—	—	0.04	0.04	—	—	—	—	—		27
28	0.29	—	0.08	0.15	—	—	—	—	—	0.13	0.01	0.08	28
29	0.15	×	0.18	0.50	—	—	—	0.05	—	—	—	0.07	29
30	0.29	×	—	—	—	—	—	—	—	0.03	—	—	30
31	—	×	—	×	0.03	×	—	0.03	×	—	×	—	31
Total	2.97	0.68	2.95	2.24	1.61	0.71	1.66	0.65	1.92	5.98	2.41	0.47	YEAR'S TOTAL 24.25
Rain Days.	15	8	16	15	9	11	7	9	10	10	15	7	132

Ex'd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Hagworthingham
in the County of Lincoln 4
by R. Wright

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Spilsby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	0·17	0·41	—	0·02	0·09	—	1
2	—	—	—	—	—	—	0·05	0·12	—	—	0·12	0·16	2
3	—	—	0·16	—	0·16	—	—	—	—	—	—	0·01	3
4	0·15	—	0·09	0·26	—	—	—	0·01	—	—	0·34	0·07	4
5	—	—	0·21	0·03	0·12	—	0·03	0·21	—	—	—	—	5
6	—	0·06	—	0·10	0·21	—	0·14	0·02	—	—	0·09	0·07	6
7	—	0·05	0·25	0·14	0·01	0·09	—	—	—	—	—	0·06	7
8	0·31	0·15	0·04	—	0·10	1·16	0·03	0·17	0·01	—	0·02	—	8
9	0·37	0·01	0·09	0·11	0·01	0·90	—	0·01	0·04	0·01	—	—	9
10	0·82	0·07	—	0·03	—	—	—	—	0·06	—	—	—	10
11	—	0·04	0·41	0·31	—	0·04	—	—	0·12	—	0·35	0·30	11
12	0·15	0·01	—	—	0·08	—	0·18	—	0·17	—	0·01	0·42	12
13	0·02	0·12	0·27	—	—	—	—	—	—	0·14	0·11	0·22	13
14	—	0·01	0·19	—	—	—	—	—	—	0·10	0·15	0·17	14
15	—	—	0·19	—	—	—	0·06	—	—	—	0·23	0·58	15
16	0·06	—	0·06	—	—	—	—	—	0·03	—	0·03	—	16
17	0·04	0·23	—	—	—	—	—	—	0·26	—	0·02	0·29	17
18	—	—	0·04	—	—	—	0·09	—	0·02	—	0·06	0·41	18
19	—	—	0·13	—	—	—	0·09	—	0·31	—	0·12	0·10	19
20	—	0·05	0·30	—	—	—	—	—	0·03	0·38	—	0·31	20
21	0·05	0·17	0·20	—	—	—	—	—	—	0·06	0·02	0·13	21
22	—	—	—	—	0·40	—	0·14	0·10	—	0·28	—	0·07	22
23	—	0·07	0·05	0·05	0·03	0·05	0·11	—	—	—	—	0·10	23
24	—	—	—	0·07	—	—	—	0·06	—	0·12	0·28	—	24
25	—	—	—	—	—	—	0·01	0·08	—	0·76	0·04	0·01	25
26	—	—	—	—	—	—	0·04	0·24	—	0·12	0·35	0·49	26
27	—	—	—	—	—	—	—	—	—	—	—	0·30	27
28	0·06	0·04	—	—	—	—	—	—	—	0·02	0·37	1·45	28
29	0·06	X	0·14	—	—	—	—	—	—	0·79	0·03	—	29
30	—	X	—	—	—	—	—	—	—	0·03	0·28	0·29	30
31	—	X	—	X	—	X	0·45	0·05	X	0·11	X	0·15	31
Total	2·09	1·08	2·82	1·10	1·12	2·24	1·59	1·48	1·05	2·94	3·11	6·16	YEAR'S TOTAL 26·78
Rain Days.	11	14	17	9	9	5	14	12	10	14	21	23	159

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
6 JAN 1916
2564

Kept at Hagworthingham
in the County of Lincoln
by R. Wright

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Spilsby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 252 π ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·41	0·42	0·02	—	0·50	—	—	—	0·41	—	0·18	0·10	1
2	—	0·04	0·41	0·14	—	0·03	—	0·76	—	—	0·14	—	2
3	0·45	—	0·06	0·06	~~0~~ —	—	0·45	0·04	0·02	—	0·06	0·26	3
4	0·02	—	—	—	—	—	1·67	0·13	—	—	0·05	0·95	4
5	0·07	0·02	—	—	0·09	—	—	0·32	—	0·02	0·08	0·42	5
6	0·07	0·37	0·10	0·11	0·01	—	0·73	0·04	—	—	—	0·07	6
7	0·38	0·42	0·30	—	—	—	0·85	0·22	—	—	0·05	0·59	7
8	0·04	0·02	—	—	—	0·04	0·04	0·03	—	—	0·05	—	8
9	—	0·13	—	—	—	—	—	0·14	—	0·01	0·06	0·41	9
10	0·50	0·01	0·01	—	—	—	—	0·21	—	—	—	—	10
11	0·03	—	—	—	0·23	—	0·35	0·02	—	—	0·30	0·10	11
12	0·13	—	—	0·22	0·14	—	0·10	0·12	—	0·07	1·44	0·02	12
13	0·02	0·67	—	—	0·23	—	—	0·02	—	—	0·03	—	13
14	—	0·29	—	—	0·03	—	0·25	0·31	—	—	0·50	0·36	14
15	0·49	—	—	—	—	—	0·06	0·05	—	—	—	0·14	15
16	—	0·40	—	—	—	—	1·02	0·14	—	0·05	—	0·05	16
17	0·08	0·12	—	—	—	—	0·14	—	—	0·16	—	0·03	17
18	—	0·05	0·21	—	—	—	—	—	—	—	0·08	0·02	18
19	—	—	0·03	—	—	—	0·10	—	—	0·08	0·02	—	19
20	0·20	—	—	0·02	—	—	—	—	—	0·07	—	0·44	20
21	0·16	0·07	—	—	—	—	0·21	—	—	—	—	0·06	21
22	0·15	—	0·15	0·02	—	—	0·35	—	—	—	—	0·30	22
23	0·08	—	—	—	—	—	0·15	—	—	0·03	0·05	0·04	23
24	—	0·08	0·21	—	—	—	0·03	—	0·34	—	—	0·21	24
25	0·01	0·08	—	—	—	0·26	0·05	—	—	0·05	0·04	0·17	25
26	0·05	0·23	0·04	—	—	0·02	—	—	—	—	0·04	0·48	26
27	0·03	0·06	0·05	—	—	—	0·01	—	—	0·70	—	0·08	27
28	—	0·05	0·05	—	—	0·02	—	0·16	0·02	0·43	—	—	28
29	—	X	—	—	—	—	0·05	0·08	—	—	0·51	0·36	29
30	0·15	X	—	0·03	—	0·01	0·02	—	—	—	—	0·04	30
31	0·14	X	—	X	—	X	—	0·28	X	0·24	X	0·18	31
Total	3·66	3·53	1·64	0·60	1·23	0·38	6·63	3·07	0·79	1·91	3·68	5·88	YEAR'S TOTAL 33·00
Rain Days.	22	19	13	7	7	6	20	18	4	12	18	25	171

W. 8,000. X. 14.

2638

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

3 JAN 1917

2564

Kept at Hagworthingham
in the County of Lincoln
by R. Wright

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	—	0.02	—	—	0.08	0.17	—	—	—	0.24	—	1
2	0.23	0.10	0.13	—	0.32	—	0.09	—	0.03	0.09	0.06	—	2
3	—	0.11	0.04	—	—	—	0.46	—	1.37	0.20	0.05	—	3
4	0.23	0.25	—	—	0.22	0.46	—	—	0.09	0.04	0.26	—	4
5	0.06	0.01	0.20	—	—	0.66	—	—	—	0.38	0.09	0.09	5
6	0.01	0.13	0.25	0.16	0.23	0.02	0.11	—	—	—	0.31	—	6
7	—	0.01	0.12	—	0.41	—	0.15	—	—	0.10	0.51	0.10	7
8	—	—	0.35	—	0.04	—	—	—	—	—	0.04	0.27	8
9	—	—	0.15	—	0.53	0.31	—	—	0.02	—	—	0.26	9
10	—	0.06	0.85	0.06	—	0.29	0.01	0.07	0.12	0.04	0.01	0.06	10
11	0.10	0.60	0.51	0.19	0.02	0.36	0.03	—	0.01	—	—	0.03	11
12	0.01	0.03	0.15	—	0.12	0.42	0.11	—	—	0.03	—	0.01	12
13	—	0.12	0.08	—	0.14	0.01	0.01	0.17	—	0.02	—	0.04	13
14	—	0.03	0.01	—	0.18	—	—	0.05	—	0.04	—	0.05	14
15	—	0.22	0.77	—	—	—	0.01	0.25	0.06	0.09	—	—	15
16	—	0.02	0.06	0.23	—	—	0.04	0.56	—	0.03	—	0.25	16
17	0.05	—	—	0.47	—	—	0.20	—	0.30	0.13	—	—	17
18	—	0.16	—	0.29	—	—	—	0.32	0.04	0.13	0.76	—	18
19	0.16	—	—	0.30	—	—	—	—	0.06	—	0.27	0.05	19
20	0.08	—	0.15	0.02	—	—	—	0.16	—	—	0.11	0.30	20
21	—	0.15	0.26	0.24	0.12	—	0.06	—	—	—	—	0.66	21
22	—	0.11	0.01	—	0.10	0.04	—	—	—	0.05	—	0.46	22
23	—	0.11	—	—	—	0.37	0.02	—	—	—	0.15	0.39	23
24	—	1.02	—	—	—	0.02	—	0.11	—	0.17	—	0.12	24
25	—	0.14	0.22	—	—	—	—	0.31	—	0.11	0.16	0.04	25
26	—	0.22	—	—	—	0.05	—	0.47	—	0.07	0.20	—	26
27	—	0.15	0.29	—	—	—	—	—	—	0.10	—	—	27
28	—	0.20	0.83	—	—	—	—	—	—	0.03	0.01	0.20	28
29	—	0.17	—	—	—	0.27	—	0.36	—	0.14	—	0.22	29
30	—	✕	—	—	—	—	—	0.21	—	0.17	—	0.02	30
31	0.01	✕	—	✕	—	✕	—	—	✕	0.01	✕	0.03	31
Total	0.99	4.12	4.62	1.96	2.43	3.36	1.47	3.04 7	2.10	2.17	3.23	3.65	YEAR'S TOTAL 33.14
Rain Days.	11	23	21	9	12	14	14	12	10	22	16	21	185

W. 8,000. X. 15.

2504

FORM A.
BRITISH RAINFALL.

4 JAN 1918

2564

REGISTER OF RAINFALL 30 IN 1917

Kept at Hagworthingham
in the County of Lincoln
by R. Wright

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·04	—	0·19	—	—	—	1·25	0·12	—	0·05	—	1
2	0·09	—	—	0·13	—	0·20	—	0·38	0·02	—	0·03	—	2
3	—	0·25	—	0·17	—	0·05	—	0·64	—	0·30	0·01	—	3
4	—	—	0·07	—	—	—	—	—	—	0·41	—	—	4
5	0·23	—	0·02	0·17	—	—	—	—	0·08	—	0·25	—	5
6	—	—	—	—	—	0·02	—	—	0·12	—	0·04	—	6
7	0·53	—	—	0·07	—	0·36	—	—	—	0·79	—	—	7
8	0·68	—	0·05	0·09	—	—	0·07	0·59	—	0·69	0·14	—	8
9	0·07	—	0·07	0·14	—	—	—	0·07	—	—	0·19	0·03	9
10	0·40	—	0·51	0·12	0·01	—	—	0·17	0·02	0·08	0·10	—	10
11	0·05	—	0·02	0·66	—	—	—	0·33	—	0·32	—	—	11
12	0·14	0·11	—	0·02	0·55	—	—	0·80	—	0·21	0·04	—	12
13	0·07	—	—	0·10	—	—	0·03	0·23	0·23	0·02	—	0·02	13
14	0·25	—	—	0·30	—	—	—	0·29	—	—	—	—	14
15	0·15	—	—	0·02	—	—	0·15	0·93	—	0·04	—	0·32	15
16	0·12	0·29	—	0·37	—	—	0·06	—	—	0·05	—	0·80	16
17	—	—	0·06	0·19	0·65	0·04	—	0·05	0·04	0·17	—	—	17
18	0·10	—	—	0·04	—	—	0·50	0·05	0·47	—	—	—	18
19	—	0·11	0·12	—	—	—	0·01	—	0·06	—	—	—	19
20	—	0·38	0·14	—	—	—	—	—	0·06	—	—	—	20
21	—	0·04	0·09	—	0·02	0·20	—	—	—	—	0·22	—	21
22	—	—	0·09	—	—	—	—	0·03	—	0·17	0·09	—	22
23	0·08	0·04	—	—	0·30	0·03	—	0·46	0·04	0·19	—	0·04	23
24	—	—	—	—	0·03	0·02	0·06	—	—	0·03	0·03	—	24
25	—	0·01	0·03	—	—	0·33	0·16	—	—	—	0·14	0·16	25
26	—	—	0·11	—	—	—	—	0·59	0·11	—	0·50	0·25	26
27	0·07	—	0·02	—	—	0·06	0·04	0·69	—	—	—	0·13	27
28	—	0·01	—	—	—	0·30	—	0·27	—	—	—	0·16	28
29	—	×	—	—	—	0·11	0·06	—	—	0·33	—	0·04	29
30	0·10	×	0·18	0·04	—	—	0·11	0·14	—		—	—	30
31	0·04	×	—	×	—	×	0·04	0·07	×		×	0·08	31
Total	3·17	1·28	1·58	2·82	1·56	1·72	1·29	8·03	1·37	3·80	1·83	2·03	YEAR'S TOTAL 30·48
Rain Days.	17	10	15	17	6	12	12	20	12	15	14	11	161

W. 8,000, VIII. 16

1·48

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
2.1.19
2064

Kept at Hagworthingham
in the County of Lincoln
by R. Wright

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.08	—	—	—	—	0.31	0.03	0.16	0.07	1
2	0.07	0.16	—	0.05	—	—	—	0.22	0.03	0.02	0.02	0.47	2
3	0.02	0.02	0.08	—	0.22	—	—	0.05	0.03	—	0.87	0.01	3
4	—	0.08	0.05	—	0.06	—	—	0.06	0.53	0.01	0.45	0.08	4
5	—	—	—	0.06	0.08	—	—	0.56	0.07	0.03	—	0.01	5
6	—	—	—	0.30	—	0.03	—	—	0.01	0.02	—	—	6
7	0.10	0.05	—	0.11	—	0.06	—	—	0.02	0.15	0.15	—	7
8	0.06	0.02	—	0.01	—	—	0.05	—	0.21	~~[illegible]~~	0.06	0.21	8
9	0.05	0.26	—	0.07	—	0.04	—	—	0.50	0.71	—	0.07	9
10	0.04	—	—	0.04	—	—	0.30	—	—	0.13	—	0.10	10
11	0.10	0.06	—	0.07	0.46	—	0.11	—	0.10	0.51	—	0.14	11
12	—	0.22	0.05	0.14	0.04	—	0.17	—	0.08	0.02	—	0.03	12
13	—	0.03	—	0.02	0.17	—	—	—	0.10	—	—	0.01	13
14	0.50	—	—	0.08	—	—	0.27	—	0.32	0.15	—	0.16	14
15	0.20	—	0.01	0.57	—	0.01	—	—	0.27	—	—	0.23	15
16	0.30	—	—	0.24	—	—	—	—	0.51	0.03	—	0.05	16
17	0.17	—	—	0.09	0.21	—	0.68	0.04	0.07	0.03	—	0.24	17
18	—	—	—	0.20	—	0.03	0.27	—	0.30	—	—	0.51	18
19	0.08	0.01	0.05	0.11	—	0.01	0.04	0.03	—	0.11	—	0.53	19
20	0.05	0.13	—	—	—	0.04	0.07	—	0.05	0.14	—	—	20
21	0.05	—	—	—	—	0.07	0.07	—	0.35	0.14	—	—	21
22	0.13	—	—	0.03	0.08	0.07	0.10	—	←	0.02	—	0.51	22
23	0.15	—	—	—	1.20	—	0.01	—	0.07	—	0.14	—	23
24	—	0.22	—	—	0.16	—	—	—	0.89	0.03	0.04	—	24
25	—	—	0.03	—	—	0.49	0.20	0.21	0.01	—	—	0.02	25
26	—	—	—	—	—	—	0.22	0.16	0.18	—	0.17	0.04	26
27	—	—	0.01	0.13	—	0.02	—	0.36	0.04	—	0.06	0.12	27
28	—	0.12	—	—	—	—	—	—	0.01	—	0.04	0.27	28
29	0.03	✕	—	—	—	—	—	—	0.65	—	0.03	0.03	29
30	—	✕	0.35	0.05	—	—	—	—	0.14	—	0.06	0.13	30
31	—	✕	0.04	✕	—	✕	—	—	✕	0.04	✕	0.09	31
Total	2.10	1.38	0.67	2.45	2.68	.87	2.50	1.69	5.07	2.32	2.25	4.13	YEAR'S TOTAL 28.11
Rain Days.	17	13	9	20	10	11	14	9	27	19	13	25	187

W. 8,000, IX. 17.

2355

FORM A. BRITISH RAINFALL

6 JAN 20

2364

REGISTER OF RAINFALL IN 1919

Kept at Hagworthingham

in the County of Lincoln

by R. Wright

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Spilsby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

~~Date.~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·03	·05	—	·22	—	·48	—	—	·04	·08	·40	1
2	·16	·02	·02	—	—	—	·24	—	·12	—	·16	·08	2
3	·53	—	·02	—	·03	—	·18	—	·08	—	·30	—	3
4	·05	—	·33	—	—	·07	—	·04	·01	—	·06	·08	4
5	·10	—	—	—	—	—	·01	—	·94	—	·16	·15	5
6	·01	—	·11	—	—	—	·01	—	—	—	—	·12	6
7	·02	—	·13	—	—	—	—	—	—	—	—	·07	7
8	·07	—	—	·07	—	—	—	—	—	—	·06	·04	8
9	—	—	·01	—	—	—	—	—	—	·06	·05	—	9
10	—	—	·15	—	—	—	—	—	—	·07	·20	·09	10
11	·08	—	·34	·07	—	—	·35	—	—	·05	·05	·01	11
12	—	—	·64	·01	—	·14	·09	—	·08	·05	—	—	12
13	·30	—	—	·24	—	—	·01	—	·09	·14	·16	—	13
14	·57	—	—	·34	—	—	—	—	·23	—	·06	—	14
15	·18	·08	·05	·06	—	—	—	—	—	—	·04	·37	15
16	—	1·12	·01	·26	—	—	—	—	—	—	·06	·02	16
17	—	·53	—	·01	·03	—	—	—	—	—	·24	·01	17
18	—	—	—	—	—	—	·03	·15	—	—	—	·14	18
19	—	·17	·33	—	—	·03	·44	·75	·05	—	·04	·02	19
20	·44	—	·28	—	—	·07	·39	·41	·04	—	—	·65	20
21	·38	·53	·05	—	—	·06	·14	·01	—	—	·04	·14	21
22	—	—	·12	—	—	—	·06	—	·50	—	·03	·49	22
23	—	·21	—	—	—	·01	·10	·04	·16	·23	·01	·03	23
24	—	—	—	·05	·25	·13	—	—	—	·07	·09	—	24
25	·14	—	—	·28	·12	—	—	·80	—	—	·01	·15	25
26	·03	·07	1·17	·07	—	—	—	·28	·13	·10	·03	·60	26
27	·04	·04	·01	·57	—	—	—	—	—	·65	—	·33	27
28	·03	—	—	·02	—	—	·04	·68	·02	·77	—	—	28
29	·04	X	—	·06	—	·05	·02	·20	—	·26	·32	·34	29
30	·09	X	·02	·14	—	·24	—	—	—	·07	·14	·22	30
31	—	X	—	X	—	X	·14	—	X	·27	X	·07	31
Total	3·49	2·80	2·84	2·19	·65	·80	2·73	3·36	~~2·55~~ 2·45	2·83	2·39	4·12	YEAR'S TOTAL 30·65
Rain Days.	20	10	19	15	5	9	17	10	13	14	23	24	179

W. 6,500. VII. 18. W W C

5 JAN 1921

2564

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Hagworthingham
in the County of Lincoln
by R. Wright

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·04	·32	—	·42	—	—	·11	·07	·02	1
2	—	—	—	—	·02	·03	·11	—	·07	·30	—	·30	2
3	—	—	—	·13	—	·04	·05	—	·10	·19	—	·13	3
4	—	—	—	·20	·02	—	·01	·55	·09	·06	—	·02	4
5	—	—	·07	—	·56	—	·15	·16	—	·07	—	·04	5
6	—	—	·075	—	·07	—	·15	·02	—	—	—	·12	6
7	·03	—	—	·03	—	—	·14	—	—	—	—	·06	7
8	·04	·05	—	·40	·03	—	·01	—	—	·02	—	—	8
9	·25	·05	—	·58	—	—	—	·44	—	—	—	—	9
10	·18	·09	·12	·19	—	—	·04	—	—	—	—	·05	10
11	·25	—	·11	·30	·07	—	·01	—	—	—	—	·40	11
12	·06	—	·05	·19	—	—	·02	—	—	—	·07	—	12
13	·01	·12	·10	·44	—	·41	—	—	·07	—	·03	·20	13
14	·01	·02	·35	·32	—	·19	·02	—	·20	—	·13	—	14
15	—	·07	·55	·13	—	—	·04	—	·32	·26	—	—	15
16	—	—	—	·02	·04	—	—	—	·18	·22	—	·06	16
17	—	—	—	—	·18	—	—	—	·07	·02	—	—	17
18	·06	—	—	—	—	·13	—	·03	·43	—	—	·03	18
19	·06	·39	—	·23	—	—	—	·83	·27	·027	—	·05	19
20	·11	·29	—	·22	—	·42	·03	—	—	—	—	—	20
21	—	—	—	·07	—	—	·20	·05	·07	·027	—	·02	21
22	—	—	—	·16	—	—	·14	—	·17	—	—	—	22
23	·03	—	—	—	—	—	·01	—	—	—	—	·27	23
24	—	—	·28	·05	—	—	·03	—	—	—	—	·10	24
25	·01	·09	·03	·07	—	·07	·86	—	—	—	—	—	25
26	·08	—	·33	·04	·16	—	·28	—	—	—	·07	·02	26
27	·10	·10	—	·12	·03	·47	·02	—	—	—	·14	·17	27
28	·51	—	·04	·05	·14	—	·05	—	—	—	·11	·04	28
29	·08	—	·27	·02	1·12	—	·05	—	—	—	·10	·33	29
30	·02	X	—	·18	—	—	·05	—	—	—	·09	·26	30
31	·16	X	—	X	—	X	·02	—	X	·12	X	·17	31
TOTAL	2·05	1·27	2·05	4·18	2·76	1·76	2·91	2·08	2·04	1·41	·81	2·86	YEAR'S TOTAL 26·18
Days with ·01 in. or more	~~19~~	~~10~~	~~13~~	~~24~~	~~13~~	~~8~~	~~25~~	~~7~~	~~12~~	~~12~~	~~9~~	~~22~~	~~174~~
	13	9	11	21	9	7	15	5	12	8	8	17	135

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A.&E.W.

LINCOLN.

HALTON HOLGATE.

1911 – 1917

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

REGIST

Kept at Halton Holgate

in the County of Lincoln

by George Rattenbu

& [illegible]

in.

und 1 ft.

Level 89 ft.

m.

me Halton Holgate

tance ⅓ mile Direction S.S.W.

IMPORTANT NOTE.—Rain be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	—	·02	—	—	—	—	·01	—	·06	·05	·03	1
2	·28	—	·02	—	·10	·12	·03	—	—	·04	·04	·10	2
3	·03	·03	—	·03	·11	—	—	·15	—	·08	·02	—	3
4	·08	·04	·14	·16	—	—	—	—	·07	·71	·12	·28	4
5	·01	·01	—	·04	—	—	—	·03	—	·03	—	·25	5
6	·30	—	·02	—	—	—	—	·05	—	·23	·12	·24	6
7	·01	—	·04	—	—	—	—	—	—	—	·16	·28	7
8	·21	·03	·15	—	—	—	—	—	—	·03	·08	·09	8
9	·02	—	·20	·01	—	—	—	—	—	·01	·03	·01	9
10	·07	·10	·12	—	—	—	—	—	—	—	·41	·22	10
11	·36	·14	—	—	—	—	—	—	—	—	·40	—	11
12	·33	—	·34	—	—	—	—	—	·27	—	·02	·02	12
13	·02	—	·38	—	—	23	—	—	·01	·05	—	·30	13
14	—	·05	·20	—	·39	—	—	—	—	—	·06	·35	14
15	—	·20	·15	—	—	—	—	—	07	·01	·06	·07	15
16	—	—	·08	—	—	·06	—	—	—	—	·21	·15	16
17	—	—	·01	—	—	—	—	—	—	—	·04	·11	17
18	—	·04	·02	—	—	·51	—	—	—	—	·32	·04	18
19	·01	—	—	—	·01	·63	·07	·61	·04	·03	·17	·02	19
20	·01	·05	—	·10	—	—	·03	·65	·41	·06	·04	·37	20
21	—	·33	—		—	·01	—	·46	—	·03	·02	·04	21
22	·03	·02	·06		—	·02	—	·14	—	·11	·08	·20	22
23	—	·09	·34		—	1·54	—	·01	·71	—	·01	·07	23
24	—	·07	·05	·03	—	1·11	—	—	—	·42	—	·08	24
25	—	—	·03	·25	—	·09	—	—	—	—	·11	·13	25
26	—	—	—	·13	—	—	—	—	—	·30	·34	·28	26
27	—	·11	·15	·37	—	—	—	·50	·22	·09	·01	·05	27
28	—	·25	·01	·27	—	·02	—	·08	—	·05	·04	·06	28
29	—		·01	·02	—	·15	·24	—	·60	·41	·01	·03	29
30	—		—	—	·15	·02	—	—	·24	·12	—	—	30
31	—		03		—		—	—		—		03	31
Total	2·03	1·56	2·57	1·41	0·76	4·51	0·37	2·69	2·64	2·87	2·97	3·90	TOTAL for year 28·28
No. of Rain Days.	16	16	23	11	5	13	4	11	10	20	26	28	183

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

REGIST

JAN 1912

4

Kept at Halton Holgate Spilsby

in the County of Lincoln

by George Rattenbury

Rain Gauge
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 89 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Halton Holgate
Distance ½ mile Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	—	·02	—	—	—	—	·01	—	·06	·05	·03	1
2	·28	—	·02	—	·10	·12	·03	—	—	·04	·04	·10	2
3	·03	·03	—	·03	·11	—	—	·15	—	·08	·02	—	3
4	·08	·04	·14	·16	—	—	—	—	·07	·71	·12	·28	4
5	·01	·01	—	·04	—	—	—	·03	—	·03	—	·25	5
6	·30	—	·02	—	—	—	—	·05	—	·23	·12	·24	6
7	·01	—	·04	—	—	—	—	—	—	—	·16	·28	7
8	·21	·03	·15	—	—	—	—	—	—	·03	·08	·09	8
9	·02	—	·20	·01	—	—	—	—	—	·01	·03	·01	9
10	·07	·10	·12	—	—	—	—	—	—	—	·41	·22	10
11	·36	·14	—	—	—	—	—	—	—	—	·40	—	11
12	·33	—	·34	—	—	—	—	—	·27	—	·02	·02	12
13	·02	—	·38	—	—	23	—	—	·01	·05	—	·30	13
14	—	·05	·20	—	·39	—	—	—	—	—	·06	·35	14
15	—	·20	·15	—	—	—	—	—	07	·01	·06	·07	15
16	—	—	·08	—	—	·06	—	—	—	—	·21	·15	16
17	—	—	·01	—	—	—	—	—	—	—	·04	·11	17
18	—	·04	·02	—	—	·51	—	—	—	—	·32	·04	18
19	·01	—	—	—	·01	·63	·07	·61	·04	·03	·17	·02	19
20	·01	·05	—	·10	—	—	·03	·65	·41	·06	·04	·37	20
21	—	·33	—		—	·01	—	·46	—	·03	·02	·04	21
22	·03	·02	·06		—	·02	—	·14	—	·11	·08	·21	22
23	—	·09	·34		—	1·54	—	·01	·71	—	·01	·07	23
24	—	·07	·05	·03	—	1·11	—	—	—	·42	—	·08	24
25	—	—	·03	·25	—	·09	—	—	—	—	·11	·13	25
26	—	—	—	·13	—	—	—	—	—	·30	·34	·28	26
27	—	·11	·15	·37	—	—	—	·50	·22	·09	·01	·05	27
28	—	·25	·01	·27	—	·02	—	·08	—	·05	·04	·06	28
29	—		·01	·02	—	·15	·24	—	·60	·41	·01	·03	29
30	—		—	—	·15	·02	—	—	·24	·12	—	—	30
31	—		03		—		—	—		—		03	31
Total	2·03	1·56	2·57	1·41	0·76	4·51	0·37	2·69	2·64	2·87	2·97	3·90	TOTAL for year 28·28
No. of Rain Days.	16	16	23	11	5	13	4	11	10	20	26	28	183

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Halton Holgate
in the County of Lincoln 4
by George Rattenbury

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Halton Holgate
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 89 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·04	·03	·02		·20	·15	·09	·13	·01		·68	1
2		·16				·05	·45			·09		·06	2
3	·17	·12	·02		·06	·27		·35	·09	·02		·12	3
4	·07		·31		·02	·41		·04	·02		·36		4
5	·06	·12				·11		·02			·02		5
6	·75	·12			·05		·42	·12	·23		·01	·03	6
7	·02				·01	·10		·09	·07				7
8	·27	·08	·07	·05		·07	·27		·29			·02	8
9	·02	·11	·02	·10		·07			·06			·29	9
10	·01		·01				·01	25	·27		·10		10
11	·13				·02				·04		·03	·40	11
12	·05	·21	·19			·15					·84		12
13	02	·06	·01				·01	·03		·02	·52		13
14	05		·06			·07		·13	·01		·03	·03	14
15		·02	·22		·42	·24						·02	15
16	·11		·12		·10	·11		·18		·20			16
17	·26		·21			·38		·12				·17	17
18	·17		·13			·01	·09	·04		·06	·01	·05	18
19	·32	·21					·05	·10	·03	·02	·04	·01	19
20	·13	·01			·08		·80	·13		·21			20
21			·35		·32		·08				·07	·03	21
22		·10			·86	·09	·37	·15				·19	22
23	·14	·06	·14		·02		·02	·46			·20	·08	23
24	·18		·03			·20	·24	·01				·10	24
25	·02		·01			36	·02	·58		·01	·20	·20	25
26	·02	01	·04				·10	1·85		·45	·09	·32	26
27						·07	·02	·13		·41		·17	27
28				·05	·02			·54		·26	·45	·44	28
29				·04			·34	·01	·52	·19	·42		29
30					·10	·02	·03		·39	·06			30
31			·24		·10		·43	·24		09		·01	31
Total	2·97	1·43	2·21	0·26	2·18	2·98	3·90	5·66	2·15	2·10	3·39	3·42	YEAR'S TOTAL 32·65
Rain Days.	21	15	19	5	14	19	19	23	13	15	16	21	200

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Halton Holgate

in the County of Lincoln

by George Rattenbury

4

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Halton Holgate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 89 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11	·08					1·85		·07		1
2	·01	·03	·04	·02	·04		·06			·01	·01		2
3			·12		·35					·21			3
4	·46				·10		·06		·05	·49	·22	·10	4
5							·02	·01	·05	1·38	·02		5
6			·03		·30	·11		·01		·95			6
7		·03			·09	·06				·66	·02		7
8			·02		·65	·12	·02		·01		·12		8
9		·26	·03	·02	·13	·04		·15			·07		9
10				·05	·03		·10				·30		10
11	·66			·49	·02	·03					·02		11
12		·01		·02		·03					·12		12
13	·02		·04	·02				·02			·44		13
14	·02		·37	·02						·07	·02	·02	14
15	·15	·02	·16	·29					·22		·06		15
16	·12	·08	·40	·13					·23		·06	·03	16
17	·02	·03	·32	·06		·12			·30	·01	·01	·07	17
18	·02		·09	·09	·02		·02					·06	18
19	·09		·05						·17			·02	19
20	·36		·04	·02						·28	·06		20
21	·17		·07		·04		·34			·01	·16		21
22	·09		·08		·01		·16	·16	·07				22
23	·04					·02	·02	·04	·05	·03	·02		23
24	·05			·11		·11		·07			·05		24
25				·10		·01						·02	25
26		·17	·03	·04	·06	·01				·39	·11	·15	26
27		·04		·01		·04					·01		27
28	·22		·12	·10						·11			28
29	·15		·12	·35	·05			·04	·01	·03		36	29
30	·28			·03	·20				·01	·06			30
31					·04			·02					31
Total	2·93	0·67	2·24	2·05	2·13	0·70	0·80	0·52	3·02	4·69	1·97	0·83	YEAR'S TOTAL 22·55
Rain Days.	18	9	19	20	16	12	9	9	12	15	21	9	169

W.7,000, XI, 13

Ex. [illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

9 JAN 1915

Kept at Halton Holgate

in the County of Lincoln

4

by George Rattenbury

Lat. 53. 10. N Long. 0. 7. 12. E.

Time of Observation 9. a. m.

Nearest Railway Station Halton Holgate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 89 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·07	·51		·01	·12	·01	1
2							·01	·10			·07	·06	2
3			·10		·16		·03						3
4	·14		·08	·20		·01		·02			·30	·05	4
5	·01		·18	·03	·09		·03	·15			·02		5
6		·08		·05	·14		·10	·03			·10	·09	6
7		·03	·27		·07	·08						·06	7
8	·21	·05	·04		·21	·88		·14	·11				8
9	·27		16	·19	·01	1·11		·01	·04	·01		·01	9
10	·60	·05		·02	·01	·03			·06			·01	10
11		·02	·29	·29	·04				·13		·35	·16	11
12	·06	·02	·01		·01	·01	·21		17			·40	12
13	·05	·11	·27							·08	·08	·16	13
14		·03	·17				·07			·13	·20	·16	14
15	·05		·26								·29	·47	15
16	·08		·06				·02		·04		·06		16
17	·03	·24							·23	·05	·05	·19	17
18							·03		·03		·01	·33	18
19			·18				·03		·19		·08	·03	19
20	·02	·03	·34			·46			·01	·16			20
21	·01	·14	·15			·03		·01		·02		·27	21
22				·03	·26		·08	·06		·18	·01	·10	22
23		·04	·03	·03	·04	·02	04			·01		·09	23
24	·01		·01	·05	·02	·01		·06		·08	·18		24
25		02					·04	·02		60	·02		25
26							·04	·13		·09	·21	·47	26
27							·01				·01	·24	27
28	·03	·04	·09				·01			·05	·26	1·44	28
29	08				·01					40	·02		29
30		X								·03	·28	·28	30
31		X		X		X	·20	·02	X	·08	X	13	31
Total	1.65	0·90	2.70	0.89	1,07	2,64	1.02	1.26	1.01	1,98	2.72	5.21	YEAR'S TOTAL 23·05
Rain Days.	15	14	19	9	13	10	17	13	10	16	21	23	180

W. 8,000. X. 14.

ext JS

2700

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3. JAN 1916

Kept at Halton Holgate

in the County of Lincoln

by George Rattenbury

Lat. 53.10. N Long. 0.7.12. E.
Time of Observation 9. a. m
Nearest Railway Station Halton Holgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 89 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·31	·01		·41				·17		·24	·10	1
2	·03	05	·35			·02		·55	10		·23		2
3	32		·04	·10			38				·09	·21	3
4				·05			1·42	·03			·03	·93	4
5	·07	·03			·11			·20		·01	12	·26	5
6	·05	·20	·07	·07	·01		·72	·18		·03	·01	·03	6
7	·28	·28	·23				·67	·22			·03	65	7
8	·07	·03					·04	·02		·03	·04		8
9		·07				·02		·03			·04	·41	9
10	·36		·02					·01				·02	10
11	·02				·18		·25	·06			·38	·09	11
12	·09			·18	·22			·41		·03	1·55	·02	12
13	·02	·44		·02	·41			·19	·01		·04		13
14		·24			·03			·21		·03		32	14
15	·40						13	·01		·02	·60	·07	15
16	·01	·28					·88	·03			·10	·13	16
17	·35	·12					·08			·01	·02	·04	17
18		·04	·36								12	·02	18
19		·06	·02				·09			·33			19
20	·21			·02						·02		38	20
21	·10	·11					·40					·03	21
22	·43	·06	·13				·18			·02		·22	22
23	·06	·20	·01				·15		·04		·07	·14	23
24	·01	·03	·18			·02	·30		24	·05		·21	24
25	·02		·01			·16	·03			·08	·08	·13	25
26	·05	·12	·02	·01		·04			·01	·02	·02	·49	26
27		·06	·16			·01	·20			·47		·07	27
28	·02	·06	·22			·23	·03	·15	·06	·27			28
29					·01		·03	·07		·01	·29	·27	29
30	·12	X		·02			·02				·02	·02	30
31	·12	X		X		X		·33	X	·17	X	·16	31
Total	3·46	2·79	1·83	0·47	1·38	0·50	6·00	2·70	0·63	1·60	4·12	5·42	YEAR'S TOTAL 30·90
Rain Days.	24	20	15	8	8	7	19	17	7	17	21	26	189

W. 8,000. X. 15.

2635

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Halton Holgate
in the County of Lincoln
by George Rattenbury

Lat. 53. 10. N Long. 0. 7. 12 E.
Time of Observation 9. a. m.
Nearest Railway Station Halton Holgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 89 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·06			·05	·17				·37		1
2	·21	·10	·07		·25		·28		·02	·04	·11		2
3		·09	·02				·78		·27	·39	·05		3
4	·19	·23	·04		·18	·31			·09	·10	·26	·16	4
5	05		·17	·01	·02	·56				·24	·09	08	5
6	·03	·16	·34	·16	·07		·18				·27		6
7	·02		·20	·01	·26		·10			·03	·55	·10	7
8	·09		·04		·04		·04				·04	·16	8
9			·13		·43	·23			·03		·01	·21	9
10		·04	·09	·05		·18		·10	·09	·13		·06	10
11		·52	·27	·16	·02	·44						·02	11
12	·03	·02	·10		·12	·31	·09			·03		·02	12
13		·11	·06		·08	·01		·12		·02		·02	13
14		·04	·01		·15			·03					14
15		·21	·57				·01	·06	·02	·07		·07	15
16		·10	·06	·31			·04	·15		·02		·10	16
17	·04		·02	·45			·11		·27	·12	·01		17
18	·01	·15	·02	·15				·33	·04	·12	·74		18
19	·18	·01	·01	·19				·40	·07		·24	·02	19
20	·11		·11	·05		·23		·10	·02		·14	·29	20
21	·01	·08	·22	·50	·10		·10				·02	·58	21
22		·20	·02			·02				·04	·02	·38	22
23	·01	·40					·02	·02		·06	·10	·45	23
24		1·20		·02			·01	·07		·20		·11	24
25		·12	·16					·20		·10	·12	·03	25
26		·11						·02		·05	·23		26
27		·14	·55							·12			27
28		·20	·96	·02	·02	·11				·02	·01	·24	28
29		·13				·34		·60		·18		·21	29
30		✕				·03		·12		·05		·02	30
31	·03	✕		✕		✕		·12	✕	·02	✕	·02	31
Total	1·09	4·36	4·30	2·08	1·74	2·82	1·93	2·44	0·92	2·15	3·38	3·35	YEAR'S TOTAL 30·56
Rain Days.	15	22	25	13	13	13	13	15	10	22	19	22	202

W. 8,000, VIII. 16

2501

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Halton Holgate
in the County of Lincoln
by George Rattenbury

Lat. 53° 10' Long. 0°. 7'. 12" E
Time of Observation 9.0 a.m
Nearest Railway Station Halton Holgate
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 89 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	-	-	·14	-	-	-	1·01	·12	-	·02	-	1
2	·14	—	-	·14	-	·16	-	·37	·01	-	·03	-	2
3	-	·21	-	·13	-	·03	-	·58	-	·25	-	-	3
4	-	-	·06	-	-	-	-	-	-	·43	-	-	4
5	·18	-	·05	·16	-	-	-	-	·10	-	·22	-	5
6	·02	-	-	-	-	·01	-	-	·12	-	·03	-	6
7	·41	-	·03	-	-	·69	-	-	-	·53	-	-	7
8	·67	-	-	·17	-	-	·15	·43	-	·47	·17	-	8
9	·08	-	·07	·13	-	-	-	·06	-	·02	·20	·01	9
10	·40	-	·38	·13	-	-	-	·23	·02	·07	·10	-	10
11	·11	-	·02	·50	-	-	-	·07	-	·23	-	-	11
12	·11	-	-	·03	·19	-	-	·50	-	·17	-	·01	12
13	·26	-	·01	·07	-	-	·05	·17	·20	·03	·02	·03	13
14	·10	-	-	·08	-	-	-	·01	-	-	-	·07	14
15	·15	-	-	·01	-	-	·16	·32	-	·06	·02	-	15
16	·09	·20	·01	·35	-	-	·02	-	-	·07	-	·60	16
17	—	·01	·03	·16	·56	-	-	·03	·04	·08	-	-	17
18	·06	·02	-	·07	·03	-	·37	·07	·36	-	-	-	18
19	·10	·06	·04	·01	-	-	-	-	·11	-	-	-	19
20	·02	·34	·08	-	-	-	-	-	·16	-	·23	·03	20
21	-	·04	·18	-	·02	·01	-	-	·02	·02	·07	-	21
22	-	-	·09	-	-	-	-	·02	-	·13	-	-	22
23	-	·05	-	-	·16	-	-	·11	-	·04	-	·02	23
24	—	-	-	-	·03	·26	·02	·01	-	·18	·04	·04	24
25	-	-	·03	-	-	-	·02	-	-	-	·13	·27	25
26	-	-	·12	-	-	·03	-	·70	·10	-	·54	·23	26
27	-	-	-	-	-	-	·01	·54	-	-	-	-	27
28	-	·01	·15	-	·04	·47	-	·28	-	·02	-	·16	28
29	-	X	-	-	·11	·20	·04	-	-	·31	-	·04	29
30	·10	X	·09	-	-	-	·08	·13	-	-	·02	-	30
31	·01	X	-	X	-	X	·05	·11	X	-	X	·07	31
Total	3·01	0·94	1·54	2·28	1·14	1·86	·97	5·75	1·36	3·11	1·84	1·58	YEAR'S TOTAL 25·38
Rain Days.	18	9	17	16	8	9	11	21	12	18	15	13	167

W. 8 000, IX. 17.

LINCOLN

HARRINGTON HALL.

1911 – 1917

REGIS 1

FORM A2. BRITISH RAINFALL.

8 JAN 1912

Kept at Harri ow den 5 in.

Ground ft. 4 in.

in the County of Li Sea Level 163 ft.

by E. Burgess a.m

Name Spilsby

Distance 6 Direction 0

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.7	0.5	0.4	1
2		0.0	0.3	0.0	0.15	0.11	0.8	0.0	0.0	0.15	0.3	0.15	2
3		0.5	0.0	0.10	0.18	0.0	0.0	0.10	0.0	0.22	0.2	0.0	3
4	0.5	0.3	0.12	0.15	0.0	0.0	0.0	0.0	0.5	0.27	0.13	0.27	4
5	0.3	0.0	0 0	0.9	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.20	5
6	0.36	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.13	0.23	6
7	0.0	0.2	0.0	0.0	0.0	0.0	0 0	0.0	0.0	0.0	0.12	0.26	7
8	0.22	0.1	0.16	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.3	0.11	8
9	0.2	0.0	0.22	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	9
10	0.10	0.8	0.19	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.4	0.30	10
11	0.32	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.35	0.0	11
12	0.19	0.0	0.28	0.0	0.11	0.0	0.0	0.0	0.28	0.0	0.2	0.0	12
13	0.0	0.0	0.36	0.0	0.0	0.20	0.0	0.0	0.0	0.3	0.0	0.33	13
14	0.0	0.11	0.22	0.0	0.29	0.9	0.0	0.0	0.0	0.0	0.4	0.40	14
15	0.0	0.21	0.18	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.9	15
16	0.0	0.0	0.15	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.22	0.16	16
17	0.0	0.0	0.2	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.2	0.13	17
18	0.0	0.6	0.3	0.0	0.0	0.80	0.0	0.0	0.0	0.0	0.31	0.2	18
19	0.2	0.0	0.0	0 0	0.20	0.76	0.0	0.21	0.3	0.3	0.18	0.2	19
20	0.0	0.3	0.0	0.11	0.2	0.0	0.9	1.95	0.40	0.0	0.2	0.36	20
21	0.0	0.36	0.0	0.0	0.0	0.0	0.0	0.46	0.0	0.5	0.2	0.3	21
22	0.4	0.0	0.0	0.2	0.0	0.5	0.0	0.6	0.0	0.8	0.11	0.21	22
23	0.0	0.8	0.26	0.0	0.0	1.69	0.0	0.5	0.50	0.0	0.0	0.12	23
24	0.0	0.8	0.9	0.6	0.0	1.26	0.0	0.2	0.0	0.56	0.0	0.8	24
25	0.0	0.0	0.9	0.31	0.0	0.10	0.0	0.4	0.3	0.0	0.9	0.12	25
26	0.0	0.0	0.0	0.12	0.0	0.0	0.0	0.0	0.0	0.32	0.38	0.26	26
27	0.0	0.10	0.24	0.41	0.0	0.0	0.0	0.34	0.22	0.5	0.0	0.5	27
28	0.0	0.53	0.1	0.24	0.0	0.3	0.0	0.2	0.0	0.4	0.3	0.7	28
29	0.0		0.0	0.0	0.0	0.11	0.21	0.0	0.45	0.44	0.0	0.3	29
30	0.0		0.2	0.0	0.15	0.0	0.0	0.0	0.28	0.15	0.0	0.0	30
31	0.0		0.4		0.0		0.0	0.0		0.3		0.4	31
Total	1.35	1.53	2.78	1.67	1.20	4.85	0.38	3.46	2.37	2.81	2.39	4.08	TOTAL for year 29.17
No. of Rain Days	10	15	21	11	7	13	3	13	11	20	23	26	173

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

8 JAN 1912

REGIS 1

Kept at Harrington Hall
in the County of Lincs.
by E. Burgess (Gardener)

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 4 in.
" " " Sea Level 163 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Spilsby
Distance 6 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.7	0.5	0.4	1
2		0.0	0.3	0.0	0.15	0.11	0.8	0.0	0.0	0.15	0.3	0.15	2
3		0.5	0.0	0.10	0.18	0.0	0.0	0.10	0.0	0.22	0.2	0.0	3
4	0.5	0.3	0.12	0.15	0.0	0.0	0.0	0.0	0.5	0.27	0.13	0.27	4
5	0.3	0.0	0.0	0.9	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.20	5
6	0.36	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.13	0.23	6
7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.26	7
8	0.22	0.1	0.16	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.3	0.11	8
9	0.2	0.0	0.22	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	9
10	0.10	0.8	0.19	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.4	0.30	10
11	0.32	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.35	0.0	11
12	0.19	0.0	0.28	0.0	0.11	0.0	0.0	0.0	0.28	0.0	0.2	0.0	12
13	0.0	0.0	0.36	0.0	0.0	0.20	0.0	0.0	0.0	0.3	0.0	0.33	13
14	0.0	0.11	0.22	0.0	0.39	0.9	0.0	0.0	0.0	0.0	0.4	0.40	14
15	0.0	0.21	0.18	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.9	15
16	0.0	0.0	0.15	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.22	0.16	16
17	0.0	0.0	0.2	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.2	0.13	17
18	0.0	0.6	0.3	0.0	0.0	0.80	0.0	0.0	0.0	0.0	0.31	0.2	18
19	0.2	0.0	0.0	0 0	0.20	0.76	0.0	0.21	0.3	0.3	0.18	0.2	19
20	0.0	0.3	0.0	0.11	0.2	0.0	0.9	1.95	0.40	0.0	0.2	0.36	20
21	0.0	0.36	0.0	0.0	0.0	0.0	0.0	0.46	0.0	0.5	0.2	0.3	21
22	0.4	0.6	0.0	0.2	0.0	0.5	0.0	0.6	0.0	0.8	0.11	0.21	22
23	0.0	0.8	0.26	0.0	0.0	1.69	0.0	0.5	0.50	0.0	0.0	0.12	23
24	0.0	0.8	0.9	0.6	0.0	1.26	0.0	0.2	0.0	0.56	0.0	0.8	24
25	0.0	0.0	0.9	0.81	0.0	0.10	0.0	0.4	0.3	0.0	0.9	0.12	25
26	0.0	0.0	0.0	0.12	0.0	0.0	0.0	0.0	0.0	0.32	0.38	0.26	26
27	0.0	0.10	0.24	0.41	0.0	0.0	0.0	0.34	0.22	0.5	0.0	0.5	27
28	0.0	0.53	0.1	0.24	0.0	0.3	0.0	0.2	0.0	0.4	0.3	0.7	28
29	0.0		0.0	0.0	0.0	0.11	0.21	0.0	0.45	0.44	0.0	0.3	29
30	0.0		0.2	0.0	0.15	0.0	0.0	0.0	0.28	0.15	0.0	0.0	30
31	0.0		0.4		0.0		0.0	0.0		0.3		0.4	31
Total	1.35	1.53	2.78	1.67	1.20	4.85	0.38	3.46	2.37	2.81	2.39	4.08	TOTAL for year 29.19
No. of Rain Days	10	15	21	11	7	13	3	13	11	20	23	26	173

9,000, IX. '10.

Ex 8C

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at Harrington Hall
in the County of Lincolnshire 4
by E. Burgess (Gardener

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 4 in.
" " " Sea Level 163 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name ~~E. Burgess~~ Spilsby
Distance 6 mls Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			3	4		18	14	6	11			55	1
2						5	57			2		4	2
3	21				7	30		30	12	3		8	3
4	8		34		2	36					41		4
5	7	25			2	63		4					5
6	80	10			4		29	18	27				6
7	4					8		11	10			3	7
8	42	10	7			11	4		30			3	8
9	3	11		12		19		29	4			29	9
10									13		10		10
11	7				1				3		1	38	11
12	8	27	21			14					60		12
13	5	3				3		5			40		13
14	7		15		30	13		12			2	3	14
15		2	25		14	11							15
16	12		16			29		14		19			16
17	32		25			30		22				12	17
18	21		16			3	9	25		8		6	18
19	35	30				13	8			2			19
20	13	2			24		93	15		19			20
21			41		36		10				7		21
22		11			81	18	32	13		6		20	22
23	18	3	16		8	2		38			14	3	23
24	19		3			6	18	3				12	24
25						61		61			15	19	25
26		5	6			8	7	1.84		56	9	29	26
27				6			6	15		44		25	27
28		3			3			59		35	65	41	28
29						3	1.16	8	66	22	47		29
30			1		5	4	6		33	21			30
31			15		9		50	20		12			31
Total	3.42	1.42	2.44	.22	2.26	4.08	4.59	6.02	2.09	2.53	3.11	3.10	TOTAL for year 35.28
No. of Rain Days.	18	13	15	3	14	23	15	21	10	13	12	17	174

W. 8,000, X. '11.

~~W~~ DM

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Harrington Hall
in the County of Lincs 4
by E. Burgess Gardener

Lat. .... Long. ....
Time of Observation 9 - a. m.
Nearest Railway Station Spilsby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 4 in.
" " " " Sea Level 163 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			25	5					45		5		1
2		3	8	3			10						2
3			5		35					22			3
4	53		3		10		5		10	45			4
5	3		3				1		2	125	23	16	5
6					27	7				60			6
7		5	3		3					58			7
8			3		60	16					17 19		8
9		20			7	6		1			11		9
10				12			50				37		10
11				64		8					5		11
12	1·12					7		25			25		12
13	2			2				3		5	40		13
14	5		40				5						14
15	16		25	35					20		19		15
16	12	8	84	7					33				16
17	5	2	14	7		29			7		6	8	17
18	10		4	6	5				10			5	18
19	28		7										19
20	17		14	3						30	7		20
21	11				3		30		3		20		21
22	5		19				16	28	10				22
23	5						6	1	7	5			23
24						4		1			8		24
25				20		24						3	25
26		27	5	5	6	3				50	8	17	26
27		5				3					1		27
28	21		12	10				3		16			28
29	16		16	35									29
30	23			3						10			30
31					3			4					31
Total	3·42	70	289	217	159	107	123	66	177	426	232	49	YEAR'S TOTAL 2256
Rain Days.	17	7	18	15	10	10	8	8	10	11	16	6	134

W. 7,500, XI. ·12

Ent for mth 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Harrington Hall
in the County of Lincolnshire 4
by E. Burgess

Lat. Long.
Time of Observation
Nearest Railway Station Spilsby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 4 in.
" " " " Sea Level 163 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			4				25	46			8		1
2							5	4			12	26	2
3			10		15								3
4	30		8	25	10			15			30	10	4
5			20										5
6		11		11	16		14			3		6	6
7		6	25	3	3	12					6	8	7
8	25	9	3	4		108			3				8
9			11	14		80		19	7	3			9
10	60	8	35		15	3			7				10
11		4	1	35	8				9		30	38	11
12		12	24		5		16		17			48	12
13	5	3								12	16	20	13
14			19							8		11	14
15	10		19								65	58	15
16	5		5				5		5		6		16
17	4	20	1						23		5	25	17
18		4										31	18
19			13				5		40		12	11	19
20	3		34							25		36	20
21		14								6			21
22		8		3	53		16			20		7	22
23			12	3		23	4	3				10	23
24			4	5				6		11			24
25			2				6	23		70	16	20	25
26							3			8	5	10	26
27											30	30	27
28	5									4	36	135	28
29			14							82	4		29
30	9										26	30	30
31							34			11		9	31
Total	1.56	·99 99	2.64	1.03	1.25	2.26	1.33	1.16	1.11	2.63	3.07	5.79 5.79	YEAR'S TOTAL 24.82 24.82
Rain Days.	10	11	20	9	8	5	11	7	8	13	16	21	139

W. 7,500, XI. 12

~~W~~98 [illegible] 29.III.11 2704

REGISTER OF RAINFALL IN 19*15*

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Harrington Hall
in the County of Lincolnshire.
by E. Burgess

Lat. Liii.13 Long. 0.10.E
Time of Observation 9 a.m.
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 4 in.
" " " " Sea Level 163 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	32	10			52				34		19	18	1
2		32		12				45			12		2
3	38	6	35				50		5		6	23	3
4			5			5	152	5			4	78	4
5	8	6			12			26			9	37	5
6	5	28	10	24	2		5	51				3	6
7	27	35	30				5	18			5	45	7
8		3					5	12			10		8
9		10						20				37	9
10	48							40		7		17	10
11	2				22		18	3			25		11
12		59		12	15			27		5	126		12
13	8	25					10	5					13
14		10					21	53				30	14
15	55			35			4	5		4		10	15
16		37		4			80	12		4			16
17	14	12					13				67	3	17
18		9	31								18	2	18
19							10						19
20	18									5	5	47	20
21	16		15				18						21
22	11	5					28			4	12	20	22
23							7		5			7	23
24	5	15	18				2		29			17	24
25							20			7		14	25
26		20				21					11	45	26
27		5	5				8			50		5	27
28		10				16		23		35			28
29							6	10			45	29	29
30		×	7									4	30
31	15	×		×		×		33	×	35	×	15	31
Total	3.02	3.35	1.56	87	1.03	42	6.02	3.42	73	1.56	3.74	5.06	YEAR'S TOTAL 30.18 ~~2.58~~
Rain Days.	15	19	9	5	5	3	19	17	4	10	15	22	143

W. 8,000. X. 15.

exgs 2639

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

3 JAN 1917

Kept at Harrington Hall
in the County of Lincs
by E. Burgess

Lat. Lincs Long. 0.10.E
Time of Observation 9 a.m
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 4 in.
" " " " Sea Level 163 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	4		5			9					24		1
2	20	10	17		25		12			7	6		2
3		8	7				5		126	20	4		3
4	20	23	4		23	36	45			11	30	10	4
5	7	18	6			28				27	10		5
6			25	20			12			12	32		6
7	4		31		33		16				53	21	7
8			24		5						4	12	8
9			11			29						25	9
10	9		15	10	44	34		20	15			6	10
11		58	45	15	3	24	3					5	11
12			16		11	78	15			8			12
13		10	5		11			13					13
14		5			15					7			14
15		23	68					22		11		15	15
16		23	6	20				43		4		16	16
17	7			50			28		31	13			17
18		16	5	18				40	7	11	100		18
19	10		2	30					17		93	9	19
20	8		13					51			8		20
21			30	20	19		10					58	21
22		26								6			22
23		30			10						13	50	23
24		30				40		10		19		14	24
25		91						21		12	16	6	25
26			18					32		6	30		26
27		27	26							12			27
28		24	95			8				3		18	28
29		15				30		41		24		20	29
30		X				8		17		8			30
31	2	X		X		X		8	X	2	X	3	31
Total	91	4.37	4.74	1.83	2.00	3.24	1.40	3.18	1.96	2.21	4.23	2.58	YEAR'S TOTAL 32.95
Rain Days.	10	17	22	8	11	11	9	13	15	20	14	16	155

2505

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Harrington Hall

in the County of Lincs

by E. Burgess

Lat. Liii 13 N. Long. 0.10 E

Time of Observation 9 a.m.

Nearest Railway Station Spilsby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 4 in.

" " " " Sea Level 163 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		4		15				90					1
2	8			13		25		32			6		2
3				20		5		58		26	3		3
4										36			4
5	12	18	19	18				3			26		5
6						12		[illegible]			6		6
7	50					30				66			7
8	69			24			7	45		74	10		8
9			9	12				12		12	17		9
10	12		48	14	5			18		46	10	5	10
11	20		4	57			3	7		18			11
12	18	7		2	45			66		3			12
13	9			6				25	23		50		13
14	30			30				19			7		14
15	7			3			11	72		4		6	15
16	12	23		35				7				115	16
17			4	17	53				6		6	4	17
18	9		14	1	5		43		50	15	14		18
19	12	5				26			2				19
20	4	30	13						5				20
21		8	4										21
22			10							15			22
23					24			36					23
24		3				33			10	25			24
25			3				7					30	25
26			12			5	2	57			60	29	26
27								60				1	27
28			10					26		3		16	28
29							4			28		4	29
30	10	X	9				10	12					30
31	7	X		X		X	20	7	X		X	11	31
Total	2·89	98	1·59	2.66	1.32	1.36	1.07	6.52	96	3.71	2.15	2.21	YEAR'S TOTAL 27·42
Rain Days.	16	8	13	14	5	7	9	19	6	14	12	10	1·33

27·42

W. 8,000, IX. 17.

LINCOLN.

HOLBEACH MARSH ST. MARKS.

"SOMERSET HOUSE"

1911 – 1912

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG ... 11

Holbeach S. ...

Kept at Somerset Hou...

in the County of Lincol...

by Margaret E. ...

... 5 in.

...ve Ground — ft. 8 in.

... Sea Level 1 ft.

... a.m.

Name Holbeach

Distance 5mls. Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·01					·07		·01	·03	·01	1
2	·46			·01	·07	·08	·01				·05	·07	2
3	·03	·04		·03	·05			·04		·06	·02	·01	3
4	·07		·15	·20				·02	·12	·26	·10	·20	4
5		·03		·06						·23	·01	·15	5
6	·36		·01	·01						·16	·01	·27	6
7										·01	·15	·34	7
8	·34	·01	·11						·09	·01	·03	·08	8
9	·05		·05	·02						·01	·20		9
10		·06	·08	·02							·02	·10	10
11	·22							·03			·22		11
12			·35		·01			·02	·15		·12		12
13			·32			·21				·02	·01	·32	13
14		·06	·16		·24	·05	·01		·20		·01	·40	14
15			·06							·01	·09	·01	15
16			·06			·16			·02		·36	·07	16
17			·01								·02	·11	17
18		·10				·11					·45		18
19		·03			·01	·03	·01		·05	·02	·15	·02	19
20	·12	·01				·02			·17	·04	·01	·33	20
21		·40						·30	·01	·01			21
22	·03	·01	·01	·02		·06		·76		·33	·03	·24	22
23	·01		·24			1·00		·11	·50	·01		·08	23
24		·03	·06			·51		·17		·39		·19	24
25		·08	·02	·11	·01	·05				·01	·08	·04	25
26				·09	·13		·01	·09		·29	·34	·38	26
27		·09	·08	·09					·24	·06	·01	·03	27
28		·11	·01	·20		·05		·08		·05	·07	·09	28
29				·02		·08	·02	·20	·40	·31	·01	·05	29
30			·01		·08	·04			·16	·17			30
31					·01					·02		·02	31
Total	1·71	1·06	1·80	·88	·61	2·45	·06	1·89	2·11	2·49	2·60	3·61	TOTAL for Year 21·27
No. of Rain Days.	11	14	19	13	9	14	5	12	12	23	26	25	183 days.

W. 8,000, X. '11.

Esc 84L

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Holbeach S. Marks.

Kept at Somerset House.

in the County of Lincoln 2

by Margaret E. West (Miss)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 8 in.
" " " Sea Level 1 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Holbeach
Distance 5 mls. Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·01					·07		·01	·03	·01	1
2	·46			·01	·07	·08	·01				·05	·07	2
3	·03	·04		·03	·05			·04		·06	·02	·01	3
4	·07		·15	·20				·02	·12	·26	·10	·20	4
5		·03		·06						·23	·01	·15	5
6	·36		·01	·01						·16	·01	·27	6
7										·01	·15	·34	7
8	·34	·01	·11						·09	·01	·03	·08	8
9	·05		·05	·02						·01	·20		9
10		·06	·08	·02							·02	·10	10
11	·22							·03			·22		11
12			·35		·01			·02	·15		·12		12
13			·32			·21				·02	·01	·32	13
14		·06	·16		·24	·05	·01		·20		·01	·40	14
15			·06							·01	·09	·01	15
16			·06			·16			·02		·36	·07	16
17			·01								·02	·11	17
18		·10				·11					·45		18
19		·03			·01	·03	·01		·05	·02	·15	·02	19
20	·12	·01				·02			·17	·04	·01	·33	20
21		·40						·30	·01	·01			21
22	·03	·01	·01	·02		·06		·76		·33	·03	·24	22
23	·01		·24			1·00		·11	·50	·01		·08	23
24		·03	·06			·51		·17		·39		·19	24
25		·08	·02	·11	·01	·05				·01	·08	·04	25
26				·09	·13		·01	·09		·29	·34	·38	26
27		·09	·08	·09					·24	·06	·01	·03	27
28		·11	·01	·20		·05		·08		·05	·07	·09	28
29				·02		·08	·02	·20	·40	·31	·01	·05	29
30			·01		·08	·04			·16	·17			30
31					·01					·02		·02	31
Total	1·71	1·06	1·80	·88	·61	2·45	·06	1·89	2·11	2·49	2·60	3·61	TOTAL for Year 21·27
No. of Rain Days.	11	14	19	13	9	14	5	12	12	23	26	25	183 days

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Somerset House Holbeach S. Mark's
in the County of Lincoln
by Margaret Evelyn West (Miss)

2

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Holbeach
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·02		·10	·07	·01	·08			·11	1
2						·06	·45					·03	2
3	·16					·40	·07	·28	·03	·06		·07	3
4	·03		·48		·04	·12	·01	·05			·36		4
5			·07		·01	·12		·05			·01		5
6	·46	·25			·02	·12	1·79	·23			·01	·01	6
7		·01			·01	·19		·17	·06			·01	7
8	·11	·07	·11			·08		·02	·20			·01	8
9		·17	·02	·20		·44		·01			·09	·25	9
10	·01	·01		·05		·01		·15	·17			·01	10
11	·21	·05					·08		·01	·02	·02	·35	11
12	·09	·16	·17		·14	·01				·01	·35	·01	12
13		·10	·01				·05	·12			·27	·01	13
14			·06		·05	·15		·08	·07	·02	·02	·02	14
15		·01	·11		·65	·21		·01	·01				15
16	·12		·10		·06	·14		·10		·14			16
17	·27	·01	·19			·20		·07				·09	17
18	·10		·11				·09	·08		·05		·05	18
19	·31	·11				·07	·06	·45	·02	·04	·03	·02	19
20	·15	·01			·05		·23	·38		·26			20
21	·01		·14		·45			·16		·01	·06	·01	21
22		·08			1·20	·01	·56	·23				·08	22
23	·13	·11	·23		·02		·07	·69			·17	·20	23
24	·11		·01			·07	·15	·10		·01	·01	·16	24
25	·05					·05	·16	·60		·02	·23	·28	25
26		·02				·02	·12	2·13		·42	·23	·35	26
27						·02	·01	·01		·31	·01	·13	27
28		·01			·03		·07	·45		·41	·28	·61	28
29							·21	·03	·48	·31	·13		29
30					·08	·47			·33	·11			30
31			·13		·10		·32	·25		·02			31
Total	2·32	1·18	1·94	·27	2·91	3·06	4·57	6·91	1·46	2·22	2·28	2·87	YEAR'S TOTAL 31·99
Rain Days.	16	16	15	3	15	22	19	27	11	17	17	23	201

W. 7,500, XI. ·12

LINCOLN.

HOLYWELL HALL

1912, 1916

REC 912

Kept at Holywell H

in the County of Linc

by Col. Birch

Long.

n

ation

auge in.

uge above Ground ft. in.

,, Sea Level ft.

FORM A.
BRITISH RAINFALL.

29 MAR 1913

IMPORTANT NO m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3								·50					3
4								·08					4
5								·10					5
6								·40					6
7								·06					7
8								·04					8
9								·02					9
10								·05					10
11													11
12													12
13								·06					13
14								·06					14
15													15
16								·12					16
17								·20					17
18								·06					18
19								·72					19
20								·27					20
21								·30					21
22								·40					22
23								·42					23
24								·08					24
25								·37					25
26								1·52					26
27													27
28								·50					28
29													29
30													30
31								·11					31
Total								6·44					YEAR'S TOTAL
Rain Days.								23					

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

29 MAR 1913

Kept at Holywell Hall, Nr Stamford

in the County of Lincoln 2

by Col. Birch Reynardson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3								·50					3
4								·08					4
5								·10					5
6								·40					6
7								·06					7
8								·04					8
9								·02					9
10								·05					10
11													11
12													12
13								·06					13
14								·06					14
15													15
16								·12					16
17								·20					17
18								·06					18
19								·72					19
20								·27					20
21								·30					21
22								·40					22
23								·42					23
24								·08					24
25								·37					25
26								1·52					26
27													27
28								·50					28
29													29
30													30
31								·11					31
Total								6·44					YEAR'S TOTAL
Rain Days.								23					

W. 7,500, XI. '12

S. made ✓

2586

FORM A.
BRITISH RAINFALL.
5 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Holgarth Hall

in the County of Lincoln

by Colonel Birch Reynardson

Lat. .... Long. ....

Time of Observation 9.30.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.67	–	.06	–	–	.09	.10	–	–	–	.30	–	1
2	.28	.02	.22	–	.60	–	.12	–	.05	.18	.04	–	2
3	–	.27	.03	–	–	–	.28	–	.55	.21	.05	–	3
4	.26	.20	–	–	.20	.28	–	–	.08	–	.32	–	4
5	.02	–	.01	–	.02	.20	.02	–	–	.05	.12	–	5
6	.11	.12	.32	–	.03	–	.32	.02	–	.14	.28	–	6
7	.01	–	30	0.3	.10	–	34	–	–	.02	.58	.08	7
8	–	–	.04	–	–	–	–	–	–	.02	.04	.22	8
9	–	–	.08	–	.32	.15	–	–	–	.04	–	–	9
10	–	–	.12	.06	–	–	.02	–	.08	.01	–	.10	10
11	.05	.40	.29	.10	.05	.12	–	–	–	–	–	.05	11
12	.06	.01	.12	.02	.52	.16	–	–	–	.04	–	–	12
13	–	.16	.17	.06	.20	.05	.04	.08	–	–	–	–	13
14	–	.55	.05	.01	.08	–	–	.10	–	–	–	–	14
15	–	.30	.35	–	.03	–	.14	.13	.001	–	–	–	15
16	–	.17	.15	.25	–	–	.64	.01	–	–	–	–	16
17	.02	.06	.02	.17	–	–	.11	.38	.14	.26	–	–	17
18	.01	.14	.03	.08	–	–	–	.07	.12	.04	Snow 1.80	–	18
19	.04	–	.18	.40	–	.01	–	.04	.05	–	.70	.16	19
20	.10	.01	.30	.10	–	–	–	–	–	–	.08	.28	20
21	.03	.09	–	–	–	–	.05	–	–	–	–	.65	21
22	–	.48	.26	–	.07	.04	–	–	–	.07	.02	.66	22
23	.04	–	–	–	–	.18	.01	–	–	–	.12	.30	23
24	–	Snow 1.05	.04	.08	–	–	–	.06	–	.01	–	20	24
25	–	.32	.20	–	.63	–	–	.22	–	–	.08	–	25
26	–	.11	–	–	–	–	–	.03	–	.07	–	–	26
27	.03	.30	Snow .80	–	–	.01	.16	.10	–	.15	–	–	27
28	–	.35	Snow .70	–	–	.04	–	–	–	–	–	.25	28
29	–	.18	–	–	–	.25	–	1.44	–	.21	–	.15	29
30	–	╳	–	–	–	.04	–	.10	–	.12	–	–	30
31	–	╳	–	╳	–	╳	–	.04	╳	.07	╳	–	31
Total	1·73	5·29	4·84	1·36	2·25	1·62	1·75	2·82	1·08	1·71	4·53	3·04	YEAR'S TOTAL 31·42
Rain Days.	15	21	24	12	13	14	14	15	8	18	14	12	180

W. 8,000, VIII. 16

LINCOLNSHIRE

HORKSTOW

1911 – 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIS

Kept at Horkstow

in the County of Lin

by E.J. Turton

n.

d – ft. 10 in.

evel 74·6 ft.

Barton-on-Humber

ce 4 miles Direction N.E.

IMPORTANT NOTE.—R result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading a the space provided for it at the end of this par of rain, the selection and placing of Rainfall Organization are given in "Rul sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.	-	-	-	-	.03	.07	-	-	.02	.06	1
2	.31	-	-	-	-	-	.12	-	-	-	.02	.09	2
3	.04	.03	-	.15	.05	.4	-	-	.11	.18	.04	.02	3
4	.08	-	.21	.23	.08	-	-	.17	-	.29	.18	.15	4
5	.05	-	-	.06	-	-	-	.08	-	.08	.03	.0.2	5
6	.31	-	.02	-	-	-	-	-	-	-	.16	.28	6
7	.06	-	.04	-	-	-	-	-	-	-	.06	.10	7
8	.05	-	.21	-	-	-	-	-	-	-	.05	.20	8
9	-	-	.04	.06	-	.02	-		-	.02	-	-	9
10	.04	-	.06	-	-	-	-	-	-	-	-	.51	10
11	.32	-	-	-	-	-	-	-	-	-	-	-	11
12	.05	-	.18	-	-	.02	-	-	-	-	.32	.02	12
13	.06	.23	.36	-	-	.17	-	-	.60	-	.25	.42	13
14	-	. -	.14	-	.29	-	-	-	-	-	.05	.33	14
15	-	.15	.25	-	-	-	-	-	.04	.05	.06	.15	15
16	02	-	.10	-	-	.05	.04	-	-	-	.18	.10	16
17	-	.02	.04	-	-	.23	.06	-	-	-	.07	.21	17
18	-	.03	.04	-	-	34	-	-	-	.02	.37	.05	18
19	-	.03	.02	.09	.02	.29	.05	.04	.17	.07	-	.08	19
20	.03	.03	-	.20	-	-	.11	.36	.12	-	-	.47	20
21	-	.35	-	-	-	-	-	.06	-	.08	.09	.05	21
22	-	.09	-	.05	-	-	-	.68	-	.15	.12	.04	22
23	-	.09	.04	.02	-	.91	-	-	.68	-	.02	-	23
24	-	.05	-	.07	-	1.56	.10	-	-	.24	-	.12	24
25	-	.04	-	.28	-	.26	-	-	.07	.08	-	.10	25
26	-	-	-	.05	.27	-	-	-	-	.32	.07	.28	26
27	-	.10	.21	.08	-	-	-	.82	.36	-	.78	.05	27
28	.02	.08	.03	.32	.	.04	-		. -	-	.03	.20	28
29			.02	.04	-	-	-		.54	.33	.03	.09	29
30					.14	.40	.07		.13	.18		.02	30
31										04		-	31
Total	1.47	1.32	2.01	1.70	.85	4.33	.58	2.28	2.82	2.13	3.00	4.21	TOTAL for year 26.70
No. of Rain Days	15	14	18	14	6	13	8	8	10	15	22	27	170

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at Horkstow

in the County of Lincoln. 5

by E. J. Turton

Rain Gauge
Pattern
Diameter of top 5½ in.
Height of top above Ground – ft. 10 in.
" " " Sea Level 74·6 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Barton-on-Humber
Distance 4 Miles Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.	–	–	–	–	.03	.07	–	–	.02	.06	1
2	.31	–	–	–	–	–	.12	–	–	–	.02	.09	2
3	.04	.03	–	.15	.05	.04	–	–	.11	.18	.04	.02	3
4	.08	–	.21	.23	.08	–	–	.17	–	.29	.18	.15	4
5	.05	–	–	.06	–	–	–	.08	–	.08	.03	.02	5
6	.31	–	.02	–	–	–	–	–	–	–	.16	.28	6
7	.06	–	.04	–	–	–	–	–	–	–	.06	.10	7
8	.05	–	.21	–	–	–	–	–	–	–	.05	.20	8
9	–	–	.04	.06	–	.02	–		–	.02	–	–	9
10	.04	–	.06	–	–	–	–	–	–	–	–	.51	10
11	.32	–	–	–	–	–	–	–	–	–	–	–	11
12	.05	–	.18	–	–	.02	–	–	–	–	.32	.02	12
13	.06	.23	.36	–	–	.17	–	–	.60	–	.25	.42	13
14	–	–	.14	–	.29	–	–	–	–	–	.05	.33	14
15	–	.15	.25	–	–	–	–	–	.04	.05	.06	.15	15
16	02	–	.10	–	–	.05	.04	–	–	–	.18	.10	16
17	–	.02	.04	–	–	.23	.06	–	–	–	.07	.21	17
18	–	.03	.04	–	–	34	–	–	–	.02	.37	.05	18
19	–	.03	.02	.09	.02	.29	.05	.04	.17	.07	–	.08	19
20	.03	.03	–	.20	–	–	.11	.36	.12	–	–	.47	20
21	–	.35	–	–	–	–	–	.06	–	.08	.09	.05	21
22	–	.09	–	.05	–	–	–	.68	–	.15	.12	.04	22
23	–	.09	.04	.02	–	.91	–	–	.68	–	.02	–	23
24	–	.05	–	.07	–	1.56	.10	–	–	.24	–	.12	24
25	–	.04	–	.28	–	.26	–	–	.07	.08	–	.10	25
26	–	–	–	.05	.27	–	–	–	–	.32	.07	.28	26
27	–	.10	.21	.08	–	–	–	.82	.36	–	.78	.05	27
28	.02	.08	.03	.32	.	.04	–		–	–	.03	.20	28
29			.02	.04	–	–	–		.54	.33	.03	.09	29
30					.14	.40	.07		.13	.18		.02	30
31										.04		–	31
Total	1.47	1.32	2.01	1.70	.85	4.33	.58	2.28	2.82	2.13	3.00	4.21	TOTAL for year 26.70
No. of Rain Days	15	14	18	14	6	13	8	8	10	15	22	27	170

9,000, IX. '10.

Ex J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6. JAN 1913

Kept at Horkstow

in the County of Lincoln 5

by E.J. Turton.

RAIN GAUGE
Pattern
Diameter of top 5½ in.
Height of top above Ground - ft. 10 in.
" " " Sea Level 74.6 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Barton-on-Humber.
Distance 4 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·03	·02	-	·19	·08	·03	·20	-	-	·27	1
2	-	-	·06	-	-	·24	·59	-	·02	·04	-	-	2
3	·17	-	·02	-	·03	·75	-	·46	·18	-	-	·15	3
4	·14	-	·34	-	·06	·61	-	·37	-	-	·42	-	4
5	-	-	-	-	·22	·28	-	05	-	-	-	-	5
6	1.08	·32	·03	-	·07	·02	·20	·37	·03	-	-	-	6
7	-	·10	·03	-	·03	·03	·10	·07	·15	-	-	·02	7
8	·33	·12	·26	·02	-	-	·09	-	·50	-	·05	·02	8
9	·04	·08	-	·07	-	·30	-	-	·02	-	-	·05	9
10	-	-	·04	·02	-	·77	-	·03	·12	-	-	-	10
11	24	-	-		-	-	-	·08	-	-	·11	·76	11
12	·09	·36	·11		-	·65	1.21	·08	-	-	·07	-	12
13	·02	·04	-		-	·18	-	-	-	·25	·51	-	13
14	·10	-	·53		-	·14	-	·05	·05	-	·11	·02	14
15	·02	-	·29		·54	·27	-	-	-	-	-	-	15
16	·25	-	·16		·11	·07	-	·12	-	·13	-	-	16
17	-	·02	·28		-	·29	-	·29	-	-	-	·11	17
18	·27	-	·10		-	·02	-	-	-	·07	·02	-	18
19	·37	·25	-		-	-	·65	·70	-	·07	-	-	19
20	·13	·04	-		·36	·05	·25	·05	-	·15	-	-	20
21	-	-	45		·61	-	·58	-	-	·10	-	·04	21
22	-	·11	·15		·94	·04	·02	·23	-	·07	-	·19	22
23	·02	·02	-		·05	-	·18	·49	-	-	-	-	23
24	·31	-	-		-	·06	2.76	·03	-	-	·18	·15	24
25	·14	-	-		-	·37	·12	·10	-	-	·14	·11	25
26	-	-	·05		-	-	·17	1.46	-	·86	·32	·13	26
27		·15	·05		-	·12	·41	·03	-	·87	-	·05	27
28			-	·02	·14	-	·13	·45	-	·18	·70	·22	28
29			-		-	·03	·11	·04	·83	-	·52	-	29
30			·07		·05	·22	·26	-	·12	-	-	-	30
31			14		·20		-	·32	-	·15	-	-	31
Total	3·72	1.61	3.19	·15	3.41	5.70	7.91	5.90	2.22	2.94	3.15	2.29	TOTAL for year 42.17 ?
No. of Rain Days.	17	12	20	5	14	23	18	23	11	12	12	15	182

W. 8,000, X. '11.

cnd for auth. 1.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

5- JAN 1914

Kept at Horkstow

in the County of Lincoln 5

by E. J. Turton

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Barton-on-Humber G.C. Rly.

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.22	.24	.04	-	-	-	.7	-	.07	-	1
2	.03	.06	.08	.02	-	-	-	-	-	-	.06	-	2
3	.02	.03	.11	-	.20	-	-	-	.05	.15	-	.20	3
4	.95	-	-	-	.08	.10	.07	.04	.10	.34	.27	.21	4
5	.03	-	.05	-	-	-	.02	-	-	.21	-	-	5
6	.04	-	.05	-	.67	.14	.03	-	.06	.17	-	.02	6
7	-	.10	-	-	.08	.11	-	-	-	.71	03	-	7
8	-	.03	.07	.02	64	.21	-	-	-	.05	.03	-	8
9	-	.29	-	-	.20	.04	.16	-	-	-	.11	.05	9
10	-	.03	.04	.04	.04	-	-	-	-	.02	.55	-	10
11	.24	-	-	.11	-	.02	-	-	-	-	.19	-	11
12	.25	-	-	.46	-	.04	-	-	-	-	.06	-	12
13	-	.02	-	.04	-	-	-	.13	.14	-	.14	-	13
14	.30	-	.28	-	-	-	-	-	-	.17	-	-	14
15	.22	-	.23	.15	-	-	-	-	.04	-	.15	.04	15
16	.02	-	.05	.07	-	-	-	-	.05	-	.08	-	16
17	.05	.03	.34	.07	-	.03	-	-	1.19	.02	-	-	17
18	.02	-	.20	.07	-	.05	.02	-	-	-	.02	.04	18
19	.13	-	.06	.04	.08	-	-	-	-	-	-	-	19
20	.07	-	.07		-	-	-	-	.09	.15	.07	-	20
21	.04	.06	-	-	12	-	.12	.02	-	-	.17	-	21
22	.08	-	.33	-	-	-	-	.83	.10	-	.02	-	22
23	.05	-	-	-	.02	.04	-	.07	.09	.02	.02	-	23
24	.10	-	-	.08	-	.04	-	.02	-	-	-	-	24
25	-	.05	-	.08	-	.04	-	-	.06	.03	-	-	25
26	-	.11	.02	.09	-	-	-	-	-	.46	.08	-	26
27	.02	.02	-	-	-	.10	-	=		-	.05	.23	27
28	.49		.16	.24	.47	-	-	-		-	-	-	28
29	.25		.22	.28	-	-	-	.02	.	.05	-	.08	29
30	.32				-	-	.	-	.	.15	.04	.50	30
31	-				.05	-	-	-				.20	31
Total	3.72	83	2.58	2.10	2.69	.96	.42	1.13	2.75	2.70	2.21	1.59	YEAR'S TOTAL 20.46
Rain Days.	22	12	18	17	13	13	6	7	12	15	20	10	165

W. 7,500, XI. 12 3.72

23.66

~~W~~ DL cordly own stats 3.IV.15

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Horkstow

in the County of Lincoln 5

by E. J. Turton

Lat. 53-8 Long. 1.4
Time of Observation 9 a.m.
Nearest Railway Station Barton-on-Humber
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 10" in.
" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	.59	.35	-	-	-	-	1
2	-	-	-	-	-	-	.36	.47	-	-	.21	.09	2
3	.04	-	.21	-	.14	-	.26	.19	-	-	.05	.43	3
4	.11	-	.05	.24	.02	-	-	-	-	-	.34	.21	4
5	-	-	.24	.07	.10	-	.32	.07	-	-	.07	.04	5
6	-	.10	-	-	.11	-	.05	-	-	-	-	.08	6
7	.04	.09	.27	-	.11	.06	-	-	-	-	.03	.09	7
8	.44	-	.02	.08	.11	.31	.06	.14	-	-	-	-	8
9	.40	-	-	.04	-	.59	.06	.26	.04	-	-	.03	9
10	.45	.10	-	.05	-	-	-	-	.07	-	-	.05	10
11	-	.04	.30	.06	.05	.13	-	-	.08	-	.31	-	11
12	-	-	-	-	-	-	-	-	.34	-	-	.53	12
13	.08	.02	.20	-	-	-	-	-	-	.03	.09	.40	13
14	.03	.03	-	-	-	-	-	-	-	.31	-	.27	14
15	.12	.01	.18	-	-	-	-	-	.02		.45	.15	15
16	.35	-	-	-	-	-	.18	-	.18		.03	.21	16
17	.07	.05	.03	-	-	-	-	-	.40		.02	.20	17
18	.06	-	.07	-	-	.11	-	-	-		-	.56	18
19	.03	-	.14	-	-	-	.03	-	.02		.05	.17	19
20	.03	.07	.20	-	.03	1.56	-	-	.07	.17	-	-	20
21	-	.22	.03	-	-	.10	-	.06	-	.29	.08	.36	21
22	-	-	.02	10	.47	.11	-	.07	-	.13	-	.10	22
23	-	.05	.04	-	.65	-	-	-	-	-	-	.7	23
24	.02	-	-	.09	.09	-	.05	.44	-	-	.24	-	24
25	-	.03	-	-	.02	-	-	.13	-	.80	.06	.44	25
26	-	-	-	-	-	-	.10	.55	-	.21	.13	.29	26
27	.02	.03	-	-	-	-	-	-	-	-	-	.54	27
28	-	~~.11~~	-	-	-	-	-	-	-	.18	.16	.53	28
29	.05	-	-	-	.07	-	-	-	-	.71	-	.17	29
30		-	-	-		-	-	.04	-	.03	.34	-	30
31			-				.19	-	-	.13		.07	31
Total	2.34	.84	2.00	.73	1.97	2.97	2.25	2.77	1.12	2.99	2.66	6.08	YEAR'S TOTAL 28.72
Rain Days.	17	13	15	8	13	8	12	12	9	11	17	25	160

W.7,000, XI. 13

[illegible] 30/3/16

[illegible] 3.IV.16

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hoxton

in the County of Lincoln

by E. J. Turton

Lat. 53.8 Long. 1.4

Time of Observation 9. a. m.

Nearest Railway Station Barton-on-Humber

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.17~~ .15	~~.40~~ .33	-	-	.37	-	-	1.10	.44	-	.12	.04	1
2	.02	~~.05~~ .04	~~.24~~ .20	.17	-	.02	.06	.38	.11	-	.03	.33	2
3	~~.65~~ .54	-	-	.09	-	-	1.24	.63	.11	-	.07	1.02	3
4	~~.34~~ .28	-	-	-	-	-	1.20	.05	-	-	.02	-	4
5	~~.16~~ .13	.02	.07	-	.30	-	-	.12	-	.05	.07	.42	5
6	~~.03~~ .02	~~.24~~		.08	-	-	.69	.05	-	-	.06	.05	6
7	~~.27~~ .22	~~.33~~ .27	.01	-	-	-	.28	.21	-	-	-	.15	7
8	.02	~~.13~~ .11	.02	.02	-	-	.05	.04	-	-	.05	-	8
9	-	~~.11~~ .09	-	-	-	-	-	.06	-	.14	.03	.40	9
10	~~.35~~ .29	-	-	-	-	-	-	.20	-	-	-	.03	10
11	-	-	-	-	.32	-	-	.04	-	-	.20	.03	11
12	~~.08~~ .07	-	-	.13	.08	-	.19	-	-	.06	1.03	-	12
13	-	~~.85~~ .70	-	-	-	-	- -	-	-	-	.01	-	13
14	.02	~~.13~~ .11	-	-	-	-	-	.10	-	-	. -	.21	14
15	~~.27~~ .22	-	-	-	-	-	-	.04	-	.03	.09	.11	15
16	-	~~.33~~ .27	-	-	-	-	.46	.04	-	-	-	-	16
17	-	~~.20~~ .16	-	-	.04	-	.32	.01	-	-	-	-	17
18	~~.15~~ .12	~~.07~~ .06	.24	-	-	-	-	-	-	-	.47	.05	18
19	-	-	.03	-	-	-	.11	-	-	.03	-	-	19
20	~~.15~~ .12	-	-	-	-	-	-	-	-	-	-	.41	20
21	~~.09~~ .07	-	-	-	-	-	.08	-	-	-	-	.04	21
22	.02	-	.07	.05	-	-	-	-	-	-	-	.13	22
23	~~.06~~ .05	-	.03		-	-	.04	-	.07	-	.03	-	23
24	.02	-	.13		-	.02	-	-	.48	.02	-	.20	24
25	-	-	.02		-	.07	-	-		.13	-	.06	25
26	-	~~.35~~ .29	.04		-	.12	.16	-		.02	-	.32	26
27	-	~~.07~~ .06	-		-	-	.38	-		.36	-	.17	27
28	-	-	-		-	-	-	.25		.24	-	-	28
29	-	~~.05~~ .04	-		.07	-	-	.01		-	.18	.19	29
30		X	-	.03	-	.	-	.16		- -	.02	.17	30
31	~~.82~~ .56	X		X	-	X	-		X	.05	X		31
Total	~~3.19~~ 2.64	~~3.23~~ 2.75	~~.90~~ .86	.57	1.18	.23	5.26	3.49	~~.71~~ 1.21	1.13	2.45	4.53	YEAR'S TOTAL ~~25.80~~ 26.36
Rain Days.	19	15	11	7	6	4	14	18	5	11	16	21	147

2655

FORM A.
BRITISH RAINFALL.
4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hockstow.
in the County of Lincoln.
by E. J. Surton

Lat. 53.8 Long. 1.4
Time of Observation 9 a.m.
Nearest Railway Station Barton-on-Humber
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	-	.08	-	-	-	.08	-	-	.03	.14	-	1
2	.07	.11	.36	-	.43	-	-	-	.10	.03	.07	-	2
3	.03	.25	..	.02	-	-	-	-	.08	.11	.06	-	3
4		.08	.07	-	.41	.27	-	-	.10	.24	.23	.01	4
5	.03	-	.10	-	.07	.25	-	-	-	.22	.17	-	5
6	.02	.21	.12	.06	.26	-	.07	-	-	-	.26	.	6
7	-	-	.18	-	.16	-	.03	-	-	-	.05	.26	7
8	-	-	.40	-	.04	.26	-	-	-	-	.04	.06	8
9	-	-	.23	-	.45	..	-	-	.04	-	-	.17	9
10	-	.08	.06	.08	-	.26	.10	-	.06	-	-	.08	10
11	-	.43	.35	.08	.38		.07	-	.02	.11	-	.27	11
12	.14	-	.30	.07	..	.17	.16	-	-	-	-	.12	12
13	-	.05	.17	.	.20	.21	.31	.22	-	.22	-	-	13
14	-	.12	.01	-	.14	-	.02	.16	-	.05	-	-	14
15	-	.05	.27	-	-	-	.02	.44	.06	.07	-	-	15
16	-	.06	.07	.07	-	-	.06	.35	-	.	-	.12	16
17	.02	-	-	.41	-	.	.08	.26	.18	.08	.04	-	17
18	-	.17	-	.13	-	.03	-	.63	.07	.17	.84	-	18
19	.15	-	.28	.03	-	-	-	.05	.10	-	.22	-	19
20	.04	-	.20	-	.01	-	-	.02		-	.07	.20	20
21	-	.21	.10	-		-	.15	-		.08	.	.40	21
22	-	.10	.02			.02	.44	-		-	.02	.18	22
23	-	.09	-	.02		.26		-		.09	.10	.18	23
24	-	-	-	.38		-		.14		.09	-	.22	24
25	-	.32	.20			-		.22		-	.16	.10	25
26	-	.07	.08			-		.02		-	.02	-	26
27	-	.26	.02			-		-		.14		-	27
28	-	.47	.13			.		.06		.08		.10	28
29	-	.03				.42		.43		.27		.20	29
30	-	X						.07		.03			30
31	-	X		X		X			X		X		31
Total	.54	3.16	3.80	1.35	2.55	2.15	1.59	3.07	.81	2.11	2.49	2.67	YEAR'S TOTAL 26.29
Rain Days.	9	19	23	11	11	10	~~12~~ 13	14	10	18	16	16	~~169~~ 170

W. 8,000. X. 15.

2523

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

5 JAN 1918

Kept at Horkstow.
in the County of Lincoln.
by E. J. Turton.

Lat. 53.8 Long. 1.4
Time of Observation 9. a.m
Nearest Railway Station Barton on Humber
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.	-	.	-		.63	-12	-	-06	-07	1
2	-02	.	-	.12	-	-08		.17	.04	-	.03	-	2
3	-	.	.	-	.	.08		-33	-	.08	-	-	3
4	-	.	.	-	-	-		.	-	-27	-	-	4
5	-	.	-10	.19	-	-		-	-	.03	.05	.02	5
6	-16	.	-		.	-		-	-	-12	.02	-02	6
7	.45	.	-	-	.	.06		-	-08	-48	-	-	7
8	.91	.	-	-	-	-		1.39	-	.41	.05	-	8
9	.	.	-	.09	-	-		.13	-	-	.21	.	9
10	.04	.	-50	-05	.45	-		.27	-02	.11	.07	-	10
11	.19	.	-	-	-	-		-26	-	.33	-	-	11
12	.17	.	.	-07	.23	-		-31	-	-12	-	-	12
13	.24	-	-	-03	.	-		.17	-09	.09	.03	-	13
14	.16	.	-	-	.	-		.27	-	-	.	-	14
15	.18	-	.	-02	.04	-	-02	.18	-	-	.02	-18	15
16	.20	.22	.	.23	-	-	.	.05	.06	08.	-	-28	16
17	-	.04	.	.20	-47	.15	-	.16	-	-	-	-	17
18	12	.10	-03	-03	.02	-	-26	.10	-34	-	-	-	18
19	-12	.29	.13	-	-	.02	-03	-	.03	-	-	-	19
20	-	.08	.10	-	-	.23	-	-03	-	-03	.37	.03	20
21	-17	-	-	-	-	-	-	.03	-	-10	.02	-	21
22	.	-	.23	-	-	-	-	.13	-	-	-	-	22
23	-	.	-	-02	-15	-		.32	-	-	-	.06	23
24	.	.	-			.31		.07	-	-27	-11	-	24
25	.	03	-07			-		.01	-	-05	-30	-	25
26	.	-	.12			04		.63	.10	-03		.12	26
27	.	-	-			.13	-12	-31	-	-		.16	27
28	.	.	-13			.13		.31	-	-		.15	28
29	.	.	. -					.02	-	.25		.17	29
30	.		-07				.22	-05	.	.02		-	30
31	.		.11					-03				.	31
Total	3.15	.76	1.59	1.05	1.36	1.23	.65	6.36	.88	2.87	1.34	1.26	YEAR'S TOTAL 22.50
Rain Days.	15.	6.	11	11	6	10	5	26	9	18	13	.11	141.

W. 8,000, VIII. 16

135

Ex'd

72

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
8.1.19

Kept at Horkstow

in the County of Lincoln.

by E. J. Turton

Lat. 53.8 Long. 1.4

Time of Observation 9. a.m.

Nearest Railway Station Barton-on-Humber.

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	-	.12	.03	.18	.10	1
2	-	.03	.03	.16	-	.	-	.02	.10	-	-	.38	2
3	-	.22	.07	-	.25	.	-	.60	-	. -	.40	-	3
4	-	.03	.02	-	.12	-	-	.02	.26	.02	.27	.33	4
5	-	-	.07	.02	-	-	-	.52	-	.06	-	. .	5
6	-	.21	-	.44	-	.06	-	-	-	.02	-	.03	6
7	-	-	-	.15	-	.06	.	-	-	.08	.14	-	7
8	-	.02	.02	-	-	-	.17	-	.08	.03	.03	.04	8
9	.20	.23	-	.03	-	.08	-	-	.27	.43	.02	.05	9
10	-	.08	-	-	-	-	.13	-	.12	.04	-	.04	10
11	.15	.04	-	.11	.45	-	.08	-	.02	-	-	.08	11
12	-	.17	.03	.02	.07	.05	.40	.09	.04	.03	-	-	12
13	-	.02	-	.07	.08	-	.03	-	.07	-	-	-	13
14	.17	-	-	.03	-	-	-	-	.45	.07	-	.19	14
15	-	-	-	.02	-	-	.11	-	.54	-	-	.29	15
16	-	-	-	.04	-	.03	.08	-	.15	-	-	.06	16
17	.22	-	-	-	.79	-	.61	-	.16	-	-	.26	17
18	.21	-	-	.05	-	-	.36	-	.45	-	-	.07	18
19	.06	.02	.05	.18	-	-	.05	.04	-	.10	-	.47	19
20	.03	.17	-	-	-	.04	.03	-	.03	-	-	-	20
21	.03	-	-	-	.22	.02	.02	-	.15	.27	-	-	21
22	.03	-	-	-	.07	.	-	-	.02	.09	-	.31	22
23	.18	.05	-	-	.52	.02	.10	-	.12	-	.5	-	23
24	.	.	.	.	.02	-	. -	-	.9	-	.3	-	24
25	-	-	-	-	-	.08	.10	.23	.5	.02	.8	.03	25
26	.	-	-	-	-	-	.25	.09	.14	-	.15	.04	26
27	.	-	.	-	.	.02	.06	.44	.12	-	.14	.03	27
28	.	.33	.22	-	.	-		-	.03	-	.05	.34	28
29	.		-	.	.	.		-	.16	-	.06	.09	29
30	-	X	.32	.02	.	.		.		-		.18	30
31	.	X	.6	X	.	X		.03	X	.	X	.02	31
Total	1.28	1.62	.89	1.34	2.59	.46	2.58	2.08	3.74	1.29	1.60	3.43	YEAR'S TOTAL 22.90
Rain Days.	10	14	10	14	10	10	16	10	24	14	13	22	167

W. 8,000, IX. 17.

2373

FORM A.
BRITISH RAINFALL

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Horkstow

in the County of Lincoln

by E. J. Turton.

Lat. 53.8 Long. 1.4
Time of Observation 9 a.m.
Nearest Railway Station Barton-on-Humber
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level 74.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.5	.09	.04	-	.18	-	.14	-	.09	.04	.10	.10	1
2	.34	.08	.02	-	-	-	.24	-	.36	-	.18	.08	2
3	.69	-	-	-	.03	-	.36	-	-	-	.44	.12	3
4	.12	-	.41	-	-	.07	-	.12	.10	-	.07	.06	4
5	.05	-	-	-	-	-	-	-	.23	-	.05	.06	5
6	-	-	.07	-	-	-	-	-	-	-	.04	.08	6
7	.02	-	.25	-	.20	-	-	-	-	-	-	-	7
8	.11	-	-	.03	-	-	-	-	-	-	.05	-	8
9	-	-	.26	-	-	-	-	-	-	-	.20	.18	9
10	-	-	.07	.04	-	-	-	-	-	.03	.13	-	10
11	-	-	.47	.03	.05	-	.15	-	-	.05	-	-	11
12	-	-	.75	-	-	.16	.16	-	.14	.12	.06	-	12
13	.23	-	-	.08	-	-	.23	.02	.51	.18	.05	-	13
14	.43	-	-	.23	-	-	.04	-	.06	.02	-	.02	14
15	.09	.10	.05	.27	-	-	-	-	-	.03	-	.25	15
16	.07	.75	-	.06	-	-	-	-	-	-	.43	-	16
17	-	.22	-		-	.9	-	.06	-	-	.19	-	17
18	-	-	-		-	-	-	.07	-	-	-	-	18
19	-	.20	.37		-	-	.35	.64	.02	-	.04	.05	19
20	.25	.11	-		-	.03	.16	.27	.08	-	-	-	20
21	.29	.23	.08		-	.06	.25	-	.03	-	.04	.10	21
22	-	.05	-	.08	-	-	.11	-	.15	-	.02	.28	22
23	-	.03	-	-	-	.05	.02	-	.04	.68	.03	.02	23
24	-	-	.03	-	.07	.09	-	-		.21	.03	.16	24
25	.06	-	-	.20		-	-	.39		-	.07	.48	25
26	-	-	.11	-		.04	-	.20		.11	.03	-	26
27	.09	-		.54		-	-	-		.31	.03	-	27
28	.07	-		-		-	-	.61		.20	-	.38	28
29	.15	-		-		.15	-	.03		.80	.12	.08	29
30	.08	X		.22		.18	-			.15		.19	30
31		X	.03	X		X	.08		X	.22	X		31
Total	3.19	1.86	3.01	1.78	.53	.92	2.29	2.41	1.81	3.15	2.40	2.69	YEAR'S TOTAL 26.04
Rain Days.	18	10	15	11	5	10	13	10	12	15	22	18	159

W, 6,500, VII. 18. w w c

26.04

227

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

002579

Kept at Horkstow

in the County of Lincoln

by E. J. Turton

Lat. 53.8 Long. 1.4

Time of Observation 9. a. m.

Nearest Railway Station Barton on Humber.

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground ft 10 in.

„ „ „ „ Sea Level 74. 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.	-	.25	.28	-	.25	-	.	.42	-	-	1
2	.02	-	-	.06	.02	.	.07	-	-	.12	-	.22	2
3	-	-	-	.20	.03	.07	.17	-	.11	.08	-	.04	3
4	-	-	-	.05	.04	-	.25	.44	-	.41	-	.07	4
5	.	-	.03	.03	.26	-	.18	-	.02	-	.	.08	5
6	-	-	-	.	.11	-	.08	-	-	.	.	.10	6
7	-	-	-	.	.02	-	.58	-	-	.	.	.02	7
8	-	.06	-	.24	.02	-	.	.	-	.	-	.	8
9	.22	.03	.03	.33	-	-	-	.18	.02	-	.	.	9
10	.16	.13	.05	.22	-	.	.07	.	.	.	-	.04	10
11	.19	-	.03	.23	.02	-	-	-	.	.	-	.	11
12	.02	-	.	.14	-	.02	-	-	.	-	.03	-	12
13	-	.02	.06	.12	-	.26	-	-	.07	-	-	.12	13
14	.03	.	.47	.16	-	-	.06	.	.30	-	.08	.22	14
15	-	-	.77	.11	-	-	.02	-	.12	-	.	.13	15
16	-	-		.03	.03	-	.17	-	.7	-	-	.13	16
17	-	-		-	.14	-	.13	.	42	.04	-	-	17
18	.11	-	-	-	.08	.79	.03	.10	.03	-	-	-	18
19	.05	1.27	-	.18	.07	.05	-	.02	.02	-	-	-	19
20	.11	.07	-	.20		.61	.02	-	-	-	-	.04	20
21	.05	-	-	.26	-	-	.36	.12	.02	-	-	-	21
22	-	-	-	.14	-	-	.31	-	.	-	-	-	22
23	-	-	-	-	-	-	-	.		-	-	.24	23
24	-	-	.25	.07	-	.	-	-		-	.	.03	24
25	-	.05	.05	.04	-	-	.38	-	.	-	-	-	25
26	.08	-	.02	.21	.05	-	.08	-	.	-	-	-	26
27	.06	.03	-	.08	.31	.27	-	-	.	-	.15	.13	27
28	.79		.05	.13	.05	-	.	-	-	-	.21	.03	28
29	.05		.15	.02	.54	-	.03	-	.	-	.09	.37	29
30	.23		.02	.03	-	-	.20	.	.12	-	.15	.24	30
31			.03		-					.07		.23	31
Total	2.17	1.66	2.01	3.53	2.07	2.07	3.44	.86	1.32	1.14	.71	2.48	Year's Total 23.46
Days with ·01 in. or more	15 12	8 5	14 8	25 21	17 11	7 6	20 11	5 4	12 7	6 6	6 5	19 16	154 117

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

396

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

LINCOLNSHIRE

HORNCASTLE

1911 — 1920

19 11

Kept at Horn
in the County of
by H. R. M

top .... in.
above Ground .... ft. .... in.
„ Sea Level .... ft.

ion Name
Distance Direction

IMPORTANT ... and the result entered to the
previous day. If a ... universal rule, he is earnestly
requested to add th ... g year in the space provided
for it at the end o ... urement of rain,
the selection and ... British Rainfall
Organization are giv ... on application to
Dr. H. R. Mill, 62,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			—				·03		·01	·05	·05	1
2	·26		·02		·10	·12		·05		·06	·02	·10	2
3		·02		·09	·10			·11		·08	·02	·01	3
4	07		·10	·18					·06	·14	·02	·37	4
5	·02	·02		·02				·08		·02	·11	·12	5
6	·51		·03	·01				·04		·15		·22	6
7		·01							—		·12	·23	7
8	·21		·19						·04	·02	·09	·11	8
9	·01		·04	·01	—						·10		9
10	·02	·08	·11				—					·37	10
11	·30	·02									·02		11
12	·15		·21		·03				·31		·32	·01	12
13			·50		·05	·14				·01	·01	·44	13
14		·06	·26		·49						·02	·45	14
15		·11	·23						·01	·02	·02	·03	15
16			·11			·08					·02	·10	16
17			·05			·14					·21	·07	17
18		·07	·02			·10					·01	·03	18
19	·02					·75	·07	·25	·01	·04	·41	·02	19
20	·01	·01		·10			·01	·95	·07		·27	·33	20
21		·27	·01					·37		·09	·01	·01	21
22	·01	·02		·01		·01		·05		·11	·07	·20	22
23		·04	·26		·01	1·76			·49		·07	·08	23
24		·06	·06	·05		1·43				·55		·07	24
25		·02	·06	·30		·03		·06	·02	·01		·10	25
26				·11	·02					·30	·07	·28	26
27		·12	·18	·15				·15	·24	·03	·34	·03	27
28		·19	·01	·22						·02		·09	28
29		×		·01		·09	·07		·51	·30	·02	·01	29
30		×	·01		·16	·02			·18	·15	·01		30
31		×	·01	×		×			×	·05	×	·02	31
Total	1·6~~5~~9	1·12	2·47	1·26	·96	4·67	·15	2·14	1·94	2·16 2·16	2·43	3·95	TOTAL for year 24·94
No. of Rain Days	13	16	21	13	8	12	3	11	11	20	25	28	181

9,000, IX. '10.

DL

~~W~~ DM cod waitt {13.IV.12 18.IV.12

396

FORM A2. BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Horncastle

in the County of North Lincolnshire 3

by H. R. Maynard

RAIN GAUGE { Pattern ……
Diameter of top …… in.
Height of top above Ground …… ft. …… in.
" " " Sea Level …… ft.

Time of Observation ……

Nearest Railway Station { Name ……
Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10							·03		·01	·05	·05	1
2	·26		·02		·10	·12		·05		·06	·02	·10	2
3		·02		·09	·10			·11		·08	·02	·01	3
4	07		·10	·18					·06	·14	·02	·37	4
5	·02	·02		·02				·08		·02	·11	·12	5
6	·51		·03	·01				·04		·15		·22	6
7		·01									·12	·23	7
8	·21		·19						·04	·02	·09	·11	8
9	·01		·04	·01							·10		9
10	·02	·08	·11									·37	10
11	·30	·02									·02		11
12	·15		·21		·03				·31		·32	·01	12
13			·50		·05	·14				·01	·01	·44	13
14		·06	·26		·49						·02	·45	14
15		·11	·23						·01	·02	·02	·03	15
16			·11			·08					·02	·10	16
17			·05			·14					·21	·07	17
18		·07	·02			·10					·01	·03	18
19	·02					·75	·07	·25	·01	·04	·41	·02	19
20	·01	·01		·10			·01	·95	·07		·27	·33	20
21		·27	·01					·37		·09	·01	·01	21
22	·01	·02		·01		·01		·05		·11	·07	·20	22
23		·04	·26		·01	1·76			·49		·07	·08	23
24		·06	·06	·05		1·43				·55		·07	24
25		·02	·06	·30		·03		·06	·02	·01		·10	25
26				·11	·02					·30	·07	·28	26
27		·12	·18	·15				·15	·24	·03	·34	·03	27
28		·19	·01	·22						·02		·09	28
29		X		·01		·09	·07		·51	·30	·02	·01	29
30		X	·01		·16	·02			·18	·15	·01		30
31		X	·01	X		X			X	·05	X	·02	31
Total	1·65 9	1·12	2·47	1·26	·96	4·67	·15	2·14	1·94	2·16 2·16	2·43	3·95	TOTAL for year 24·94
No. of Rain Days	13	16	21	13	8	12	3	11	11	20	25	28	181

9,000, IX. '10.

~~DL~~ wrote for Jan. 11·III·13 JC

corr'd per author 10·III·13 ~~W.A.~~ H.S.b.

392

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

~~Kept~~ at Horncastle

in the County of Lincolnshire 3

by H. R. Maynard

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01				·15	·10	·08	·13			·65	1
2		·02				·01	·59			·02		·06	2
3	·20	·02			·05	·45		·23	·09			·07	3
4	·05		·33		·01	·31		·27	·01		·52		4
5	·08	·06			·01	·73					·01		5
6	·73	·14			·03		·33	·26	·05				6
7	·07				·02	·22		·05	·15				7
8	·39	·08	·09	·01		·16	·04		·25			·04	8
9	·01	·12	·03	·13		·10			·01			·23	9
10				·02		·21		·18	·30		·07		10
11	·08	·02			·01				·01		·05	·46	11
12	·10	·31	·14		·01	·11					·59		12
13	·05	·02						·02		·01	·40		13
14	·06		·23			·10		·10	·01		·01	·01	14
15		·01	·17		·33	·17							15
16	·24		·12		·17	·12		·13		·15	·01		16
17	·14		·20		·01	·23		·25				·06	17
18	·25		·10			·02	·05			·10		·06	18
19	·26	·27					·12	·20		·01	·02		19
20	·11	·01	·01		·11	·01	·53	·12		·21			20
21			·40		·38		·04				·06	·01	21
22	·01	·08	·01		·50	·02	·23	·20				·15	22
23	·07	·01	·16		·01		·19	·46			·12	·02	23
24	·16		·02			·10	·07	·02				·13	24
25	·03					·33	·38	·43			·13	·18	25
26		·06	·04			·02	·07	1·77		·50	·24	·26	26
27						·05	·10	·01		·50		·16	27
28				·02	·11			·50		·20	·61	48 ~~[illegible]~~	28
29			·02	·01		·14	·08	·02	·62	·20	·02		29
30		X			·02	·05	·02		·21	·11			30
31		X	·17	X	·05	X	·60	·28	X	·03	X		31
Total	3·09	1·24	2·24	·19	1·83	3·81	3·54	5·58	1·84	2·04	2·86 2·86	3·03	TOTAL for year 31·29
No. of Rain Days.	20	16	17	5	17	23	17	21	12	12	15	17	192

W. 8,000, X. '11.

DL

Written 3.4.14

404

REGISTER Ex OF DL RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

Kept at Horncastle

in the County of Lincolnshire

3

by H. R. Maynard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·11	·06					·56		·05		1
2	-	·02	·03	·01	·01		·07						2
3	-		·06		·41				·02	·02			3
4	·52		·01		·06	·01	·07		·08	·20	·31	·07	4
5	·02					·14	·01		·02	2·30	·02		5
6	·01				·46	·05		·02		·80			6
7	-	·02			·03	·06				·58	·01	·01	7
8	-		·01	·01	·67	·10			·01	·08	·10		8
9	-	·23	·01	·01	·06	·02		·03			·09		9
10	-			·01			·23				·47		10
11	1·55			·54		·06		·02			·05		11
12	-					·01					·41		12
13	·06		·01	·02				·03	·01		·25		13
14	·07	·02	·33	·01			·03			·06			14
15	·16		·27	·29					·02		·05		15
16	·01	·04	·18	·06					·22		·04		16
17	·01	·03	·55	·11		·08			·20		·01	·02	17
18	-		·11	·05			·03	·02				·03	18
19	·09							·02	·15	·01			19
20	·11		·01	·01					·13	·26	·05		20
21	·09		·29		·02		·27			·01	·21		21
22	·09		·15				·11	·33	·08				22
23	·05					·04	·05	·02	·07		·01		23
24	·04			·08		·14		·02			·03		24
25	-			·14		·01						·03	25
26	-	·21	·02	·02	·05	·01				·56	·08	·12	26
27	·	·05				·09					·01		27
28	·24		·08	·16						·06			28
29	·06	X	·13	·38				·03		·02		·17	29
30	·22	X		·01						·07			30
31	-	X		X	·02	X		·08	X		X		31
Total	3·41	·62	2·36	1·98	1·79	·82	·87	·62	1·57	5·03	2·25	·45	YEAR'S TOTAL 21·77
Rain Days.	19	8	18	19	10	14	9	11	13	14	19	7	161

W. 7,500, XI. ·12

82

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Horncastle
in the County of Lincolnshire 3
by H. R. Maynard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1·32	·25		·01	·02		1
2							·08	·03			·13	·34	2
3			·17		·16		·06	·02					3
4	·11		·08	·27				·02			·23	·09	4
5			·17	·02	·09	·01	·04	·25					5
6		·07		·18	·15		·14	·01			·03	·02	6
7		·17	·22	·12	·05	·09						·05	7
8	·28	·04	·01	·01	·08	·90	·04	·16	·05				8
9	·34		·09	·11		·73		·03					9
10	·46	·06		·04	·01				·07	·01		·02	10
11		·02	·27	·31	·12	·02	—		·10		·33	·23	11
12	·09	·01	·02			·01	·06		·17			·40	12
13	·03	·10	·28				·03			·10	·15	·18	13
14	·01	·01	·18							·11	·38	·16	14
15	·09		·16				·01				·09	·71	15
16			·09				·07		·03		·06		16
17	·01	·13							·12		·03	·22	17
18			·02				·06		—		·02	·32	18
19			·10				·07		·01		·11	·05	19
20		·07	·23							·27		·01	20
21	·01	·16	·15					·01		·03		·23	21
22				·04	·31	·01	·11	·10		·22		·12	22
23		·09	·04	·02	·03	·07	·10					·15	23
24		·01		·08				·02		·07	·24		24
25							·02	·10		·67	·02	·10	25
26			·02				·03	·19		·09	·38	·30	26
27	·01		·02									·22	27
28	·02	·02								·01	·16	1·30	28
29		×	·18		·02					·60	·04		29
30		×								·01	·18	·20	30
31		×		×		×	·35		×	·07	×	·11	31
Total	1·46	·96	2·50	1·20	1·02	1·84	2·59	1·19	·55	2·27	2·60	5·53	YEAR'S TOTAL 23·71
Rain Days.	12	14	20	11	10	8	17	13	7	14	18	23	167

W.7,000, XI. 13

82

3635
379

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Horncastle
in the County of Lincolnshire
by H. R. Maynard

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.27			.43				.17		.27	.06	1
2	.01	.03	.28	.09		.04		.20	.10		.07	.01	2
3	.38		.06	.06			.45	.01	.03		.07	.22	3
4	.23						1.10	.15			.06	.67	4
5	.05	.05			.14			.18		.04	.05	.32	5
6	.06	.24	.10	.06	.01		.70	.01			.02	.04	6
7	.31	.31	.34			.01	.55	.11			.03	.35	7
8	.02	.02					.02	.05			.06		8
9		.12				.01		.02		.01	.03	.39	9
10	.32		.01									.02	10
11	.01	.01			.26		.27	.04			.28	.18	11
12	.16			.23	.07		.04	1.15		.05	.75		12
13		.70			.23			.05	.02		.01		13
14		.27			.10		.09	.18		.02		.30	14
15	.37	.03					.05	.05		.01	.64	.10	15
16		.26					.87	.12				.03	16
17	.12	.08					.12					.01	17
18		.07	.32								.03	.01	18
19		.02	.01				.10			.10			19
20	.14			.01						.03		.40	20
21	.18	.07					.17					.05	21
22	.13		.16	.05			.13					.21	22
23	.03	.08	.01				.13		.04	.01	.02	.05	23
24	.01		.17						.35	.07		.14	24
25						.19	.08			.07	.06	.13	25
26	.04	.15	.01			.01	.01		.01	.02	.02	.40	26
27	.02	.07	.01				.02			.60		.02	27
28		.06	.08			.04		.12	.01	.20			28
29	.01	X			.01	.02		.06			.34	.29	29
30	.11	X		.04		.23	.06		.01		.01	.03	30
31	.11	X		X		X		.21	X	.20	X	.15	31
Total	3.02	2.91	1.56	.54	1.25	.55	4.96	2.71	.74	1.43	2.82	4.58	YEAR'S TOTAL 27.07
Rain Days.	23	20	13	7	8	8	19	17	9	14	19	26	183

W. 8,000. X. 14.

2620
~~392~~
2555

FOR A. BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Horncastle

in the County of Lincolnshire

by H. R. Maynard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02					·11	·12				·35		1
2	·17	·09	·20		·39		·08		·05	·05	·03		2
3		·04	·04	·01			·40		1·07	·33	·03		3
4	·15	·32	—		·22	·28	·01		·12	·09	·25		4
5	·04	·15	·03	·02	·01	·72				·23	·07	·12	5
6	·01		·33	·13	·23		·14			·11	·32		6
7		·02	·32		·25		·17			·03	·22	·15	7
8			·12		·03						·02	·25	8
9			·11		·38	·42			·01			·17	9
10		·03	·10	·03		·10			·09	·01		·02	10
11	·05	·45	·33	·15	—	·35	·04						11
12	·02	·01	·06	·01	·18	·38	·11	·01	·01	·03		·03	12
13	—	·09	·05		·17	·01		·12		·01		·03	13
14		·04		·01	·11		·18	·06		·04		·01	14
15		·13	·57				·03	·13	·03	·09			15
16		·12	·06	·23	·02		·06	·34		·01		·05	16
17	·03			·52			·14	·09	·23	·13	·01		17
18	·01	·13		·15				·38	·04	·14	1·10		18
19	·15	·02	·02	·22					·19		·29	·10	19
20	·03		·07					·03			·11	·14	20
21			·15	·11	·10		·05	·01				·49	21
22		·15	·01		·02	·02				·05	·01	·46	22
23		·36				·30	·01	·01			·11	·35	23
24	·02	·75		·01			·01	·10		·09	·01	·12	24
25		·30	·17		·02			·25		·11	·11	·02	25
26		·20						·47		·05	·10		26
27		·12	·45					·01		·12	·01		27
28		·18	·65			·06				·01		·14	28
29		·13				·27		·45		·23		·18	29
30		X				·01		·16		·19	·33		30
31	·01	X		X		X		·05	X	·01	X	·03	31
Total	·71	3·83	3·84	1·60	2·13	3·03	1·55	2·67	1·84	2·16	3·48	2·86	YEAR'S TOTAL 29·70
Rain Days.	13	22	20	13	14	13	15	17	10	23	19	19	198

W. 8,000. X. 15.

82

2486
~~329~~
255

FORM 4.
BRITISH RAINFALL.

29 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at Horncastle
in the County of Lincolnshire
by H. R. Maynard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·01	·34	–			1·02	·14		·04	·01	1
2	·11			·10		·10		·17			·02		2
3	·01	·22		·04		·02		·61		·34			3
4		·01	·08							·37			4
5	·20		·03	·12				·01			·11		5
6						·13			·07	·15	·04		6
7	·52		·05			·22				·44			7
8	·79			·15			·04	·47		·54	·11		8
9	·22		·04	·14				·08			·18	·05	9
10	·31		·47	·14				·10		·04	·12		10
11	·04		·01	·75				·18		·24	·01		11
12	·14	·01		·01	·24			·25		·20			12
13	·20			·05			·05	·16	·15	·01	·01		13
14	·14		·01	·14				·05				·03	14
15	·18						·09	·80		·02	·01	·12	15
16	·05	·24		·21						·03		·74	16
17	·02	·01	·04	·21	·51	·03		·05	·04	·10		·04	17
18	·05		·01	·03	·01		·47		·41				18
19	·10	·10	·08		·02	·01		·01	·02				19
20	·01	·29	·10						·01		·37	·01	20
21		·02	·13		·01	·02					·08		21
22	·01		·12							·13			22
23		·03			14	·02		·07	·01	·05		·01	23
24					·06	·37	·06			·16	·07		24
25			·02							·02	·09	·40	25
26			·15			·08		·46	·07		55	·19	26
27			·04				·04	·44				·02	27
28		·02	·05		·15	·22		·12				·11	28
29	·01	X				·06	·05	·01		·24		·02	29
30	·08	X	·19	·01			·17	·13					30
31	·03	X		X		X	·01	·06	X		X	·12	31
Total	3·22	·96	1·63	2·44	1·14	1·28	·98	5·25	·92	3·08	1·81	1·87	YEAR'S TOTAL 24·58
Rain Days.	21	11	19	15	8	12	9	21	9	17	15	14	176

2·03

W. 8,000, VIII. 16

38

2555

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Horncastle
in the County of Lincolnshire
by H. R. Maynard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	·07	·04	—	—	—		·22	·01	·13	·05	1
2	·06	·16	·01	·04	—	—	—	·15	·02	·02	·02	·41	2
3	—	·01	·04	—	·27	—	—	·06	·01	·01	·80	·01	3
4	—	·05	·02	—	·01	—	·01		·40		·30	·06	4
5	—	—	·01	·03	·04	—	—	·60	·04	·01			5
6	—	·02		·29	—	·02	—					·02	6
7	·15	·02		·11	—	·09	—			·07	·11		7
8	—	—	·01	—	—	—	·14		·16		·01	·28	8
9	·09	·29		·03	—	—	·01		·30	·47		·02	9
10	·05	—		·02	—	—	·26			·06		·05	10
11	·06	·04		·11	·40	—	·06		·03	·34		·15	11
12	·01	·25	·01	·02	·03	—	·02		·06	·06		·01	12
13	·01	·01		·01	·14	—	—		·09				13
14	·24	—		·06	—	·01	·20		·13	·15		·11	14
15	·27	—		·37	—	·03	·12		·18			·15	15
16	—	—		·12	—	—	—		·28			·03	16
17	·16	—		·01	·17	—	·89	·01	·06	·03		·19	17
18	·24	—		·07	—	—	·23		·31			·31	18
19	·06	·02	·04	·13	—	—	·01	·01		·09	·02	·45	19
20	·03	·12		—	—	·15	·08		·01	·07			20
21	·02	—		—	—	·10	—		·35	·10			21
22	·16	—		·01	·04	·05	·01		·01	·01	·02	·44	22
23	·12	—		—	1·26	—	·15		·05		·01		23
24	—	·16		—	·10	·01	·05		·04	·02	·03		24
25	—	—		—	—	·68	·20	·21	·01		·01		25
26	—	—		—	—	—	·12	·06	·13		·13	·03	26
27	—	—	·01	·04	—	·01	—	·37	·03		·07	·08	27
28	·01	·14	·13	—	—	—	—				·06	·26	28
29	—	X		—	—	—	—		·51		·01	·02	29
30	—	X	·31	·06	—	—	—		·05		·09	·08	30
31	—	X	·09	X	—	X	—		X	·02	X		31
Total	1·74	1·31	·75	1·57	2·46	1·15	2·56	1·47	3·45 ~~[illegible]~~	1·54	1·82 ~~[illegible]~~	3·21	YEAR'S TOTAL 23·06
Rain Days.	17	14	12	19	9	10	17	8	25	17	16	22 ~~23~~	167

W. 6,500, VII. 18. w w c

81 15·4·20

2341 ~~285~~ 2555

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Horncastle

in the County of

by H. R. Maynard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·03	·03		·22		1·04			·04	·10	·26	1
2	·15	·01					·40		·18	·10	·22	·14	2
3	·52		·03		·02		·45		·06		·35		3
4	·01		·35			·06		·04	·01		·04	·11	4
5	·09		·01						·91			·13	5
6			·05								·09	·14	6
7	·01		·15									·04	7
8	·06			·11						·01	·03	·09	8
9										·01	·04		9
10			·12	·03						·01	·26	·07	10
11	·04		·26	·05			·30			·01	·04		11
12	·01		·44	·04		·16	·02		·01	·03			12
13	·21			·14					·13	·10	·10	·01	13
14	·47	·01	·01	·18			·03		·15		·04		14
15	·20	·15	·03	·38						·01	·12	·34	15
16	·01	·93		·05							·03		16
17		·40		·01	·01	·06					·28	·01	17
18								·12	·01			·08	18
19		·12	·55			·03	·65	·78	·05		·03	·01	19
20	·50	·08	·19			·01	·29	·39	·02			·17	20
21	·38	·48	·06			·02	·12		·01		·02	·14	21
22		·12	·10				·04		·52		·01	·47	22
23			·01	·01		·03		·04	·04	·43	·01	·02	23
24			·02	·04	·23	·15				·05	·05	·47	24
25	·17	·02	·01	·09	·07	·06		·71				·13	25
26	·01	·01	·07	·20				·12	·11	·03	·10	·53	26
27	·04	·26		·47			·01			·45		·01	27
28	·01			·53				·45	·02	·56		·31	28
29	·14	X	·01	·10		·07		·70		·30	·28	·14	29
30	·02	X	·06	·20		·28				·04	·12	·26	30
31	·03	X		X		X	·18		X	·28	X	·07	31
Total	3·29	~~2·65~~ 2·62	2·56	2·63	·55	·93	3·53	3·35	2·23	2·46	2·36	4·15	YEAR'S TOTAL 30·66 ~~30·69~~
Rain Days.	22	13	21	17	5	11	12	9	15	17	22	25	189

W. 8,000, IX. 17.

371

2241
2555

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Horncastle
in the County of Lincolnshire
by H. R. Maynard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.26		.23			.80	.04	.02	1
2				.14			.03		.06	.30		.25	2
3		.01		.19		.05	.41		.12	.05		.08	3
4	.01			.14	.02		.05	.56	.01	.13		.02	4
5			.05	.01	.58		.14	.11	.11			.05	5
6			.03	.01	.05		.15					.13	6
7	.02		.10	.06			.34					.03	7
8	.03	.05		.25	.01						.01		8
9	.20	.01		.46			.01	.16		.01			9
10	.15	.07	.11	.10			.04					.06	10
11	.28		.11	.20	.07		.01					.25	11
12	.04			.18							.02	.29	12
13	.01	.08	.11	.36		.27			.07			.13	13
14		.01	.49	.20		.14	.02		.21	.02	.10	.06	14
15		.05	1.19	.15			.02		.24	.13		.03	15
16				.03	.01				.05	.26		.04	16
17	.01				.16		.01		.46	.02		.02	17
18	.09				.17	.24		.07	.11			.01	18
19	.08	.60		.10		.05	.01	.39	.18		.01	.03	19
20	.08	.33		.25		.44	.02		.01			.01	20
21				.07			.23	.06				.03	21
22	.01			.21			.01	.05	.11				22
23	.01	.01					.18				.01	.26	23
24			.26	.06			.01					.10	24
25		.10	.04	.07		.08	.72						25
26	.07		.01	.08	.39		.23					.01	26
27	.07	.10		.13	.03	.40					.08	.09	27
28	.67		.06	.16	.10		.08				.08	.02	28
29	.05		.25		3.95	.03	.01				.08	.40	29
30	.07	✕		.15		.02	.02		.14		.07	.29	30
31	.06	✕		✕	.01	✕			✕	.20	✕	.13	31
TOTAL	2.01	1.42	2.81	3.76	5.81	1.72	2.98	1.40	1.88	1.92	.50	2.84	YEAR'S TOTAL 29.05 1.58
Days with ·01 in. or more	20	12	13	25	14	10	24	7	14	10	10	27	186
	13	8	11	22	9	8	12	7	12	7	6	10	131

(44,283). W 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L

398

LINCOLN.

IRBY-ON-HUMBER.

1911-1912

FORM A2. BRITISH RAINFALL. 26 JAN 1912

REGI 1

Kept at Irby-on-Hu 5 in.

e Ground 1 ft. in.

in the County of N. Linc

Sea Level 175 ft.

by H. B. Parker

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14							·12		·04	·08	·03	1
2	·15			·02	·04	·01	·16	·01		·01	·06	·07	2
3	·02	·05		·12	·10	·10		·09		·23	·06		3
4	·04	·01	·12	·11					·08	·35	·22	·34	4
5	·02		·04	·12				·06		·08		·13	5
6	·40		·01	·01				·13		·05	·25	·27	6
7	·01	·01									·06	·20	7
8	·08		·14						·02		·02	·09	8
9			·17	·02		·02				·03	·02	·01	9
10	·07	·08	·09					·15			·22	·35	10
11	·48	·03			·05			·02			·27	·01	11
12	·20	·01	·14		·07	·05			·39		·09	·01	12
13			·63			·18				·02	·03	·25	13
14		·14	·15		·40	·05	·02				·06	·28	14
15		·19	·25							·05	·01	·05	15
16	·01	·01	·13			·04	·01			·01	·15	·13	16
17			·06			·08	·03				·03	·13	17
18		·03	·01		·01	·65					·48	·03	18
19		·02		·02		·77	·10	·05	·01	·04	·37	·02	19
20	·02			·15			·18	·21			·03	·26	20
21		·29		·01					·11	·10	·17	·03	21
22	·01			·02				·36		·08		·08	22
23		·15	·09	·03		2·10		·03	·42	·03	·14	·10	23
24		·04	·05	·06		1·54				·26		·05	24
25	·01	·05	·03	·23		·29			·01		·07	·17	25
26				·04		·01				·19	·54	·18	26
27		·09	·18	·08			·13	·54	·27	·04		·03	27
28		·18	·03	·23		·03		·01		·01	·02	·12	28
29	·01		·02	·05		·03	·15	·01	·44	·32	·01	·04	29
30					·26	·09			·15	·11		·02	30
31			·06		·03					·04		·02	31
Total	1·67 1·67	1·38	2·40	1·32	·96	6·04	·78	1·79	1·90	2·09	3·46	3·50	TOTAL for year 27·29
No. of Rain Days	16	17	20	17	8	17	8	14	10	21	25	30	203

9,000, IX. '10.

81/ ✓

W D11 Cnd for auth 13.IV.12

398

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Irby-on-Humber

in the County of N. Lincolnshire 5

by H. B. Parker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 175 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14							·12		·04	·08	·03	1
2	·15			·02	·04	·01	·16	·01		·01	·06	·07	2
3	·02	·05		·12	·10	·10	—	·09		·23	·06		3
4	·04	·01	·12	·11					·08	·35	·22	·34	4
5	·02		·04	·12				·06		·08		·13	5
6	·40		·01	·01				·13		·05	·25	·27	6
7	·01	·01									·06	·20	7
8	·08		·14						·02		·02	·09	8
9			·17	·02		·02				·03	·02	·01	9
10	·07	·08	·09				—	·15			·22	·35	10
11	·48	·03			·05			·02			·27	·01	11
12	·20	·01	·14		·07	·05			·39		·09	·01	12
13			·63			·18				·02	·03	·25	13
14		·14	·15		·40	·05	·02				·06	·28	14
15		·19	·25							·05	·01	·05	15
16	·01	·01	·13			·04	·01			·01	·15	·13	16
17			·06			·08	·03				·03	·13	17
18		·03	·01		·01	·65					·48	·03	18
19		·02	—	·02		·77	·10	·05	·01	·04	·37	·02	19
20	·02	—		·15		—	·18	·21			·03	·26	20
21		·29		·01					·11	·10	·17	·03	21
22	·01			·02				·36		·08		·08	22
23		·15	·09	·03		2.10		·03	·42	·03	·14	·10	23
24		·04	·05	·06		1.54				·26		·05	24
25	·01	·05	·03	·23		·29			·01		·07	·17	25
26				·04		·01				·19	·54	·18	26
27		·09	·18	·08			·13	·54	·27	·04		·03	27
28		·18	·03	·23		·03		·01		·01	·02	·12	28
29	·01		·02	·05		·03	·15	·01	·44	·32	·01	·04	29
30					·26	·09			·15	·11		·02	30
31			·06		·03					·04		·02	31
Total	1.67 1·67	1·38	2·40	1·32	·96	6·04	·78	1·79	1·90	2·09	3·46	3·50	TOTAL for year 27·29
No. of Rain Days	16	17	20	17	8	17	8	14	10	21	25	30	203

9,000, IX. '10.

394

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Irby-on-Humber, Wr. Grimsby 5 ft

in the County of Lincolnshire

by H. B. Parker

RAIN GAUGE { Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station { Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·01			·09	·04	·02	·12			·22	1
2		·08	·02	·01		·13	·50			·08			2
3	·13	·04	·03		·01	·78		·30	·10			·08	3
4	·08		·34		·03	·18		·41			·30	·01	4
5	·03	·04	·01		·02	·21		·04			·01		5
6	·76	·14	·02		·07	·08	·19	·30	·13	·01		·02	6
7	·08	·01		·02	·01	·02	·02	·17	·07			·02	7
8	·21	·14	·15	·08		·01	·04		·54		·02	·05	8
9	·03	·10	·08	·02		·06			·04			·06	9
10	·01	·02	·02		·02	·56		·13	·19		·10		10
11	·13	·03				·01		·01	·01		·09	·70	11
12	·05	·20	·16			·37	·24	·01			·89	·01	12
13	·03	·03	·01		·01	·17		·06		·19	·39		13
14	·05	·01	·30			·13	·01	·06	·08		·03	·16	14
15	·01	·02	·47		·43	·20			·01				15
16	·21		·09		·05	·19		·08		·17			16
17	·13	·01	·18	·01		·22		·10				·12	17
18	·19		·06			·02	·08			·03		·05	18
19	·31	·20	·01			1·03	·40	·27	·02	·07	·02	·01	19
20	·08	·04			·21	·02	·24	·04		·34			20
21			·31		·43		·17			·03	·03	·01	21
22	·02	·08	·03		·95	·05	·03	·16				·19	22
23	·01	·03	·11		·03		·09	·36		·01	·30	·01	23
24	·30	·01	·01			·12	·29	·01				·12	24
25	·06					·27	·06	·18		·01	·11	·16	25
26	·01	·08	·07			·02	·04	1·20		·55	·09	·27	26
27		·01	·03			·05	·34	·04		·68		·08	27
28		·01		·05	·10	·09	·06	·31		·25	·76	·44	28
29		·01			·01	·08	·17	·02	·75	·21	·28	·01	29
30	·02		·04		·02		·01		·13	·19			30
31			·22		·13		·22	·22		·05		·01	31
Total	2·94	1·41	2·78	·19	2·53	5·16	3·24	4·20	2·19	2·87	3·42	2·81	TOTAL for year 33·74
No. of Rain Days.	24	24	25	6	17	27	21	24	13	16	15	23	235

W. 8,000, X. '11.

WP

REGIST

LINCOLN.

KEADBY.

"THE HOLLIES"

1916.

FORM A. BRITISH RAINFALL. 4 JUN 1917

Kept at The Hollis Keadb
...75 W
...2 M corr. to mid[illegible]

in the County of Lincoln.
...lthorpe G6

by Geo Kelsey

n Gauge 5 in.

ove Ground 1 ft. 2 in.

Sea Level 16 ft.

IMPORTANT NOTE.— ... d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	=	.07	=	=	=	=	=	.01	=	=	=	1
2	.04	=	.15	=	=	.11	.11	=	=	=	.21	=	2
3	.07	.06	.24	=	.30	=	.01	=	.13	=	.01	=	3
4	=	.24	.02	.04	=	=	.07	=	.19	.13	.08	=	4
5	.01	.18	.01	=	.52	.16	=	=	.21	.19	.26	=	5
6	.01	=	.01	=	.11	.24	=	=	=	.24	.15	=	6
7	.02	.26	.25	.05	.35	.02	.05	=	=	=	.28	=	7
8	=	.01	.28	=	.07	=	.61	=	=	.03	.03	.24	8
9	=	=	.44	=	.01	=	=	=	=	=	=	.02	9
10	=	=	.11	=	.47	=	=	=	.03	=	.01	.22	10
11	=	=	.05	.08	=	.35	.13	=	.10	.01	=	.06	11
12	.11	.58	.28	.08	=	.02	.02	=	.02	.03	=	.03	12
13	.03	=	.27	.01	.34	.14	.15	=	=	.01	=	.05	13
14	=	.07	.10	=	.27	=	.31	.08	=	.24	=	.01	14
15	.01	.07	.01	=	.06	=	=	.20	=	.08	.01	.01	15
16	=	.06	.53	=	.03	=	=	.67	.01	.02	=	=	16
17	=	.05	.08	.10	=	=	.12	.23	=	.02	=	.02	17
18	.04	=	=	.25	=	=	.11	.30	.11	.10	.01	=	18
19	=	.22	.01	.12	=	=	=	.82	.02	.08	.57	=	19
20	.11	.02	.07	.08	=	=	=	.08	.25	=	.13	.14	20
21	.05	=	.16	.23	.01	=	=	.28	=	=	.04	.03	21
22	=	=	.11	=	=	=	.16	.02	=	=	=	.43	22
23	=	.04	.01	.02	=	.01	=	=	=	.04	.01	=	23
24	=	.06	=	=	=	.07	=	.01	=	=	.07	.50	24
25	=	.40	=	.14	=	.05	=	.14	=	.01	=	.07	25
26	=	.13	.25	=	=	=	=	.21	.01	.09	.06	.03	26
27	.01	.12	.02	=	=	=	=	.01	=	=	.01	=	27
28	=	.29	.01	=	=	.01	.12	.07	=	.17	=	=	28
29	=	.19	.11	=	.01	.03	=	=	=	=	.01	.07	29
30	=	×	.01	=	=	.44	=	.28	=	.14	=	.20	30
31	=	×	=	×	.01	×	=	.22	×	.27	×	.01	31
Total	.62	3.05	3.66	1.20	2.56	1.65	1.97	3.62	1.09	1.90	1.95	2.14	YEAR'S TOTAL 25.41
Rain Days.	13	19	27	12	14	13	13	16	12	19	18	18	194

W. 8,000, VIII. 16

√ WP

REGIST

FORM A. BRITISH RAINFALL.
4 JUN 1917

Kept at The Hollies Keadby Via Doncaster

in the County of Lincoln . Lindsey

by Geo Kelsey

Lat. ·75 W

Time of Observation 6 A M corr. to midnight [illegible]

Nearest Railway Station Althorpe G C

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	=	·07	=	=	=	=	=	·01	=	=	=	1
2	·04	=	·15	=	=	·11	·11	=	=	=	·21	=	2
3	·07	·06	·24	=	·30	=	·01	=	·13	=	·01	=	3
4	=	·24	·02	·04	=	=	·07	=	·19	·13	·08	=	4
5	·01	·18	·01	=	·52	·16	=	=	·21	·19	·26	=	5
6	·01	=	·01	=	·11	·24	=	=	=	·24	·15	=	6
7	·02	·26	·25	·05	·35	·02	·05	=	=	=	·28	=	7
8	=	·01	·28	=	·07	=	·61	=	=	·03	·03	·24	8
9	=	=	·44	=	·01	=	=	=	=	=	=	·02	9
10	=	=	·11	=	·47	=	=	=	·03	=	·01	·22	10
11	=	=	·05	·08	=	·35	·13	=	·10	·01	=	·06	11
12	·11	·58	·28	·08	=	·02	·02	=	·02	·03	=	·03	12
13	·03	=	·27	·01	·34	·14	·15	=	=	·01	=	·05	13
14	=	·07	·10	=	·27	=	·31	·08	=	·24	=	·01	14
15	·01	·07	·01	=	·06	=	=	·20	=	·08	·01	·01	15
16	=	·06	·53	=	·03	=	=	·67	·01	·02	=	=	16
17	=	·05	·08	·10	=	=	·12	·23	=	·02	=	·02	17
18	·04	=	=	·25	=	=	·11	·30	·11	·10	·01	=	18
19	=	·22	·01	·12	=	=	=	·82	·02	·08	·57	=	19
20	·11	·02	·07	·08	=	=	=	·08	·25	=	·13	·14	20
21	·05	=	·16	·23	·01	=	=	·28	=	=	·04	·03	21
22	=	=	·11	=	=	=	·16	·02	=	=	=	·43	22
23	=	·04	·01	·02	=	·01	=	=	=	·04	·01	=	23
24	=	·06	=	=	=	·07	=	·01	=	=	·07	·50	24
25	=	·40	=	·14	=	·05	=	·14	=	·01	=	·07	25
26	=	·13	·25	=	=	=	=	·21	·01	·09	·06	·03	26
27	·01	·12	·02	=	=	=	=	·01	=	=	·01	=	27
28	=	·29	·01	=	=	·01	·12	·07	=	·17	=	=	28
29	=	·19	·11	=	·01	·03	=	=	=	=	·01	·07	29
30	=	×	·01	=	=	·44	=	·28	=	·14	=	·20	30
31	=	×	=	×	·01	×	=	·22	×	·27	×	·01	31
Total	·62 √	3·05 √	3·66 √	1·20 √	2·56 √	1·65 √	1·97 √	3·62 √	1·09 √	1·90 √	1·95 √	2·14 √	YEAR'S TOTAL 25·41
Rain Days.	13 √	19 √	27 √	12 √	14 √	13 √	13 √	16 √	12 √	19 √	18 √	18 √	194 √

W. 8,000, VIII. 16

LINCOLN

KILLINGHOLME

1919

RE 1919

ith.

Long. 0° 20′ W.

FORM A.
BRITISH RAINFALL.

22. 1 19

Kept at H. M. Mete K

ion 9 a.m.

Station Admiralty Platform Killingholme Lincs.

in the County of Lin

el of Rain Gauge ________ in.

Gauge above Ground ________ ft. ________ in.

by Meteorologi

" " Sea Level ________ ft.

IMPORTANT N a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

No Record

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								—	3.3	0.3	1.7	2.3	1
2								1.3	3.6	—	—	9.2	2
3								7.5	—	0.7	15.0	—	3
4								5.0	8.1	0.1	5.8	4.2	4
5								17.3	—	1.1	—	0.2	5
6								—	—	0.6	—	0.9	6
7								—	0.3	1.4	3.6	—	7
8								—	1.4	—	0.1	0.3	8
9								—	6.4	8.0	—	0.5	9
10								—	0.8	1.8	—	4.3	10
11								—	0.2	1.9	—	2.1	11
12								4.5	1.6	0.7	—	0.1	12
13								—	3.2	0.1	—	—	13
14								—	9.0	0.5	—	3.1	14
15								—	14.2	—	—	11.4	15
16								—	5.8	0.4	—	1.3	16
17								0.2	4.6	2.0	—	8.5	17
18								—	13.0	—	—	0.9	18
19								1.6	—	1.7	—	2.5	19
20								—	0.5	0.4	—	—	20
21								—	5.1	2.3	—	—	21
22								—	—	4.3	—	8.8	22
23								—	0.6	—	—	—	23
24								—	1.4	0.8	0.6	—	24
25								16.2	1.0	—	0.7	0.4	25
26								1.7	3.5	0.2	2.1	1.2	26
27								9.0	1.5	—	2.2	0.9	27
28								T.	—	—	0.6	5.8	28
29								—	7.4	—	0.3	3.1	29
30		X						—	2.0	—	0.8	3.5	30
31		X		X		X		0.2	X	—	X	1.3	31
Total							m.m	64.5	98.5	28.7	33.5 ~~28.5~~	76.8 ~~77.9~~	YEAR'S TOTAL
Rain Days.								11	24	~~20~~ 17	~~12~~ 11	~~22~~ 23	
							ins	2.54	3.88	1.12	1.32	3.03	

W. 6,500, VII. 18. W W C

RE

ith.

1919

FORM A.
BRITISH RAINFALL

22. 1 19

Kept at H. M. Meteorological Station (RA.7) Killingholme

in the County of Lincolnshire

by Meteorological Officer

Lat. 39' N Long. 0° 20' W.

Time of Observation 9 a.m.

Nearest Railway Station Admiralty Platform Killingholme Lincs

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

No Record

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								—	3.3	0.3	1.7	2.3	1
2								1.3	3.6	—	—	9.2	2
3								7.5	—	0.1	15.0	—	3
4								5.0	8.1	0.1	5.8	4.2	4
5								17.3	—	1.1	—	0.2	5
6								—	—	0.6	—	0.9	6
7								—	0.3	1.4	3.6	—	7
8								—	1.4	—	0.1	0.3	8
9								—	6.4	8.0	—	0.5	9
10								—	0.8	1.8	—	4.3	10
11								—	0.2	1.9	—	2.1	11
12								4.5	1.6	0.7	—	0.1	12
13								—	3.2	0.1	—	—	13
14								—	9.0	0.5	—	3.1	14
15								—	14.2	—	—	11.4	15
16								—	5.8	0.4	—	1.3	16
17								0.2	4.6	2.0	—	8.5	17
18								—	13.0	—	—	0.9	18
19								1.6	—	1.7	—	2.5	19
20								—	0.5	0.4	—	—	20
21								—	5.1	2.3	—	—	21
22								—	—	4.3	—	8.8	22
23								—	0.6	—	—	—	23
24								—	1.4	0.8	0.6	—	24
25								16.2	1.0	—	0.7	0.4	25
26								1.7	3.5	0.2	2.1	1.2	26
27								9.0	1.5	—	2.2	0.9	27
28								—	—	—	0.6	5.8	28
29								—	7.4	—	0.3	3.1	29
30		╳						—	2.0	—	0.8	3.5	30
31		╳		╳		╳		0.2	╳	—	╳	1.3	31
Total							m.m	64.5 ✓	98.5	28.7 ✓	~~28.5~~ 33.5	~~77.9~~ 76.8	YEAR'S TOTAL
Rain Days.								11 ✓	24 ✓	~~20~~ 17	~~12~~ 11	~~21~~ 23	
							ins	2.54	3.88	1.12	1.32	3.83	

W. 6,500, VII. 18. W W C

LINCOLNSHIRE

LINCOLN.

"COTTESFORD PLACE"

1911 – 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REG 11

Kept at Cottesford

in the County of Linco

by Mr F W Peac

5 in.

ve Ground ft. 9 in.

Sea Level 220 ft

a m

Name Lincoln

Distance ¾ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							0·07	0·06				0·06	1
2	0·19				0·07			0·02			0·03	0·16	2
3				0·02	0·11	0·02		0·22		0·03	0·06	0·01	3
4	0·05		0·14	0·27					0·08	0·45	0·11	0·22	4
5	0·04			0·08				0·02		0·03	0·01		5
6	0·29		0·02					0·03		0·09	0·11	0·37	6
7	0·01										0·10	0·12	7
8	0·24		0·18		0·08						0·01	0·18	8
9			0·03	0·03							0·01		9
10												0·35	10
11	0·27							0·01			0·24		11
12	0·11		0·28						0·41		0·04	0·01	12
13			0·19			0·22					0·03	0·32	13
14			0·15		0·44					0·01	0·01	0·33	14
15			0·17		0·02					0·03		0·03	15
16		0·10	0·11			0·06			0·01		0·20	0·12	16
17			0·02			0·22				0·01	0·01	0·07	17
18		0·15				0·03					0·37	0·06	18
19	0·02					0·15	0·09	0·04	0·01	0·07	0·32	0·02	19
20		0·09		0·07			0·02	0·15	0·05	0·07		0·25	20
21		0·29					~~[illegible]~~	0·07			0·02	0·05	21
22	0·02	0·02	0·01	0·09				0·10		0·12	0·06	0·25	22
23		0·07	0·26		0·01	1·29		0·07	0·42		0·06	0·09	23
24		0·06	0·03	0·07		1·34				0·37		0·13	24
25			0·01	0·25		0·02			0·01	0·05		0·10	25
26				0·12	0·18					0·26	0·41	0·35	26
27		0·16	0·12	0·18			0·07	0·58	0·34	0·03	0·01	0·04	27
28		0·10	0·02	0·17					0·01		0·17	0·09	28
29			0·01	0·02		0·03	0·07		0·42	0·21	0·01	0·01	29
30			0·02		0·06				0·05	0·10		0·01	30
31			0·09							0·02		0·01	31
Total	1·24	1·04	1·86	1·37	0·97	3·38	0·32	1·37	1·81	1·95	2·40	3·81	TOTAL for year 21·52
No. of Rain Days.	10	9	19	12	8	10	5	12	11	17	23	28	164

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL

Kept at Cottesford Place Lincoln

in the County of Lincoln 3

by Mr F G Peacock

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 220 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Lincoln
Distance 3/4 m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							0.07	0.06				0.06	1
2	0.19				0.07			0.02			0.03	0.16	2
3				0.02	0.11	0.02		0.22		0.03	0.06	0.01	3
4	0.05		0.14	0.27					0.08	0.45	0.11	0.22	4
5	0.04			0.08				0.02		0.03	0.01		5
6	0.29		0.02					0.03		0.09	0.11	0.37	6
7	0.01										0.10	0.12	7
8	0.24		0.18		0.08						0.01	0.18	8
9			0.03	0.03							0.01		9
10												0.35	10
11	0.27							0.01			0.24		11
12	0.11		0.28						0.41		0.04	0.01	12
13			0.19			0.22					0.03	0.32	13
14			0.15		0.44					0.01	0.01	0.33	14
15			0.17		0.02					0.03		0.03	15
16		0.10	0.11			0.06			0.01		0.20	0.12	16
17			0.02			0.22				0.01	0.01	0.07	17
18		0.15				0.03					0.37	0.06	18
19	0.02					0.15	0.09	0.04	0.01	0.07	0.32	0.02	19
20		0.09		0.07			0.02	0.15	0.05	0.07		0.25	20
21		0.29					~~0.07~~	0.07			0.02	0.05	21
22	0.02	0.02	0.01	0.09				0.10		0.12	0.06	0.25	22
23		0.07	0.26		0.01	1.29		0.07	0.42		0.06	0.09	23
24		0.06	0.03	0.07		1.34				0.37		0.13	24
25			0.01	0.25		0.02			0.01	0.05		0.10	25
26				0.12	0.18					0.26	0.41	0.35	26
27		0.16	0.12	0.18			0.07	0.58	0.34	0.03	0.01	0.04	27
28		0.10	0.02	0.17					0.01		0.17	0.09	28
29			0.01	0.02		0.03	0.07		0.42	0.21	0.01	0.01	29
30			0.02		0.06				0.05	0.10		0.01	30
31			0.09							0.02		0.01	31
Total	1.24	1.04	1.86	1.37	0.97	3.38	0.32	1.37	1.81	1.95	2.40	3.81	TOTAL for year 21.52
No. of Rain Days.	10	9	19	12	8	10	5	12	11	17	23	28	164

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 JAN 1913

Ex-Thol

Kept at Cottesford Place

in the ~~County~~ City of Lincoln 3

by F A Peacock

Lat. ...... Long. ......

Time of Observation 9 a.m

Nearest Railway Station Lincoln

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		0·02	0·01			0·28	0·28	0·02	0·13			0·43	1
2		0·03	0·01			0·19	0·61		0·01			0·05	2
3	0·32	0·01			0·10	0·53		0·36	0·09			0·10	3
4	0·04		0·37	—	0·04	0·28		0·16			0·34		4
5	0·08	0·02			0·03	0·16	—	0·02					5
6	0·59	0·11			0·04		0·09	0·25				0·02	6
7		0·04			0·02	0·04	0·02	0·05	0·15				7
8	0·40	0·15	0·22	0·04		0·05	0·02		0·28			—	8
9	0·04	0·12	0·06	0·11		0·15				0·02		0·03	9
10		0·01				0·04					0·09	0·06	10
11	0·11	0·02			0·01	0·02		0·05	0·01	0·01	0·05	0·43	11
12	0·09	0·23	0·08			0·24	0·50				0·38		12
13	0·02	0·01					0·03	0·04		0·05	0·23		13
14	0·11		0·37			0·05		0·09					14
15		0·03	0·10		0·30	0·09		0·01	0·01	—		0·05	15
16	0·27		0·13		0·10	0·25		0·11		0·14	0·01		16
17	0·20		0·20			0·22	0·01	0·20				0·15	17
18	0·11		0·05			0·03	0·01	0·03	—	0·02	0·01		18
19	0·29	0·13	0·01	0·03	0·32	0·70	0·32	0·37		0·01			19
20	0·26	0·01	0·03			0·03	0·30	0·01		0·16			20
21	0·01		0·50	—	0·43		0·06				0·04	0·09	21
22		0·04			0·81		0·22	0·38		0·04		0·15	22
23	0·09	0·01	0·24			0·04	0·35	0·37	—		0·15	0·01	23
24	0·17		0·01			0·16	0·05	0·01		0·01		0·17	24
25						0·28	0·05	0·16		0·01	0·15	0·20	25
26	0·01	0·04	0·06			0·05	0·16	1·23		0·53	0·13	0·15	26
27						0·15	0·10			0·71		0·13	27
28					0·12	0·04	0·10	0·37	0·02	0·20	0·68	0·43	28
29		0·02	0·04		0·01	0·05	0·04		0·42	0·19	0·09		29
30					0·20	0·13			0·11	0·05			30
31			0·03		0·30		0·25	0·37		0·04			31
Total	3·21	1·05	2·52	0·18	2·83	4·25	3·57	4·66	1·23	2·19	2·35	2·65	YEAR'S TOTAL 30·69 ✓
Rain Days.	19	19	19	3	15	26	21	22	10	16	13	17	200 ✓

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Cottesford Place
in the ~~County~~ City of Lincoln
by F A Peacock

3

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Lincoln
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 9 in.
" " " " Sea Level 220 ft. above

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·13	0·07					0·29		0·02		1
2	0·01	0·01	0·02				0·04				0·03		2
3			0·10		0·34					0·02	0·21		3
4	0·65	0·06	0·05	0·03	0·04		0·19		0·08	0·18		0·05	4
5	0·01		0·02		0·53	0·01	0·02		0·01	0·93			5
6	0·01	0·02	0·12			0·03				0·41			6
7		0·10			0·10	0·07		0·06		0·59	0·01		7
8					0·45	0·12			0·03	0·01	0·08		8
9		0·23	0·04	0·01	0·01	0·03					0·15	0·01	9
10				0·05	0·14	0·06		0·02			0·42		10
11	0·24			0·53							0·28		11
12								0·11			0·20		12
13	0·01		0·03	0·07						0·01	0·21		13
14	0·13	0·03	0·31	0·01				0·05	0·03	0·06	0·02		14
15	0·12		0·31	0·41							0·08	0·01	15
16	0·01	0·01	0·63	0·05					0·25		0·03		16
17	0·01	0·02	0·12	0·10		0·04			1·13		0·01		17
18			0·13	0·07		0·02	0·05					0·08	18
19	0·07		0·02						0·01				19
20	0·14		0·04	0·03					0·08	0·24	0·06		20
21	0·03		0·07		0·09		0·17				0·22		21
22	0·09		0·16				0·01	1·08	0·16			0·01	22
23	0·04					0·04	0·04	0·04	0·07			0·01	23
24	0·03			0·09		0·16		0·01			0·01		24
25		0·02		0·11		0·03			0·01				25
26		0·21	0·12	0·03	0·01	0·01				0·33	0·04	0·16	26
27		0·03	0·01	0·02		0·14			0·01		0·04		27
28			0·29	0·21						0·01		0·30	28
29	0·27		0·20	0·36	0·31			0·02				0·10	29
30	0·54		0·08	0·01						0·03	0·02		30
31													31
Total	2·41	0·74	3·00	2·26	2·02	0·76	0·52	1·39	2·16	2·82	2·14	0·73	YEAR'S TOTAL 20·95
Rain Days.	18	11	22	19	10	13	7	8	13	12	20	9	162

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Cottesford Place

in the ~~County of~~ City of Lincoln 3

by F A Peacock

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Lincoln

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level about 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·02				0·90	0·25		0·01	0·03		1
2							0·11	0·37			0·11	0·11	2
3	0·11		0·18		0·20		0·20	0·03			0·02	0·03	3
4			0·03	0·27	0·07			0·01			0·40	0·21	4
5			0·11	0·09	0·06	0·05	0·28						5
6		0·12		0·11	0·17		0·04				0·02	0·02	6
7		0·12	0·22	0·05	0·10	0·02					0·01	0·11	7
8	0·18	0·01	0·01	0·01	0·07	0·40	0·01	0·19	0·09			0·01	8
9	0·31	0·01	0·04	0·09		0·71			0·01	0·02			9
10	0·37	0·12	0·01	0·05					0·05			0·02	10
11		0·01	0·26	0·19	0·04	0·03			0·11		0·33	0·21	11
12	0·04		0·04				0·06		0·21		0·01	0·20	12
13	0·02	0·08	0·12							0·02	0·11	0·08	13
14	0·03	0·05		0·01			0·13			0·23	0·30	0·08	14
15	0·01		0·10				0·03				0·11	0·41	15
16	0·01		0·04				0·10		0·01		0·04		16
17	0·06	0·05	0·01						0·25		0·01	0·18	17
18			0·02			0·29	0·11				0·01	0·36	18
19			0·08								0·04	0·09	19
20		0·05	0·22						0·04	0·08		0·01	20
21		0·28	0·03			0·14	0·16	0·31		0·05	0·07	0·10	21
22			0·01	0·01	0·77	0·01	0·27	0·09		0·32		0·08	22
23		0·03	0·05		0·15	0·18	0·05			0·01		0·14	23
24				0·10						0·06	0·30		24
25							0·02	0·11		0·64	0·01	0·19	25
26			0·09				0·03	0·14		0·13	0·08	0·36	26
27	0·02										0·01	0·49	27
28	0·02									0·03	0·09	0·91	28
29	0·08	0·01	0·15	0·01	0·04					0·45			29
30		╳		0·09		0·03				0·04	0·24	0·21	30
31		╳		╳	0·01	╳	0·29		╳	0·12	╳	0·06	31
Total	1·26	0·94	1·84	1·08	1·68	1·86	2·79	1·50	0·77	2·21	2·35	4·67	YEAR'S TOTAL 22·95
Rain Days.	13	13	22	13	11	10	17	9	8	15	22	25	178

W. 8,000. X. 14.

codgs

2691

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cottesford Place

in the ~~County~~ City of Lincoln

by F A Peacock

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·09	0·14			0·53			0·11	0·08		0·06	0·08	1
2	0·01	0·02	0·17	0·09		0·05		0·48	0·10			0·01	2
3	0·36		0·04	0·11			0·85	0·49	0·02		0·04	0·22	3
4	0·37		0·01				1·21	0·02			0·01	0·88	4
5	0·03	0·17	0·01		0·42			0·05			0·07	0·43	5
6	0·03	0·15	0·07	0·05			0·97	0·06		0·01		0·03	6
7	0·28	0·28	0·04	0·01		0·03	0·46	0·30			0·04	0·17	7
8	0·07	0·06	0·02	0·01			0·05	0·03			0·02		8
9	0·03	0·06						0·01		0·02	0·01	0·36	9
10	0·31		0·01					0·28					10
11	0·01		0·04	0·02	0·36		0·09	0·02			0·26	0·28	11
12	0·09			0·31	0·17		0·01	0·08		0·02	0·84		12
13		0·57			0·21								13
14		0·14			0·03			0·18		0·03		0·28	14
15	0·37						0·11	0·01		0·01		0·10	15
16		0·31			0·07		0·52				0·52	0·01	16
17		0·14					0·20	0·09				0·01	17
18		0·17	0·16									0·03	18
19							0·12			0·10			19
20	0·07											0·41	20
21	0·12				0·37		0·20					0·05	21
22			0·16	0·03			0·02				0·04	0·13	22
23			0·02				0·22		0·07	0·02	0·01	0·05	23
24		0·14	0·14	0·02					0·42	0·01		0·19	24
25						0·56				0·17		0·14	25
26	0·03	0·15					0·01		0·01	0·01	0·01	0·35	26
27		0·17	0·01							0·53		0·11	27
28		0·05	0·02			0·32		0·19		0·07			28
29	0·02	×			0·02	0·06		0·05			0·41	0·44	29
30	0·06	×		0·04		1·11	0·02			0·01		0·04	30
31	0·07	×		×		×		0·14	×	0·10	×	0·15	31
Total	2·42	2·72	0·92	0·69	2·18	2·13	5·06	2·59	0·70	1·11	2·34	4·95	YEAR'S TOTAL 27·81
Rain Days.	19	16	15	10	9	6	16	18	6	14	14	25	168

W. 8,000. X. 15.

Exd gG

2626

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Cottesford Place, Lincoln
in the County of Lincoln
by F. A. Peacock

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Lincoln
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ' ft. 9 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04		0·03			0·04	0·29				0·26		1
2	0·19	0·04	0·22				0·10		0·03	0·13	0·05		2
3		0·28	0·01	0·03	0·58		0·29		0·46	0·18	0·02		3
4	0·18	0·17	0·01			0·32			0·37	0·13	0·25		4
5	0·03		0·04		0·42	0·14	0·01			0·16	0·13		5
6	0·01	0·17	0·18	0·03	0·02		0·27	0·01		0·01	0·34		6
7			0·35		0·13		0·12			0·01	0·13	0·23	7
8			0·15		0·09						0·02	0·15	8
9			0·05		0·68	0·04			0·03			0·08	9
10		0·02	0·05	0·09		0·02			0·13	0·10		0·05	10
11	0·02	0·45	0·16	0·23	0·06	0·11	0·08		0·01			0·01	11
12	0·01	0·02	0·09		0·17	0·28	0·09			0·03			12
13		0·07	0·03	0·05	0·30	0·01	0·03			0·01		0·08	13
14		0·04	0·02		0·04	0·01		0·04	0·01	0·05			14
15		0·08	0·62		0·02		0·12	0·13					15
16		0·14	0·11	0·24			0·03	0·20					16
17	0·04	0·02	0·01	0·42			0·15	0·27	0·25	0·15	0·01	0·03	17
18		0·22	0·01	0·10				0·61	0·14	0·14	0·92		18
19	0·09	0·01	0·04	0·35		0·02		0·95			0·20	0·13	19
20	0·04		0·25				0·01	0·06			0·02	0·06	20
21		0·02	0·14		0·01		0·02				0·02	0·40	21
22		0·10	0·01	0·01		0·05		0·30		0·09		0·32	22
23		0·10				0·08	0·01			0·01	0·11	0·32	23
24		1·19		0·02				0·01		0·03		0·13	24
25		0·13	0·09		0·01			0·09		0·11	0·19	0·02	25
26	0·01	0·11				0·05		0·21		0·05	0·03		26
27		0·17	0·45			0·01		0·31	0·01	0·13			27
28		0·19	0·36					0·01		0·01		0·10	28
29		0·14			0·02	0·31		0·93		0·11	0·01	0·16	29
30		X			0·01	0·05		0·06		0·12		0·06	30
31		X		X		X		0·02	X	0·05	X	0·05	31
Total	0·66	3·88	3·48	1·57	2·56	1·54	1·62	4·21	1·44	1·81	2·71	2·38	YEAR'S TOTAL 27·86
Rain Days.	11	23	25	11	15	16	15	17	10	22	17	18	200

W. 8,000, VIII. 16

2492

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Cottesford Place
in the ~~County~~ City *of* Lincoln
by F A Peacock

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Lincoln
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·02		0·03				0·99	0·23		0·04	0·01	1
2	0·14			0·02		0·09		0·23					2
3	0·28	0·17				0·01		0·32		0·28	0·01		3
4		0·02	0·10	0·01				0·01		0·31			4
5			0·02	0·16				0·03			0·07		5
6										0·16	0·04		6
7	0·34		0·06			0·01				0·32		0·01	7
8	0·42			0·20				1·25		0·41	0·11		8
9	0·13		0·06	0·18				0·04		0·01	0·17		9
10	0·22	0·01	0·55	0·09	0·40			0·14	0·06	0·07	0·04		10
11	0·04		0·02	0·40				0·04		0·25			11
12	0·13	0·01		0·04	0·15			0·25		0·21	0·01	0·01	12
13	0·19			0·01				0·17	0·04	0·02	0·01		13
14				0·11				0·10				0·10	14
15	0·06				0·10		0·15	0·04		0·02		0·04	15
16	0·02	0·15		0·10			0·01					0·54	16
17	0·11	0·02	0·06	0·21	0·65	0·02	0·04	0·07	0·05	0·07		0·04	17
18	0·01			0·05	0·03		0·47		0·43				18
19	0·05	0·10	0·12		0·06	0·02			0·02				19
20	0·02	0·36	0·08		0·05				0·11		0·54		20
21	0·04	0·02	0·09	0·01		0·14		0·01					21
22	0·02		0·08					0·12	0·01	0·10			22
23	0·0~~4~~1				0·13			0·15		0·04		0·02	23
24						0·49	0·11	0·02		0·13	0·04	0·04	24
25		0·01	0·07										25
26			0·10					0·39	0·06		0·41	0·07	26
27			0·04			0·01	0·14	0·33				0·03	27
28			0·02			0·10		0·05				0·13	28
29						0·16		0·01		0·21		0·03	29
30	0·06	✗	0·05				0·40	0·46					30
31	0·01	✗	0·12	✗		✗	0·03	0·06	✗		✗	0·05	31
Total	2·30 ✓	0·89	1·64	1·62	1·57	1·05	1·35 ✓	5·28 ✓	1·01	2·61 ✓	1·49	1·12	YEAR'S TOTAL 21·93 ✓
Rain Days.	20	11 ✓	17 ✓	15 ✓	8 ✓	10 ✓	8 ✓	24 ✓	9 ✓	16	12 ✓	14	164

1·12 ✓

W. 8,000, IX. 17.

44

FORM A.
BRITISH RAINFALL.

15. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Cottesford Place
in the ~~County~~ City of Lincoln
by F A Penrock

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Lincoln
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·03	0·01	0·06					0·23	0·03	0·10	0·10	1
2	0·03	0·21		0·06				0·25	0·06	0·02		0·29	2
3		0·02	0·08		0·36			0·56		0·01	0·53		3
4		0·04	0·03	0·02			0·12	0·03	0·55		0·41	0·16	4
5			0·01		0·14			0·31	0·05	0·01			5
6		0·04		0·26		0·04			0·01	0·10			6
7	0·10			0·20		0·06			0·04	0·02	0·11	0·01	7
8	0·02	0·04		0·01					0·24	0·03			8
9	0·02	0·20		0·12		0·01	0·10		0·31	0·57		0·04	9
10	0·10	0·01		0·01			0·25			0·17		0·10	10
11	0 05	0·08		0·05	0·25		0·05		0·11	0·11		0·08	11
12	0·02	0·23	0·01	0·06	0·01		0·10		0·16	0·02		0·03	12
13		0·01		0·02	0·17				0·11				13
14	0·18	0·01		0·13		0·03	0·16		0·21	0·07	0·01	0·15	14
15	0·40			0·11		0·01	0·12		0·26			0·27	15
16				0·19		0·08	0·01		0·29		0·01	0·05	16
17	0·19			0·01	0·15		0·49		0·48	0·15		0·21	17
18	0·25			0·01		0·02	0·18					0·13	18
19	0·05	0·04	0·05	0·04		0·02	0·01	0·01		0·07		0·58	19
20	0·04	0·09				0·08	0·06		0·15	0·02			20
21	0·03				0·03	0·08				0·06			21
22	0·13				0·02		0·02			0·17		0·35	22
23	0·15				0·58		0·09		0·08		0·04		23
24		0·13			0·01	0·01	0·03						24
25						0·65	0·07	0·25	0·06	0·02	0·05		25
26							0·54	0·06		0·01	0·16	0·02	26
27						0·02	0·27	0·44	0·05		0·28	0·05	27
28		0·39	0·22						0·02		0·19	0·30	28
29									0·27		0·01		29
30	0·01	X	0·33						0·03		0·13	0·48	30
31		X	0·11	X		X		0·01	X		X		31
Total	1·77	1·57	0·85	1·36	1·72	1·11	2·67	1·92	3·75	1·66	2·03	3·40	YEAR'S TOTAL 23·81
Rain Days.	17	16	9	17	10	13	18	9	22	19	13	19	182

W. 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Cottesford Place
in the ~~County~~ City of Lincoln
by F. A. Peacock

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Lincoln
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground .... ft 9 in.
" " " " Sea Level 224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·06	·02		·30		·27		·01	·20	·03	·19	1
2	·11	·05	·01		·20		·34		·28		·27	·01	2
3	·63						·85		·08		·30		3
4	·01		·42		·02	·20			·08		·04	·07	4
5	·07	·01	·01					·20	·25			·09	5
6	·02		·02					·01			·03	·18	6
7			·14		·03						·04	·01	7
8	·12			·05	·02							·04	8
9			·02							·01	·05		9
10			·14	·05	·01						·15	·13	10
11	·03		·58	·02	·01		·26						11
12			·35	·03		·08	·08			·04	·02		12
13	·20		·01	·07					·14	·10	·01	·01	13
14	·32			·17			·07		·07	·05	·02		14
15	·29	·09	·06	·35						·01	·10	·38	15
16		1·01			·08						·10	·01	16
17		·23			·01	·09	·02				·25		17
18		·01	·01						·02			·06	18
19	·02	·20	·52			·07	·60	·12	·13		·07		19
20	·43	·11	·13			·04	·18	·77	·04			·20	20
21	·21	·44	·14				·17	·20	·01		·02	·12	21
22		·08	·01				·02		·65		·02	·42	22
23						·05			·01	·71			23
24					·45	·35	·01	·03		·07	·01	·05	24
25	·12	·01		·14	·08	·16		·50			·01	·07	25
26			·11	·16				·09		·03	·01	·32	26
27	·10	·03		·05		·02		·01		·10	·02	·03	27
28	·04			·35			·02	·67		·19		·23	28
29	·05					·07		·20		·50	·25	·05	29
30	·03		·01			·25				·02	·15	·26	30
31	·03		·01				·17			·24			31
TOTAL	3·04	2·33	2·72	1·44	1·21	1·38	3·06	2·80	1·77	2·27	1·97	2·93	YEAR'S TOTAL 26·92
Days with ·01 in. or more	20	13	20	11	11	11	14	11	13	14	23	22	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Cottesford Place

in the ~~County~~ City of Lincoln

by F A Peacock

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·20	0·24		0·30			0·27	0·07	0·02	1
2			0·03	0·20			0·05		0·13	0·15		0·15	2
3				0·20		0·07	0·46		0·12	0·05		0·01	3
4	0·01			0·25			0·17	0·43	0·05	0·26		0·06	4
5		0·03	0·03		0·26		0·14	0·19	0·06			0·06	5
6	0·01		0·03	0·03	0·02		0·13					0·11	6
7				0·05			0·10					0·02	7
8		0·07	0·01	0·35	0·03		0·02						8
9	0·20	0·01	0·01	0·48			0·01	0·20					9
10	0·10	0·12	0·03	0·01			0·05	0·01				0·03	10
11	0·25	0·01	0·04	0·25	0·08			0·02				0·20	11
12	0·02		0·36	0·26								0·14	12
13	(0·07)	0·02		0·22		0·74			0·05			0·06	13
14			0·50	0·15		0·25	0·03		0·17	0·01	0·18	0·01	14
15		0·05	1·31	0·20					0·41	0·13		0·03	15
16			0·01	0·02			0·05		0·04	0·17		0·04	16
17					0·16		0·04		0·44	0·02		0·04	17
18	0·16			0·03	0·05	0·14	0·05	0·07	0·15				18
19	0·05	1·31		0·35		0·11	0·01	0·07	0·05				19
20	0·06	0·09		0·78		0·46	0·07		0·01				20
21				0·04			0·22	0·06					21
22	0·01			0·22			0·09		0·07				22
23						0·08	0·03		0·01	0·01		0·16	23
24			0·20	0·03								0·14	24
25		0·02	0·02	0·09		0·03	0·52			0·01			25
26	0·06		0·04	0·05	0·2$\overset{0}{7}$		0·06						26
27	0·07	0·02		0·17	0·06	0·32				0·01	0·30	0·21	27
28	0·49		0·11	0·05	0·01		0·06		0·01		0·07	0·02	28
29	0·04		0·26		1·08		0·01				0·04	0·39	29
30	0·08			0·14	0·01	0·04			0·14		0·09	0·21	30
31	0·07		0·03				0·04			0·31		0·06	31
Total	1·69	1·75 ~~[illegible]~~	3·02	4·82	2·20	2·24	2·71	1·05	1·91	1·40	0·75	2·22	Year's Total 25·76
Days with ·01 in. or more	17	11	17	26	12	10	24	8	16	12	6	22	181
Days with ·04 in. or more	12	5	8	21	8	9	18	6	13	7	6	15	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLNSHIRE.
LINCOLN.
"D'ISNEY PLACE"
1912-13, 1917-1920

FORM A.
BRITISH RAINFALL.

17 JAN 1913

REGIST 2

Kept at D'Isney Pla
in the ~~County~~ City of Lincol
by A. H. Leslie

Long.
ation Lincoln
n
in.
Ground 1 ft. – in.
Sea Level 215 ft.

NOTE.—Full instructions respecting the infall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1	2	1	1		26	24	2	13			46	1
2		3			1	18	60		2			7	2
3	32	2			9	51	1	32	9			9	3
4	3		33		3	27		15	1		33	1	4
5	8	1	1		3	15		3			1		5
6	57	11			5	1	8	22				2	6
7	1	4			2	4	3	5	14				7
8	35	14	20	5		4	4		29	1		2	8
9	4	14	5	12		16						6	9
10	1	1	1	1		3		1	1	1	8		10
11	9	2			1	2		3	1		5	43	11
12	8	22	6	1		22	45	2			35		12
13	3		1				2	3		4	23	1	13
14	10	1	34			5	1	8			1		14
15	1	3	10		29	8		1					15
16	25	1	18		10	24		10		13			16
17	16		13		1	19	1	18				19	17
18	11		5			6	2	2		3	2	1	18
19	28	13	2			85	31	38	2	1	1		19
20	25	2	2	3	33	3	32	2		17			20
21	1		50		40		6				4		21
22		4			79		21	34		5		22	22
23	8	1	21		1	5	32	40			15	1	23
24	16		2			12	5	1				15	24
25	1					29	2	11		2	16	13	25
26		5	6			4	15	1-26		51	13	21	26
27		1				12	8			66		13	27
28					12	5 .07	~~8~~	35	2	20	90	41	28
29		2	4		1	4	4	2	45	18	10		29
30					17	4			8	4			30
31			3		28		23	34		2		1	31
Totals	3.04	1-09	2-38	.23	2-75	4·20	3-40	4-50	1-27	2-11	2-57	2-64	
Total from Jan. 1		4-13	6-51	6-74	9-49	13·69	17-9	21-59	22·86	24·97	27-54	30·18 ✓	
	23	21	21	6	18	27	23	25	12	15	15	19	

K/1000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price on extra tough paper, 3d.

REGIS 2

FORM A.
BRITISH RAINFALL.
17 JAN 1913

3

Kept at D'Isney Place
in the City of Lincoln
by A. H. Leslie Melville

Lat. Long.
Nearest Railway Station Lincoln
RAIN GAUGE. Time of Observation
Diameter 4 in.
Height of top above Ground 1 ft. – in.
" " Sea Level 215 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1	2	1	1		26	24	2	13			46	1
2		3			1	18	60		2			7	2
3	32	2			9	51	1	32	9			9	3
4	3		33		3	27		15	1		33	1	4
5	8	1	1		3	15		3			1		5
6	57	11			5	1	8	22				2	6
7	1	4			2	4	3	5	14				7
8	35	14	20	5		4	4		29	1		2	8
9	4	14	5	12		16						6	9
10	1	1	1	1		3		1	1	1	8		10
11	9	2			1	2		3	1		5	43	11
12	8	22	6	1		22	45	2			35		12
13	3		1				2	3		4	23	1	13
14	10	1	34			5	1	8			1		14
15	1	3	10		29	8		1					15
16	25	1	18		10	24		10		13			16
17	16		13		1	19	1	18				19	17
18	11		5			6	2	2		3	2	1	18
19	28	13	2			85	31	38	2	1	1		19
20	25	2	2	3	33	3	32	2		17			20
21	1		50		40		6				4		21
22		4			79		21	34		5		22	22
23	8	1	21		1	5	32	40			15	1	23
24	16		2			12	5	1				15	24
25	1					29	2	11		2	16	13	25
26		5	6			7	15	1-26		51	13	21	26
27		1				12	8			66		13	27
28					12	5	·07 ~~8~~	35	2	20	90	41	28
29		2	4		1	4	4	2	45	18	10		29
30					17	7			8	7			30
31			3		28		23	34		2		1	31
Totals	3.04	1-09	2-38	·23	2-75	4·20	3-40	4-50	1-27	2-11	2-57	2.64	301
Total from Jan. 1		4-13	6-51	6-74	9-49	13-69	17-9	21-59	22.86	24.97	27-54	30·18	
	13	21	21	6	18	27	23	25	12	15	15	19	

K/1000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

Ex. H86

8 JAN 1914

REGISTER OF RAINFALL IN ~~18~~ 1913

Kept at D'Isney Place by A H Leslie Melville

in the ~~County~~ City of Lincoln 3

RAIN GAUGE.
Diameter 4 Inch
Height of top above Ground 1 Foot
" " " Sea Level 215

Lat. Lon. Time of Observation 9 A M

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	
1			14	5					31		2		1
2	1	1	2	5			.4		~~8~~		2		2
3	61	5	9		33					4		1	3
4			5	1	4		17		6	20	18	5	4
5	1		8			1	3		3	93	1		5
6	1	3	13		51	2		7		39	1		6
7		9			10	7				59		1	7
8		1			44	12		1	4	1	8		8
9		21	5	1	1	3		2			15	1	9
10				4	12		1				41		10
11	80			55		7		10			26		11
12						2				1	19		12
13	8		3	6				6	3	1	21		13
14		2	29	1			1			6	1	1	14
15	13		29	32							8	1	15
16	1	1	51	7					23		3		16
17		3	10	10		5			1,13		1		17
18			12	7		3	4		7			7	18
19	7		2	1	1				1				19
20	12		4	3					4	23	6		20
21	2		6		9		16	1			18		21
22	11		15		1		1	1,05	10				22
23	4		1			5	4	4	8	1			23
24	3			8		14		1			1		24
25		5		10		3			1			1	25
26		17	10	3	1	.1				31	4	16	26
27		4	1	2		14				1	4	1	27
28	26		27	21						1		28	28
29	1		19	34	31			1	1	1		8	29
30	53		7	1							1	2	30
31										3			31
Totals	2.85	.72	2.77	2.17	1.98	.79	.51	1.38	2.08	2.55	2.01	.73	
Total from Jan. 1		3.57	6.34	8.51	10.49	11.28	11.79	13.17	15.25	18.10	20.11	20.84	✓
	17	12	23	21	12	14	9	10	13	16	21	13	181

K/3,000/12/94

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

5 made

2491

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at D'Isney Place

in the ~~*County*~~ City *of* Lincoln

by A. H. Leslie Melville
Gardener C. Picksley

Lat. Long.
Time of Observation As before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		2		11				97	22		3	2	1
2	14			2		9		23			2		2
3		16				2		30		28			3
4		3	9					1		32			4
5	30		2	14				3			7		5
6										7	4		6
7	32		7			1				41		2	7
8	42			21				1.20		41	10		8
9	28		6	19				4			16		9
10	18		55	10	37			12	5	8	4		10
11	5		2	35				4		24			11
12	12	1		4	15			25		20		1	12
13	16			1				16	4	2			13
14	22			11				14				7	14
15	5				10		15	4		2		7	15
16	10	15		9			2					55	16
17	3	1	6	19	71	2	1	7	4	7		4	17
18	4			4	3	1	46		42				18
19	4	9	13		6	2			1				19
20	4	35	8		5				11		58		20
21		4	9	1		14							21
22	2		10					16		10			22
23	1				11			12		5		3	23
24					2	45	10	2		12	4	5	24
25		2	7								5	1	25
26			10					39	7		35	7	26
27			4			2	12	32				4	27
28			2			11		6				12	28
29	1					18	36			21		5	29
30	6	X	4					49					30
31		X	10	X		X	4	6	X		X	4	31
Total	2.59	.88	1.64	1.61	1.60	1.07	1.26	5.22	.96	2.60	1.48	1.19	YEAR'S TOTAL 22.10
Rain Days.	20	10	17	14	9	11	8	22	8	15	11	15	160

W. 8,000, IX. 17.

Excd file and for months

43

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

18.1.19

Kept at D'Isney Place
in the ~~County~~ City of Lincoln.
for A. H Leslie-Melville
by Charles Picksley.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 215. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		2		6					23	2	12	13	1
2	2.	21		6				21	5	2		27	2
3		2	9		36			52			53		3
4		3	3				11	3	53	1	37	14	4
5			1	1	12			32	3	2			5
6		2		22		3				5		1	6
7	11	1		20		5			4	8	10		7
8	2	3							23			1	8
9	2	20		11		1	8		28	65		2	9
10	9			1			23		1	16		11	10
11	4	8		5	23		6		10	11		8	11
12		20		6	1		8		15	3		3	12
13		1		2	17				14				13
14	19	1		12		3	15		13	6		12	14
15	42			13		1	13		22			25	15
16				18		6	1		7			4	16
17	18			2	14		53		23	12		19	17
18	24			1		2	27		48			13	18
19	4	4	5	4.		1		1	1	7		55	19
20	3	7				7	5		1	2			20
21	3				3	5			12	5	2		21
22	12				1	2	1		1	13		35	22
23	13				64		7				1		23
24		11			1		3		6		15		24
25						65	10	21		2	4		25
26							51	5	5		16	3	26
27						2	35	43	3		19	3	27
28		43	18								24	30	28
29											2	1	29
30		×	30						3		7	45	30
31		×	7	×		×		1	×		×	1	31
Total	1.68	1·49	·73	1·30 ~~1·20~~	1·72	1·03	2.77	1·79	3·24	1·62	2.02	3·26	YEAR'S TOTAL 22·65 ~~22·55~~
Rain Days.	15.	16.	7.	16	10	13	17	9	24	17	13	22	179.

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

=346

FORM A.
BRITISH RAINFALL.

30 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at D'Isney Place ~~Ex. Wob~~

in the ~~County~~ City of Lincoln

by A. H. Leslie Melville

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	18	5	1		19		25			6	4	12	25 1
2	10	4	1				35		27		25	8	35 2
3	61				2		72		8		29		72 3
4	2		40			20		19	7		4	8	40 4
5	6	1							23			10	23 5
6	2		2								3	19	19 6
7	1		12		2							2	12 7
8	10		1	5							4		10 8
9	1		1							1	5		5 9
10			15	5						2	16	12	16 10
11	2		57	2	1		25				10		57 11
12	2		35	1		6	7			2	1		35 12
13	15		1	10					14	10	2	1	15 13
14	32			15			6		10	5	3	1	32 14
15	28	9	6	42							7	37	42 15
16		93		1	7						8		93 16
17		23	1		1	8	1				27		27 17
18		1	1					12	2			6	12 18
19	2	18	63			7	61	61	11		8	3	61 19
20	43	11	15			4	18	28	4			8	43 20
21	20	43	16			1	18		1		2	20	43 21
22		8	1				2		65		2	41	65 22
23				7		5	1	2	2	71			71 23
24				7	41	35				10	1		41 24
25	10	1		14	7	16		50			1	11	50 25
26	2		11	2				8	13	2		38	38 26
27	8			53		2				10	2	3	53 27
28	3	2		4			1	65		11		24	65 28
29	4			1		5		22		53	24	6	53 29
30	4	X	1	30		22				3	15	25	30 30
31	2	X		X		X	17		X	20	X	5	20 31
Total	2.88	2.19	2.69	1.99	·80 1.80	1.39	2.89	2.67	1.87	2.06	2.03	3.00	YEAR'S TOTAL 26.37 ✓
Rain Days.	24	13	18	16	8	12	14	9	13	14	23	22	186 ✓

23

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2246

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at D'Isney Place. Lincoln

in the County of Lincoln

by A. H. Leslie Melville

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				16	25		30			23	7	2	1
2			4	18	1		8		10	15		15	2
3		2		12		7	45		12	5		2	3
4				31			17	41	5	26		6	4
5			2	5	25		14	19	6			4	5
6			11	3	2		12					11	6
7	2		10	6			10					2	7
8	2	7		35	3		3			1			8
9	18			50			2	22	1				9
10	10	13	6	1			7	1				3	10
11	24	1	5	24	7	1		1				18	11
12	3			24			1		1			13	12
13	2	3	9	18		68			3			9	13
14			36	15		24	3		16	1	17		14
15		4	1.40	20			1		36	9		4	15
16				2			4		5	19		5	16
17					·13		6		42	2		4	17
18	15			4	5	14	6	6	16				18
19	5	1-22		32		7	1	7	6				19
20	6	11		49		50	4		1			1	20
21				5			24	5					21
22	1			22			9		8				22
23							3			1		24	23
24			16	4								13	24
25		3	2	9		6	52						25
26	5		4	6	18	1	6					1	26
27	7	2		16	6	37					21	18	27
28	54		8	5	1		6		3		14	3	28
29	4		22		1-05		2				5	38	29
30	4	X		13	1	4			14		8	21	30
31	10	X	3	X		X	3		X	·30	X	12	31
TOTAL	1-72	1-68	2.78	4.75	2.12	2.19	2.49	1.02	1.85	1.32	·42	2.29	YEAR'S TOTAL 25-23
Days with ·01 in. or more	17	10	15	27	13	11	26	8	17	11	6	23	184 ✓
Days with ·04 in. or more	12	5	12	24	8	9	17	6	12	7	6	16	134 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLNSHIRE

LINCOLN.

"SESSIONS HOUSE"

1911 – 1914
1916 – 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGI … 11.

…owdon

Kept at Sessions House … 5 in.

… Ground 1 ft. 0 in.

in the County of Lincol… Sea Level 59 ft.

by H. Hoe. … a.m.

Name G. N. R. [illegible]

Distance 666 Direction S.W.

IMPORTANT NOTE.—… should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	—	—	—	—	·05	—	—	—	·04	1
2	·17	—	—	—	·04	·01	—	·01	—	—	·03	·13	2
3	·01	·01	—	·01	·08	—	—	·20	—	·02	·03	—	3
4	·05	—	·13	·26	—	—	—	—	·05	·41	·10	·16	4
5	·03	—	—	·10	—	—	—	·01	—	·01	—	·03	5
6	·28	—	·01	—	—	—	—	·01	—	·05	·10	·24	6
7	·03	—	—	—	—	—	—	—	—	—	·09	·20	7
8	·28	—	·16	—	·06	—	—	—	—	—	·01	·15	8
9	·02	—	—	·02	—	—	—	—	—	—	—	—	9
10	·01	·03	·01	—	—	—	—	·01	—	—	·02	·33	10
11	·28	—	—	—	—	—	—	—	—	—	·22	—	11
12	·08	—	·22	—	—	—	—	—	·38	—	·02	—	12
13	·01	—	·19	—	—	·17	—	—	—	—	·01	·30	13
14	·02	·02	·07	—	·40	—	—	—	—	—	·03	·30	14
15	—	·06	·12	—	·01	—	—	—	—	·02	·01	·03	15
16	—	—	·10	—	—	·04	—	—	—	—	·16	·10	16
17	—	—	—	—	—	·20	—	—	—	—	·02	·04	17
18	—	·12	—	—	—	·02	—	—	—	—	·37	·04	18
19	·03	—	—	—	—	·11	·07	·02	·01	·05	·30	·02	19
20	·02	·04	—	·06	—	—	·02	·13	·04	·08	—	·23	20
21	—	·26	—	—	—	—	—	·04	—	·07	·02	·05	21
22	—	·02	—	·07	—	—	—	·08	—	·01	·04	·24	22
23	·01	·05	·23	—	—	1·08	—	·05	·38	—	·02	·08	23
24	·01	·06	·02	·04	—	1·35	—	—	—	·34	—	·11	24
25	—	—	·01	·20	—	·01	—	—	·01	·03	·09	·09	25
26	—	—	—	·08	·14	—	—	—	—	·23	·45	·34	26
27	—	·12	·10	·20	—	—	·05	·52	·29	·01	—	·03	27
28	—	·10	·01	·15	—	—	—	—	—	—	·06	·07	28
29	—		—	·01	—	·02	·06	—	·35	·15	·02	·01	29
30	—		·01	—	·04	·05	—	—	·03	·10	—	—	30
31	—		·05		—		—	—		·01		·01	31
Total	1·37	·89	1·44	1·20	·77	3·06	·20	1·13	1·54	1·69	2·22	3·37	TOTAL for year 18·88 in.
No. of Rain Days.	18	12	16	12	7	11	4	12	9	16	23	26	166

W. 8,000, X. '11.

REGI[redacted]11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Sessions House", Lincoln

in the County of Lincolnshire 3

by H. Hoe.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 59 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name G. N. R.
Distance 666 yds as crow flies. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	—	—	—	—	·05	—	—	—	·04	1
2	·17	—	—	—	·04	·01	—	·01	—	—	·03	·13	2
3	·01	·01	—	·01	·08	—	—	·20	—	·02	·03	—	3
4	·05	—	·13	·26	—	—	—	—	·05	·41	·10	·16	4
5	·03	—	—	·11	—	—	—	·01	—	·01	—	·03	5
6	·28	—	·01	—	—	—	—	·01	—	·05	·10	·24	6
7	·03	—	—	—	—	—	—	—	—	—	·09	·20	7
8	·28	—	·16	—	·06	—	—	—	—	—	·01	·15	8
9	·02	—	—	·02	—	—	—	—	—	—	—	—	9
10	·01	·03	·01	—	—	—	—	·01	—	—	·02	·33	10
11	·28	—	—	—	—	—	—	—	—	—	·22	—	11
12	·08	—	·22	—	—	—	—	—	·38	—	·02	—	12
13	·01	—	·19	—	—	·17	—	—	—	—	·01	·30	13
14	·02	·02	·07	—	·40	—	—	—	—	—	·03	·30	14
15	—	·06	·12	—	·01	—	—	—	—	·02	·01	·03	15
16	—	—	·10	—	—	·04	—	—	—	—	·16	·10	16
17	—	—	—	—	—	·20	—	—	—	—	·02	·04	17
18	—	·12	—	—	—	·02	—	—	—	—	·37	·04	18
19	·03	—	—	—	—	·11	·07	·02	·01	·05	·30	·02	19
20	·02	·04	—	·06	—	—	·02	·13	·04	·08	—	·23	20
21	—	·26	—	—	—	—	—	·04	—	·07	·02	·05	21
22	—	·02	—	·07	—	—	—	·08	—	·01	·04	·24	22
23	·01	·05	·23	—	—	1·08	—	·05	·38	—	·02	·08	23
24	·01	·06	·02	·04	—	1·35	—	—	—	·34	—	·11	24
25	—	—	·01	·20	—	·01	—	—	·01	·03	·09	·09	25
26	—	—	—	·08	·14	—	—	—	—	·23	·45	·34	26
27	—	·12	·10	·20	—	—	·05	·52	·29	·01	—	·03	27
28	—	·10	·01	·15	—	—	—	—	—	—	·06	·07	28
29	—		—	·01	—	·02	·06	—	·35	·15	·02	·01	29
30	—		·01	—	·04	·05	—	—	·03	·10	—	—	30
31	—		·05		—		—	—		·01		·01	31
Total	1·37	·89	1·44	1·20	·77	3·06	·20	1·13	1·54	1·69	2·22	3·37	TOTAL for year 18·88 in
No. of Rain Days.	18	12	16	12	7	11	4	12	9	16	23	26	166

W. 8,000, X. '11.

Ex M.L.

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
30 JAN 1913

Kept at "Sessions House", Lincoln

in the County of Lincs. 3

by H. Hoe.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 59 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name G.N.R.
Distance ½ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	—	—	·27	·20	·01	·12	—	—	·42	1
2	—	·12	—	—	—	·12	·55	—	·01	—	—	·06	2
3	·27	·02	—	—	·08	·48	—	·32	·07	—	—	·08	3
4	·03	—	·26	—	·03	·25	—	·13	—	—	·30	—	4
5	·06	·01	—	—	·02	·14	—	·02	—	—	·01	—	5
6	·58	·10	—	—	·04	—	·08	·23	—	—	—	·01	6
7	—	·03	—	—	·01	·04	·01	·04	·13	—	—	—	7
8	·32	·13	·17	·04	—	·04	·01	—	·23	·01	—	·02	8
9	·03	·13	·04	·11	—	·12	—	—	—	—	—	·05	9
10	·01	—	—	—	—	·02	—	·01	—	—	·07	—	10
11	·09	·02	—	—	·01	·01	—	·03	—	—	·04	·40	11
12	·07	·23	·06	—	—	·24	·44	—	—	—	·33	—	12
13	·02	·01	—	—	—	—	·02	·03	—	·04	·20	·01	13
14	·09	—	·32	—	—	·04	—	·07	—	—	—	—	14
15	—	·03	·09	—	·26	·07	—	·02	—	—	—	·03	15
16	·24	—	·12	—	·07	·18	—	·09	—	·11	—	—	16
17	·15	—	·17	—	·01	·17	—	·16	—	—	—	·13	17
18	·13	—	·04	—	—	·05	·01	·02	—	·01	—	—	18
19	·27	·12	·02	·02	—	·90	·27	·35	·01	·01	·01	—	19
20	·25	·02	·01	—	·32	·02	·35	·01	—	·15	—	—	20
21	—	—	·50	—	·40	—	·06	—	—	—	·03	—	21
22	—	·03	—	—	·80	—	·25	·33	—	·03	—	·05	22
23	·08	·01	·22	—	—	·03	·34	·36	—	—	·14	·16	23
24	·17	—	·02	—	—	·10	·03	·01	—	—	—	·01	24
25	—	—	—	—	—	·25	·02	·11	—	·01	·15	·14	25
26	—	·05	·06	—	—	·04	·16	1·20	—	·50	·13	·17	26
27	—	—	—	—	—	·12	·08	—	—	·62	—	·12	27
28	—	—	—	—	·08	·03	·07	·33	·01	·25	·80	·42	28
29	—	·02	·05	—	—	·03	·03	—	·42	·17	·11	—	29
30	—		—	—	·16	·07	—	—	·08	·05	—	—	30
31	—		·03		·27		·21	·33		·03		—	31
Total	2·86	1·09	2·18	0·17	2·56	3·83	3·19	4·21	1·08	1·99	2·32	2·28	TOTAL for year 27·76 in
No. of Rain Days.	18	18	17	3	15	26	20	23	9	14	13	17	193

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
13 MAR 1914

Kept at "Sessions House", Lincoln 24
in the County of Lincolnshire. 3
by H. Hoe.

Lat. 53°-14'. N. Long. 0°-33' W.
Time of Observation 9 a.m.
Nearest Railway Station G. N. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	·05	—	—	—	—	·26	—	·01	—	1
2	—	·01	·02	·03	—	—	·02	—	—	—	·01	—	2
3	—	—	·08	—	·30	—	—	—	—	·03	—	—	3
4	·56	·03	·04	—	·04	—	·13	—	·05	·15	·17	·05	4
5	·01	—	·02	—	—	—	·02	—	·02	1·06	—	—	5
6	·01	·02	·12	—	·50	·02	—	·08	—	·40	—	—	6
7	—	·08	—	—	·09	·07	—	—	—	·59	—	—	7
8	—	—	—	—	·42	·10	—	—	·02	·01	·07	—	8
9	—	·21	·04	·01	·01	·02	—	—	—	—	·13	—	9
10	—	—	—	·04	·15	—	—	—	—	—	·40	—	10
11	1·32	—	—	·52	—	·08	—	·09	—	—	·27	—	11
12	—	—	—	—	—	·01	—	—	—	—	·18	—	12
13	·10	—	·03	·06	—	—	—	·04	·03	—	·20	—	13
14	·06	·01	·28	—	—	—	·01	—	—	·05	·01	—	14
15	·12	—	·27	·28	—	—	—	—	—	—	·07	—	15
16	—	—	·38	·07	—	—	—	—	·24	—	·02	—	16
17	—	·02	·16	·12	—	·03	—	—	1·24	—	—	—	17
18	—	—	·12	·05	—	·02	·04	—	—	—	—	·05	18
19	·06	—	·01	—	—	—	—	—	·01	—	—	—	19
20	·11	—	·04	·03	—	—	—	—	·03	·24	·05	—	20
21	·02	—	·05	—	·09	—	·15	—	—	—	·16	—	21
22	·08	—	·13	—	—	—	—	·97	·13	—	—	—	22
23	·03	—	—	—	—	·03	·02	·03	·06	—	—	—	23
24	·02	—	—	·06	—	·13	—	·01	—	—	—	—	24
25	—	·03	—	·09	—	·03	—	—	·01	—	—	—	25
26	—	·17	·10	·01	·01	·01	—	—	—	·30	·04	·16	26
27	—	·02	—	·01	—	·11	—	—	—	—	·03	—	27
28	·24	—	·24	·22	—	—	—	—	—	·01	—	·21	28
29	·01		·18	·34	·26	—	—	·01	—	—	—	·12	29
30	·42		·07	—	—	—	—	—	—	·02	·01	·01	30
31	—		—		—		—	—		—		—	31
													YEAR'S TOTAL
Total	3·17	0·60	2·50	1·99	1·87	0·66	0·39	1·23	2·10	2·86	1·83	0·60	19·80
Rain Days.	16	10	21	17	10	13	7	7	12	11	17	6	147

W.7,000, XI. 13

Ex. DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at "Sessions House", Lincoln.

in the County of Lincolnshire. 3

by H. Hoe. Corporation Offices.

Lat. 53°-14'. N. Long. 0°-33' W.

Time of Observation 9 a.m.

Nearest Railway Station G.N.R.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 59. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01.	—	—	—	·95	·21.	—	—	·02.	—	1
2	—	—	—	—	—	—	·10.	·31.	—	—	·08.	·07.	2
3	—	—	·16.	—	·17.	—	·17.	·02.	—	—	·01.	·02.	3
4	·08.	—	·02.	·25.	·05.	—	—	·01.	—	—	·39.	·19.	4
5	—	—	·10.	·07.	·06.	·02.	·18.	·03.	—	—	·01.	—	5
6	—	·10.	—.	·07.	·16	—	·03.	—	—	—	·02.	·02.	6
7	—	·09.	·21.	·04.	·09.	·01	—	—	—	—	—	·10.	7
8	·16.	·01.	·01.	—	·06.	·39.	—	·16.	·08.	—	—	—	8
9	·27.	—.	·03.	·05.	—	·85	—	—	—	·01.	—	—	9
10	·36.	·08.	·01.	·04.	—	—	—	—	·04	—	—	—	10
11	—	·01.	·25.	·17.	·02.	·02.	—	—	·13	—	·30.	·18	11
12	·03.	—	·04.	—	—	—	·03.	—	·17.	—	—.	·19.	12
13	·01.	·07.	·09.	—	—	—	—	—	—	·02.	·09.	·08.	13
14	·02.	·03.	—.	—	—	—	·11.	—	—	·21.	·25.	·08.	14
15	·01.	—	·08.	—	—	—	·02.	—	—	—	·10.	·36.	15
16	·01.	—	·03.	—	—	—	·08.	—	·01.	—	·04.	—	16
17	·05.	·04.	—.	—	—	—	—	—	·26.	—	—	·13.	17
18	—	—	·02.	—	—	·20.	·09.	—	—	—	—	·37.	18
19	—	—	·09.	—	—	—	—.	—	—.	—	·03.	·09.	19
20	—	·03.	·21.	—	—	—	—.	—	·04.	·07.	—.	—	20
21	—	·28.	·02.	—	—	·12.	·14.	·25.	—	·06.	·07.	·08.	21
22	—	—	—	—	·76.	—	·20.	·07.	—	·32.	—	·05.	22
23	—	·03.	·04.	—	·15	·14.	·04	—	—	—.	—	·12.	23
24	—	—	—.	·08.	—	—	—	—	—	·06.	·27.	—.	24
25	—	—	—.	—	—	—	—	·09.	—	·62.	·01.	·23	25
26	—	—	·08	—	—	—	—	·10.	—	·12.	·06.	·33.	26
27	·01	—	—	—	—	—	·02.	—	—	—.	—	·45.	27
28	·02.	—	—	—	—	—	—	—	—	·02.	·07.	·90.	28
29	·06.		·12.	—	·03.	—	—	—	—	·43.	—	—	29
30	—	×	—.	·09.	—	·03.	—	—	—	·02.	·21.	·17.	30
31	—	×	—.	×	—	×	·27.	—	×	·10.	×	·04.	31
Total	1·09.	0·77.	1·62.	0·86.	1·55.	1·78.	2·43.	1·25.	0·73.	2·06.	2·03.	4·25	YEAR'S TOTAL 20·42 ins.
Rain Days.	13.	11.	20	9.	10.	9.	15.	10	7	13	18	22.	157

W. 8,000. X. 14.

2624

FORM A. BRITISH RAINFALL.

11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lincoln.

in the County of Lincolnshire

by M. Herring. (Miss)

Lat. 53° - 14' N. Long. 0° - 33' W.

Time of Observation 9 a.m.

Nearest Railway Station Gt. Northern.

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	·02	—	—	·04	·25	—	—	—	·24	—	1
2	·16	·02	·24	—	·53	—	·09	—	·02	·11	·02	—	2
3	—	·25	·02	·03	—	—	·29	—	·47	·18	·02	—	3
4	·18	·16	—	—	·40	·27	—	—	·37	·10	·25	—	4
5	·03	—	·05	—	·02	·15	—	—	—	·14	·13	—	5
6	—	·13	·16	·03	·11	—	·25	—	—	—	·33	—	6
7	—	—	·26	—	·08	—	·12	—	—	Trace	·12	·22	7
8	—	—	·15	—	—	—	—	—	—	—	·04	·15	8
9	—	—	·06	—	·64	·01	—	—	·03	—	—	·08	9
10	—	·02	·06	·08	—	Trace	—	—	·08	·08	—	·05	10
11	·03	·46	·21	·20	·05	·08	·06	—	·01	—	—	—	11
12	—	·01	·06	—	·17	·25	·06	—	—	·03	—	—	12
13	—	·07	·04	·05	·29	—	·03	·03	—	·02	—	·05	13
14	—	·04	—	—	·03	Trace	—	·11	—	·05	—	·02	14
15	—	·06	·64	—	—	—	·10	·17	—	—	—	—	15
16	—	·15	·11	·21	·01	—	·02	·22	—	—	—	·01	16
17	·03	·01	—	·45	—	—	·13	·77	·22	·14	—	·01	17
18	—	·23	·01	·10	—	·02	—	·98	·13	·13	·92	—	18
19	·10	—	·04	·35	—	—	—	·06	·17	—	·24	·10	19
20	·03	—	·23	·13	—	—	—	—	—	—	·02	·03	20
21	—	·02	·12	—	·01	—	·02	·22	—	—	—	·40	21
22	—	·09	·01	·01	—	·05	—	—	—	·09	·01	·31	22
23	—	·12	—	—	—	·05	—	Trace	—	—	·10	·39	23
24	—	1·01	—	·01	—	—	—	·09	—	·02	—	·11	24
25	—	·12	·07	—	—	—	—	·20	—	·15	·17	—	25
26	—	·16	—	—	—	·02	—	·32	—	·05	·04	—	26
27	—	·16	·40	—	—	—	—	—	Trace	·12	—	—	27
28	—	·20	·58	—	—	—	—	—	—	·01	—	·10	28
29	—	·14	—	—	·02	·26	—	·89	—	·19	—	·15	29
30	—	×	—	—	·01	·04	—	·06	—	·03	—	—	30
31	—	×	—	×	—	×	—	·03	×	·05	×	·04	31
Total	·60	3·63	3·54	1·65	2·37	1·24	1·42	4·15	1·50	1·69	2·68	2·22	YEAR'S TOTAL 26·69
Rain Days.	8	22	22	12	14	~~[illegible]~~	12	~~15~~	~~10~~	~~20~~	15	17	176
						12		14	9	19			

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Lincoln (Corporation Station)

in the County of Lincoln

by Arthur Smith. F.L.S. F.R.Met.S. F.E.S.
City & County Museum Lincoln

Lat. 53°-14' N Long. 0°-33' W

Time of Observation 9 am

Nearest Railway Station Lincoln G.N.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

" " " " Sea Level 59. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·04~~	·03		·13				·88	·20		·03		1
2	·12			·02		·06		·22			·01		2
3		·13				·02		·30		·26			3
4	~~·18~~	·05	·09	·02				·01		·30			4
5	·35		·03	·13				·01			·06		5
6		~~·13~~								·15	·04		6
7	·35		·05			·01				·30	~~·07~~		7
8	·43			·16				1·21		·38	·07		8
9	·12		·05	·15				·01			·16		9
10	·12	~~·02~~	·58	·10	·36			·16	·04	·07	·03		10
11	·09	~~·06~~	·03	·33				·03		·21			11
12	·13	~~·01~~		·07	·14			·25		·20			12
13	·08	~~·07~~		·02				·15	·02			·01	13
14	·26	~~·04~~		·12				·10		·02		·10	14
15	·06	~~·06~~			·09		·18	·03		·01		·05	15
16	·09	·14		·07			·01					·55	16
17	·05			·21	·66	·01		·03	·03	·06		·06	17
18	·05		·05	·04	·02	·01	·45		·40				18
19	·05	·10	·15		·06	·01			·02				19
20		·32	·07		·04				·10		·50	·02	20
21	·04	·03	·06			·12						~~·01~~	21
22	·03		·10					·13		·09		~~·03~~	22
23	·03				·10			·12		·06		·01	23
24	·01				·02	·42	·08	·01		·11	·03	·03	24
25			·07								·05	·01	25
26			·11					·37	·05		·32	·06	26
27			·03			·01	·12	·32				·03	27
28			·02			·10		·05				·11	28
29						·17		·01		·19		·03	29
30	·08	✕	·03	·02			·35	·50					30
31		✕	·10	✕		✕	·02	·05	✕		✕	·03	31
Total	2·54 ✓	·80 ✓	1·62 ✓	1·59 ✓	1·49 ✓	·94 ✓	1·21 ✓	4·95 ✓	·86 ✓	2·41 ✓	1·30 ✓	1·10 ✓	YEAR'S TOTAL 20·81 ✓
Rain Days.	20 ✓	7 ✓	17 ✓	15 ✓	9 ✓	11 ✓	7 ✓	23 ✓	8 ✓	15 ✓	11 ✓	14 ✓	157 ✓

W. 8,000, IX. 17.

28.IV.19

end of month

42

FORM A. BRITISH RAINFALL.

2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Lincoln

in the County of Lincolnshire

by Arthur Smith. F.L.S. F.R.Met.S. F.E.S.

Lat. 53° - 14′ N Long. 0° 33′ W

Time of Observation 9 am

Nearest Railway Station G.N. Lincoln

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~7~~ 1 ft. ~~1~~5 in.

" " " " Sea Level 159 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·01	·05					·20	·02	·03	·09	1
2	·01	·19		·04				·24	·05	·02	·01	·25	2
3		·03	·07		·29			·49	·02		·48		3
4		·02	·02				·12	·03	·52		·35	·14	4
5			·01	·01	·13			·29	·02				5
6		·01		·20		·03				·10			6
7	·10	·01		·20		·04			·02	·02	·08		7
8	·02	·02							·20	·02			8
9	·01	·20		·11			·08		·27	·50		·03	9
10	·08			·01			·23			·16		·12	10
11	·04	·06		·07	·22		·05		·07	·10		·06	11
12	·02	·20		·04	·03		·08		·18	·01		·03	12
13		·01		·01	·15				·24				13
14	·19			·10		·02	·12		·16	·10		·13	14
15	·40			·09			·11		·18			·22	15
16				·18		·04			·05			·03	16
17	·17			·01	·15		·46		·22	·12		·12	17
18	·22			·01		·02	·25		·49			·13	18
19	·04	·03	·03	·03						·06		·57	19
20	·03	·05				·07	·04			·01			20
21	·02				·03	·06			·11	·05			21
22	·12				·02		·01			·12		·36	22
23	·13				·61		·02				·01		23
24		·10					·02		·05	·01	·09		24
25						·64	·09	·21	·03		·05		25
26							·46	·05	·01		·15	·01	26
27						·03	·28	·41	·02		·23	·03	27
28		·43	·17						·01		·18	·22	28
29									·23		·01	·01	29
30			·31						·03		·08	·46	30
31			·08										31
Total	1·61	1·37	·70	1·16	1·63	·95	2·42	1·72	3·38	1·42	~~·79~~ 1·75	3·01	YEAR'S TOTAL ~~30·16~~ 21·12
Rain Days.	17	15	8	16	9	9	16	7	24	16	13	10	169

W, 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Lincoln

in the County of Lincoln

by Arthur Smith

Lat. 53° 14' N Long. 0° 33' W

Time of Observation 9

Nearest Railway Station Lincoln G N R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·05	·02		·19		·29			·05	·02	·15	1
2	·10	·05	·01				·29		·25		·25	·63	2
3	·61				·02	·07	·65		·08		·28		3
4	·01		·40			·12		·16	·06		·04	·07	4
5	·05	·01							·24			·13	5
6	·01		·02					·01			·01	·18	6
7	·01		·11		·01							·01	7
8	·09			·04							·03	·03	8
9			·01								·08		9
10			·19	·04						·01	·12	·12	10
11	·02		·48	·02	·01		·23			·02	·10		11
12	·01		·36	·01		·06	·07				·01		12
13	·16			·10					·17	·08	·01	·01	13
14	·30			·14			·07		·05	·02	·02		14
15	·22	·08	·05	·32							·06	·38	15
16		1·04			·06						·09		16
17		·24			·01	·07	·01				·24		17
18		·01	·01					·22	·01		·01	·05	18
19	·02	·19	·53			·07	·64	·60	·11		·06	·03	19
20	·42	·08	·15			·02	·10	·14	·03			·16	20
21	·20	·42	·15				·17		·02		·02	·10	21
22		·07	·01				·01		·62		·02	·40	22
23				·06		·04		·01		·64		·01	23
24				·05	·39	·31				·10	·01	·10	24
25	·10	·01		·09	·07	·15		·44				·01	25
26	·01		·09	·01		·01		·07	·12	·03		·43	26
27	·09	·02		·50				·02		·08	·03		27
28	·04			·05				·69		·18		·23	28
29	·05			·01		·06		·15		·44	·20	·04	29
30	·02			·29		·23				·02	·14	·24	30
31	·02						·14			·26		·05	31
TOTAL	2·72 ~~2·74~~	2·27	2·59	1·73	·76	1·21	2·67	2·51	1·76	1·93	1·85	2·96	YEAR'S TOTAL 24·96 ~~24·98~~
Days with ·01 in. or more	23	13	16	15	8	12	12	11	12	13	23	23.	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd. Cab. 4/2/20

2345

FORM A.
BRITISH RAINFALL.

5 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Lincoln [M.O.]

in the County of Lincoln

by Curator, City and County Museum

Lat. 53° 14′ Long. 0° 33′ W

Time of Observation 9 h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	0·16	0·05	0·02	-	0·19	-	0·29	-	-	0·05	0·02	0·15	1
2	0·10	0·05	0·01	-	-	-	0·29	-	0·25	-	0·25	0·03	2
3	0·61	-	-	-	0·02	0·07	0·65	-	0·08	-	0·28	-	3
4	0·01	-	0·40	-	-	0·12	-	0·16	0·06	-	0·04	0·07	4
5	0·05	0·01	-	-	-	-	-	-	0·24	-	-	0·13	5
6	0·01	-	0·02	-	-	-	-	0·01	-	-	0·01	0·18	6
7	0·01	-	0·11	-	0·01	-	-	-	-	-	-	0·01	7
8	0·09	-	-	0·04	-	-	-	-	-	-	0·03	0·03	8
9	-	-	0·01	-	-	-	-	-	-	-	0·08	-	9
10	-	-	0·19	0·04	-	-	-	-	-	0·01	0·12	0·12	10
11	0·02	-	0·48	0·02	0·01	-	0·23	-	-	0·02	0·10	-	11
12	0·01	-	0·36	0·01	-	0·06	0·07	-	-	-	0·01	-	12
13	0·16	-	-	0·10	-	-	-	-	0·17	0·08	0·01	0·01	13
14	0·30	-	-	0·14	-	-	0·07	-	0·05	0·02	0·02	-	14
15	0·22	0·08	0·05	0·32	-	-	-	-	-	-	0·06	0·38	15
16	-	1·04	-	-	0·06	-	-	-	-	-	0·09	-	16
17	-	0·24	-	-	0·01	0·07	0·01	-	-	-	0·24	-	17
18	-	0·01	0·01	-	-	-	-	0·22	0·01	-	0·01	0·05	18
19	0·02	0·19	0·53	-	-	0·07	0·64	0·60	0·11	-	0·06	0·03	19
20	0·42	0·08	0·15	-	-	0·02	0·10	0·14	0·03	-	-	0·16	20
21	0·20	0·42	0·15	-	-	-	0·17	-	0·02	-	0·02	0·10	21
22	-	0·07	0·01	-	-	-	0·01	-	0·62	-	0·02	0·40	22
23	-	-	-	0·06	-	0·04	-	0·01	-	0·64	-	0·01	23
24	-	-	-	0·05	0·39	0·31	-	-	-	0·10	0·01	0·10	24
25	0·10	0·01	-	0·09	0·07	0·15	-	0·44	-	-	-	0·01	25
26	0·01	-	0·09	0·01	-	0·01	-	0·07	0·12	0·03	-	0·43	26
27	0·09	0·02	-	0·50	-	-	-	0·02	-	0·08	0·03	-	27
28	0·04	-	-	0·05	-	-	-	0·69	-	0·18	-	0·23	28
29	0·05		-	0·01	-	0·06	-	0·15	-	0·44	0·20	0·04	29
30	0·02	X	-	0·29	-	0·23	-	-	-	0·02	0·14	0·24	30
31	0·02	X	-	X	-	X	0·14	-	X	0·26	X	0·05	31
Total	2·72	2·27	2·59	1·73	0·76	1·21	2·67	2·51	1·76	1·93	1·85	2·96	YEAR'S TOTAL 24·96
Rain Days.	23	13	16	15	8	12	12	11	12	13	23	23	181

Copied from M.O. Form 3203

W. 6,500, VII. 18. W W G

Form A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Lincoln (Mo)
in the County of Lincolnshire
by The Curator, City & County Museum

Lat. 53° 14′ N Long. 0° 33′ W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0·15	0·22	-	0·27	-	-	0·26	0·04	0·01	1
2	-	-	0·02	0·16	-	-	0·06	-	0·10	0·12	-	0·11	2
3	-	0·02	-	0·20	-	0·05	0·38	-	0·12	0·03	-	0·01	3
4	-	-	-	0·20	-	-	0·16	0·39	0·04	0·24	-	0·05	4
5	-	-	0·01	0·05	0·22	-	0·10	0·19	0·04	-	-	0·04	5
6	-	-	0·09	0·02	0·01	-	0·10	-	-	-	-	0·10	6
7	0·01	-	0·14	0·05	-	-	0·09	-	-	-	-	0·01	7
8	0·02	0·05	-	0·34	0·02	-	0·02	-	-	-	-	-	8
9	0·18	0·01	-	0·46	-	-	0·02	0·15	-	-	-	-	9
10	0·09	0·12	0·03	0·01	-	-	0·05	-	-	-	-	0·01	10
11	0·21	0·02	0·10	0·24	0·07	-	-	0·01	-	-	-	0·19	11
12	0·02	-	-	0·23	-	-	-	-	-	-	-	0·11	12
13	0·02	0·04	0·08	0·20	-	1·10	-	-	0·03	-	-	0·07	13
14	-	-	0·42	0·15	-	0·22	0·03	-	0·19	0·01	0·11	-	14
15	-	0·03	1·35	0·11	-	-	-	-	0·30	0·13	-	0·02	15
16	-	-	0·01	0·02	0·04	-	0·08	-	0·04	0·17	-	0·04	16
17	-	-	-	-	0·10	-	-	-	0·42	0·02	-	0·03	17
18	0·17	-	-	0·04	0·04	0·14	0·04	0·05	0·12	-	-	-	18
19	0·01	1·18	-	0·31	-	0·17	-	0·05	0·07	-	-	-	19
20	0·06	0·23	-	0·74	-	0·34	0·06	-	0·01	-	-	-	20
21	-	-	-	0·04	-	-	0·21	0·04	0·01	-	-	-	21
22	0·01	-	-	0·20	-	-	0·07	-	0·04	-	-	-	22
23	-	-	-	0·01	-	-	0·02	-	-	-	-	0·23	23
24	-	-	0·14	0·02	-	-	-	-	-	-	-	0·13	24
25	-	0·01	0·02	0·09	0·02	0·04	0·51	-	-	-	-	-	25
26	0·04	-	0·03	0·05	0·18	-	0·05	-	-	-	-	0·01	26
27	0·05	0·01	-	0·09	0·04	0·35	0·01	-	-	-	0·25	0·19	27
28	0·53	-	0·21	0·03	0·01	-	0·04	-	0·01	-	0·05	0·02	28
29	0·03	-	0·12	-	2·06	-	0·01	-	-	-	0·03	0·37	29
30	0·06	X	-	0·08	0·01	0·05	-	-	0·12	-	0·08	0·29	30
31	0·06	X	0·03	X	-	X	0·03	-	X	0·29	X	0·04	31
TOTAL	1·57 ✓	1·72 ✓	2·80 ✓	4·29 ✓	3·04 ✓	2·46 ✓	2·41 ✓	0·88 ✓	1·66 ✓	1·27 ✓	0·56 ✓	2·08 ✓	YEAR'S TOTAL 24·74 ✓
Days with ·01 in. or more	17 ✓	11 ✓	16 ✓	28 ✓	14 ✓	9 ✓	23 ✓	7 ✓	16 ✓	9 ✓	6 ✓	22 ✓	178 ✓
	10	5	9	22	9	9	16	6	12	6	5	14	122

(44,283). Wt.21,958—21S. 7500. 10/19. **Gp.132.** A.&E.W.

Copied from M 3203.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at ~~City + County Asylum~~ Lincoln

in the County of Lincoln

by W Mw Smith F.L.S. F.R.Met.S. F.E.S.

Lat. 53° 14′ N Long. 0° 33′ W
Time of Observation 9
Nearest Railway Station G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 15 in.
" " " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·22		·27			·26	·04	·01	1
2			·02	·16			·06		·10	·12		·11	2
3		·02		·20		·05	·38		·12	·03		·01	3
4				·20			·16	·39	·04	·24		·05	4
5			·01	·05	·22		·10	·19	·04			·04	5
6			·09	·02	·01		·10					·10	6
7	·01		·14	·05			·09					·01	7
8	·02	·05		·34	·02		·02						8
9	·18	·01		·46			·02	·15					9
10	·09	·12	·03	·01			·05					·01	10
11	·21	·02	·10	·24	·07			·01				·19	11
12	·02			·23								·11	12
13	·02	·04	·08	·20		1·10	·03		·03			·07	13
14			·42	·15		·22			·19	·01	·11		14
15		·03	1·35	·11					·30	·13		·02	15
16			·01	·02	·04		·08		·04	·17		·04	16
17					·10				·42	·02		·03	17
18	·17			·04	·04	·14	·04	·05	·12				18
19	·01	1·18		·31		·17		·05	·07				19
20	·06	·23		·74		·34	·06		·01				20
21				·04			·21	·04	·01				21
22	·01			·20			·07		·04				22
23				·01			·02					·23	23
24			·14	·02								·13	24
25		·01	·02	·09	·02	·04	·51						25
26	·04		·03	·05	·18		·05					·01	26
27	·05	·01		·09	·04	·35	·01				·25	·19	27
28	·53		·21	·03	·01		·04		·01		·05	·02	28
29	·03		·12		2·06		·01				·03	·37	29
30	·06			·08	·01	·05			·12		·08	·29	30
31	·06		·03				·03			·29		·04	31
Total	1·57	1·72	2·80	4·29	3·04	2·46	2·41	·88	1·66	1·27	·56	2·08	Year's Total 24·74
Days with ·01 in. or more	17	11	16	28	14	9	23	7	16	9	6	22	178
Days with ·04 in. or more	10	5	9	22	9	9	16	6	12	6	5	14	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN.

BRANSTON HALL

1913 – 1914

FORM A.
BRITISH RAINFALL.
8- JAN 19

REGIS 3

Kept at Branston H g.

9 AM

in the County of Linc n Branston 9N

e in.

by A. S. Leslie above Ground ft. in.

,, Sea Level ft.

IMPORTANT NOT and the result entered to the previous day. If an Observer prefers not to conform universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			7	2					47				1
2	07	1	1	7			3		2		3		2
3	01		6		27							1	3
4	51				10		6		3	26	23	2	4
5			1			9	2		6	1.44			5
6		7	5		41		13	1		39			6
7		7		1	~~4~~9	10				62			7
8			2		46	5				7	5		8
9		16				3					9		9
10				2							40		10
11	1.25			58		2					27		11
12		1									16		12
13	6		5	7				5			18		13
14	6	1	27								1		14
15	5		38	9							14		15
16	1	1	50	22					11		2		16
17	1	4	18	6		9			41				17
18			15	5					~~2~~			7	18
19	6	2	1	2			4		2				19
20	11		3	2					6	32	5		20
21	4		8		8		11			1	12		21
22	15		18					74	10				22
23	2					4		2	7				23
24				3		3		3					24
25				7									25
26		12	9							29	5	21	26
27		2				8				1			27
28	19	1	15	16								3	28
29	1		11	26	9			2			3	36	29
30	28		3							2		2	30
31													31
Total	2.83	.55	2.43	1.75	1.50	.53	.39	87	1.35	3.43	1.83	.72	YEAR'S TOTAL
Rain Days.		3.38	5.81	7.56	9.06	9.59	9.98	10.85	12.20	15.63	17.46	18.18	
	17	12	20	16	7	9	6	6	10	10	15	7	135

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 - JAN 1914

6x. [illegible]

3

Kept at Branston Hall
in the County of Lincoln
by A. S. Leslie Melville

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Branston G N R
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			7	2					47				1
2	07	1	1	7			3		2		3		2
3	01		6		27							1	3
4	51				10		6		3	26	23	2	4
5			1			9	2		6	1.44			5
6		7	5		41		13	1		39			6
7		7		1	9	10				62			7
8			2		46	5				7	5		8
9		16				3					9		9
10				2							40		10
11	1.25			58		2					27		11
12		1									16		12
13	6		6	7				5			18		13
14	6	1	27								1		14
15	5		38	9							14		15
16	1	1	50	22					11		2		16
17	1	4	18	6		9			41				17
18			15	5					~~2~~			7	18
19	6	2	1	2			4		2				19
20	11		3	2					6	32	5		20
21	4		8		8		11			1	12		21
22	15		18					74	10				22
23	2					4		2	7				23
24				3		3		3					24
25				7									25
26		12	9							29	5	21	26
27		2				8				1			27
28	19	1	15	16								3	28
29	1		11	26	9			2			3	36	29
30	28		3							2		2	30
31													31
Total	2.83	.55	2.43	1.75	1.50	.53	.39	87	1.35	3.43	1.83	.72	YEAR'S TOTAL
Rain Days.		3.38	5.81	7.56	9.06	9.59	9.98	10.85	12.20	15.63	17.46	18.18	
	17	12	20	16	7	9	6	6	10	10	15	7	135

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Branston Hall

in the County of Lincoln 3

by A. S. L. Melville J. P.

Lat. 53.12 Long. 0.32

Time of Observation 9 A M

Nearest Railway Station one mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 12 ft. 1 in.

" " " " Sea Level 126.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			1				85	18			2		1
2							10	57			7	7	2
3			18		14		13						3
4			6	13				3			36	9	4
5	8			3		2	23						5
6		7		9	17		5	3				2	6
7		6	28	3	6	3	15				1		7
8	8	3			7	43	29	31	10			2	8
9	23		9	11		79			7				9
10	17	5		5									10
11	4	1	26	25		4					23	15	11
12			11				9		27		1	6	12
13		8	2				~~9~~			10		13	13
14			1				11		2	18	42	9	14
15	5		8				[illegible]				20	32	15
16	4		5				12		1				16
17	8	11							20			7	17
18						7	12					24	18
19			7								1	14	19
20		4	24							7			20
21		22	7					1		20	2	9	21
22		8	3		98		17	9		16			22
23			6		8	18	6					8	23
24				12	1					2	35		24
25								10		76	1	12	25
26			10				3	13		14	10	33	26
27												24	27
28	3						1			3	1	74	28
29	4		11		3					31			29
30		X		8	2	4				2	17	14	30
31		X		X		X	37		X	8	X	5	31
Total	.84	.75	1.83	.89	1.56	1.60	2.88	1.45	.67	2.07	1.99	3.19	YEAR'S TOTAL 19.72
Rain Days.	10	1.59	3.42	4.31	5.87	7.47	10.35	11.69	12.47	14.54	16.53	19.72	

W. 8,000. X. 14. 10 18 9 9 8 16 9 6 12 15 20 142

See note a

REGIS

LINCOLN

BOULTHAM PUMPING STN.

1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at Boultham P
(Lincoln Corpor
in the County of L
by Neil mck B
Waterwork

9 am
M.R. Lincoln
5 in.
above Ground 1 ft. 0 in.
„ Sea Level 19-5 ft.

IMPORTANT NOTE.—Rain should be measured and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·00	·00	·00	·00	·00	·00	·32	1·27	·00	·00	1
2	·00	·01	·14	·08	·00	·00	·02	·00	·00	·64	·18	·00	2
3	·00	·00	·06	·00	·30	·00	·00	·00	·00	·00	·00	·00	3
4	1·08	·01	·02	·00	·04	·00	·13	·00	·01	·00	·00	·06	4
5	·00	·00	·00	·00	·00	·00	·02	·00	·06	·00	·00	·00	5
6	·00	·05	·00	·00	·50	·02	·00	·00	·00	·00	·00	·00	6
7	·00	·08	·15	·00	·09	·07	·00	·00	·00	·00	·00	·00	7
8	·00	·00	·00	·00	·42	·10	·00	·00	·00	·00	·08	·00	8
9	·00	·20	·08	·00	·01	·02	·00	·00	·01	·00	·12	·00	9
10	·00	·00	·00	·05	·15	·00	·00	·00	·00	·00	·45	·00	10
11	snow 1·00	·00	·00	snow ·50	·00	·08	·00	·00	·00	·00	·25	·00	11
12	·00	·00	·00	·00	·00	·01	·00	·00	·00	·00	·18	·00	12
13	·00	·00	·00	·02	·00	·00	·00	·00	·00	·00	·21	·00	13
14	·14	·00	·34	·34	·00	·00	·00	·00	·00	·04	·00	·00	14
15	·14	·00	·00	·00	·00	·00	·00	·00	·00	·00	·11	·00	15
16	·00	·00	·50	·00	·00	·00	·00	·00	·20	·00	·03	·00	16
17	·00	·03	1·00	·00	·00	·03	·00	·00	·73	·00	·00	·00	17
18	·00	·00	·23	·00	·00	·02	·00	·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	19
20	·07	·00	·00	·03	·00	·00	·00	·00	·00	·24	·05	·00	20
21	·13	·00	·00	·00	·09	·00	·13	·00	·00	·00	·00	·00	21
22	·08	·00	·06	·00	·00	·00	·00	1·00	·15	·00	·18	·00	22
23	·03	·00	·03	·00	·00	·03	·01	·00	·06	·00	·00	·00	23
24	·04	·00	·00	·06	·00	·13	·00	·02	·00	·00	·00	·00	24
25	·00	·00	·00	·09	·00	·03	·00	·00	·00	·00	·00	·00	25
26	·00	·03	·23	·01	·01	·01	·00	·00	·00	·32	·04	·30	26
27	·00	·18	·00	·01	·00	·11	·00	·00	·00	·00	·00	·00	27
28	·23	·02	·22	·22	·00	·00	·00	·00	·00	·01	·00	·00	28
29	·00		·20	·34	·26	·00	·00	·00	·00	·00	·03	·21	29
30	·40		·07	·00	·00	·00	·00	·01	·15	·01	·01	·16	30
31	·00		·00		·00		·00	·00		·00		·00	31
Total	3·34	·61	3·33	(1·75)	(1·87)	(·66)	(·31)	1·03	1·69	2·53	1·92	·73	YEAR'S TOTAL (19·77)
Rain Days.	11	9	15	12	10	13	5	3	9	7	14	4	~~112~~

W.7,000, XI. 13

NOTE Unfortunately the Record of Rainfall was not Kept from April 19th to July 13th, and the figures given above (in red) during this period, are those obtained at the Sessions House Lincoln some 1½ miles N.N.E. from Boultham

See note a

REGIS

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Boultham Pumping Station (Lincoln Corporation Waterworks) 3
in the County of Lincoln
by Neil McK. Barron M. Inst. C. E. Waterworks Engineer

Lat. Long.
Time of Observation 9 am
Nearest Railway Station M. R. Lincoln
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 19-5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·00	·00	·00	·00	·00	·00	·32	1·27	·00	·00	1
2	·00	·01	·14	·08	·00	·00	·02	·00	·00	·64	·18	·00	2
3	·00	·00	·06	·00	·30	·00	·00	·00	·00	·00	·00	·00	3
4	1·08	·01	·02	·00	·04	·00	·13	·00	·01	·00	·00	·06	4
5	·00	·00	·00	·00	·00	·00	·02	·00	·06	·00	·00	·00	5
6	·00	·05	·00	·00	·50	·02	·00	·00	·00	·00	·00	·00	6
7	·00	·08	·15	·00	·09	·07	·00	·00	·00	·00	·00	·00	7
8	·00	·00	·00	·00	·42	·10	·00	·00	·00	·00	·08	·00	8
9	·00	·20	·08	·00	·01	·02	·00	·00	·01	·00	·12	·00	9
10	·00	·00	·00	·05	·15	·00	·00	·00	·00	·00	·45	·00	10
11	snow 1·00	·00	·00	snow ·50	·00	·08	·00	·00	·00	·00	·25	·00	11
12	·00	·00	·00	·00	·00	·01	·00	·00	·00	·00	·18	·00	12
13	·00	·00	·00	·02	·00	·00	·00	·00	·00	·00	·21	·00	13
14	·14	·00	·34	·34	·00	·00	·00	·00	·00	·04	·00	·00	14
15	·14	·00	·00	·00	·00	·00	·00	·00	·00	·00	·11	·00	15
16	·00	·00	·50	·00	·00	·00	·00	·00	·20	·00	·03	·00	16
17	·00	·03	1·00	·00	·00	·03	·00	·00	·73	·00	·00	·00	17
18	·00	·00	·23	·00	·00	·02	·00	·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	19
20	·07	·00	·00	·03	·00	·00	·00	·00	·00	·24	·05	·00	20
21	·13	·00	·00	·00	·09	·00	·13	·00	·00	·00	·00	·00	21
22	·08	·00	·06	·00	·00	·00	·00	1·00	·15	·00	·18	·00	22
23	·03	·00	·03	·00	·00	·03	·01	·00	·06	·00	·00	·00	23
24	·04	·00	·00	·06	·00	·13	·00	·02	·00	·00	·00	·00	24
25	·00	·00	·00	·09	·00	·03	·00	·00	·00	·00	·00	·00	25
26	·00	·03	·23	·01	·01	·01	·00	·00	·00	·32	·04	·30	26
27	·00	·18	·00	·01	·00	·11	·00	·00	·00	·00	·00	·00	27
28	·23	·02	·22	·22	·00	·00	·00	·00	·00	·01	·00	·00	28
29	·00		·20	·34	·26	·00	·00	·00	·00	·00	·03	·21	29
30	·40		·07	·00	·00	·00	·00	·01	·15	·01	·01	·16	30
31	·00		·00		·00		·00	·00		·00		·00	31
Total	3·34	·61	3·33	(1·76)	(1·87)	(·66)	(·31)	1·03	1·69	2·53	1·92	·73	YEAR'S TOTAL (19·77)
Rain Days.	11	9	15	12	10	13	5	3	9	7	14	4	~~112~~

days moved

W.7,000, XI. 13

NOTE Unfortunately the Record of Rainfall was not kept from April 19th to July 13th, and the figures given above (in red) during this period, are those obtained at the Sessions House Lincoln some 1½ miles N.N.E. from Boultham

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

✓

REGISTE

LINCOLN

MONKS TOWER

1913 – 1917.

Kept at Monks Tower

in the County of Lincoln

by H. C. H. Allo

A.M.

Lincoln

5 in.

Ground 1 ft. 6 in.

Sea Level 100 ft.

IMPORTANT NOTE.—R and the result entered to the previous day. If an Observer prefers st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·14	·05	—	—	—	—	—	—	·03	—	1
2	—	·02	·02	·08	—	—	·06	—	·32	—	·02	—	2
3	—	·03	·09	—	·31	—	—	—	—	·05	—	—	3
4	·60	—	·04	—	·06	·05	·15	—	·06	·15	·20	·05	4
5	—	—	·02	—	—	—	·03	—	·02	·97	—	—	5
6	—	—	·11	—	·52	—	—	·04	—	·33	—	—	6
7	—	·11	—	—	·11	·09	—	—	—	·56	—	—	7
8	—	—	—	—	·45	·12	—	—	·03	·02	·10	—	8
9	—	·21	·07	·02	·03	·03	—	·02	—	—	·13	·01	9
10	—	—	—	·05	·09	—	—	—	—	—	·39	—	10
11	·94	—	—	·54	—	·08	—	·06	—	—	·25	—	11
12	—	—	—	—	—	·02	—	—	—	—	·13	—	12
13	—	—	·04	·07	—	—	—	·05	·03	—	·22	—	13
14	·13	·02	·28	—	—	—	—	—	—	·07	·02	—	14
15	·14	—	·29	·29	—	—	—	—	—	—	·07	—	15
16	—	—	·48	·09	—	—	—	—	·25	—	·03	—	16
17	—	·04	·17	·13	—	·06	—	—	1·00	—	—	—	17
18	—	—	·12	·09	—	·03	·06	—	—	—	—	·08	18
19	·08	—	·02	—	—	—	—	—	—	—	—	—	19
20	·14	—	·04	·02	—	—	—	—	·03	·25	·06	—	20
21	·01	—	·06	—	·22	—	·16	—	—	—	·16	—	21
22	·10	—	·20	—	—	—	—	1·01	·14	—	—	—	22
23	·04	—	—	—	—	·05	·05	·03	·11	—	—	—	23
24	·03	—	—	·08	—	·11	—	·02	—	—	·02	—	24
25	—	—	—	·11	—	—	—	—	—	—	—	·02	25
26	—	·20	·10	·03	—	·03	—	—	—	·32	·04	·16	26
27	—	·05	—	—	—	·13	—	—	—	—	·03	—	27
28	·21	—	·25	·25	—	—	—	—	—	·02	—	·12	28
29	—		·16	·33	·13	—	—	·02	·01	—	—	·19	29
30	·41		·06	·01	—	—	—	—	—	·03	·01	·03	30
31	—		—		—		—	—			—	—	31
Total	2·83	·68	2·76	2·24	1·92	·80	·51	1·25	2·00	2·77	1·91	·66	YEAR'S TOTAL
Rain Days.	12	8	21	17	9	12	6	8	11	11	~~12~~	8	20·33
											18		140 141

W.7,000, XI, 13

√

REGISTE

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Monks Tower
in the County of Lincoln
by H. C. H. Allanby

Time of Observation 9. A.M.
Nearest Railway Station Lincoln
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·14	·05	—	—	—	—	—	—	·03	—	1
2	—	·02	·02	·08	—	—	06	—	·32	—	·02	—	2
3	—	·03	·09	—	·31	—	—	—	—	.05	—	—	3
4	·60	—	·04	—	·06	·05	·15	—	·06	·15	·20	·05	4
5	—	—	·02	—	—	—	·03	—	·02	·97	—	—	5
6	—	—	·11	—	·52	—	—	·04	—	·33	—	—	6
7	—	·11	—	—	·11	·09	—	—	—	·56	—	—	7
8	—	—	—	—	·45	·12	—	—	·03	·02	·10	—	8
9	—	·21	·07	·02	·03	·03	—	·02	—	—	·13	·01	9
10	—	—	—	·05	·09	—	—	—	—	—	·39	—	10
11	·94	—	—	·54	—	·08	—	·06	—	—	·25	—	11
12	—	—	—	—	—	·02	—	—	—	—	·13	—	12
13	—	—	·04	·07	—	—	—	·05	·03	—	·22	—	13
14	·13	·02	·28	—	—	—	—	—	—	·07	·02	—	14
15	·14	—	·29	·29	—	—	—	—	—	—	·07	—	15
16	—	—	·48	·09	—	—	—	—	·25	—	·03	—	16
17	—	·04	·17	·13	—	·06	—	—	1·00	—	—	—	17
18	—	—	·12	·09	—	·03	·06	—	—	—	—	·08	18
19	·08	—	·02	—	—	—	—	—	—	—	—	—	19
20	·14	—	·04	·02	—	—	—	—	·03	·25	·06	—	20
21	·01	—	·06	—	·22	—	·16	—	—	—	·16	—	21
22	·10	—	·20	—	—	—	—	1·01	·14	—	—	—	22
23	·04	—	—	—	—	·05	·05	·03	·11	—	—	—	23
24	·03	—	—	·08	—	·11	—	·02	—	—	·02	—	24
25	—	—	—	·11	—	—	—	—	—	—	—	·02	25
26	—	·20	·10	·03	—	·03	—	—	—	·32	·04	·16	26
27	—	·05	—	—	—	·13	—	—	—	—	·03	—	27
28	·21	—	·25	·25	—	—	—	—	—	·02	—	·12	28
29	—		·16	·33	·13	—	—	·02	·01	—	—	·19	29
30	·41		·06	·01	—	—	—	—	—	·03	·01	·03	30
31	—		—		—		—	—			—	—	31
Total	2·83	·68	2·76	2·24	1·92	·80	·51	1·25	2·00	2·77	1·91	·66	YEAR'S TOTAL
Rain Days.	12.	8	21	17	9	12	6	8	11	11	~~12~~	8	20·33

18

140
141

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Monks Tower
in the County of Lincoln 3
by Miss Allanby

Lat. Long.
Time of Observation
Nearest Railway Station Lincoln
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	·96	·22	—	·03	·04	—	1
2	—	—	—	—	—	—	·13	·23	—	—	·11	·08	2
3	—	—	·20	—	·17	—	·14	·04	—	—	·02	·03	3
4	·10	—	·04	·23	·08	—	—	—	—	—	33 ~~33~~	20 ~~20~~	4
5	—	—	·13	·07	·07	·05	·32	·07	—	—	—	—	5
6	—	·11	—	·10	·17	—	·06	—	—	—	·02	·03	6
7	—	·13	·23	·06	·10	·02	—	—	—	—	—	·08	7
8	·19	·03	·01	—	·07	·41	·11	·19	·18	—	—	—	8
9	·30	—	·04	·07	—	·81	—	—	—	—	—	—	9
10	·37	·09	[illegible]	·06	—	—	—	—	·06	·02	—	—	10
11	—	·02	26 ~~26~~	·20	·05	·02	—	—	·12	—	·36	·16	11
12	·05	·01	·04	—	—	—	·05	—	·20	—	—	·14	12
13	·03	·07	·11	—	—	—	—	—	—	·03	—	·10	13
14	·02	·04	—	·01	—	—	·06	—	—	·21	·13	·09	14
15	·02	—	·10	—	—	—	·09	—	—	—	·29	·26	15
16	·02	—	·05	—	—	—	·10	—	·02	—	·15	—	16
17	·05	·06	—	—	—	—	—	—	·26	—	—	·15	17
18	—	—	·04	—	—	·13	—	—	—	—	·02	·39	18
19	—	—	·08	—	—	—	—	—	—	—	·05	·11	19
20	—	·06	·25	—	—	—	—	—	—	·08	—	·11	20
21	—	·26	·06	—	—	—	·07	·12	—	·04	·06	—	21
22	—	—	·01	—	·85	—	·17	·08	—	·27	—	·10	22
23	—	·06	·06	—	·15	·24	—	—	—	—	—	·08	23
24	—	—	—	·12	·02	—	·01	—	—	·08	·28	—	24
25	—	—	—	—	~~·02~~	—	·03	·11	—	·62	—	·21	25
26	—	—	·08	—	—	—	·03	·12	—	·13	·10	·25	26
27	·03	—	—	—	—	—	—	—	—	—	—	·42	27
28	·03	·02	—	—	—	—	—	—	—	·06	·08	1·04	28
29	·07	—	·14	—	·03	—	—	—	—	·48	—		29
30	—	✗	·01	·10	—	—	—	—	—	·02	·21	·19	30
31	—	✗	—	✗	—	✗	·33	—	✗	·10	✗	·04	31
Total	1·28 ✓	·96 ✓	1·94 ✓	1·02 ✓	1·76 ✓	1·68 ✓	2·66 ✓	1·18 ✓	·84 ✓	2·17 ✓	2·25 ✓	4·26 ✓	YEAR'S TOTAL 22·00 ✓
Rain Days.	13	13	20	10	11	7	16	9	6	14	16	22	157 ✓

W. 8,000. X. 14.

2692

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Monks Tower.
in the County of Lincoln.
by Miss Allanby for Major Allanby.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Lincoln.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·13	—	—	·52	—	—	·08	·06	—	—	·07	1
2	—	—	·20	·08	—	·06	—	·67	·10	—	·11	—	2
3	·35	—	·03	·10	—	—	·72	·18	—	—	·65	·20	3
4	·36	·62	—	—	—	—	1·28	·03	—	—	—	·88	4
5	·63	·12	—	—	·25	—	—	·09	—	—	·09	·43	5
6	·63	·13	·09	·05	—	—	·95	·05	—	—	—	—	6
7	·27	·26	·04	—	—	·07	·57	·29	—	—	·64	·22	7
8	·09	·04	·02	·02	—	—	·05	·04	—	—	·02	—	8
9	—	·09	—	—	—	—	—	·01	—	—	—	·29	9
10	·34	—	·01	—	—	—	—	·19	—	—	—	—	10
11	—	—	·05	—	·33	—	·11	—	—	—	·23	·22	11
12	·12	—	—	·33	·10	—	—	·11	—	—	·76	—	12
13	—	·48	—	—	·20	—	—	—	—	·06	—	—	13
14	—	·14	—	—	·03	—	—	·14	—	·03	—	·29	14
15	·36	·62	—	—	—	—	·11	·05	—	—	·42	·12	15
16	—	·26	—	—	·05	—	·48	·01	—	—	—	·02	16
17	·02	·11	—	—	—	—	·15	—	—	—	·06	—	17
18	—	·19	—	—	—	—	—	—	—	—	—	·06	18
19	—	—	·22	—	—	—	·12	—	—	·13	—	—	19
20	·09	—	—	—	·35	—	—	—	—	—	—	·39	20
21	·08	·62	—	—	·04	—	·20	—	·11	—	—	·03	21
22	·07	—	·19	·05	—	—	·03	—	—	—	—	·15	22
23	—	·10	·02	—	—	—	·26	—	—	·03	·08	·05	23
24	—	—	·19	·02	—	—	—	—	·38	—	—	·17	24
25	—	—	·01	—	—	·48	—	—	—	·13	—	·13	25
26	·62	·15	—	—	—	·02	·01	—	—	—	—	·32	26
27	—	·16	—	—	—	—	·61	—	—	·54	—	·10	27
28	—	·05	·02	—	—	·22	—	·16	—	·07	—	—	28
29	·01	—	·04	—	—	·08	—	·05	—	—	·41	·37	29
30	·06	X	—	·05	·02	·27	·63	—	—	—	—	·06	30
31	·09	X	—	X	—	X	—	·12	X	—	X	·16	31
Total	2·50	2·47	1·13	·70	1·89	1·20	5·02	2·27	·65	·99	2·27	4·73	YEAR'S TOTAL 25·82
Rain Days.	18	18	14	8	10	7	16	17	4	7	11	22	152

W. 8,000. X. 15.

2627

FORM A.
BRITISH RAINFALL.

15 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Monk's Tower

in the County of Lincolnshire

by Miss M. Allaudy for Major Allaudy

Lat. Long.

Time of Observation

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·04	—	—	·11	·26	—	—	—	·34	—	1
2	·16	—	·26	—	·55	—	·09	—	—	·15	—	—	2
3	—	·28	—	—	—	—	·38	—	·55	·20	·05	—	3
4	·18	·21	·06	—	·45	·29	—	—	·36	·11	·23	—	4
5	·04	—	—	—	—	·12	—	—	—	·15	·13	—	5
6	—	·13	·22	·06	—	—	·23	—	—	—	·33	—	6
7	—	—	·17	—	·27	—	·21	—	—	—	·14	·22	7
8	—	—	·09	—	—	—	—	—	—	—	·04	·09	8
9	—	—	·06	~~·0~~	·70	—	—	—	·05	—	—	·14	9
10	—	·03	·04	·09	—	—	—	—	·10	·13	—	·07	10
11	—	·46	·14	·20	·05	·13	·11	—	—	—	—	·03	11
12	·04	·02	·08	—	·23	·26	·11	—	—	·05	—	—	12
13	—	·08	·05	—	·48	—	·04	—	—	—	—	·08	13
14	—	·05	—	—	·05	—	—	·14	—	—	—	—	14
15	—	·07	·59	—	—	—	·11	·07	—	·06	—	—	15
16	—	·09	·12	·25	—	—	·14	·19	—	—	—	—	16
17	·03	·02	—	·46	—	—	—	·37	·26	·15	—	—	17
18	—	·21	—	·12	—	—	—	·86	·17	·14	·50	—	18
19	·08	—	·04	·36	—	—	—	·05	·12	—	·22	·15	19
20	·03	—	·25	·08	—	—	—	—	—	—	·03	·04	20
21	—	·04	·12	—	—	—	·03	·20	—	—	—	·38	21
22	—	·08	—	—	—	·10	—	—	—	·13	—	·33	22
23	—	·07	—	—	—	·05	—	—	—	—	·11	·44	23
24	—	·65	—	·05	—	—	—	·11	—	—	—	·11	24
25	—	·06	·11	—	—	—	—	·20	—	·21	·18	·04	25
26	—	·05	—	—	—	—	—	·35	—	·07	—	—	26
27	—	·15	·31	—	—	·03	—	—	—	·20	—	—	27
28	—	·16	·22	—	—	—	—	—	—	—	—	·09	28
29	—	·13	—	—	—	·31	—	·87	—	·21	—	·15	29
30	—	X	—	—	—	·05	—	·10	—	—	—	—	30
31	—	X	—	X	—	X	—	·03	X	—	X	·05	31
Total	·62	3·04	2·97	1·67	2·78	1·45	1·71	3·54	1·61	1·96	2·30	2·41	YEAR'S TOTAL 26·06
Rain Days.	8	21	19	9	8	10	11	13	7	14	12	16	148

W. 8,000, VIII. 16

2493

FORM A.
BRITISH RAINFALL.

8. JAN 1918

REGISTER OF RAINFALL IN 1917

4132

Kept at Monk's Tower
in the County of Lincoln
by Miss Allanby.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·14	—	—	—	·95	·22	—	—	—	1
2	·16	—	—	·06	—	·08	—	·16	—	—	—	—	2
3	—	·24	—	—	—	—	—	·36	—	·30	—	—	3
4	—	—	—	—	—	—	—	·02	—	·29	—	—	4
5	·38	—	—	—	—	—	—	·02	—	—	·14	—	5
6	—	—	·05	·16	—	—	—	—	—	·14	·63	—	6
7	·41	—	—	—	—	—	—	—	—	·33	—	—	7
8	·50	—	—	·22	—	—	—	1·34	—	·40	—	—	8
9	·12	—	—	·20	—	—	—	·05	—	—	·26	—	9
10	·25	—	—	·08	·36	—	—	·11	·05	—	·06	—	10
11	·03	—	·62	·36	—	—	—	—	—	·31	—	—	11
12	·13	—	·02	·05	·18	—	—	·32	—	·27	—	—	12
13	·09	—	—	·11	—	—	—	·17	·05	—	—	—	13
14	·24	—	—	·05	·08	—	—	·15	—	—	—	—	14
15	·05	—	—	—	—	—	·27	·03	—	·04	—	—	15
16	·11	·17	—	·10	—	—	—	—	—	—	—	·41	16
17	·02	—	—	·21	·67	—	·04	·06	·04	·08	—	—	17
18	·04	—	·06	·04	·03	·11	·44	—	·37	—	—	—	18
19	·03	—	—	—	·04	—	—	—	·05	—	—	—	19
20	—	·43	·13	—	·03	—	—	—	·11	—	·35	—	20
21	—	—	·11	—	—	·10	—	—	—	—	—	—	21
22	—	—	·05	—	—	—	—	·17	—	—	—	—	22
23	—	—	·09	—	·12	—	—	·22	—	—	—	—	23
24	—	—	—	—	—	·45	·06	·02	—	·27	·04	·12	24
25	—	·06	·08	—	—	—	—	—	—	—	·05	·03	25
26	—	—	·09	—	—	—	—	·39	·08	—	·34	—	26
27	—	—	—	—	—	—	·19	·34	—	—	—	·05	27
28	—	—	·05	—	—	—	—	·07	—	—	—	·11	28
29	—	—	—	—	—	·36	—	—	—	·26	—	·04	29
30	·04	×	—	—	—	—	·35	·38	—	—	—	—	30
31	—	×	—	×	—	×	·05	·06	×	—	×	·01	31
Total	2·60	·90	1·35	1·78	1·51	1·10	1·40	5·59	·97	2·69	1·47	·77	YEAR'S TOTAL 22·13
Rain Days.	16	4	11	13	8	5	7	21	8	11	8	7	119

W. 8,000, IX. 17.

187

W.D. cond. 13.II.12

REGIS

LINCOLN

DODDINGTON HALL.

1911 – 1918

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

Kept at Doddington

in the County of Linc

by ~~[illegible]~~ G. E. Ja

8 in.

Ground 1 ft. 2 in.

Sea Level 94 ft.

.AM

Name Thorpe on the Hill

Distance 2½ Direction S

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	·19	·06.		·09	·07.			·08	·01		1
2	·01	–	–	–	–	–		·04				·04	2
3	·26	–	–	–	·03	–		·03			·02	·14	3
4	–	–	–	·02	·08.	–		·14		·11	·04		4
5	·02	–	·14	·18	–	–			·07	·36	·11	·25	5
6	02	–	–	·08.	·04	–		·01				·01	6
7	·32	–	·01	–	–	–		·01		·05	·14	·29	7
8	·01	–	–	–	–	–					·04	·18	8
9	·22	–	·15	–	·04	–					·03	·12	9
10	·02.	–	–	–	–	–						–	10
11	–	·03.	·02.	·01	–	–		·09				·32	11
12	·21	–	–	–	–	–					·25	–	12
13	·05	–	·32	–	–	–			·32		·24	·01	13
14	–	–	·06	–	–	·13				·05		·41	14
15	–	–	·16	–	·33.	–					·03	·31	15
16	–	–	·05	–	–	–				·02		·02	16
17	–	–	·01	·02	–	·05				·01	·20	·10	17
18	–	–	·02	–	–	·34					·01	·06	18
19	–	·13.	–	–	–	–				·01	·41	·04	19
20	–	·03.	–	–	–	·07	·04	·03	·02	·06	·30	·03	20
21	·01	·07.	–	·05	–	–	·02	·19	·02	·07	·01	·30	21
22	–	·25	·08	–	–	–		·02		·07	·04	·06	22
23	·01	·01	·04	·06	–	–		·01		·14	·04	·24	23
24	–	·04	·03	·01	01	·68.		·19	·41		·01	·09	24
25	–	·06	–	·05	–	1·~~2~~47				·26		·15	25
26	–	·01	·10	·20.	–	·01			·04	·03	·04	·10	26
27	–	–	·01	·08	·56	–	·08.			·27	·35	·37	27
28	–	·06.	–	·16.	–	–		·45	·28	·01	·04	·05	28
29	–		–	·14	–	–			·02	·01	·05	·04	29
30	–		–	·02	–	·02	·15		·23	·15	·01		30
31	–		–		·09					·13			31
		·19	·06	–	·09	·07	–	–	·08	·01		(·02)	
Total	1·18. 1·16	·69. ·88	1·39. 1·26	1·14 1·08	1·18. 1·27	2·86. 2·84	·36. ·29	1·21 1·21	1·41 1·49	1·89 1·82	2·42 2·41	3·73 3·45	TOTAL for year 19·46
No. of Rain Days.	~~13~~ 12	~~10~~ 11	16	~~15~~ 14	~~8~~ 9	9	~~5~~ 4	12	~~9~~ 10	19	~~23~~ 22	~~25~~ 26	164

W. 8,000, X. '11.

W.D. cnd. 13.IV.12

REGI

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Doddington Hall

in the County of Lincoln 6

by ~~[illegible] Jarvis~~ G. E Jarvis Esq.

RAIN GAUGE: Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 94 ft.

Time of Observation 9. AM

Nearest Railway Station: Name Thorpe on the Hill
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·19	·06		·09	·07			·08	·01		1
2	·01	—	—	—	—	—	~~[illegible]~~	·04				·04	2
3	·26	—	—	—	·03	—		·03			·02	·14	3
4	—	—	—	·02	·08	—		·14		·11	·04	~~[illegible]~~	4
5	·02	—	·14	·18	—	—			·07	·36	·11	·25	5
6	·02	—	—	·08	·04	—		·01				·01	6
7	·32	—	·01	—	—	—		·01		·05	·14	·29	7
8	·01	—	—	—	—	—					·04	·18	8
9	·22	—	·15	—	·04	—					·03	·12	9
10	·02	—	—	—	—	—						—	10
11	—	·03	·02	·01	—	—		·09			—	·32	11
12	·21	—	—	—	—	—					·25	—	12
13	·05	—	·32	—	—	—			·32		·24	·01	13
14	—	—	·06	—	—	·13				·05		·41	14
15	—	—	·16	—	·33	—					·03	·31	15
16	—	—	·05	—	—	—				·02		·02	16
17	—	—	·01	·02	—	·05				·01	·20	·10	17
18	—	—	·02	—	—	·34					·01	·06	18
19	—	·13	—	—	—	—				·01	·41	·04	19
20	—	·03	—	—	—	·07	·04	·03	·02	·06	·30	·03	20
21	·01	·07	—	·05	—	—	·02	·19	·02	·07	·01	·30	21
22	—	·25	·08	—	—	—		·02		·07	·04	·06	22
23	·01	·01	·04	·06	—	—		·01		·14	·04	·24	23
24	—	·04	·03	·01	·01	·68		·19	·41		·01	·09	24
25	—	·06	—	·05	—	1·~~2~~47				·26		·15	25
26	—	·01	·10	·20	—	·01			·04	·03	·04	·10	26
27	—	—	·01	·08	·56	—	·08			·27	·35	·37	27
28	—	·06	—	·16	—	—		·45	·28	·01	·04	·05	28
29	—		—	·14	—	—			·02	·01	·05	·04	29
30	—		—	·02	—	·02	·15		·23	·15	·01		30
31	—		—		·09					·13			31
	—	·19	~~·06~~	—	~~·09~~	·07	—	—	·08	~~·01~~	—	(·02)	
Total	1·18 1·16	·69 ·88	1·39 1·26	1·14 1·08	1·18 1·27	2·86 2·84	·36 ·29	1·21 1·21	1·41 1·49	1·89 1·82	2·42 2·41	3·73 3·75	TOTAL for year 19·46
No. of Rain Days.	~~13~~ 12	~~10~~ 11	16	~~15~~ 14	~~8~~ 9	9	~~5~~ 4	12	~~9~~ 10	19	~~23~~ 22	~~25~~ 26	164

W. 8,000, X. '11.

Cor. for arith. 8.V.13. HRM

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

-8 MAY 1913

Kept at Doddington

in the County of Lincoln 6

by G. E. Jarvis.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Thorpe on the Hill

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·02	·04		·41	.06	·20	·33	·05	·02		1
2	.		·01			·19	.22	·03	·15			·50	2
3		·03	·02			·15	.57		.			·17	3
4	·22				·09	·34		53	.14			12	4
5	·02		·38		·03	·26		·11	.01		·37	.	5
6	·04				·02	·17		·02			·01		6
7	·50	·12			·04		08	·20				.02	7
8		·04			·01	·06		·06	·10			·01	8
9	·30	·15	·18			·06			·25				9
10	·04	·19		·14		·08						·07	10
11			·01	·01		·26		·66	·02		·10		11
12	·08	·03				·01		·13			.03	·45	12
13	·08	.27	·08			·28	·09			.08	·19		13
14	·02	·02			·02			·03	.		·17		14
15	·12		·35			·03		·09	·01			·01	15
16		·04	·06		·27	·05		·01				·04	16
17	·31				·12	·11		·10		·11			17
18	·15		·28		·01	·19		·17				·16	18
19	·16		08			.03	·01	·05		·01			19
20	.36	·17				02	.35	·35	.01		·01		20
21	·20	·02	02		·19	·02	·23			.13			21
22			35		·47		·18				·03	·01	22
23		.04	·01		·68	.03	·24	·36				·15	23
24	·06		·30		·02		·47	43			·10	·02	24
25	·19		·02			.34	·02	04			~~20~~	.17	25
26	·01					.30	·90	·14			·20	·11	26
27		.04	·06			.01	·28	1·12.		·60	·06	·16	27
28						·07	·14			·70		·09	28
29					·20	·04	·08	·36	·03	·22	·65	·45.	29
30			·04			·02			·49	·20	·26		30
31					·20					·03			31
	—	·02	·04	—	·41	·66	·20	·33	·95	·02	—	—	YEAR'S TOTAL
Total	~~2.87~~	~~1.16~~	~~2.27~~	~~·19.~~	~~2.37~~	~~3.73~~	~~3.98~~	~~5.19~~	~~1.54~~	~~2.13~~	~~2.20~~	~~2.71~~	~~30.28~~
Rain Days.	~~19~~ 18	1~~2~~4	18	2 ~~3~~	~~15~~ 16	26	16	22	11	10	13 ~~14~~	18.	184
	2·86	1·18	2·29	·15	2·78	3·38	~~3·92~~ 4·06	5·32	1·26	2·10	2·18	2·71	30·27

W. 7,500, XI. 12

Cor. for W.D. 17. III. 14.

made ✓ written 5. V. 14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 26 JAN 1914

Kept at Doddington Hall

in the County of Lincoln 6

by the Gardener.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Thorpe – Lincoln

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTA … nd the result entered to the previous day. … niversal rule, he is earnestly requested to ac … year in the space provided for it at the e … rement of rain, the selection a … British Rainfall Organization an … n application to Dr. H. R. Mi…

Jan. 1, following. (—) estd.

Telegraph to Thorpe on the Hill

Doddington Hall, Lincoln.

8th May 1914.

Dear Sir.

In answer to your letter of 5th May & my gardener both the 17 & 18th March there was no rain here, if I remember the showers were very partial & we escaped them on the 19th March we had -17.

On the 18th Sept we had only -28. I think these

Date.	Jan.	Feb.								Oct.	Nov.	Dec.	Date.
1													1
2											-04		2
3		-0											3
4										-02		-01	4
5	-57	-0								-18	-20	-10	5
6										-04			6
7	-01	-0								48	-03		7
8		-1								41	-01		8
9		-0								02	-09		9
10		-2									-16	-01	10
11											-42		11
12	-60										-29		12
13											-17		13
14											-15		14
15	-12									05	-06		15
16	-12										-18		16
17	-01	·0									-01		17
18	01	·02											18
19												-03	19
20	-06								-02				20
21	-09		-05	-03					-01	-14	-07		21
22	-01		-08		-05		-10				-23		22
23	-13		-16					1.13.	-13				23
24	-02					-02	-07	-02	-08				24
25	-01			-08		-03		-03					25
26				-12		-02			-02	-01			26
27		-12	-16	-03		-02				-39	-04	·25	27
28		-14		-03		-10					-03	-02	28
29	-21		-20	-22				-09				-13	29
30			-10	-42	-10							-24	30
31	-59		-03.							-03			31
Total	256	70	1-92	1-96	1-68 ·04	73	48	1-36	1-25	2-77	2-18	79	YEAR'S TOTAL 18-38
Rain Days.	14 15	11 10	16 17	16 17	~~9~~ 10	~~16~~ 15	8	6	12	11	16 7	18	143 146
	2·56	·70	1·92?	1·96	1·72	·69	·48	1·36	1·25?	2·77	2·18	·79	18·383

W.7,000, XI. 13

Smalle

~~written~~ 5-V-14

FORM A.
BRITISH RAINFALL.

26 JAN 1914

3

figures are quite correct

This is a most unusually

dry Parish. The Trent on

one side of us & the [illegible]

[illegible] the other seem to take

Kept at .... 9 a.m

Thorpe - Lincoln

in the County of .... in.

by N .... above Ground .... ft. .... in.

„ Sea Level .... ft.

IMPORT... nd the result entered to the previous day. ... niversal rule, he is earnestly requested to a... year in the space provided for it at the ... measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						-04							1
2				-06					-40		-04		2
3		-02		-01			-02						3
4			08		-43					-02		-01	4
5	-57	-06	-02		-62	-08	-11		-03	-18	-20	-10	5
6			03			-01	-03		-03	1-04			6
7	-01	-02	-12		-52	-02	-15			-48	-03		7
8		-11			-16	-02				-41	-01		8
9		-01	-04		-36	-07			-02	-02	-09		9
10		-21	-03	-01	-01	-02		-04			-16	-07	10
11					-03						-42		11
12	-60			-30		-04					-29		12
13						-01					-17		13
14			.02	-10				-05	-02		-15		14
15	-12		.32	-01						-05	-06		15
16	-12		-31	-33			-01				-18		16
17	-01	.04		.10					-21		-01		17
18	01	.02		-08		-19			-28				18
19			-17	-04		-04	-05					-03	19
20	-06								-02				20
21	-09		-05	-03					-01	-14	-07		21
22	-01		-08		-05		-10				-23		22
23	-13		-16					1.13.	-13				23
24	-02					-02	-07	-02	-08				24
25	-01			-08		-03		-03					25
26				-12		-02			-02	.01			26
27		-12	-16	-03		-02				-39	-04	.25	27
28		-14		-03		-10					-03	-02	28
29	-21		-20	-22				-09				-13	29
30			-10	-42	-10							-24	30
31	-59		-03.							-03			31
Total	256	70	1-92	1-96	.04 1-68	73	48	1-36	1-25	2-77	2.18	79	YEAR'S TOTAL 18-38
Rain Days.	14 15	11 10	16 17	16 17	~~9~~ 10	~~16~~ 15	8	6	12	11	16	18	143 166
	2·56	·70	1·92?	1·96	1·72	·69	·48	1·36	1·25?	2·77	2·18	·79	18·38?

W.7,000, XI. 13

written 5.V.14

FORM A.
BRITISH RAINFALL.
26 JAN 1914

3

Kept at .... s. .... G.A.M

in the County of .... Thorpe – Lincoln

.... in.

by .... bove Ground .... ft. .... in.

, Sea Level .... ft.

IMPORTA ... d the result entered to the previous day. ... iversal rule, he is earnestly requested to ac ... ear in the space provided for it at the e ... rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						-04							1
2				-06					-40		-04		2
3		-02		-01			-02						3
4			08		-43					-02		-01	4
5	-57	-01	-02		-02	-08	-11		-03	-18	-20	-10	5
6			03			-01	-03		-08	1-04			6
7	-01	-02	-12		-52	-02	-15			-48	-03		7
8		-11			-16	-02				-41	-01		8
9		-01	-04		-36	-07			-02	-02	-09		9
10		-21	-03	-01	-01	-02		-04			-16	-01	10
11					-03						-42		11
12	-60			-30		-04					-29		12
13						-01					-17		13
14			.02	-10				-05	-02		-15		14
15	-12		.32	-01						-05	-06		15
16	-12		-31	-33			-01				-18		16
17	-01	-04		-10					-21		-01		17
18	01	.02		-08		-19			-28				18
19			-17	-04		-04	-05					-03	19
20	-06								-02				20
21	-09		-05	-03					-01	-14	-07		21

---

figures are quite correct

This is a most unusually dry Parish. The Trent on one side of us & the Lincoln Hills on the other seem to take all the storms. much to our detriment.

Yours faithfully

G Edwards

I notice that on 19th September we had -21 —

Cwd 3.IV.15 ~~W~~ DL

FORM A. BRITISH RAINFALL.

9 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Doddington Hall

in the County of Lincoln 6

by The head Gardener

Lat. Long.

Time of Observation

Nearest Railway Station Thorpe Midland

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 98 - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	-02	—	—	—	-56	-30	—	-01	-03	-01	1
2	—	—	—	—	—	—	-10	-17	—	—	-09	-68	2
3	—	—	-13	—	-15	—	-12	-05	—	—	-12	-04	3
4	—	—	-05	-24	-04	—	—	-03	—	—	-26	—	4
5	—	—	-10	-12	-05	-01	-18	-03	—	—	-02	-27	5
6	—	·07	—	-06	-12	—	-08	—	—	—	-01	-04	6
7	—	-09	-25	-04	-05	-02	—	—	—	—	—	-20	7
8	.09	-03	-04	—	-06	,43	—	-18	-78	—	—	-04	8
9	.27	—	-03	-02	—	-65	—	—	-03	—	—	—	9
10	.36	-11	-02	-03	—	—	—	—	-05	—	—	—	10
11	—	-02	-27	-17	-06	-04	—	—	-07	—	-36	-24	11
12	-01	—	-03	—	—	—	-04	—	-23	—	—	-21	12
13	-02	-08	-11	—	—	—	—	—	—	*03	-12	-13	13
14	-01	-02	—	—	—	—	-18	—	—	-26	—	-14	14
15	-01	—	-10	—	—	—	-02	-01	—	—	-39	-07	15
16	-03	—	-06	—	—	—	-13	—	-01	—	-03	—	16
17	-02	-04	—	—	—	—	—	—	-22	—	—	-14	17
18	—	—	—	—	—	-28	-15	—	—	—	—	-41	18
19	—	-02	-10	—	—	—	-06	—	—	—	-07	-12	19
20	—	-04	-15	—	—	—	—	—	·03	-03	—	—	20
21	—	-20	-03	—	—	-19	-11	-23	—	-04	-06	-64	21
22	—	-03	-04	—	-70	-04	-03	-06	—	-08	—	-01	22
23	—	.03	-05	—	-25	-17	-10	—	—	—	—	-15	23
24	—	—	-02	-04	—	—	—	—	—	-08	-32	—	24
25	—	—	~~-25~~	—	—	—	-06	-10	—	-64	-03	-25	25
26	—	—	-05	—	—	—	-01	-16	—	-13	-06	-38	26
27	-02	—	—	—	—	—	·01	—	—	—	~~—~~	-62	27
28	-01	-02	—	—	—	—	—	—	—	-02	-10	-75	28
29	-06		-13	—	—	—	—	—	—	-42	—	~~—~~	29
30	—	X	—	-02	—	-01	—	—	—	-03	-24	-19	30
31	—	X		X	—	X	-28.	—	X	-12	X	-04	31
Total	-91	-80	1-78	-74	1.48	1.84	2.22	1.32	1.42	1.88	2.31	4.57	YEAR'S TOTAL 21.28
Rain Days.	12	14	21	9	9	10	18	11	8	13	17	24	166

1·89

21·28

W. 8,000. X. 14.

corrected for W.D. 11-5-16.

2727

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Doddington Hall
in the County of Lincoln.
by Head Gardener. T. Lyon.

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Thorpe on the Hill.
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. 8 in.
" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	08	21	–	03	~~40~~	1.45	~~67~~	11	–	07	02	1
2	09	11	01	–	45	~~38~~	–	14	04	–	11	12	2
3	01	04	21	12	–	07	–	10	02	–	–	–	3
4	30	–	07	13	–	~~42~~	67	27	–	–	–	26	4
5	27	–	–	–	–	–	100	05	–	–	–	90	5
6	04	11	–	–	32	–	–	07	–	–	06	53	6
7	02	15	07	07	–	–	78	01	–	–	–	03	7
8	30	34	03	–	–	05	27	29	–	–	06	16	8
9	14	12	01	07	–	–	10	04	–	–	03	–	9
10	07	06	–	–	–	–	–	02	–	04	01	44	10
11	29	–	01	–	–	–	–	17	–	–	–	01	11
12	–	–	03	02	40	–	06	02	–	–	23	20	12
13	11	–	–	25	19	–	–	04	–	02	80	–	13
14	–	05	–	–	20	–	–	–	–	–	–	–	14
15	–	12	–	–	09	–	–	37	–	–	–	28	15
16	32	02	–	–	–	–	–	20	–	5	38	15	16
17	–	41	–	–	08	–	56	–	–	–	4	01	17
18	–	18	–	–	–	–	32	10	–	–	–	01	18
19	–	15	20	–	–	–	–	–	–	–	03	01	19
20	–	–	~~2~~ –	–	–	–	11	02	–	06	–	–	20
21	07	–	02	–	–	–	–	04	–	–	–	38	21
22	09	–	–	–	11	–	20	–	–	–	–	03	22
23	11	–	19	02	–	–	01	–	–	–	–	14	23
24	02	03	02	–	–	–	18	–	11	10	04	05	24
25	01	–	12	04	–	–	–	–	57	–	–	20	25
26	–	–	–	01	–	58	–	–	–	22	–	14	26
27	04	24	–	–	–	03	01	–	03	–	–	36	27
28	–	04	–	–	–	–	12	–	–	35	–	17	28
29	01		12	–	–	96	–	24	–	10	–	01	29
30	01	X	–	–	06	02	–	05	–	–	39	33	30
31	08 .08	X .21	–	X .03	–	X 1.46	09	– .11	X –	.07	X .02	04 .17	31
Total	~~2.44~~ 2.48	~~2.75~~ 2.88	~~1.32~~ 1.11	~~.73~~ .76	~~1.93~~ 1.90	~~1.71~~ 3.16	~~5.93~~ 4.48	~~2.24~~ 2.35	~~.88~~ .77	~~1.09~~ 1.16	~~2.20~~ 2.15	~~4.98~~ 5.13	YEAR'S TOTAL ~~2820~~ 28.33 ✓
Rain Days.	22	17	~~15~~ 14	~~9~~ 10	~~10~~ 9	~~6~~ 7	~~16~~ 15	~~19~~ 20	~~6~~ 5	~~7~~ 8	12	26	165 ✓

W. 8,000. X. 15.

2660

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Doddington Hall
in the County of Lincoln.
by J. Lyon. Gardener.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Thorpe on the Hill
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		03			05	24				25		1
2	19	03	23		66		13		09	12	05		2
3		54	01	04			21		22	17	06		3
4	22	10	01		33	44			53	12	17		4
5	01				3	12	01			13	18		5
6	01	13	13	02	31		27			01	38		6
7		03	16		10		19				14	25	7
8			30								06	09	8
9			06	09	61	01			01			12	9
10		05	03	09		04	02		15	04	01	09	10
11	06	49	26	18	03	08	07		01				11
12		01	31		28	27	08			04			12
13		08	08	03	17	02	10	04		02		07	13
14		06	01	02	05			16		05			14
15		11	42	03			12	07	02	01			15
16		17	10	22	02		07	41					16
17	03	05		30			19	67	28	19	81		17
18		25	01	12				58	12	10	89		18
19	12		08	32				06	15		35	18	19
20	06		22	41							62	09	20
21			09				09					39	21
22		07	01	05						06	02	25	22
23	01	08				03		01		04	11	47	23
24		82		01				15				12	24
25			09					18		08	23	03	25
26		19				04		33		03	08		26
27		15	28				04			17			27
28		24	38	01		01				01		15	28
29		15			05	37		105		23		19	29
30		✕			04	02		03		04			30
31		✕		✕		✕		01	✕	10	✕	8	31
Total	72	3.80	3.30	1.94	2.68	1.50	1.83	3.75	1.58	1.76	3.01	2.57	YEAR'S TOTAL 28 44 188
Rain Days.	10	21	23	16	13	13	15	14	10	21	17	15	187

W. 8,000, VIII. 16

2548

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Doddington Hall

in the County of Lincoln.

by J. Lyon. Gardener.

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Thorpe on the Hill. M. R

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				16				1.12	20		3	3	1
2	13			29		14		23	2		3		2
3		38				1		37		23	1		3
4			12							40			4
5	48			16				6		1	9		5
6										6	5		6
7	40					6				42		2	7
8	49			21				1.66		40	8		8
9	21		12	9				2		1	18		9
10	30		48	30	39			24	5	3	5		10
11	6			40				3		25			11
12	10			2	13			53	1	18			12
13	11			1				22	3	2			13
14	18			15			4	11				12	14
15	46			1	7			32		2		7	15
16		10	1	6			1			1		35	16
17		2	7	17	68	2	1	5	4	8			17
18	4			4	2		55		48				18
19	3	14	14		12	1			3				19
20		39	3		13				21		48		20
21	1	6	13	1		3		4					21
22								4		10			22
23					9			11	1	12		3	23
24						53	3	1		14	7		24
25		3	3										25
26			8			1		43	5		26		26
27			4			3	9	39				2	27
28			3			4		5				14	28
29					57	14		1		29		6	29
30		X	2				53	49					30
31		X		X		X	6	7	X		X	4	31
Total	3.00	1.12	1.30 1.38	2.08	2.20	1.02	1.32	6.39	1.13	2.77	1.33	·88	YEAR'S TOTAL 25.74
Rain Days.	14	7	13	15	9	11	8	22	11	18	11	10	149.

2474

W. 8,000, IX. 17.

~~W~~ Cfe.

77

REGISTER OF RAINFALL IN 191✓

FORM A.
BRITISH RAINFALL
3.

Kept at Doddington Hall
in the County of Lincoln.
by Gurney. Gardener.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Thorpe on the Hill.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 94 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	4	2	8					21	3	13	11	1
2	2	27		10				30	(·04)	3		25	2
3		3	9		46			66	2		57		3
4		4	3					7	65	1	61	20	4
5		1		2	22			32	3			1	5
6		3		28	1	3		1		5		2	6
7	15	1		24		6			3	10	11	1	7
8		5					2		19	3	1	2	8
9	2	26		12		8	14		39	53		3	9
10	6	2		3			30		1	19	2	10	10
11	9	6		3	34		11		14	6		7	11
12		21	2	6	11		9		3	4		4	12
13		2		1	20				13				13
14	28	1		7		8	18		20	8		14	14
15	48			3		2	16		30	[illegible]		27	15
16				35		7			10			6	16
17	22			2	1		59		19	15		20	17
18	27					3	20		34			15	18
19	8	5	11	1		2	1			6		78	19
20	4	10				10	9						20
21	6				13	5			18	4			21
22	10				1		3			15		44	22
23	11				48		7		1	2			23
24							5		7	2	16		24
25						49	4	22	1	1	8		25
26							21	4	3		21	2	26
27		1				3	23	43	4		21	6	27
28		46	18						1		22	36	28
29									25		2	50	29
30		X	41						2		11		30
31		X	12	X		X		2	X		X	1	31
Total	201	168	98	145	197	106	252	207	362	158	246	385	YEAR'S TOTAL 25.25
Rain Days.	15	18	8	16	10	12	17	9	25	17	13	23	183

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

LINCOLN.

LITTLE PONTON
– RECTORY

1911– 1919

REGIS

Kept at Little Ponton
in the County of Lincoln
by Rev. P. R. Worsley

5 in.
Ground 1 ft. in.
Sea Level 250 ft.
30 a. m
Name Grantham
Distance 2½ miles Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01						·01	·06			·03	·03	1
2	·16				·11			·10			·01	·05	2
3	·01	·02		·02	·15			·14		·05	·01		3
4	·07	·04	·27	·12				·01	·11	·15	·09	·30	4
5	·04			·07				·13		·05		·01	5
6	·32		·02	·01				·04		·17	·01	·27	6
7	·01			·02							·18	·15	7
8	·29		·20						·18		·03	·13	8
9	·04			·01							·36	·02	9
10	·01	·04	·20								·09	·60	10
11	·30							·05			·31		11
12	·11		·36						·18		·04	·01	12
13			·13			·07			·17	·05	·02	·54	13
14	·01	·01	·08		·36	·02	·02		·01	·01	·01	·45	14
15		·09	·14							·10	·06	·02	15
16			·04			·04				·02	·22	·07	16
17			·01			·05					·06	·09	17
18		·27	·01			·22				·02	·36	·05	18
19		·03			·02	·06	·02	·01	·02	·13	·43	·06	19
20	·03	·05		·07			·02	·32	·10	·02		·45	20
21		·35	·01					·13	·02	·20	·03	·07	21
22	·01	·03	·01	·01				·07		·28	·05	·27	22
23		·05	·14			·98	·02	·11	·67		·02	·11	23
24		·06	·06	·01		·83		·01		·67		·23	24
25		·20	·02	·07	·40	·02		·01	·01		·04	·04	25
26		·02		·10	1·30	·02				·31	·25	·38	26
27		·18	·20	·02			·06	·18	·23	·02	·05	·02	27
28		35		·20		·06		·02	·01	·61	·04	·11	28
29			·01	·01		·15	·07		·23	·30		·02	29
30			·02	·08	·05	·06			·03	·20	·02		30
31			·03							·08		·01	31
Total	1·42	1·79	1·96	·82	2·39	2·58	·22	1·39	1·97	2·84	2·82	4·56	TOTAL for year 24·76
No. of Rain Days.	15	16	20	15	7	13	7	16	14	20	26	28	197

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Little Ponton Rectory

in the County of Lincoln 3

by Rev. P. R. Worsley

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	250 ft.
Time of Observation		9·30 a.m
Nearest Railway Station	Name	Grantham
	Distance	2½ miles Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01						·01	·06			·03	·03	1
2	·16				·11			·10			·01	·05	2
3	·01	·02		·02	·15			·14		·05	·01		3
4	·07	·04	·27	·12				·01	·11	·15	·09	·30	4
5	·04			·07				·13		·05		·01	5
6	·32		·02	·01				·04		·17	·01	·27	6
7	·01			·02							·18	·15	7
8	·29		·20						·18		·03	·13	8
9	·04			·01							·36	·02	9
10	·01	·04	·20								·09	·60	10
11	·30							·05			·31		11
12	·11		·36						·18		·04	·01	12
13			·13			·07			·17	·05	·02	·54	13
14	·01	·01	·08		·36	·02	·02		·01	·01	·01	·45	14
15		·09	·14							·10	·06	·02	15
16			·04			·04				·02	·22	·07	16
17			·01			·05					·06	·09	17
18		·27	·01			·22				·02	·36	·05	18
19		·03			·02	·06	·02	·01	·02	·13	·43	·06	19
20	·03	·05		·07			·02	·32	·10	·02		·45	20
21		·35	·01					·13	·02	·20	·03	·07	21
22	·01	·03	·01	·01				·07		·28	·05	·27	22
23		·05	·14			·98	·02	·11	·67		·02	·11	23
24		·06	·06	·01		·83		·01		·67		·23	24
25		·20	·02	·07	·40	·02		·01	·01		·04	·04	25
26		·02		·10	1·30	·02				·31	·25	·38	26
27		·18	·20	·02			·06	·18	·23	·02	·05	·02	27
28		35		·20		·06		·02	·01	·61	·04	·11	28
29			·01	·01		·15	·07		·23	·30		·02	29
30			·02	·08	·05	·06			·03	·20	·02		30
31			·03							·08		·01	31
Total	1·42	1·79	1·96	·82	2·39	2·58	·22	1·39	1·97	2·84	2·82	4·56	TOTAL for year 24·76
No. of Rain Days.	15	16	20	15	7	13	7	16	14	20	26	28	197

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
-1 JAN 1913

Kept at Little Ponton Rectory
in the County of Lincoln 3
by Rev. P. R. Worsley

Lat. ______ Long. ______
Time of Observation 9·30 a.m
Nearest Railway Station Grantham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·02	·01	·01	·29	·09	·03	·06			·40	1
2		·08	·02	·03		·14	·73		·04		~~·04~~	·03	2
3	·15	·01			·02	·40	·02	·55	·42	·01		·05	3
4	·05		·45		·06	·49 ·16		·07	·01		·39		4
5	·08	·04	·04			·01		·06			·02		5
6	·63	·21			·02	·05	·47	·27				·03	6
7	01	·08				·02	·01	·15				·02	7
8	·40	·34	·21	·02		·22	·17	·02	·30	·03		·08	8
9	·03	·08	·19	·15		·01	·01		·01		·01	·23	9
10			·01			·07		·33	·01		·18	·01	10
11	·10	·13	·01	·02		·30		·01	·05		·05	·60	11
12	·07	·44	·09		·03	·04	·40				·14	·01	12
13	·01	·04				·17		·03		·02	·19	·03	13
14	·10		·46			·20		·16	·02	·02	·01		14
15	·01	·02	18		·34	·10		·02	·01			·08	15
16	·60		·13		·04	·24		·10		·26			16
17	·25		·14			·01		·17			·05	·43	17
18	·10	·01	·12					·05		·02	·03	·01	18
19	·27	·13	·02				·24	·35	·02		·02		19
20	·17	·02	·22		·14		·76	·15		·33			20
21			·44		·40	·01	·38	·10		·09	·04	·01	21
22	·01	·10	·02		·88	·01	·37	·54		·01		·11	22
23	·13	·09	·28		103	·11	·70	·54		·03	·14	·08	23
24	·23		·01			·69	·04	·09	·01	·01		·15	24
25	·02					·05	·01	·40			·38	·40	25
26	·01	·02	·04			·19	·26	1·55		·47	·18	·36	26
27					·01	·08	·11			·50	~~·25~~	·14	27
28					·05	·17	·03	·48	·03	·31	·36	50	28
29		·01	·04	·01	·03	·01	·18	·01	·50	·21	·09		29
30	·05		·01		·25		·01		·17	·03			30
31			·09		85		·58	·17		·01		·04	31
Total	3·48	1·86	3·24	·24	3·16	4·15	5·54	6·40	1·36	2·36	2·28	3·80	YEAR'S TOTAL 37·87
Rain Days.	23	19	24	6	16	27	21	26	15	17	17	23	234

W. 7,500, XI. ·12

Ex. Ld

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-9 JAN 1914

Kept at Little Ponton Rectory 3

in the County of Lincoln

by Rev P. R. Worsley

Lat. Long.

Time of Observation 9·30 a.m.

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·14	·03					·77		·05		1
2	·01	·10	·02	·08			·07		·07		·07		2
3	·01	·01	·10		·42				·04			·01	3
4	·44	·			·13	·02	·02		·01	·06	·19	·11	4
5	·07		·01		·01	·03	·04		·17	1·25	·01	·03	5
6	·01		·08		·71	·06	·02	·01	·03	·46		·01	6
7		·02			·16	·04				·87	·02	·01	7
8	·01			·01	·28	·19			·02	·09	·11		8
9		·26	·05	·02	·02	·18	·12	·04	·01		·12		9
10	·05			·02	·04	·01	·03	·08			·50		10
11	1·50	·02		·34	·01	·01		·28			·42	·01	11
12				·01	·02						·24	·01	12
13	·08		·11	·04				·08	·04	·01	·20		13
14	·08	·01	·52	·02			·10	·03		·08	·01		14
15	·12	·01	·31	·21					·16		·04	·01	15
16	·05	·09	·70	·10					·62				16
17	·02	·06	·11	·11		·24	·02		·01		·02	·01	17
18			·22	·10	·01	·01	·08					·02	18
19	·10		·01			·01			·18			·02	19
20	·11		·08	·05					·01	·42	·08		20
21	·01		·11	·01	·06		·19			·01	·20		21
22	·16		·29				·01	·03	·21				22
23	·01		·03			·07		·03	·08		·01		23
24	·04					·04		·05	·01				24
25	·01	·03		·12		·03			·01			·01	25
26		·11	·20	·08						·42	·08	·27	26
27		·08	·02	·09	·03	·03				·01			27
28	·17		·29	·21						·02		·07	28
29	·01		·20	·49	·24			·27	·02	·01		·22	29
30	·40		·01				·01			·10	·07	·05	30
31					·11			·02				·01	31
Total	3·48	·81	3·61	2·14	2·25	·97	·71	·92	2·47	3·81	2·44	·88	YEAR'S TOTAL 24·49
Rain Days.	24	13	22	20	15	15	12	11	19	14	19	17	201

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Little Ponton Rectory
in the County of Lincoln 3
by Revd. P. R. Worsley

Lat. Long.
Time of Observation 9·30 a.m
Nearest Railway Station Grantham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02						·75	·24			·05	·01	1
2	·01						·05	·29			·12	·41	2
3			·04	·02	·12		·18	·21			·02		3
4	·14		·01	·25	·01			·09			·64	·26	4
5	·02		·14	·23	·05	·08	·22	·12			·01	·01	5
6		·03		·13	·09						·03	·07	6
7		·11	·40	·01	·05			·04				·04	7
8	·04	·04		·10	·11	·95	·02	·26	·21			·02	8
9	·44	·02	·15	·16	·01	1·29		·04	·08	·02			9
10	·50	·07	·03	·12	·02				·10			·01	10
11		·08	·34	·35	·08	·13			·05		·52	·39	11
12	·02	·02	·13		·01	·02	·36		·36		·03	·41	12
13	·03	·12	·17							·14	·31	·19	13
14	·03	·02	·21				·19		·02	·21	·29	·25	14
15	·10		·23					·01			·10	·14	15
16	·03		·03				·05		·02		·11		16
17	·02	·25	·07				·02		·23		·01	·33	17
18			·04			·08	·13				·02	·39	18
19		·07	·02				·16		·01		·05	·06	19
20		·11	·26	~~[illegible]~~					·04	·06			20
21	·02	·22	·10			·09				·08	·07	·12	21
22	·01	·01			1·26	·01	·10	·05		·25		·02	22
23		·04	·05		·07	·02	·10			·05		·06	23
24	·01	·01	·27	·06	·15			·01		·08	·32		24
25		·03					·19	·15		·70	·01	·43	25
26		·01	·05				·01	·13		·10	·29	·34	26
27	·02		·03								·03	·18	27
28	·04	·05			·01					·12	·31	·86	28
29	·03		·08		·03					·43	·03		29
30		X	·01	·02		·07				·02	·31	·25	30
31		X		X	·03	X	·35		X	·06	X	·06	31
Total	1·53	1·31	2·86	1·45	2·10	2·74	2·88	1·64	1·12	2·32	3·68	5·31	YEAR'S TOTAL 28·94
Rain Days.	19	19	23	11	16	10	16	13	10	14	23	25	199

W. 8,000. X. 14.

exd JJ

2657

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Little Ponton Rectory
in the County of Lincoln
by Revd P. R. Worsley

Lat. Long.
Time of Observation 9.30 a.m.
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.23	.16	.01		.38		.02		.07		.19	.07	1
2	.03	.06	.15	.25		.10	.01	.41	.05		.02	.02	2
3	.44		.06	.12			1.26	.20	.03		.02	.14	3
4	.48						.45	.25				1.08	4
5	.03	.41			.42			.08			.07	.35	5
6	.04	.13	.10	.10			.98	.08				.04	6
7	.19	.56	.05			.01	.19	.25			.01	.53	7
8	.09	.16	.02	.04				.02			.02		8
9	.03	.09						.01		.02	.04	.35	9
10	.37		.02					.03			.16	.01	10
11	.01	.02	.04	.04	.22		.14	.21			.54	.15	11
12	.04		.01	.45	.18		.02	.32			1.05		12
13	.02	.82			.75			.05	.05			.01	13
14		.05			.02			.03	.02	.02		.18	14
15	.30	.03			.01		.02	.07			.23	.13	15
16		.33			.01		1.66						16
17		.10	.02				.18					.01	17
18		.21	.80								.08		18
19		.06	.01				.10			.02	.01		19
20	.18											.41	20
21	.18	.04			.06		.17					.07	21
22	.16		.15	.06			.35					.13	22
23	.02	.10	.01	.03			.06		.06	.09	.03	.24	23
24	.02		.13	.02			.24		.65	.06		.10	24
25	.03		.01			.33	.18			.03		.12	25
26	.02	.18					.11		.02			.28	26
27		.06	.02			.27	.43			.63		.08	27
28		.23	.04			.04	.01	.30		.13			28
29	.01					.14		.08			.27	.40	29
30	.08	×				.48					.01	.06	30
31	05	×		×		×		.13	×	.21	×	.08	31
Total	3.05	3.80	1.65	1.11	2.05	1.37	6.58	2.52	.95	1.21	2.75	5.04	YEAR'S TOTAL 32.08
Rain Days.	24	20	18	9	9	7	20	17	8	9	16	25	182

W. 8,000. X. 15.

2592

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Little Ponton Rectory
in the County of Leicestr
by Revd F. R. Horsley

Lat. Long.
Time of Observation 9·30 a.m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·17			·14	·11				·28		1
2	·37	·04	·19		·65	·01	·25		·02	·13	·15		2
3	·01	·34	·02				·40		·62	·27	·06		3
4	·23	·21	·01		·34	·42			·22	·07	·20		4
5	·02		·02	·03	·02	·10	·02			·11	·23	·01	5
6	·04	·14	·25	·01	·16	·04	·26			·01	·44		6
7	·03		·20		·09		·37			·09	·29	·15	7
8	·01	·01	·15			·03				·01		·23	8
9			·08		·35	·03			·03			·07	9
10		·05	·21	·09	·01	·09	·07		·07	·10		·11	10
11	·04	·35	·30	·13	·02	·09			·02		·01	·02	11
12	·04	·02	·13	·23	·35	·24	·13	·01		·02		·01	12
13		·12	·15	·06	·13	·09	·03	·08					13
14		·36	·07		·05	·01		·26		·06			14
15		·18	·36	·01	·01		·11	·02	·01	·02			15
16		·10	·17	·33	·01		·07	·12					16
17	·04	·14	·07	·15			·09	1·50	·18	·25			17
18		·13	·03	·04		·01		·15	·22	·03	1·48		18
19	·07	·02	·17	·11				·14	·23		·40	·18	19
20	·15		·35	·10							·06	·17	20
21	·07		·33	·01	·02		·03					·40	21
22		·08	·01	·01	·03	·07				·06	·01	·55	22
23	·04	·60		·02		·08		·05		·02	·12	·40	23
24		·94		·05		·04		·03		·03		·18	24
25		·10	·20		·03			·19		·08	·11	·02	25
26	·04	·13	·02			·02		·01		·13	·01		26
27		·15	·80				·11	·01	·02	·29			27
28		·30	·67	·01						·01	·01	·29	28
29		·31				·22		1·13		·33		·18	29
30		✕			·06	·11		·09		·05			30
31		✕		✕		✕		02	✕	·05	✕		31
Total	1·25	4·82	5·07	1·39	2·33	1·84	2·05	3·81	1·64	2·22	3·86	2·97	YEAR'S TOTAL 33·25
Rain Days.	16	23	26	17	17	19	14	16	11	23	16	16	214

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Little Ponton Rectory
in the County of Lincoln
by Rev. P. R. Worsley

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Grantham 2½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·20				1·24	·25		·04	·01	1
2		[illegible]				·14		·23		·02	·05		2
3		·07		·14		·01		1·03		·29			3
4		·09	·08					·11		·58			4
5	·23		·05	·21				·02	·15	·03	·24		5
6										·17	·06		6
7	·36		·05			·01				·54			7
8	·56			·20			·17	1·70		·50	·08		8
9	·11		·07	·02				·10		·01	·10	·03	9
10	·25		·44	·09	·16			·21		·08	·05		10
11	·05		·07	·25				·18	·01	·22	·01		11
12	·18	·06	·02		·25			·02	·01	·21		·02	12
13	·05		·02	·08			·04	·23	·03	·02	·02		13
14	·15	·02		·09				·01				·03	14
15	·10				·01		·14			·08	·01	·05	15
16	·14	·20		·10			·01			·04		·13	16
17	·02	·03	·08	·23	·55	·08	·10	·02	·05	·12		·10	17
18	·09		·11	·09	·03	·02	·77		·65	·02			18
19	·07	·13	·05		·11	·02		·04	·04		·01		19
20	·05	·27	·03		·23			·12	·04		·20		20
21	·02	·03	08		·03	·03				·03			21
22	·02							·07	08	·10			22
23	·03	·02			·11			·24	·06	·03		·03	23
24		·01			·01	·28	·01	·02		·27	·10		24
25			·04			·02				·01	·05		25
26			·05					·44	·14		·21	·03	26
27			·02			·23	·02	·51				·04	27
28		·03	·13		·36	·56		·34		·01		·12	28
29					·40	·08	·08			·36		·09	29
30	·08	╳					·34	·16		·02		·02	30
31	·02	╳	08	╳		╳	·06	·11	╳		╳	·10	31
Total	2·58	·98	1·47	1·70	2·25	1·48	1·74	7·15	1·51	3·76	1·23	·80	YEAR'S TOTAL 26·65
Rain Days.	20	13	18	12	12	12	11	23	12	24	15	14	186

W. 8,000, IX. 17.

Esc DL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9.1.19

Kept at Little Ponton Rectory
in the County of Lincoln
by Rev? P. R. Worsley

Lat. Long.
Time of Observation 9·30 a.m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·03~~	·05	·02	·01					·05	·01	·19	·02	1
2	·03	·18	·01	·08				·65		·02	·04	·33	2
3	·01	·04	·08		·46			·30	·03	·01	·53	·01	3
4	·02	·03	·05				·01	·05	·92	·01	·34	·03	4
5				·02	·12			·16	·23	·12			5
6		·07		·26	·01	·03			·02	·11		·01	6
7	·16	·07		·37		·03			·02	·03	·12		7
8	·02	·10	·01				·03		·08	·04	·01	·06	8
9	·04	·40		·05		·09	·23		·35	·27		·02	9
10	·07	·03		·02			·48		·01	·21	·02	·07	10
11	·04	·07		·02	·29		·03	·01	·08	·27		·07	11
12		·22	·03	·01	·18		·02		·18	·01		·03	12
13		·01		·06	·18				·17	·01		·02	13
14	·35			·06			·17		·21	·11		·12	14
15	·60			·52			·14		·11	·07		·16	15
16	·01		·01	·34			·01		·13	·01		·03	16
17	·19			·03			·60	·01	·11	·07		·20	17
18	·35					·04	·23		·26	·02		·15	18
19	·04	·03	·06	·04		·01	·01		·01	·10		·20	19
20	·02	·05		·13		·11	·03		·03	·01			20
21	03	·01		·08					·28	·19		·02	21
22	·15				·04	·06	·03		·02	·01		·27	22
23	·13				·29		·11		·01	·01	·05		23
24		·18			·01		·27		·05	·04	·08		24
25							·15	·22	·02	·01	·03		25
26							·06	·01	·08	·02	·10	·08	26
27		·01		·08		·03	·23	·21	·19		·23	·06	27
28		·30	·27					01	·01		·20	·50	28
29									·70		·01	·04	29
30			·36	·03				·04	·02		·11	·33	30
31			·15					·03				·01	31
Total	2·26	1·85	1·05	2·21	1·58	·40	2·84	1·70	4·38	1·73	2·06	28·4	YEAR'S TOTAL 24·90
Rain Days.	18	18	11	19	9	8	19	12	29	26	15	25	209

W. 6,500, VII. 18. W W C

never had such continuous rainfall as for 55 days from Sept 2 to Oct 26.

ExRR 2315

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Little Ponton Rectory
in the County of Lincoln
by Rev. P. R. Worsley

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Grantham 2½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·06	·06		·26		·34			·08	·12	·40	1
2	·17	·02			·02		·62		·29	·07	·21	·05	2
3	·87		·03			·03	·32		·21		·34	·05	3
4	·10		·41			·04	·02	·22	·04		·04	·34	4
5	·08	·09						·01	·40		·01	·04	5
6	·01		·05		1·60						·06	·05	6
7	·03		·26		·01								7
8	·09		·02	·12		·03					·03	·03	8
9	·01			·10							·03		9
10	·02		·26	·11						·03	06	·08	10
11	·06		43	·03	·03		·43				·03	·01	11
12	·03		·24	·06		·15	·02		·02		·10		12
13	·18			·21		01	·02		·04	·03		·01	13
14	·43	·04		·16				·01	·14		·04		14
15	·12	·06	·14	·15						·02	·13	·60	15
16	·02	1·35		·05	·08			·05			·09	·01	16
17		·35	·02	·01		·05					·24		17
18		·01	·05				·03	·25				·16	18
19		·15	·69			·10	1·78	·64	·38		·09	·04	19
20	·53	·12	·59			·04	·70	·26	·05		·05	·16	20
21	·32	·40	·12				·36				·02	·36	21
22		·19	·08				·02		·39			·37	22
23				·02		·04	·10	·02	·02	·82	·01	02	23
24 5	·09		·02	·11	·17	·10	·03			·13	·11		24
25 6	·02	·25		·16	·08	·06		·62			·01	·04	25
26 7	·31	·04	·26	·05		02		·10	·10		·01	·30	26
27 8	·10	·16	·03	·43		01		·05		·04	·04	·15	27
28 9	·14			·07			·05	·62		·12	·05	34	28
~~29~~ 30	·02			·03				·18		·32	·20	·06	29
30		X	·03	·35		·26				·05	·08	·35	30
31	·05	X	·03	X		X	·05		X	·28	X	07	31
TOTAL	4·05	3·29	3·92	2·22	2·25	·94	4·89	3·03	2·08	1·99	2·20	409	YEAR'S TOTAL 34·95
Days with ·01 in. or more	25	15	21	18	8	14	16	13	12	12	26	23	~~165~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

205

Manchester

11.20

LINCOLN.

LONG SUTTON.

1920

FORM A. 1. METEOROLOGI RGANIZATION.

REGI 20.

Copy by B.R.C

Kept at Sutton Lodge, Lo

in the County of Linco

by J.a + Em Du

ng 2° W.

n

Rain Gauge in.

above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOTE.—R t entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18				·23		·21			·04		·32	1
2				·04			·06	·19	·10	·02		·03	2
3							·15			·015		·08	3
4				·12			·05	·31	·04	·03		·05	4
5				·13	·30		·13	·09	·10				5
6			(1.00)	·02	·03		·18						6
7					·035		·14					·06	7
8				·38									8
9							·04	·40					9
10				·04			·02	·50					10
11					·12								11
12					·08								12
13				·08									13
14				·08		1·08			·23				14
15				·055		·13			·15				15
16					·02				·19			·43	16
17					·18			·18	·04				17
18				·09		·17		·38				·22	18
19						—			·05			·07	19
20				·325		·53		·05	·05				20
21				·06			·33		·32				21
22				·08					·19				22
23												·22	23
24			·23	·015			·11						24
25				·04	·32	·08	·35						25
26				·035	·18							·06	26
27				·10		·73	·08					·09	27
28					·14		·08	·12					28
29			·38		·15							·29	29
30		✕							·29		·15	·19	30
31		✕		✕		✕	·16		✕		✕	·09	31
TOTAL	-	-	(1·61)	1·69	1·785	2·67	2·09	2·22	1·75	imp	imp	2·20	YEAR'S TOTAL
Days with ·01 in. or more													
Days with ·04 in. or more												Est +1·2	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

11.29

FORM A. 1. METEOROLOG RGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

Kept at Sutton Lodge, Long Sutton

in the County of Lincoln

by J. A. + Em. Dring

Lat. 52° 5′ N. Long. 2° W.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18				·23		·21			·04		·32	1
2				·04			·06	·19	·10	·02		·03	2
3							·15			·015		·08	3
4				·12			·05	·31	·04	·03		·05	4
5				·13	·30		·13	·09	·10				5
6			(1.00)	·02	·03		·18						6
7					·035		·14					·06	7
8				·38									8
9							·04	·40					9
10				·04			·02	·50					10
11					·12								11
12					·08								12
13				·08									13
14				·08		1·03			·23				14
15				·055		·13			·15				15
16					·02				·19			·43	16
17					·18			·18	·04				17
18				·09		·17		·38				·22	18
19						—			·05			·07	19
20				·325		·53		·05	·05				20
21				·06			·33		·32				21
22				·08					·19				22
23												·22	23
24			23	·015			·11						24
25				·04	·32	·08	·35						25
26				·035	·18							·06	26
27				·10		·78	·08					·09	27
28					·14		·08	·12					28
29			·38		·15							·29	29
30		X							·29		·15	·19	30
31		X		X		X	·16		X		X	·09	31
TOTAL	-	-	(1·61)	1·69	1·785	2·67	2·09	2·22	1·75	imp	imp	2·20	YEAR'S TOTAL
Days with ·01 in. or more													
Days with ·04 in. or more												Estd +1·2	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN.
LOUTH
ELKINGTON HALL.
1915–1916

FORM A.
BRITISH RAINFALL.

REGIS 5

Kept at Elkington H

in the County of Lincol

by The Executors of

g. 0

9.30 A.m

Louth G.W

Five in.

above Ground 1 ft. 9 in.

" Sea Level 234 ft.

IMPORTANT NOTE. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							}(-)	—	.21	—	.10	.05	1
2								—	.26	—	.09	—	2
3							.37	.16	.06½	—	.02	.25	3
4							.87	.04	.04	—	.19	.84	4
5							—	.01	—	.02	.03	.25	5
6							.78	.14	—	.01½	—	.11	6
7							.36	.08	—	—	—	.28	7
8							.01	.23	—	.03	.05	—	8
9							.02	.03	—	.02	.13	.41	9
10							—	.01	—	—	—	.01	10
11							.12	.24	—	—	.14	.06	11
12							.01	—	—	.01	1.32	—	12
13							—	.38	—	—	.13	—	13
14							.03	—	—	.03	—	.27	14
15							.01	.07	—	.02		.13	15
16							.77	.21	—	—	.02	.01	16
17							.10	—	—	—	—	.03	17
18							—	—	—	—	.08	.06	18
19							—	—	.05		.02	—	19
20							—	—	—	.01	—	.46	20
21							—	—	—	.07	—	.03	21
22							.11	—	—	—	—	.20	22
23							.02	—	.03	—	.11	—	23
24							.08	—	.26	.02	.02	.22	24
25							.02	—	—	.26	—	.05	25
26							—	—	—	.03	—	.29	26
27							.05	—	.03	.61	—	.19	27
28							.02	—	—	—	—	—	28
29							—	.31	.01	—	.29	.23	29
30		✕					—	—	.04	.26	—	.03	30
31		✕		✕		✕	.02	—	✕	.26	✕	.12	31
Total							3.77	1.91	0.99	1.66	2.74	4.58	YEAR'S TOTAL
Rain Days.							19	13	10	15	16	24	

W. 8,000. X. 14.

REGIS 15

FORM A.
BRITISH RAINFALL.

11. ORIG

Kept at Elkington Hall. Louth
in the County of Lincolnshire
by The Countess of Wilton.

Lat. 53.40 Long. 0
Time of Observation 9.30 A.M.
Nearest Railway Station Louth G.N
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 234 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							}(-)	—	.21	—	.10	.05	1
2								—	.26	—	.09	—	2
3							.37	.16	.06½	—	.02	.25	3
4							.87	.04	.04	—	.19	.84	4
5							—	.01	—	.02	.03	.25	5
6							.78	.14	—	.00½	—	.11	6
7							.36	.08	—	—	—	.28	7
8							.01	.23	—	.03	.05	—	8
9							.02	.03	—	.02	.13	.41	9
10							—	.01	—	—	—	.01	10
11							.12	.24	—	—	.14	.06	11
12							.01	—	—	.01	1.32	—	12
13							—	.38	—	—	.13	—	13
14							.03	—	—	.03	—	.27	14
15							.01	.07	—	.02		.13	15
16							.77	.21	—	—	.02	.01	16
17							.10	—	—	—	—	.03	17
18							—	—	—	—	.08	.06	18
19							—	—	.05		.02	—	19
20							—	—	—	.01	—	.46	20
21							—	—	—	.07	—	.03	21
22							.11	—	—	—	—	.20	22
23							.02	—	.03	—	.11	—	23
24							.08	—	.26	.02	.02	.22	24
25							.02	—	—	.26	—	.05	25
26							—	—	—	.03	—	.29	26
27							.05	—	.03	.61	—	.19	27
28							.02	—	—	—	—	—	28
29							—	.31	.01	—	.29	.23	29
30		X					—	—	.04	.26	—	.03	30
31		X		X		X	.02	—	X	.26	X	.12	31
Total							3.77	1.91	0.99	1.66	2.74	4.58	YEAR'S TOTAL
Rain Days.							19	13	10	15	16	24	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. MAR 1917

Kept at Elkington Hall, Louth
in the County of Lincoln
by The Countess of Wilton

Lat. 50.40 Long. 0
Time of Observation 9 Am.
Nearest Railway Station Louth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 237 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1916

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	·05	—	—	·09	·14	—	–	—	·47	—	1
2	·23	·19	·22	—	·37	—	·03	—	·05	—	—	—	2
3	—	·05	·05	—	—	—	·18	—	·40	·20	·07	—	3
4	·17	·35	·02	·02	·28	(·68)	—	—	·24	·19	·25	·06	4
5	·05	—	·29	·03	·04	·33	—	—	—	·21	·15*	—	5
6	·05	·21	·20	—	·37	—	·10	—	—	—	·38	—	6
7	·01	·05	·10	·14	·23	—	·21	—	—	·14	·16	·28	7
8	—	—	·19	—	·12	—	—	—	—	—	·03	·16	8
9	—	—	·14	—	·72	·06	—	—	·03	—	·15	·46	9
10	—	·04	·04	·07	—	·63	·04	—	·32	·03	—	·10	10
11	·12	·55	·41	·16	—	·51	·04	—	·01	—	—	—	11
12	·03	·05	·32	·11	·16	·59	·22	—	—	—	—	—	12
13	—	·04	·04	—	·24	·01	·03	·03	—	·06	—	—	13
14	—	·06	·02	·02	·11	·01	·01	·17	—	—	—	·10	14
15	—	·23	·52	·01	—	—	—	·19	·05	·20	—		15
16	—	·06	·05	·19	—	—	·06	·61	—	·03	—	·01	16
17	·04	—	·01	·58	—	—	·10	·28	·24	·12	·02	—	17
18	·01	·15	—	·19	—	—	—	·21	·02	·12	·96	—	18
19	·06	·02	·03	·11	—	—	—	·10	·26	—	·21	—	19
20	·09	—	·13	—	—	·01	—	·10	—	—	·03	·12	20
21	·02	—	·30	—	—	—	·06	—	—	—	·04	·46	21
22	—	—	·03	—	·04	·02	—	—	—	—	—	·32	22
23	—	—	—	—	—	·23	·01	·02	—	–	·12	·62	23
24	—	—	—	—	—	·09	·01	·14	—	—	—	—	24
25	—	—	·10	—	·01	·01	—	·21	—	·37	·13	·08	25
26	—	—	·02	—	—	—	—	·08	—	—	·16	—	26
27	—	·17	—	—	—	—	—	—	·01	·21		—	27
28	—	·20	·69	·02	·11	·02	—	·02	—	·02		·11	28
29	—	·08	—	—	—	·26	—	·49	—	·16		—	29
30	—	✕	—	—	·02	·02	—	·11	—	·14		·24	30
31	—	✕	—	✕	—	✕		·13	✕	—	✕	—	31
Total	·91	2·50	3·97	1.65	2.82	3.54	1.24	2.89	1.63	2·19	3·33	3.24	YEAR'S TOTAL 29·91
Rain Days.	13	17	24	13	14	17	15	16	11	15	16	15	186

W. 8,000. X. 15.

* anwoich Went down to 28.08

DL

R

LINCOLNSHIRE

LOUTH WEST GATE

1911 – 1920

1

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

391

Kept at Louth,

in the County of N.

by Dr. F. Faws

5 in.

ve Ground ft. 9 in.

Sea Level 120 ft.

Name

Distance Direction

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t ment of rain, the selection and pla ritish Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33							.02		.07	.08	.05	1
2	.22					.12	.07			.07	.03	.16	2
3		.06		.08						.23	.08	.01	3
4	.09	.02	.11	.24	.12			.09	.06	.24	.24	.40	4
5				.09	.16			.10		.18	.11	.24	5
6	.46		.04					.10		.02		.38	6
7		.03									.11	.23	7
8	.27		.16						.02	.02	.06	.16	8
9			.21	.02		.01				.03		.02	9
10	.10	.05	.16					.03				.44	10
11	.38	.02				.02					.30		11
12	.10		.13		.13	.09			.36		.04		12
13	.02		.60		.06	.24				.06	.02	.35	13
14		.14	.23		.32	.01					.05	.40	14
15		.24	.23						.06	.03	.02	.08	15
16		—	.09			.03			.01		.20	.14	16
17			.04			.13	.01				.01	.14	17
18		.05				.23					.46	.03	18
19			.02	.01	.04	.42	.04	.18		.05	.27	.02	19
20		.06		.15			.04	.68	.01		.02	.32	20
21		.34						.16	.05	.10	.13	.07	21
22	.04		.13	.06				.04		.21	.21	.18	22
23			.20			1.40			.40		.01	.09	23
24		.07	.06	.04		.93				.48		.07	24
25		.05	.05	.25		.12			.01		.12	.14	25
26				.05						.25	.53	.17	26
27		.17	.17	.11				.30	.21	.09		.05	27
28		.21		.26						.07	.03	.09	28
29			.03	.07		.09	.24		.47	.42	.01	.02	29
30					.25	.05			.30	.19			30
31			.02							.01		.03	31
Total	2.01	1.51	2.68	1.43	1.08	3.89	.40	1.70	1.96	2.82	3.14	4.48	TOTAL for year 27.10
No. of Rain Days	10	14	19	13	7	15	5	10	12	20	24	28	177

9,000, IX. '10.

Dl /

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Louth, Westgate

in the County of N. Lincolnshire 4

by Dr. F. Fawssett

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 120 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33							·02		·07	·08	·05	1
2	·22					·12	·07			·07	·03	·16	2
3		·06		·08						·23	·08	·01	3
4	·09	·02	·11	·24	·12			·09	·06	·24	·24	·40	4
5				·09	·16			·10		·18	·11	·24	5
6	·46		·04					·10		·02		·38	6
7		·03									·11	·23	7
8	·27		·16						·02	·02	·06	·16	8
9			·21	·02		·01				·03		·02	9
10	·10	·05	·16					·03				·44	10
11	·38	·02				·02					·30		11
12	·10		·13		·13	·09			·36		·04		12
13	·02		·60		·06	·24				·06	·02	·35	13
14		·14	·23		·32	·01					·05	·40	14
15		·24	·23						·06	·03	·02	·08	15
16			·09			·03			·01		·20	·14	16
17			·04			·13	·01				·01	·14	17
18		·05				·23					·46	·03	18
19			·02	·01	·04	·42	·04	·18		·05	·27	·02	19
20		·06		·15			·04	·68	·01		·02	·32	20
21		·34						·16	·05	·10	·13	·07	21
22	·04		·13	·06				·04		·21	·21	·18	22
23			·20			1·40			·40		·01	·09	23
24		·07	·06	·04		·93				·48		·07	24
25		·05	·05	·25		·12			·01		·12	·14	25
26				·05						·25	·53	·17	26
27		·17	·17	·11				·30	·21	·09		·05	27
28		·21		·26						·07	·03	·09	28
29			·03	·07		·09	·24		·47	·42	·01	·02	29
30					·25	·05			·30	·19			30
31			·02							·01		·03	31
Total	2·01	1·51	2·68	1·43	1·08	3·89	·40	1·70	1·96	2·82	3·14	4·48	TOTAL for year 27·10
No. of Rain Days	10	14	19	13	7	15	5	10	12	20	24	28	177

9,000, IX. '10.

Ex. HEb

393

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Louth Westgate

in the County of Lincolnshire 4

by Dr. F. Fawssett

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04		.02		.26	.40		.10			.47	1
2		.20				.10	.46			.09		.02	2
3	.14	.04	.06		.06	.88		.30	.15	.01		.06	3
4	.08		.60		.03	.17		.10			.30		4
5		.07			.01	.30							5
6	.76	.18			.03		.25	.36	.20				6
7	.07				.02	.22		.26	.09			.02	7
8	.43	.15	.15	.02		.04	.15		.39			.03	8
9	.06	.10	.03	.09		.20			.06			.11	9
10	.11			.02		.07		.16	.20		.15		10
11		.02							.02		.05	.42	11
12	.08	.21	.18		.01	.25					.65		12
13	.03	.06				.03		.01		.12	.35	.01	13
14	.03		.25			.10		.09	.09		.03	.05	14
15	.01		.39		.33	.25							15
16	.16		.15		.07	.07		.11		.19			16
17	.18		.23			.26		.20				.14	17
18	.18		.11			.01	.09			.05		.05	18
19	.36	.21				.02	.15	.27	.04	.03			19
20	.12	.04			.16		.80	.04		.23	.01		20
21			.41		.47		.11				.05		21
22		.11	.01		.85	.17	.27	.16		.05		.17	22
23	.08	.05	.11		.05		.12	.30			.33	.01	23
24	.22		.04			.32	.24	.01				.14	24
25	.02					.65		.21			.14	.18	25
26		.05	.09			.05	.06	1.47		.55	.12	.32	26
27						.08	.09	.21		.67		.15	27
28				.04	.13			.45		.29	.65	.56	28
29		.03	.04			.01	.15		.80	.25	.52		29
30	.04		.01		.04				.34	.11			30
31			.14		.18		.55	.14		.11		.02	31
Total	3.16	1.56	3.00	.19	2.44	4.51	3.89	4.85	2.48	2.75	3.35	2.93	TOTAL for year 35.11
No. of Rain Days.	20	16	18	5	15	23	15	19	12	14	13	19	189

W. 8,000, X. '11.

gl ✓ 405

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at *Louth*

in the County of *Lincolnshire* 4

by *Dr. F. Fawssett*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·20	·10					·88		·03		1
2	·09	·03	·11	·06			·13				·02		2
3			·12		·31				·02	·04		·03	3
4	·60	·09			·10		·03		·06	·06	·18	·20	4
5	·02		·02						·04	·54			5
6	·02	·14	·09		·20	·06				·72			6
7		·20				·02				·68		·01	7
8					·56	·11			·02		·15		8
9		·19	·02	·02	·12	·08		·01			·12		9
10			·01	·08			·04				·46		10
11	1·45			·62		·05					·06	·01	11
12						·03					·22		12
13	·06		·02	·02	·01			·02			·25		13
14	·03	·02	·27	·01			·01			·04	·03		14
15	·16		·31	·38					·07		·20		15
16		·02	·50	·14					·10		·08	·01	16
17	·01	·02	·37	·09		·08					·01		17
18			·24	·18	·29	·01	·01	·02			·01	·10	18
19	·11		·03					·01					19
20	·15	·02	·02						·15	·25	·10		20
21	·29		·13		·04		·20				·24		21
22	·09		·38				·08	·60	·07				22
23	·13					·03	·05	·03	·07	·05			23
24	·07			·06		·09					·04		24
25				·15								·02	25
26		·18	·02	·10	·53	·04				·32	·07	·15	26
27		·07				·03					·02		27
28	·17		·13	·20	·01					10		·02	28
29	·15		·18	·34	·02			·21		·04		·18	29
30	·60			·01						·07			30
31								·08					31
													YEAR'S TOTAL
Total	4·20	·98	3·17	2·56	2·19	·63	·55	·98	1·48	2·91	2·29	·73	22·67
Rain Days.	18	11	20	17	11	12	8	8	10	12	19	10	156

W. 7,500, XI. 12

81 [illegible] 3.IV.15 390

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Louth
in the County of Lincolnshire 4
by Dr. F. Faussett

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·70	·31		·03	·25		1
2				·02			·02	·04			·15	·17	2
3			·13		·23		·09	·02				·01	3
4	·07		·05	·24	·05			·02			·43	·13	4
5			·23	·05	·14		·02	·25					5
6		·10		·05	·11		·16	·03			·06	·12	6
7		·15	·22		·18	·22						·10	7
8	·23	·08	·03		·11	·40		·15					8
9	·26		·15	·22		·79		·05	·04				9
10	·76	·15		·03					·05			·08	10
11		·04	·40	·37	·08	·05			·08	·02	·25	·34	11
12	·08						·16		(·14)			·72	12
13	·07	·11	·20				·69			·06	·15	·20	13
14	·02	·02	·11							·22	·35	·10	14
15	·10		·18								·66	·55	15
16	·05		·05				·05		·12		·08		16
17		·21	·03						·35		·05	·40	17
18	·04		·05				·02		·02		·02	·26	18
19			·12				·08		·04		·06	·10	19
20	·02	·12	·30						·02	·08			20
21		·25	·10					·08		·03	·05	·14	21
22					·60		·20	·05		·13		·17	22
23		·11	·05	·06	·07	·09	·03			·03		·08	23
24				·05				·02		·04	·13		24
25		·08						·03		·63	·04	·15	25
26			·04				·07	·25		·07	·13	·50	26
27							·02				·02	·41	27
28	·02	·05								·11	·12	1·14	28
29	·10		·15							·74			29
30										·04	·21	·42	30
31							·50			·10		·10	31
Total	1·82	1·47	2·59	1·09	1·57	1·55	2·81	1·30	·86 ✓	2·33	3·21	6·39	YEAR'S TOTAL 26·99
Rain Days.	13	13	19	9	9	5	15	13	9 ✓	15	19	23	162

W.7,000, XI. 13

Dl

2707
~~380~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Louth
in the County of Lincolnshire
by F. Fauzsett

Ex Dl

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.40	.02		.48		.02		.30		.22	.05	1
2		.06	.23	.12	.03	.02	.02	17	.05		.04		2
3	.40		.05	.05			.50	.02	.10		.08	.22	3
4	.05		.03				.77	.04			.15	.82	4
5	.06	.06			.08			10		.01	.16	.35	5
6	.06	.52	.16	.07	.10		78	.06				.06	6
7	.31	.36	.30				.35	.25			.02	.27	7
8	.03	.05						.06		.02	.10		8
9		.16	.02			.03	.04	.03		.02	.07	.45	9
10	.50	.02						.50					10
11	.02				.35		.12				.19	.16	11
12	.10			.20	.11		.04	.31		.04	1.17		12
13	.06	81			.22			.02	.03		.05		13
14		.15			.05			.10		.04		.27	14
15	.42							.15		.03	.53	.11	15
16	.03	.55					.80				.02	.05	16
17	.13	.20					.08				.01	.05	17
18		.15	.35						.04		.09		18
19		.05					.15			.04	.01		19
20	.12									.06		.48	20
21	.10	.14					.12					.03	21
22	.11		.15				.03				.01	.19	22
23	.03	.08	.03				.12		.03		.08	.01	23
24	.01		.10				.05		.32	.01		.20	24
25	.02					.02				.13	.05	.05	25
26		.25	.06			.22			.05	.02	.05	.35	26
27	.04	.10				.05	.04			39		.12	27
28	.03	.18	.04			.53		.22	.02	.26			28
29	.02				.12			.06			.32	29	29
30	.25			.04			.04		.02			.04	30
31	.16							.23		27		.16	31
Total	3.36	4.29	1.54	.48	1.54	.87	4.07	2.32	.96	1.34	3.42	4.78	YEAR'S TOTAL 28.97
Rain Days.	25	19	13	5	9	6	18	16	10	14	21	23	179

W. 8,000. X. 14.

Dh

2641
~~343~~

FORM A.
BRITISH RAINFALL.
30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Louth

in the County of Lincolnshire

by F. Fawssett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·07			·04	·14				·41		1
2	·15	·17	·22		·32		·02		·01	·03	·07		2
3		·10	·02	·01			·30		·62	·15	·04		3
4	·22	·31	·01		·27	·58			·12	·20	·33	·07	4
5	·05	—	·10	·05	·01	·23				·22	·15	·11	5
6	·03	·25	·30	·14	·36		·12			·02	·44		6
7		·09	·24		·30		·20			·12	·19	·12	7
8			·09		·13		·02				·02	·16	8
9			·15		·59	·05			·03			·30	9
10		·05	·07	·05		·47	·02		·15	·07	—	·04	10
11	·11	·49	·36	·20		·46	·02		·01			·01	11
12	·01	·05	·28	·12	·24	·37	·22		—	·01		·15	12
13		·04	·07		·23		·02	·06		·04		·04	13
14		·04	·01		·10			·06		·04			14
15		·25	·58	·01				·06	·05	·07			15
16		·05	·05	·17			·07	·70		·01		·14	16
17	·03		·01	·49			·12	·01	·21	·12	·04		17
18		·16	—	·20				·22	·12	·14	·95	·02	18
19	·08		·02	·13				·08	·14		·22	·08	19
20	·13	·02	·12	—				·06			·03	·07	20
21	·01	·05	·21		·02		·07				·01	·52	21
22	—	·11	·01		·02	·03				·07		·35	22
23		·06				·28	·01	·01			·15	·45	23
24		·80		·02		·14		·13		·14		·14	24
25		·16	·11			·01		·22		·15	·14	·09	25
26		·11	·05					·08		·04	·21		26
27		·21	·55					·08		·26		·02	27
28		·19	·49			·06		·02		·04		·14	28
29		·10				·28		·35		·18		·25	29
30		✕			·02	·04		·12	·01	·27			30
31		✕		✕		✕		·06	✕	·01	✕	·01	31
Total	·85	3·86	4·19	1·59	2·61	3·04	1·35	2·32	1·47	2·40	3·40	3·28	YEAR'S TOTAL 30·36
Rain Days.	11	23	25	12	13	14	14	17	11	23	16	22	201

W. 8,000. X. 15.

8L

2508
~~330~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Louth Westgate
in the County of Lincolnshire
by F. Fawssett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02		·30				·65	·28		·05	·01	1
2	·05			·20				·32	·03		·02		2
3		·06	·01			·04		·51		·19			3
4		·02	·05			·04				·31			4
5	·08		·09	·22				·01	·29		·18		5
6									·02		·10		6
7	·44		·12			·07				·63			7
8	·30			·08		·25		·68		·61	·14		8
9	·12		·07	·34				·02			·10	·03	9
10	·45	·01	·53	·40	·02			·12	·07	·08	·13		10
11	·03			·50				·07		·27			11
12	·16	·02		·02	·28			·25		·13			12
13	·16			·01			·03	·12	·18	·01			13
14	·21			·25						·07		·05	14
15	·10			·02	·09		·22	·15		·04		·03	15
16	·12	·22		·34			·01					·52	16
17	·02	·01	·08	·14	·46		·05	·18	·03	·09		·04	17
18	·06			·02	·05	·51	·60		·38				18
19	·08	·30	·14		·01		·06		·01				19
20	·02	·07	·07	·01					·17		·22		20
21			·10		·02	·01					·08		21
22	·01	·01	·12		·35	·07		·04		·07			22
23	·01				·03			·06					23
24							·04	·01			·18	·08	24
25			·03			·36	·04			·26	·06	·50	25
26			·10			·13	·10	·50	·11		·52	·25	26
27	·01		·01			·03	·10	·57				·05	27
28	·01		·08			·30		·38				·20	28
29	·01		·02			·02	·05			·33			29
30	·08		·05				·14	·04					30
31	·08		·04				·25	·08				·05	31
Total	2·62	·74	1·71	2·85	1·31	1·83	1·69	4·76	1·57	3·09	1·78	1·81	YEAR'S TOTAL 25·76
Rain Days.	24	10	18	15	9	12	13	20	11	14	12	12	170

W. 8,000, VIII. 16

192

JL

REGISTER Exd OF RAINFALL IN 1918

~~2/22~~ ~~309~~ 58

FORM A.
BRITISH RAINFALL,

23. 1. 19

Kept at Louth

in the County of Lincolnshire

by F. Fawssett   Rev. W. E. Yates

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08					·30			·05	1
2	·05	·12		·07				·25	·05	·01	·16	·50	2
3			·05		·20			·10			·78		3
4		·05	·04		·07			·05	·40		·44	·07	4
5			·07	·05	·05			·48	·04	·06			5
6		·15		·38				·02		·01		·01	6
7	·35	·02		·15		·07				·09	·18		7
8		·02					·09		·40			·07	8
9	·18	·25	·02	·07		·04			·39	·42		·02	9
10	·06	·04	·02	·03			·23			·05	·01	·05	10
11	·14	·09	·25	·03	·45		·19			·43		·12	11
12		·10	·03	·11	·05		·16	·11	·11			·03	12
13		·03			·09				·07				13
14	·50			·09		·04	·14		·37	·05		·11	14
15	·26		·02	·22		·13	·14		·26			·27	15
16				·38					·27	·02		·04	16
17	·21			·03	·15		·62			·04		·35	17
18	·23			·25			·06	·04	·46			·23	18
19	·11		·07	·16				·04		·07		·25	19
20	·08	·10		·01		·03	·05			·05			20
21	·03					·03			·34	·05			21
22	·12			·03								·43	22
23	·13				1·12		·20		·02				23
24		·12			·08	·08	·09		·01	·04	·07		24
25			·04				·06	·27	·01		·03	·03	25
26							1·17	·38	·15		·10	·08	26
27						·09		·23	·10		·03	·11	27
28		·12	·28	·02							·01	·35	28
29									·48		·02	·12	29
30		×	·22	·01					·08		·09	·15	30
31		×	·11	×		×			×		×	·02	31
Total	2·45	1·21	1·22	2·17	2·26	·51	3·20	1·97	4·31	1·39	1·92	3·46	YEAR'S TOTAL 26·07
Rain Days.	14	13	13	19	9	8	13	11	20	14	12	23	169

W. 8,000, IX. 17.

8L

Ee 8L

2358

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Louth

in the County of Lincolnshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·05	·03				·51		·01	·02	·10	·20	1
2	·13	·04	·03		·18		·30		·09		·14	·12	2
3	·45		·02			·02	·49		·06		·33	·01	3
4	·04		·38			·03		·04	·03		·08	·03	4
5	·27								·86		·03	·25	5
6	·07		·11				·01			·02	·06	·12	6
7	·01		·18								·01	·11	7
8	·11			08						·03	·09	·07	8
9										·06	·07		9
10			·14	·01	·01					·03	·24	·15	10
11			·75	·08	·05		·22		·01	·04	·04	·01	11
12			·55	·01		·12	·01		·10	·02	·01		12
13	·22		·01	·19			·21		·13	·13	·18	·01	13
14	·52			·25			·04	·01	·14		·07		14
15	·25	·04	·03	·19						·01	·02	·26	15
16		1·32	·01	·08							·03	·01	16
17		·45		·01	·02	·05		·05			·25	·02	17
18							·01	·19	·02		·01	·13	18
19		·15	·37	·01		·04	·45	·59	·06		·07	·01	19
20	·35	·07	·12			·03	·17	·37	·03			·11	20
21	·24	·35	·17			·04	·11	·01	·01		·02	·14	21
22		·06	·01			·01	·04		·34		·04	·12	22
23			·03	·08		·05				·43	·02	·02	23
24				·02	·28	·04	·01	·01		·05	·05	·01	24
25	·09	·01		·10	·03			·62			·03		25
26	·02	·12	·22	·13				·30	·04	·18	·16	·61	26
27	·01	·24	·01	·44			·01	·01		·72		·03	27
28	·13			·01			·05	·87		·70		·27	28
29	·13			·08		·04		·16		·30	·26	·06	29
30	·01	X	·01	·14		·17				·05	·15	·29	30
31	·04	X	·04	X		X	·12		X	·21	X	·04	31
Total	3·43	2·90	3·22	1·91	·57	·64	2·76	3·23	1·93	3·00	2·56	3·21	YEAR'S TOTAL 29·36
Rain Days.	20	12	21	18	6	12	17	13	15	17	27	27	205

W. 6,500, VII. 18. W W C

2/37

2567

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Louth, Westgate
in the County of Lincolnshire
by W. E. Yates

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·03	·28		·26	·02	·01	·42	·05	·01	1
2				·28	·01		·04		·05	·07		·32	2
3				·12	·01	·06	·02	·01	·07	·11		·16	3
4				·22	·02		·07	·46	·01	·05			4
5		·01	·05		·61		·20	·07	·02			·05	5
6			·07	·09	·04		·19	·01			·01	·12	6
7	·04		·02	·05			·06					·11	7
8	·02	·06		·45	·07					·01	·02		8
9	·24	·03		·52				·12	·01	·02		·02	9
10	·20	·13	·11	·20			·03					·06	10
11	·19	·01	·07	·14	·05		·01					·09	11
12	·04		·07	·16		·03	·02		·01		·04	·22	12
13	·01	·06	·11	·56		·48			·04			·09	13
14	·02	·01	·42	·30		·05	·02		·30		·10	·01	14
15	·01	·06	·40	·37					·15	·39		·06	15
16				·02	·02				·05			·06	16
17	·01				·15		·04		·40	·08		·08	17
18	·06				·07		·02	·12	·05			·02	18
19	·08	1·30		·14		·04		·80	·02		·02	·02	19
20	·10	·33		·23		·26	·01		·01		·02	·02	20
21				·23			·14	·05	·03			·02	21
22	·05			·15			·10	·05	·07			·01	22
23							·08			·01		·23	23
24		·01	·32	·02			·11					·27	24
25	·01	·02	·01	·06		·04	·62						25
26	·05	·01	·03	·19	·38		·05					·01	26
27	·17	·05		·14	·05	·31	·11				·08	·13	27
28	·55		·09	·13	·15		·02				·12	·01	28
29	·08		·29		1·42	·05	·04				·08	·42	29
30	·02			·22		·01			·14	·01	·07	·23	30
31	·24				·01		·15			·01		·27	31
TOTAL	2·19	2·09	2·06	5·02	3·34	1·33	2·41	1·71	1·44	1·18	·61	3.12	YEAR'S TOTAL 26.50
Days with ·01 in. or more	21	14	14	25	16 ~~15~~	10	24	10	18	11	11	28	202
04	14	9	11	22	11	8	16	7	10	6	7	18	137

(4426). Wt.21958—218. 7500. 10/19. Gp.132. A.&E.W.

LINCOLNSHIRE

MABLETHORPE

TRUSTHORPE HALL

1911 – 1920

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Cwd

11

Kept at Trust

in the County of L

by Isaac Ne

Negretti & Zambra

8 in.

ve Ground 1 ft. 3 in.

„ Sea Level 10 ft.

9·0 a.m.

Name Mablethorpe & Sutton-on-Sea

Distance 2 miles Direction Mab. N. Sut. S.

IMPORTANT N… nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … ement of rain, the selection and pl… British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32			·04	·03			·12	·06		1
2	·33							·16		·04	·03	·02	2
3	·18		·13		·15	·20				·13	·04	·13	3
4	·03	·05			·24			·13		·12	·04		4
5	·08	·05	·09	·11						·24	·16	·33	5
6				·02						·12		·24	6
7	·35		·03							·02	·15	·28	7
8		·06	·03						·06		·11	·23	8
9	·20		·11							·04	·10	·07	9
10	·03		·15							·02	·02	·02	10
11	·07	·16									·08	·20	11
12	·29	·12							·14		·30		12
13	·13		·17		·15	·05					·04		13
14		·03	·31		·02					·04		·33	14
15			·27		·29						·03	·25	15
16		·14	·05						·03	·02	·03	·08	16
17			·09			·06					·16	·12	17
18											·02	·13	18
19		·08				·23					·76		19
20			·03			·97	·02	·23		·02	·18	·02	20
21		·03		·10		·02		·28	·32	·10		·38	21
22		·22							·05	·06	·04		22
23	·06		·12			·04		·05		·10	·06	·15	23
24		·08	·36			1·44		·04	·61				24
25			·04			·70		·02		·56		·16	25
26		·05	·07	·12		·25		·06		·02	·08	·09	26
27				·03						·35	·37	·21	27
28		·11	·17	·09				·20	·23	·05	·03	·04	28
29				·28						·06		·08	29
30				·05		·10	·26		·34	·33		·03	30
31	–	·32	–	–	·24 ·04	·03		–	·12	·19 ·06	–	·04	31
Total	1·75	1·18	2·54	·80	1·12	4·10	·31	1·17	1·78	2·75	2·89	3·63	TOTAL for year 24·02
No. of Rain Days	1·75 11	1·50 ~~13~~ 14	2·22 ~~18~~ 17	·80 8	1·16 ~~6~~ 7	4·09 12	·28 ~~3~~ 2	1·17 9	1·90 ~~8~~ 9	2·69 22	2·83 23 22	24	157

9,000, IX. '10.

Cwd

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

3 -JAN 1912

Kept at Trusthorpe Hall

in the County of Lincoln 4

by Isaac Newton Woodiwiss

RAIN GAUGE
Pattern by Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 10 ft.

Time of Observation 9·0 a.m.

Nearest Railway Station
Name Mablethorpe & Sutton-on-Sea
Distance 2 miles Direction Mab. N. Sut. S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32			·04	·03			·12	·06		1
2	·33							·16		·04	·03	·02	2
3	·18		·13		·15	·20				·13	·04	·13	3
4	·03	·05			·24			·13		·12	·04		4
5	·08	·05	·09	·11						·24	·16	·33	5
6				·02						·12		·24	6
7	·35		·03							·02	·15	·28	7
8		·06	·03						·06		·11	·23	8
9	·20		·11							·04	·10	·07	9
10	·03		·15							·02	·02	·02	10
11	·07	·16									·08	·20	11
12	·29	·12							·14		·30		12
13	·13		·17		·15	·05					·04		13
14		·03	·31		·02					·04		·33	14
15			·27		·29						·03	·25	15
16		·14	·05						·03	·02	·03	·08	16
17			·09			·06					·16	·12	17
18											·02	·13	18
19		·08				·23					·76		19
20			·03			·97	·02	·23		·02	·19	·02	20
21		·03		·10		·02		·28	·32	·10		·38	21
22		·22							·05	·06	·04		22
23	·06		·12			·04		·05		·10	·06	·15	23
24		·08	·36			1·44		·04	·61				24
25			·04			·70		·02		·56		·16	25
26		·05	·07	·12		·25		·06		·02	·08	·09	26
27				·03						·35	·37	·21	27
28		·11	·17	·09				·20	·23	·05	·03	·04	28
29				·28						·06		·08	29
30				·05		·10	·26		·34	·33		·03	30
31					·24					·19			31
	-	·32	-	-	·04	·03	-	-	·12	·06	-	·04	
Total	1·75	1·18	2·54	·80	1·12	4·10	·31	1·17	1·78	2·75	2·89	3·63	TOTAL for year 24·02
	1·75	1·50	2·22	·80	1·16	4·09	·28	1·17	1·90	2·69	2·83		
No. of Rain Days	11	~~13~~ 14	~~18~~ 17	8	~~6~~ 7	12	~~3~~ 2	9	~~8~~ 9	22	23 22	24	157

9,000, IX. '10.

Copy for W.D. 10.III.13

2x 7138

REGISTER OF RAINFALL IN 1912

FORM A2
BRITISH RAINFALL
JAN 1913

Kept at Trusthorpe Hall

in the County of Lincoln 4

by Isaac Newton Woodiwiss

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 10 ft.

Time of Observation 9·0 a.m.

Nearest Railway Station
Name Mablethorpe & Sutton on Sea
Distance 2m Direction N. & S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·23		·30	·02	·41	·20	·31	·06		1
2						·06	·10	·03	·11			·56	2
3			·02	·02		·07	·41			·09		·02	3
4	·11	·04	·01		·06	·46		·22	·09	·05		·09	4
5	·06		·34			·11	·03	·07			·22	·01	5
6		·07			·04	·12		·05					6
7	·68	·16					·17	·14	·11			·04	7
8					·02	·12		·16	·08				8
9	·16	·10	·12				·03		·31			·05	9
10		·08				·12			·10			·18	10
11	·05		·02	·08				·35	·11		·03		11
12	·17			·04					·04		·09	·35	12
13	·04	·16	·09		·02	·19					·67		13
14						·05	·02	·03		·04			14
15	·03		·07			·09			·02			·09	15
16			·12		·57	·26							16
17	·05		·06		·11	·03		·13		·12			17
18			·28			·20		·12			·01	·13	18
19	·24		·12					·08				·03	19
20	·34	·26	·02			·02	·06	·17		·02	·02		20
21	·25	·04			·11		·45	·03		·22			21
22	·02		·31		·28		·24			·05	·05	·02	22
23	·12	·07			·74	·12	·20	·18		·10		·12	23
24	·05		·15				·08	·32			·09		24
25	·27		·03			1·26	·21					·15	25
26			·07			·69	·04	·65			·17	·14	26
27						·07	·03	1·44		·47	·24	·24	27
28						·03		·07		·46	·03	·14	28
29		·04					·02	·48		·28	·58	·45	29
30					·05		·12	·04	·62	·18			30
31	·05		·02				·01			·07			31
			·23		·30	·02	·41	·20	·31	·06			
Total	~~2·73~~ 2·69	~~1·02~~ 1·02	~~1·85~~ 2·08	~~·37~~ ·14	~~2·00~~ 2·30	~~4·37~~ 4·09	~~2·24~~ 2·63	~~5·17~~ 4·96	~~1·79~~ 1·90	~~2·46~~ 2·21	~~2·26~~ 2·20	~~2·81~~ 2·81	TOTAL for year ~~29·01~~ 29·63
No. of Rain Days	~~18~~ 17	18	~~17~~ 18	~~4~~ 3	~~10~~ 11	20	18	21	11	14	~~13~~ 12	18	~~174~~ 173

9,000, IX. '10.

Ex 1-DSS

REGISTER OF RAINFALL IN 19*13*.

FORM A.
BRITISH RAINFALL.
6- JAN 191

Kept at *Trusthorpe*
in the County of *Lincoln* 4
by *J. N. Woodiwiss*

Lat. .... Long. ....
Time of Observation *9.0 a.m.*
Nearest Railway Station *Mablethorpe & Sutton-on-Sea 2 miles*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *10* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·03~~		·13	·24					1·02		·09		1
2	·03	·03	·08	·02			·03				·02		2
3			·08		·31					·17			3
4	·49	·05	·02		·12				·09	·10	·26	·14	4
5	·02		·03		·02	·02			·01	·33	·03		5
6			·02		·22	·07				·44	·02		6
7		·07			·07		·02			·59			7
8					·63	·13	·02	·03	·03	·08	·09		8
9		·14		·04	·12	·12				·02	·09	·02	9
10				·04						·01	·32		10
11	·65			·54		·03							11
12											·14		12
13	·03	·02	·04			·04		·01			·43		13
14	·03		·30	·02							·03	·03	14
15	·04	·05	·35	·30					·07		·15		15
16			·36	·07					·15	·07	·09	·02	16
17		·02	·33	·04		·08					·02	·04	17
18			·18		·07	·02				·02		·07	18
19	·10		·04		·02				·11				19
20	·33		·06							·18	·05		20
21	·05		·12				·16			·01	·12		21
22	·06				·01		·03	·24	·04				22
23	·10					·02		·02	·06	·06	·02		23
24	·06			·07		·06		·04			·03		24
25				·07									25
26		·19	·04	·05	·74					·36	·05	·17	26
27		·08	·02			·08					·02		27
28	·13		·12	·08				·01		·10			28
29	·23		·14	·42	·02					·03		·25	29
30	·37			·04						·07			30
31				~~·04~~	·05			·02					31
Total	2·72	·65	2·46	2·04	2·40	·67	·26	·37	1·58	2·63	2·07	·74	YEAR'S TOTAL 18·59
Rain Days.	16	9	19	15	13	11	5	7	9	17	20	8	149

W.7,000, XI. 13

Exc m4

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Trusthorpe Hall

in the County of Lincoln 4

by J. N. Woodiwiss

Lat. ……… Long. ………

Time of Observation 9 a.m.

Nearest Railway Station Mablethorpe & Sutton-on-Sea

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~·37~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·28	·48			·02		1
2							·05	·09			·13	·18	2
3			·06		·17		·07				·02	·02	3
4	·05		·03	·22							·37	·05	4
5			·15	·02	·09		·03	·06			·02		5
6		·09		·10	·08		·25	·15			·18	·09	6
7		·03	·25	·05	·04	·04					·01	·09	7
8	·24	·08	·15			·57							8
9	·26	·02	·16	·12		·61		·11	·29				9
10	·79	·13			·07	·03			·07	·04			10
11			·28	·30					·08		·15	·31	11
12	·09		·01		·13	·02	·02		·13			·39	12
13	·04	·06	·21							·02	·11	·14	13
14		·03	·19				·05			·06	·09	·09	14
15	·06		·19								·39	·53	15
16	·05		·03				·05		·05		·04		16
17	·02	·32							·31	·10	·03	·38	17
18	·05		·02								·02	·39	18
19			·15						·27		·09	·07	19
20			·30			·04			·02	·26		·03	20
21	·02	·16	·12							·02	·04	·13	21
22	·02			·03	·46		·13	·05		·12		·14	22
23		·02	·03		·02	·05				·01	·03	·19	23
24		·01	·01	·06	·02		·02			·06	·16		24
25		·09						·05		·52	·01	·04	25
26							·06	·10		·07	·25	·48	26
27							·04				·01	·30	27
28	·02	·04					·04			·09	·30	1·12	28
29	·04		·08		·02					·02	·04	·	29
30										·01	·18	·38	30
31							·19			·09		·12	31
Total	1·75	1·08	2·42	·90	1·10	1·36	1·28	1·09	1·22	1·49	2·79	5·66	YEAR'S TOTAL 22·14
Rain Days.	14	13	19.	8	10	7	14	8	8	15	24	23	163

W.7,000, XI. 13

2706

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at Trusthorpe Hall
in the County of Lincoln
by J. N. Woodiwiss

Lat. .... Long. ....
Time of Observation 9·0 a.m
Nearest Railway Station Mablethorpe & Sutton-on-Sea
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·28	·06		·42			·10	·31		·28	·07	1
2	·01	·05	·27	·11		·02		·29	·23		·13		2
3	·31		·02	·06			·75	·01			·10	·31	3
4	·02		·02				1·78	·03		·04	·09	1·11	4
5	·05	·01			·03			·16			·21	·29	5
6	·05	·26	·06	·07			·97	·11		·04		·05	6
7	·23	·25	·13				·73	·14			·04	·42	7
8	·01	·05						·08		·04	·02		8
9	·	·04		·03		·02	·02	·11			·09	·54	9
10	·30							·55				·03	10
11	·02				·25		·07	·02		·01	·14	·13	11
12	·29			·09	·07		·16	·56		·02	·94	·04	12
13	·03	·59			·21			·03	·05		·06		13
14	~~4~~	·08					·07	·34		·03		·23	14
15	·40	·05					·10	·01		·02	·23	·11	15
16	·09	·38					·79			·02	·20	·06	16
17	·49	·15	·01				·03				·06	·03	17
18	·01	·04	·12								·05	·01	18
19			·10				·10			·08	·01		19
20	·10									·12		·40	20
21	·07	·08					·13					·05	21
22	·33		·12		·01		·19		·08		·01	·24	22
23	·05	·10					·09		·09		·20	·01	23
24	·02	·14	·04				·03		·12		·05	·24	24
25	·01		·01			·41	·07				·07	·14	25
26		·27	·04			·01			·04	·12	·10	·31	26
27	·02	·06	·01			·01				·25		·34	27
28		·14	·15			·44		·13	·05	·33		·30	28
29	·02				·07			·04	·19		·33		29
30	·10			·02			·12	·02	·08	·02	·03	·02	30
31	·16							·20		·17		·17	31
Total	3·50	3·02	1·16	·38	1·06	·91	6·20	2·93	1·24	1·31	3·44	5·65	YEAR'S TOTAL 30·80
Rain Days.	26	19	15	6	7	6	18	19	10	15	23	26	190

W. 8,000. X. 15.

Eng W

2640

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
29. JAN 1917

Kept at Trusthorpe Hall

in the County of Lincoln

by J. N. Woodiwiss

Lat. Long.

Time of Observation 9·0 A.M.

Nearest Railway Station Mablethorpe & Sutton on Sea.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·04			·10	·09				·53		1
2	·18	·09	·12		·14		·08		·04	·03	·10		2
3		·12	·01	·04			·53		·44	·15	·04		3
4	·14	·30	·02		·17	·52			·06	·18	·24	·22	4
5	·03		·11		·01	·24				·22	·11	·05	5
6	·03	·16	·27	·22	·05		·09			·07	·36		6
7			·37	·05	·21		·08			·05	·58	·17	7
8			·10		·14							·10	8
9	·01		·11		·72	·09			·02			·34	9
10	·06	·03	·11	·05		·07	·10		·03	·02		·11	10
11	·05	·54	·30	·10		·56			·02			·02	11
12	·02	·05	·13		·12	·28	·20			·01	·01	·14	12
13		·06	·18		·13		·02	·14		·02		·05	13
14		·05	·01		·08	·03		·04		·06		·01	14
15		·24	·63					·05	·08	·08		·15	15
16		·05	·11	·15			·06	·11				·17	16
17	·02		·02	·18			·06	·02	·14	·18	·01		17
18	·02	·17	·01	·20				·09	·05	·20	1·12		18
19	·18		·02	·08				·17	·11		·24	·06	19
20	·14		·10	·11		·03		·04		·02	·15	·09	20
21	·02	·02	·15	·05	·55		·26				·02	·80	21
22		·27	·01		·08	·01				·05	·02	·33	22
23	·02	·37				·32	·02			·06	·14	·53	23
24		·46				·01	·01	·16		·43	·01	·11	24
25		1·07	·14					·17		·19	·09	·17	25
26		·19						·11		·01	·16		26
27		·17	·58							·22			27
28		·27	1·34	·01	·02	·02				·04	·02	·13	28
29		·07				·15		·41		·10		·24	29
30		✕				·02		·11	·02	·23			30
31		✕		✕		✕		·04	✕		✕	·05	31
Total	·96	4·75	5·02	1·24	2·42	2·45	1·60	1·66	1·01	2·62	3·95	4·04	YEAR'S TOTAL 31·72
Rain Days.	15	21	25	12	13	15	13	14	11	23	19	22	203

W. 8,000. X. 14.

2507

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Trusthorpe Hall Nr Mablethorpe.

in the County of Lincoln

by J. N. Woodiwiss

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Mablethorpe 2 miles N. Sutton-on-Sea 2 miles S.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01		·14				·60	·12		·03		1
2	·04			·13		·10		·31	·01		·04		2
3		·09	·01	·27		·02		·46		·10			3
4		·01		·01						·56			4
5	·10		·02	·21				·02			·27		5
6						·06			·13		·04		6
7	·53					·56				·58			7
8	·42			·09			·02	·62		·58	·07		8
9	·02		·05	·16				·12			·16	·04	9
10	·31	·02	·46	·12				·25	·05	·08	·08		10
11	·07		·02	·42				·10		·34			11
12	·14			·11	·39			1·04		·16	·01	·02	12
13	·19			·02			·02	·21	·11	·05	·03		13
14	·15		·01	·18				·16				·03	14
15	·13						·24	·10		·05	·02	·10	15
16	·04	·24	·02	·26						·07		·37	16
17		·01	·08	·17	·46	·02		·03	·07	·09	·01	·05	17
18	·09	·01		·06	·04		·40	·09	·42	·01			18
19	·06	·04	·26	·01	·01		·04		·10				19
20	·01	·30	·02	·02					·02		·26		20
21		·19	·10		·02	·08					·05	·03	21
22			·02						·01	·04			22
23		·01			·13	·02		·01		·27		·02	23
24					·13	·45		·30			·09	·08	24
25			·03								·12	·29	25
26			·01			·35		·79	·13		·52	·14	26
27							·02	·57				·04	27
28		·01	·07		·07	·28		·27		·02		·11	28
29						·11	·04	·01		·24		·03	29
30	·08	✕	·06				·05	·09		·01		·05	30
31	·09	✕		✕		✕	·03	·06	✕		✕		31
Total	2·49	·94	1·24	2·38	1·25	2·05	·86	6·21	1·17	3·25	1·80	1·40	YEAR'S TOTAL 25·04
Rain Days.	18	12	16	17	8	11	9	22	11	17	16	15	172

2.49

W. 8,000, IX. 17.

Ex'd. E.F.E.

57

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21. 1

Kept at Trusthorpe Hall
in the County of Lincoln
by J. N. Woodiwiss

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Mablethorpe & Sutton-on-Sea
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08					·16	·01	·10	·16	1
2	·10	·08		·06				·27	·06	·03		·06	2
3		·02	·03		·10			·04			·97	·41	3
4	·07	·06	·02		·09			·05	·46	·03	·43		4
5			·06	·04	·08			·62	·06		·01	·04	5
6		·14		·24				·02	·01	·03			6
7	·07	·02		·04		·05				·14	·17	·05	7
8							·56		·25		·07	·10	8
9	·05	·35	·03	·04		·06			·29	·28	·01	·03	9
10	·06	·06		·02			·26			·05	·03	·25	10
11	·13	·07		·05	·60		·16			·51			11
12		·12	·01	·12	·14		·16	·45	·04				12
13		·04		·01	·16				·04			·15	13
14	·52			·03			·20		·26	·08	·02	·18	14
15	·21		·01	·26			·37		·23	·01		·10	15
16	·02			·23					·47	·08	·03		16
17	·18			·02			·92	·09	·08	·04		·33	17
18	·25			·12	·22	·01	·24		·21			·32	18
19	·09		·07	·23				·04		·08		·20	19
20	·05	·11				·03	·19		·04	·03	·02		20
21	·02					·03			·33	·02			21
22	·09			·05			·01			·01	·04	·56	22
23	·06			·01	·89	·04	·16		·03	·02			23
24		·15			·12	·04	·03		·02	·07	·10		24
25			·08				·24	·17				·03	25
26			·03				·26	·49	·13		·26	·04	26
27			·01	·19		·09	·01	·36	·04		·12	·07	27
28	·01	·10	·16	·04		·02		·02			·03	·30	28
29			·07						·44			·05	29
30		X	·25	·01					·15		·04	·18	30
31		X	·07	X		X			X	·03	X	·10	31
Total	1·98	1·32	·90	1·89	2·40	·37	3·94	2·62	3·80	1·55	2·45	3·71	YEAR'S TOTAL 26·96
Rain Days.	17	13	14	21	9	9	15	12	22	19	17	22	190

W. 8,000, VIII. 16

6x 712 235

REGISTER OF RAINFALL IN 1919.

8 JAN 20

FORM A. BRITISH RAINFALL.

Kept at Trusthorpe Hall

in the County of Lincoln

by J. W. Woodiwiss

Lat. Long.

Time of Observation 9·0 a.m.

Nearest Railway Station Mablethorpe & Sutton-on-Sea

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·02			·17	~~·23~~	·23			·09	·09	·37	1
2	·14	·04	·04			~~·39~~	·39		·13		·10	·22	2
3	·55		·04	·01	·01	~~·35~~	·35		·10		·45		3
4	·03		·48			·08		·05			·09	·05	4
5	·35		·01			~~·02~~	·02		1·22		·02	·15	5
6	·01		·05			~~·02~~	·02				74	·10	6
7	·02		·14		·03							·38	7
8	·12			·05						·01	·10	·09	8
9										·07	·03	·03	9
10			·21	·02						·08	·26	·15	10
11	·07		·56	·06	·03		·55			·04	·02	·02	11
12	·02		·48	·04		·15	·05		·05	·03	·07		12
13	·14			·11			·14		·05	·11	·45	·01	13
14	·67	·05		·32			·04	·01	·15		·09	·01	14
15	·30	·07	·02	·18						·01	·10	·13	15
16	·01	1·34		·07							·01	·01	16
17		·63				·03					·26	·03	17
18							·02	·10					18
19	·03	·19	·23				·39	·65	·06		·07	·13	19
20	·31	·05	·19			·13	·36	·59				·08	20
21	·29	·49	·03				·19					·20	21
22		·07	·04				·21		·36		·04	·37	22
23		·01		·02		·03	·14	·01	·11	·28	·01		23
24				·01	·36	·03	·01			·04	·05		24
25	·07	·02		·10	·19	·07		·69			·01	·10	25
26	·06	·05	·27	·04				·26	·09	·22	·15	·66	26
27		·06		·55			·10			·35		·02	27
28	·09			·02			·02	·75	·02	·30		·29	28
29	·10					·11		·38		·20	·49	·19	29
30		X	·04	·15		·22				·05	·20	·22	30
31	·04	X	·05	X		X	·09		X	·10	X	·02	31
Total	3·87	3·09	2·88	1·75	·79	·85	3·32	3·49	2·34	1·98	3·30	403	YEAR'S TOTAL 31·69
Rain Days	22	14	17	16	6	9	19	10	11	16	24	26	190

W. 6,500, VII. 18. w w o

Exd WD

2257

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Frusthorpe Hall

in the County of Lincoln

by I. N. Woodiwiss

Lat. Long.

Time of Observation 9·0 a.m.

Nearest Railway Station Mablethorpe & Sutton-on-Sea

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·38		·33	·03		·23	·01	·40	1
2			·01	·11	·01		·17		·08	·08		·01	2
3	·02			·06		·06	·12		·11	·06			3
4				·20			·07	·49		·02		·09	4
5			·04		·34		·11	·06	·01		·01	·09	5
6			·05		·02		·08					·05	6
7	·04		·07	·11			·20				·01	·06	7
8		·06		·34						·02	·01		8
9	·22	·04		·80				·09				·05	9
10	·17	·10	·06	·05			·03					·07	10
11	·26		·06	·08	·06					·02		·18	Snow 11
12	·09		·09	·20							·06	·34	Snow 12
13	·02	·04	·04	·30		·36				·01	·01	·07	Snow. 13
14	·01	·01	·32	·59		·09	·03		·08	·15	·11		14
15		·06	·14	·07			·02		·19	·35		·06	15
16	·01				·04				·07	·04		·09	16
17	·01				·21				·41			·02	17
18	·05				·05	·06		·18	·28			·01	18
19		·63		·11			·01	·43	·07		·03	·06	19
20	·17	·36		·30		·36	·03		·02			·01	20
21				·09			·24	·04	·05			·03	21
22	·05			·13				·03	·20			·01	22
23	·01	·02					·18		·01	·03	·04	·18	23
24		·01	·36				·08					·18	24
25		·10	·02	·03		·14	·83			·01		·01	25
26	·14	·01	·05	·12	·06	·02	·03					·01	26
27	·15	·02		·23	·04	·29					·16	·10	27
28	·57			·68	·27						·11	·02	28
29	·10		·53	·01	·44		·05		·01	·02	·08	·41	29
30	·01	×		·15		·03			·26		·08	·29	30
31	·20	×		×	·01	×	·07		×		×	·17	31
TOTAL	2·30	1·46	1·84	4·79	1·93	1·41	2·68	1·35	1·85	1·04	·72	3·07	YEAR'S TOTAL 24·44
Days with ·01 in. or more	20	13	14	22	13	9	19	8	15	13	13	28	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

13 8 12 20 10 7 13 6 11 6 9 19 132

LINCOLN.

MAREHAM-LE-FEN

1912, 1919-20

FORM A.
BRITISH RAINFALL.
12 MAR 1913

REGIST

Kept at Mareham

in the County of Lincoln

by Meteorological Office

in.

ve Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observ versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.06					1
2								.01					2
3								.28					3
4								.14					4
5								.05					5
6								.17					6
7								.12					7
8													8
9													9
10								.30					10
11													11
12													12
13								.03					13
14								.12					14
15													15
16								13					16
17								.17					17
18								.01					18
19								.16					19
20								.10					20
21													21
22								.24					22
23								.45					23
24								.02					24
25								.39					25
26								2.16					26
27								.05					27
28								.51					28
29								.03					29
30													30
31								.31					31
Total								6.01					YEAR'S TOTAL
Rain Days.								24					

W. 7,500, XI. 12

✓

REGIST

Form A.
British Rainfall.
12 MAR 1913

Kept at Mareham le Fen

in the County of Lincolnshire 3

by Meteorological Office Mrs G. J. Kime

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.06					1
2								.01					2
3								.28					3
4								.14					4
5								.05					5
6								.17					6
7								.12					7
8													8
9													9
10								.30					10
11													11
12													12
13								.03					13
14								.12					14
15													15
16								13					16
17								.17					17
18								.01					18
19								.16					19
20								.10					20
21													21
22								.24					22
23								.45					23
24								.02					24
25								.39					25
26								2.16					26
27								.05					27
28								.51					28
29								.03					29
30													30
31								.31					31
Total								6.01					YEAR'S TOTAL
Rain Days.								24					

W. 7,500. XI. 12

[illegible] 2336

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Marcham-le-Fen

in the County of Lincolnshire

by Mrs G. L. Kemie

Lat. 53·8 n Long. 0·5 w

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·04	·03		·14		·71			·04	·08	·31	1
2	·16	·02	·03				·25		·08	·02	·17	·16	2
3	·39		·02		·02		·21		·06		·35		3
4	·04		·33			·07		·05			·10	·14	4
5	·10							·02	·91			·12	5
6			·04				·02				·10	·20	6
7	·02		·12									·07	7
8	·04		·01	·11						·01	·03	·07	8
9											·03		9
10			·14	·03							·11	·05	10
11	·08		·22	·04	·01		·37 ~~·07~~				·06	·01	11
12			·36			·08	·04			·06			12
13	·12			·14			·01		·05	·09	·08		13
14	·38			·17			·06		·20	·03	·08		14
15	·15		·04	·23							·18	·28	15
16		1·12		·03				·01			·04	·02	16
17		·33		·02	·03	·05	·01				·41	·03	17
18							·02	1·12	·01		·02	·05	18
19		·14	·40			·03	·42	·68	·04		·08	·03	19
20	·19	·09	·34			·09	·78	·35	·01			·04	20
21	·24	·51	·14			·08	·19		·01		·02	·09	21
22		·20	·04				·05		·51		·08	·40	22
23			·03	·04		·06	·07	·08	·03	·36	·22	·03	23
24			·03	·07	·24	·18				·06	·07		24
25	·11	·02		·07	·05	·05		·67				·10	25
26		·03	·08	·04				·28			·02	·26	26
27	·12	·08		·50			·01			·41	·01	·01	27
28	·02			·02		·02		·56	·04	·48	·01	·30	28
29	·12		·01	·06		·11		·24		·21	·29	·13	29
30			·03	·18		·25				·06	·09	·17	30
31	·05						·07			·30		·06	31
TOTAL	2·47	2·58	2·44	1·75	·49	1·07	3·29 ~~2·29~~	4·06	1·95	2·13	2·73 ~~2·85~~	3·13 ~~3·10~~	YEAR'S TOTAL 28·09
Days with ·01 in. or more	18	11	20	16	6	12	17	11	12	13	25	25	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

370 ~~EA~~ 2237

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Marcham-le-Fen

in the County of Lincolnshire

by Mrs G L Kime

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3		·01											3
4													4
5													5
6													6
7	·04	·01											7
8	·05	·02											8
9	·20	·01											9
10	·11	·03											10
11	·15												11
12	·05												12
13	·02	·01											13
14	·01												14
15	·01	·08											15
16													16
17													17
18	·06												18
19	·06	·33											19
20	·08	·36											20
21													21
22													22
23	·02												23
24													24
25		·08											25
26	·06												26
27	·08	·06											27
28	·46												28
29	·04												29
30	·02	×											30
31	·12	×		×		×			×		×		31
Total	1·64	1·00											Year's Total
Days with ·01 in. or more	19	11											

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] W.D. 19.V.13

REGIS

LINCOLN.

MARKET DEEPING.

1912

FORM A. BRITISH RAINFALL.

16 MAY 1913

2

g.

Kept at Welby House, M

9 a.m.

in the County of Lincoln

n Deeping St James

e 5 in.

by B. J. Walker

above Ground 1 ft. in.

,, Sea Level 19 ft.

IMPORTANT NOTE and the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	·02	·17	–	–	·14	·13	–	·30	1
2	–	–	·02	·03	–	·02	·52	·33	·10	–	–	–	2
3	·10	–	–	–	–	·65	·34	–	–	–	–	·10	3
4	·03	–	·46	–	·11	·24	–	·59	·05	–	·34	–	4
5	·13	–	·28	–	–	·03	–	·31	–	–	·04	–	5
6	6·58 ~~·50~~	·17	–	–	·01	–	·80	·06	–	–	–	–	6
7	–	–	–	–	–	·46	–	·46	–	–	–	–	7
8	·30	·18	·11	·02	–	–	–	·04	–	–	–	·02	8
9	–	·12	·07	·10	·06	·57	–	–	·06	–	–	·15	9
10	–	–	–	–	–	·02	–	–	–	–	–	·14	10
11	·14	·21	–	–	–	·02	–	·17	·14	–	·09	–	11
12	·10	·14	·07	–	·15	·12	–	–	–	–	–	–	12
13	–	·06	–	–	–	–	–	·02	–	–	·34	–	13
14	·08	–	·07	–	–	·06	–	·02	·03	–	–	–	14
15	–	–	–	–	·46	·18	–	–	–	·05	–	·06	15
16	·40	–	·09	–	·12	·09	–	–	–	–	–	–	16
17	·12	–	·17	–	–	·18	–	·09	–	·07	·03	·11	17
18	·05	·02	·09	–	–	–	–	·13	–	–	·03	–	18
19	·23	·11	–	–	–	–	·18	–	–	–	–	–	19
20	·12	–	·09	–	·03	–	·42	·20	·03	–	–	–	20
21	–	–	·12	–	·34	–	·05	·74	–	·15	·05	–	21
22	·10	–	–	–	·82	–	·78	·38	–	·14	–	·02	22
23	·12	·34	·20	–	–	–	2·45	·32	–	–	–	·24	23
24	·15	–	–	–	–	·11	·10	·57	–	–	–	·11	24
25	·02	–	–	–	–	–	–	·15	–	–	·35	·25	25
26	–	–	–	–	–	·33	·36	·59	–	·54	·18	·31	26
27	–	–	–	–	–	·05	·52	1·54	–	·30	–	·13	27
28	–	·02	–	–	–	–	·14	–	–	·34	·28	·48	28
29	–	–	–	–	–	·17	·30	·42	–	·15	·20	–	29
30	·02		–	–	·70	–	·06	–	·62	·27	–	–	30
31	–		·23		1·57		·33	·14	·13	–		–	31
Total	2·79	1·37	2·02	·15	4·39	3·47	7·35 ~~7·02~~	6·89 ~~7·08~~	1·16 1·17	2·01 2·14	1·93	2·34	YEAR'S TOTAL 35·87 ✓
Rain Days.	18	10	14	3	12	18	14	20	[illegible]	10	11	14	152 ✓

W. 7,500, XI. ·12

cod pr pd W.D. 19.V.13

REGIS 2

g.

FORM A. BRITISH RAINFALL.

16 MAY 1913

Kept at Welby House Market Deeping

in the County of Lincolnshire 2

by B. J. Walker

Time of Observation 9 a m

Nearest Railway Station Deeping St James

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	·02	·17	–	–	·14	·13	–	·30	1
2	–	–	·02	·03	–	·02	·52	·33	·10	–	–	–	2
3	·10	–	–	–	–	·65	·34	–	–	–	–	·10	3
4	·03	–	·46	–	·11	·24	–	·59	·05	–	·34	–	4
5	·13	–	·28	–	–	·03	–	·31	–	–	·04	–	5
6	·58 ~~·58~~	·17	–	–	·01	–	·80	·06	–	–	–	–	6
7	–	–	–	–	–	·46	–	·46	–	–	–	–	7
8	·30	·18	·11	·02	–	–	–	·04	–	–	–	·02	8
9	–	·12	·07	·10	06	·57	–	–	·06	–	–	·15	9
10	–	–	–	–	–	·02	–	–	–	–	–	·14	10
11	·14	·21	–	–	–	·02	–	·12	·14	–	·09	–	11
12	·10	·14	·07	–	·15	·12	–	–	–	–	–	–	12
13	–	·06	–	–	–	–	–	·02	–	–	·34	–	13
14	·08	–	·07	–	–	·06	–	·02	·03	–	–	–	14
15	–	–	–	–	·46	·18	–	–	–	·05	–	·06	15
16	·40	–	·09	–	·12	·09	–	–	–	–	–	–	16
17	·12	–	·17	–	–	·18	–	·09	–	·07	·03	·11	17
18	·05	·02	·09	–	–	–	–	·13	–	–	·03	–	18
19	·23	·11	–	–	–	–	·18	–	–	–	–	–	19
20	·12	–	·09	–	·03	–	·42	·20	·03	–	–	–	20
21	–	–	·12	–	·34	–	·05	·74	–	·15	·05	–	21
22	·10	–	–	–	·82	–	·78	·38	–	·14	–	·02	22
23	·12	·34	·20	–	–	–	2·45	·32	–	–	–	·24	23
24	·15	–	–	–	–	·11	·10	·57	–	–	–	·11	24
25	·02	–	–	–	–	–	–	·15	–	–	·35	·25	25
26	–	–	–	–	–	·33	·36	·59	–	·54	·18	·31	26
27	–	–	–	–	–	·05	·52	1·54	–	·30	–	·13	27
28	–	·02	–	–	–	–	·14	–	–	·34	·28	·40	28
29	–	–	–	–	–	·17	·30	·42	–	·15	·20	–	29
30	·02		–	–	·70	–	·06	–	·62	·27	–	–	30
31	–		·23		1·57		·33	·14	·13	–		–	31
Total	2·79	1·37	2·02	·15	4·39	3·47	7·35 ~~7·02~~	6·89 ~~7·08~~	1·16 1·17	2·01 2·14	1·93	2·34	YEAR'S TOTAL 35·87 ✓
Rain Days.	18	10	14	3	12	18	14	20	8	10	11	14	152 ✓

W. 7,500, XI. ·12

LINCOLNSHIRE

MARKET DEEPING

WILSTHORPE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

2527

R

Kept at Wilsth

in the County of Lin

by John C. G

etti + Zambra

8 in.

Ground 3 ft. 10 in.

Sea Level 55·26 ft.

a.m.

Name Braceboro' Spa.

Distance ¾ mile Direction S.W.

IMPORTANT NO

the result entered to the previous day. If an O

versal rule, he is earnestly requested to add the re

ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												·01	1
2	·08				·05						·02	·04	2
3		·02			·11			·06		·02			3
4	·05	·01	·09	·10					·02	·32	·09	·20	4
5	·01			·08				·04		·01	·01	·14	5
6	·31		·02	·01						·11		·24	6
7											·11	·29	7
8	·17		·09						·34		·04	·08	8
9	·05		·01								·04	·02	9
10	·01	·03	·09								·04	·30	10
11	·14							·05			·39		11
12	·13		·24						·13		·04	·01	12
13			·10			·04			·15			·34	13
14		·02	·02		·29	·02				·01		·51	14
15		·05	·18							·04	·06	·01	15
16			·05			·01				·01	·25	·04	16
17			·01								·07	·06	17
18		·14				·11				·02	·17	·02	18
19		·02			·06				·01	·06	·20	·05	19
20	·02	·01		·01				·59	·17			·40	20
21		·24		·01				·57	·08	·04		·05	21
22			·02			·06		·11		·19	·01	·30	22
23		·02	·29			·81		·03	·44			·08	23
24	·01	·03	·02			·36				·51		·22	24
25		·04	·01	·04	·14	·01					·04	·03	25
26				·09	·08		·03			·20	·34	·34	26
27		·17	·12	·12			·13	·11	·19	·04	·01	·02	27
28		·11		·15		·09		·10		·01	·06	·04	28
29				·01		·08	·08		·15	·16	·01		29
30			·01	·02	·12				·01	·09			30
31												·01	31
Total	·98	·91	1·37	·64	·85	1·59	·24	1·66	1·69	1·84	2·00	3·85	TOTAL for year 14·62
No. of Rain Days.	11	14	17	11	7	10	3	9	11	17	20	27	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

252

REGISTER OF RAINFALL IN 1911.

Kept at Wilsthorpe

in the County of Lincolnshire 2

by John C. Gill. A.M.I.C.E.

RAIN GAUGE
Pattern Negretti + Zambra
Diameter of top 8 in.
Height of top above Ground 3 ft. 10 in.
" " " Sea Level 55·26 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Braceboro' Spa.
Distance ¾ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												·01	1
2	·08				·05						·02	·04	2
3		·02			·11			·06		·02			3
4	·05	·01	·09	·10					·02	·32	·09	·20	4
5	·01			·08				·04		·01	·01	·14	5
6	·31		·02	·01						·11		·24	6
7											·11	·29	7
8	·17		·09						·34		·04	·08	8
9	·05		·01								·04	·02	9
10	·01	·03	·09								·04	·30	10
11	·14							·05			·39		11
12	·13		·24						·13		·04	·01	12
13			·10			·04			·15			·34	13
14		·02	·02		·29	·02				·01		·51	14
15		·05	·18							·04	·06	·01	15
16			·05			·01				·01	·25	·04	16
17			·01								·07	·06	17
18		·14				·11				·02	·17	·02	18
19		·02			·06				·01	·06	·20	·05	19
20	·02	·01		·01				·59	·17			·40	20
21		·24		·01				·57	·08	·04		·05	21
22			·02			·06		·11		·19	·01	·30	22
23		·02	·29			·81		·03	·44			·08	23
24	·01	·03	·02			·36				·51		·22	24
25		·04	·01	·04	·14	·01					·04	·03	25
26				·09	·08		·03			·20	·34	·34	26
27		·17	·12	·12			·13	·11	·19	·04	·01	·02	27
28		·11		·15		·09		·10		·01	·06	·04	28
29				·01		·08	·08		·15	·16	·01		29
30			·01	·02	·12				·01	·09			30
31												·01	31
Total	·98	·91	1·37	·64	·85	1·59	·24	1·66	1·69	1·84	2·00	3·85	TOTAL for year 14·62
No. of Rain Days.	11	14	17	11	7	10	3	9	11	17	20	27	157

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
30 JAN 1913

2527

REGISTER OF RAINFALL IN 1912.

Kep^t at Wilsthorpe.
in the County of Lincolnshire. 2
by John C. Gill A.M.I.C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Braceborough Spa.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 10 in.
" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·05	·01	·01	·21	·02		·06			·30	1
2			·02	·02		·14	·41					·01	2
3	·08		·09		·04	·45	·14	·49	·04			·07	3
4	·01		·37		·05	·34		·31			·31		4
5	·07	·05	·17			·01		·03	·04		·02		5
6	·52	·05				·02	·38	·28				·02	6
7		·02				·35		·02					7
8	·31	·19	·08	·02		·01	·10		·08			·01	8
9	·01	·12	·03	·08		·25	·01			·01		·16	9
10						·03		·06	·08		·08	·01	10
11	·09	·18				·03			·01		·01	·20	11
12	·07	·18	·04		·11	·27	·06			·01	·07		12
13	·01	·07						·02			·16		13
14	·05		·07		·03	·05		·03					14
15		·01	·02		·32	·15						·05	15
16	·35		·06		·12	·01		·07		·09			16
17	·28		·20			·18		·14			·04	·12	17
18	·10	·01	·10					·03			·02		18
19	·23	·08					·12	·13	·02				19
20	·12		·08		·06		1·20	·41		·15			20
21			·09		·43		·24	·34		·18	·04		21
22	·04	·08			·59		·90	·30				·04	22
23	·12	·18	·22			·01	1·66	·42			·06	·26	23
24	·14					·03	·04	·09				·13	24
25						·42	·01	·39		·02	·30	·25	25
26						·16	·30	1·65		·63	·14	·26	26
27						·07	·32			·30		·12	27
28								·43		·35	·31	·45	28
29		·01			·04	·07	·22	·05	·46	·20	·09		29
30	·02				·39				·14	·15			30
31			·07		1·40		·32	·11					31
Total	2·62	1·24	1·76	·13	3·61	3·26	6·45	5·80	·93	2·09	1·65	2·46	YEAR'S TOTAL 32·00
Rain Days.	19	15	17	4	13	22	18	22	9	11	14	17	181.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
15 JAN 1914
2527

Kept at Wilsthorpe
in the County of Lincolnshire 2
by John C. Gill, A.M.I.C.E.

Lat. 52°43' N. Long. 23' 59" W.
Time of Observation 9 a.m.
Nearest Railway Station Braceboro' Spa
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 10 in.
" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·10						1·24		·03		1
2	·01	·06	·01		·10		·07				·07		2
3			·08		·50					·05			3
4	·30				·01	·03				·03	·11	·13	4
5						·03	·02			·66	·03	·01	5
6		·03	·07		·62	·27	·09	·01		·04			6
7		·04			·06	·08				·60	·01		7
8					·27	·23				·03	·10		8
9		·24	·01			·15	·19				·10		9
10	·02			·01	·36		·31	·11			·52		10
11	·51			·41				·10			·10		11
12					·04						·50	·01	12
13			·02	·02				·02	·02		·22		13
14	·07	·02	·63	·01			·04			·09			14
15	·14		·21	·16			·02		·50		·03		15
16	·03	·01	·65	·07					·15				16
17	·06	·04	·10	·03		·09					·04	·03	17
18			·16	·07			·06		·03				18
19	·07		·04						·02			·01	19
20	·36		·07	·01					·01	·29			20
21			·19		·08		·06				·23		21
22	·16		·12					·03	·24				22
23						·05			·01				23
24	·02			·06		·04		·11					24
25				·12									25
26		·08	·16	·03						·35	·06	·21	26
27		·02	·01		·26	·01							27
28	·23	·02	·09	·15						·03		·02	28
29	·01		·16	·38	·04			·14		·02		·08	29
30	·17			·01				·02		·15	·11	·02	30
31								·50					31
Total	2·20	·56	2·88	1·54	2·34	·98	·86	1·04	2·22	2·34	2·26	·52	YEAR'S TOTAL 19·74
Rain Days.	16	10	19	15	11	10	9	9	9	12	16	9	145

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
30 JAN 1915
257

Kept at Wilsthorpe

in the County of Lincolnshire 2

by John C. Gill, A.M.I.C.E.

Lat. 52° 43' N. Long. 23' 59" W.

Time of Observation 9 a.m.

Nearest Railway Station Braceborough Spa.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 10 in.

" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03			·48				·06		1
2							·03	·20			·04	·10	2
3			·03		·12		·14	·16			·03		3
4	·14			·19				·02			·60	·12	4
5	·05		·04	·12	·11	·02	·12	·09					5
6		·04		·03	·05		·39	·18			·03		6
7		·02	·45	·02	·03	·10		·01			·01	·01	7
8	·04	·03	·01	·02	·10	·80	·03	·15					8
9	·48		·22	·13		1·04			·54				9
10	·41	·05		·02					·04				10
11		·10	·26	·15	·21	·03			·05		·34	·23	11
12	·05		·06				1·09		·24		·01	·24	12
13	·04	·09	·21							·22	·08	·20	13
14			·11				·04			·40	·12	·25	14
15	·02		·13					·02			·09	·08	15
16			·01				·01				·01		16
17	·03	·14	·01						·09			·09	17
18			·02			·50	·10					·28	18
19		·05	·12				·19		·02		·04		19
20		·06	·28				·04			·02		·01	20
21		·12	·12			·03		·04		·05		·11	21
22					·20		·13	·09		·16			22
23		·03	·05		·04	·01	·05			·04		·08	23
24			·12	·04	·25					·21	·14		24
25		·02					·04	·04		·58		·13	25
26			·14					·09		·09	·09	·26	26
27												·15	27
28										·13	·16	1·05	28
29	·01		·09		·02					·36	·01		29
30		X				·05				·01	·11	·16	30
31		X		X		X	·08		X	·02	X	·03	31
Total	1·24	·48	2·52	·45	1·13	2·61	3·35	1·15	1·01	2·29	2·03	3·61	YEAR'S TOTAL 22·50
Rain Days.	10	12	21	10	10	9	16	12	6	13	18	19	156

W. 8,000. X. 14.

2150

FORM A.
BRITISH RAINFALL.
12 JAN 1916
252

REGISTER OF RAINFALL IN 1915

Kept at Wilsthorpe
in the County of Lincolnshire
by Charles A. Gill, A.M.I.C.E. etc

Lat. 52° 43" N. Long. 23' 59" W.
Time of Observation 9 a.m.
Nearest Railway Station Braceborough Spa.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 10 in.
" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·14	·01		·32				·04		·04	·09	1
2	·04	·04	·18	·09		·06		·90	·23		·04	·03	2
3	·31		·03	·10			·14	·42	·03			·18	3
4	·20						·34	·03				·54	4
5	·01	·08			·22		·23				·04	·24	5
6	·05	·06	·06	·12			·43			·01		·01	6
7	·04	·24	·13				·30	·15				·08	7
8	·04	·14		·02			·02	·03			·04		8
9	·01	·01				·12					·08	·52	9
10	·31		·05								·05		10
11	·02		·03	·01	·19		·04				·41	·23	11
12	·03			·18	·26		·04	·24		·02	1·55		12
13		·54			·48				·02				13
14												·16	14
15	·20	·01			·06			·03		·01	·20	·09	15
16		·21					·82					·01	16
17		·11					·04						17
18		·02	·05								·05	·01	18
19		·01					·06						19
20	·09											·24	20
21	·05	·03			·34		·09					·02	21
22	·12		·15	·01			·19					·12	22
23	·03	·04					·21		·06	·15	·01	·21	23
24			·44			·01	·29		·45	·14		·16	24
25			·03			·34	·04			·06		·14	25
26	·01	·10					·08					·33	26
27		·03	·02			·26	·16			·41		·01	27
28		·14	·01			·04		·06		·20			28
29			·01			·04		·13			·12	·26	29
30	·04	×				·43						·03	30
31		×		×		×		·13	×	·13	×	·06	31
Total	1·81	2·10	1·20	·53	2·20	1·36	3·94	2·15	·86	1·16	2·63	3·89	YEAR'S TOTAL 23·83
Rain Days.	19	18	14	4	4	8	18	10	6	9	12	24	152

W. 8,000. X. 15.

2180

FORM A. BRITISH RAINFALL.
12 JAN 1916
252

REGISTER OF RAINFALL IN 1915

Kept at Wilsthorpe

in the County of Lincolnshire

by Charles A. Gill, A.M.I.C.E. etc

Lat. 52° 43' N. Long. 23' 59" W.

Time of Observation 9 a.m.

Nearest Railway Station Braceborough Spa.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 10 in.

" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·14	·01		·32				·04		·04	·09	1
2	·04	·04	·18	·09		·06		·90	·23		·04	·03	2
3	·31		·03	·10			·14	·42	·03			·18	3
4	·20						·34	·03				·54	4
5	·01	·08			·22		·23				·04	·24	5
6	·05	·06	·06	·12			·43			·01		·01	6
7	·04	·24	·13				·30	·15				·08	7
8	·04	·14		·02			·02	·03			·04		8
9	·01	·01				·12					·08	·52	9
10	·31		·05								·05		10
11	·02		·03	·01	·19		·04				·41	·23	11
12	·03			·18	·26		·04	·24		·02	1·55		12
13		·54			·48				·02				13
14												·16	14
15	·20	·01			·06			·03		·01	·20	·09	15
16		·21					·82					·01	16
17		·11					·04						17
18		·02	·05								·05	·01	18
19		·01					·06						19
20	·09											·24	20
21	·05	·03			·34		·09					·02	21
22	·12		·15	·01			·19					·12	22
23	·03	·04					·21		·06	·15	·01	·21	23
24			·44			·01	·29		·45	·14		·16	24
25			·03			·34	·04			·06		·14	25
26	·01	·10					·08					·33	26
27		·03	·02			·26	·16			·41		·01	27
28		·14	·01			·04		·06		·20			28
29			·01			·04		·13			·12	·26	29
30	·04	✕				·43						·03	30
31		✕		✕		✕		·13	✕	·13	✕	·06	31
Total	1·81	2·10	1·20	·53	2·20	1·36	3·94	2·15	·86	1·16	2·63	3·89	YEAR'S TOTAL 23·83
Rain Days.	19	18	14	4	4	8	18	10	6	9	12	24	152

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

12 JAN 1916

2527

REGISTER OF RAINFALL IN 1915.

Kept at Wilsthorpe

in the County of Lincolnshire

by Charles A. Gill, A.M.I.C.E. etc.

Lat. 52° 43" N. Long. 23' 59" W.

Time of Observation 9 a.m.

Nearest Railway Station Braceborough Spa.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 10 in.

" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·14	·01		·32				·04		·04	·09	1
2	·04	·04	·18	·09		·06		·90	·23		·04	·03	2
3	·31		·03	·10			·14	·42	·03			·18	3
4	·20						·34	·03				·54	4
5	·01	·08			·22		·23				·04	·24	5
6	·05	·06	·06	·12			·43			·01		·01	6
7	·04	·24	·13				·30	·15				·08	7
8	·04	·14		·02			·02	·03			·04		8
9	·01	·01				·12					·08	·52	9
10	·31		·05								·05		10
11	·02		·03	·01	·19		·04				·41	·23	11
12	·03			·18	·26		·04	·24		·02	1·55		12
13		·54			·48				·02				13
14												·16	14
15	·20	·01			·06			·03		·01	·20	·09	15
16		·21					·82					·01	16
17		·11					·04						17
18		·02	·05								·05	·01	18
19		·01					·06						19
20	·09											·24	20
21	·05	·03			·34		·09					·02	21
22	·12		·15	·01			·19					·12	22
23	·03	·04					·21		·06	·15	·01	·21	23
24			·44			·01	·29		·45	·14		·16	24
25			·03			·34	·04			·06		·14	25
26	·01	·10					·08					·33	26
27		·03	·02			·26	·16			·41		·01	27
28		·14	·01			·04		·06		·20			28
29			·01			·04		·13			·12	·26	29
30	·04	×				·43						·03	30
31		×		×		×		·13	×	·13	×	·06	31
Total	1·81	2·10	1·20	·53	2·20	1·36	3·94	2·15	·86	1·16	2·63	3·89	YEAR'S TOTAL 23·83
Rain Days.	19	18	14	4	4	8	18	10	6	9	12	24	152

W. 8,000. X. 15.

2454

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Wilsthorpe

in the County of Lincolnshire

by Peterborough Corporation Waterworks

Lat. 52° Long. 23°
Time of Observation 9 a.m.
Nearest Railway Station Braceborough Spa.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 10 ins
" " " " Sea Level 55.26 ft.

2527

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.06				.8	.09		.01	.02	1
2		.01				.11		.14					2
3				.14				.44		.12			3
4			.04					.01		.48	.15		4
5	.1		.03	.13				.02	.03		.03		5
6										.05			6
7	.34					.12				.3	.06		7
8	.39			.08			.24	1.12		.23			8
9	.14		.135	.04				.33			.05		9
10	.19		.24	.06	.01			.1		.1			10
11	.01	.01	.05	.14				.13	.02	.12			11
12	.08	.05			.11			.23		.29		.02	12
13	.03		.04				.03	.22	.01		.01		13
14	.16			.12				.26					14
15	.02			.02			.32	.18		.02		.01	15
16	.04			.11						.11		.12	16
17		.12	.02	.15	.53	.19	.08			.09		.01	17
18	.03	.01		.03	.03		.18	.03	.53				18
19	.01	.06	.04		.3				.08				19
20		.2	.12		.22						.14		20
21		.02			.02								21
22			.08					.04	.03	.09			22
23					.08			.14	.05				23
24						.54		.01		.14	.05		24
25			.03								.05		25
26								.64	.1		.24		26
27						.1		.66				.02	27
28		.01	.08			.45		.08				.05	28
29					.29	.13	.08			.41		.06	29
30	.01	X					.19	.24					30
31		X	.06	X		X	.04	.09	X		X	.06	31
Total	1.61	.52	.99	1.11	1.59	1.64	1.16	5.94	.94	2.58	.49	.34	YEAR'S TOTAL 19.30
Rain Days.	14	10	.13	12	9	4	8	22	9	14	10	9	134

1.00

19.3

W. 8,000, IX. 17.

Ext. Cfe.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14.1.19
252

Kept at Welsthorpe
in the County of Lincolnshire
by Peterboro' Corporation Waterworks

Lat. 52° 43" Long. 23' 59" W
Time of Observation 9 am
Nearest Railway Station Braceboro Spa G.N.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 10 in.
" " " " Sea Level 55 · 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01		/			·01		·08	·05	1
2		·03		·04				·16			·02	·12	2
3		·03	·06		·54			·19	·05		·49		3
4			·04				·01	·01	·92		·29	·02	4
5		·02			·11			·1	·3	·03			5
6		·04		·08		·02			·1			·01	6
7	·03	·04		·1		·03			·01	·04	·06	·01	7
8		·02							·19	·01		·08	8
9	·01	·18		·02		·03	·08		·31	·21		·01	9
10	·05					·05	·26		·02	·15		·08	10
11		·03			·25		·2		·09	·31		·09	11
12		·12	·03		·10		·11		·01				12
13					·18				·1			·02	13
14	·24	·01		·03		·03	·26		·16	·04		·03	14
15	·45			·6			·08		·04			·19	15
16	·01			·25					·33				16
17	·3			·13	·05		·58	·01		·01		·2	17
18	·25					·04	·25		·3			·12	18
19	·01	·01	·04	·11		·01				·09		·13	19
20	·01	·01		·13		·03	·01		·04	·04			20
21	·03			·03			·03		·13	·18		·01	21
22	·06				·16		·01					·29	22
23	·04				·3		·15				·02		23
24		·1							·01	·01	·03		24
25								·14	·01		·09		25
26							·31		·01	·01	·11	·09	26
27						·02	·14	·23	·09		·14	·01	27
28		·1	·05			·01					·22	·34	28
29									·4		·02	·02	29
30		X	·15						·01		·1	·22	30
31		X	·12	X		X		·03	X	·02	X	·01	31
Total	1·55 ✓	·44 ✓	·49 ✓	1·56 ✓	1·69 ✓	·30 ✓	2·48 ✓	·90 ✓	3·94 ✓	1·18 ✓	2·00 ✓	2·15 ✓	YEAR'S TOTAL 19·01 ✓
Rain Days.	13 ✓	14 ✓	4 ✓	12 ✓	8 ✓	10 ✓	15 ✓	8 ✓	24 ✓	14 ✓	13 ✓	23 ✓	161 ✓

W. 6,500, VII. 18. W W O

2307

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Wilsthorpe
in the County of Lincolnshire
by Peterborough Corporation Waterworks.

Lat. 52° 43" Long 23° 59" W.
Time of Observation 9 AM.
Nearest Railway Station BRACEBOROUGH SPA G.N.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft 10 in.
" " " " Sea Level 55·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·04	·03	·04	·11		·04			·01	·05	·53	1
2	·13						·09	·02	·05	·03	·38	·19	2
3	·69		·02				·08		·03		·24		3
4	·03		·39			·08		·30			·02	·66	4
5		·10							·74			·03	5
6			·02		·48						·03	·01	6
7	·03		·15										7
8	·04		·01	·10							·06		8
9											·03		9
10			·19	·03						·01	·04	·07	10
11	·11		·24	·02	·04		·77				·02		11
12			·16	·07		·08				·03			12
13	·12			·12						·04			13
14	·24			·18									14
15	·23	·04	·04	·17					·04		·19	·26	15
16	·04	1·00			·03						·07		16
17	·01	·38	·03			·01					·16		17
18							·01	·14				·12	18
19		·14	·59			·17	1·25	·39	·15		·15	·01	19
20	·35	·01	·32			·06	·30	·40	·07		·01	·02	20
21	·32	·40	·05				·31					·15	21
22		·15							·19			·33	22
23				·05			·04		·02	·55		·02	23
24				·08	·10	·10	·01			·10		✓	24
25	·04			·05	·12			·37				·03	25
26	·03		·17					·11	(·03) ~~·26~~			·24	26
27	·30	·15		·52				·08		·02	·02	·02	27
28				·06				·70	·03	·18	·04	·34	28
29	·04			·04		·01		·12		·21	·15	·13	29
30			·03	·25		·21				·03	·04	·23	30
31	·05						·01			·09		·07	31
TOTAL	3·04	2·41	2·44	1·78	·88	·72	2·94	2·63	1·35	1·30	1·70	3·46	YEAR'S TOTAL 24·65
Days with ·01 in. or more	19	10	16	15	6	8	11	10	10	12	18	20	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2213

2527

14 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at WILSTHORPE

in the County of LINCOLNSHIRE

by PETERBOROUGH CORPORATOON WATERWORKS

Lat. 52° 43" Long. 23° 59' W.

Time of Observation 9 AM.

Nearest Railway Station BRACEBOROUGH SPA

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 10 in.

" " " " Sea Level 55.26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				01	21		·14			25	02	·04	1
2			·01	14			06	02	09	·04		·03	2
3		01		01		04	42		08	04			3
4			01	14	02		11	41	03	·21		·03	4
5			04		19		48	02	04			·02	5
6			03	02	01		31	03				·05	6
7		·01	05	08			04					·01	7
8	·14	03		38	06		01						8
9	·31			48				04					9
10	·09	02	02	30			01	05			·02		10
11	·18		03	65	12		02	02				·14	11
12	·04	·02		16		24		05				·05	12
13	·04		04	18		46			13		·01		13
14		04	50	12		08			11		·19		14
15		03	1·08	01					29	·14	02	·01	15
16				03					04	01			16
17					15				22			08	17
18	·04					08		12	15			02	18
19	·05	12		06		08			04			01	19
20	·04	31		22		38	02		02				20
21	·08						20	06	09				21
22				11			02		12				22
23							06					22	23
24			·12									02	24
25		05		04	30	05	43				·03		25
26	10		03	01	10		02						26
27	04	02		06		58	02				20	21	27
28	45		04		16		02				01	03	28
29	02		16		63		01		11		05	30	29
30	02	X	01	05			01				04	22	30
31	04	X	05	X	01	X	09		X	·08	X	04	31
TOTAL	1·44	·66	2·25	3·59	1·96	1·99	2·80	·82	1·56	·80	·62	1·62	YEAR'S TOTAL 20·44
Days with ·01 in. or more	16	11	16	22	12	9	21	10	15	4	10	19	168
Days with ·04 in. or more	14	4	9	16	9	9	11	6	13	6	4	10	111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

Cond fw

REGIS

FORM A2.
BRITISH RAINFALL.

2/32

20 JAN 191

LINCOLN.

MARKET RASEN.

1911 – 1918

Kept at Market

in the County of N. Lin

by Mr W. B. Jevo

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06									·03	·02	·05	1
2	·33				·04			·06				·10	2
3	·02	·03		·09	·08	·03	·03	·18		·08	·06		3
4	·06		·13	·13					·07	·46	·21	·31	4
5	·04			·07						·10		·11	5
6	·36		·03					·12			·16	·35	6
7	·02											·25	7
8	·13		·19						·06		·08	·09	8
9				·02							·04	·08	9
10	·03		·04								·15	·29	10
11	·38	·10						·03			·19		11
12	·25		·17		·16	·07			·31		·05		12
13			·46			·13				·16	·02	·36	13
14		·14	·14		·40	·12					·04	·28	14
15		·16	·20										15
16			·09			·02					·20	·17	16
17			·02			·11					·03	·09	17
18		·06				·03		·07			·40	·06	18
19							·06			·04	·33	·03	19
20	·04			·17			·02	·48	·03	·11		·36	20
21		·35						·06			·15	·05	21
22								·27	·60	·15	·09	·13	22
23		·07	·18			1·19						·13	23
24		·04	·03	·08		1·58				·34		·28	24
25			·03	·25		·09			·04	·02	·10	·13	25
26				·10	·12	·05				·24	·53	·22	26
27		·18	·17	·15			·12	·42	·30	·03		·04	27
28		·07	·02	·20							·09	·11	28
29				·08			·10		·40	·34			29
30					·09				·18	·27			30
31			·02							·08		·05	31
Total	1·72	1·20	1·92	1·34 1·34	·89	3·42	·33	1·69	1·99	2·45	2·94	4·12	TOTAL for year 24·01
No. of Rain Days	12	10	16	11	6	11	5	9	9	15	20	25	149

9,000, IX. '10.

DL

Con^d fro

REGIS

FORM A2. BRITISH RAINFALL.

2/32

20 JAN 191

Kept at Market Rasen

in the County of N. Lincolnshire 5

by Mr W. B. Jevons

RAIN GAUGE Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06									·03	·02	·05	1
2	·33				·04			·06				·10	2
3	·02	·03		·09	·08	·03	·03	·18		·08	·06		3
4	·06		·13	·13					·07	·46	·21	·31	4
5	·04			·07						·10		·11	5
6	·36		·03					·12			·16	·35	6
7	·02											·25	7
8	·13		·19						·06		·08	·09	8
9				·02							·04	·08	9
10	·03		·04								·15	·29	10
11	·38	·10						·03			·19		11
12	·25		·17		·16	·07			·31		·05		12
13			·46			·13				·16	·02	·36	13
14		·14	·14		·40	·12					·04	·28	14
15		·16	·20										15
16			·09			·02					·20	·17	16
17			·02			·11					·03	·09	17
18		·06				·03		·07			·40	·06	18
19							·06			·04	·33	·03	19
20	·04			·17			·02	·48	·03	·11		·36	20
21		·35						·06			·15	·05	21
22								·27	·60	·15	·09	·13	22
23		·07	·18			1·19						·13	23
24		·04	·03	·08		1·58				·34		·28	24
25			·03	·25		·09			·04	·02	·10	·13	25
26				·10	·12	·05				·24	·53	·22	26
27		·18	·17	·15			·12	·42	·30	·03		·04	27
28		·07	·02	·20							·09	·11	28
29				·08			·10		·40	·34			29
30					·09				·18	·27			30
31			·02							·08		·05	31
Total	1·72	1·20	1·92	1·34 1·34	·89	3·42	·33	1·69	1·99	2·45	2·94	4·12	TOTAL for year 24·01
No. of Rain Days	12	10	16	11	6	11	5	9	9	15	20	25	149

9,000, IX. '10.

DL/ [illegible] 10.III.13 ~~VA~~ H66 2/32

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Market Raven

in the County of Lincolnshire 5

by W. B. Jevons

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10				.19	.62	.03	.16			.44	1
2		.12				.09	.75						2
3	.22		.08			.69		.23	.13			.16	3
4	.06		.42		.07	.37		.86			.52		4
5					.02	.26		.03					5
6	.47	.11			.09	.02	.15	.30	.04				6
7	.04				.03	.04		.05	.09				7
8	.29	.04	.22	.05			.05		.20		.02	.09	8
9		.08	.04	.11		.57			.03				9
10			.02		.02	.17		.14	.12		.09		10
11	.13								.03		.10	.72	11
12	.09	.17	.14			.25	.20	.03	.04		.62		12
13	.05	.03				.05		.07		.34	.39	.04	13
14	.09		.37			.13					.04		14
15		.03	.22		.34	.35							15
16	.15		.13		.15	.05		.10		.20			16
17	.17		.21			.22		.19				.13	17
18	.10		.05			.05	.03			.07		.04	18
19	.31	.19	.03			.45	.36	.49		.02	.03		19
20	.11		.03		.20	.04	.13	.02		.27			20
21			.41		.38		.08				.05	.05	21
22		.10			.71		.38	.24			.22	.20	22
23	.04		.08		.02	.06	.32	.35				.03	23
24	.19		.07			.13	.06					.15	24
25	.07					.31	.06	.17			.16	.21	25
26		.03	.09			.13	.14	1.37		.50	.19	.17	26
27							.19			.70		.14	27
28				.03	.11	.06	.18	.37		.22	.64	.40	28
29			.08			.14		.02	.56	.22	.59		29
30			.03		.03	.02				.03			30
31			.14		.15		.22	.25		.05		.05	31
Total	2.58	1.10	2.86	.19	2.32	4.84	3.92	5.31	1.40	2.62	3.66	3.02	TOTAL for year 33.82
No. of Rain Days	17	11	20	3	14	25	17	20	10	11	14	16	178

9,000, IX. '10.

Ex 82

✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

2/32

28 JAN 1914

Kept at Market Rasen

in the County of Lincolnshire 5

by F. C. Burrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13						·41		·08		1
2	·03	·04	·07	·20	·24		·02						2
3			·14		·23								3
4	·66	·03							·03	·20	·35	·21	4
5	·03		·03			·03				·49			5
6	·04	·09	·06		·58	·03		·03		·35			6
7		·11		·03		·05	·02			·36	·03		7
8					·57	·07							8
9		·22	·06	·04	·11			·23			·09		9
10				·07	·02						·43		10
11	·78			·49		·03					·22		11
12						·04		·02			·17		12
13	·05			·04				·05	·07		·33		13
14	·06		·32							·06	·02		14
15	·14		·35	·39							·12		15
16	·05	·02	·49								·06		16
17	·02	·04	·09	·14		·14			·12			·02	17
18			·21	·12		·02						·06	18
19	·09		·02										19
20	·10								·34	·46	·06		20
21			·15		·08		·20	·02					21
22	·16		·20				·07	·84	·12				22
23	·14					·03		·06	·06				23
24	·04			·08		·09					·02		24
25				·12									25
26		·10	·05		·06	·03				·41	·08	·14	26
27		·12				·11							27
28	·19		·18	·21						·04		·20	28
29	·04		·10	·25				·04				·12	29
30	·30		·05							·06		·02	30
31													31
													YEAR'S TOTAL
Total	2·92	·77	2·70	2·18	1·89	·67	·31	1·29	1·15	2·43	2·06	·77	19·14
Rain Days.	16	9	18	13	8	12	4	8	7	9	14	7	127

W. 7,500, XI. ·12

82 Rec MG. 2/32

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Market Rasen

in the County of Lincolnshire 5

by F. C. Burrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

„ „ „ „ Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·30	·22					1
2							·04	·20			·10	·06	2
3	·09		·18		·15		·08	·04			·01		3
4			·07	·30	·15						·16	·20	4
5	·02		·15	·03	·31	·02	·09	·09				·03	5
6		·07		·05	·15	·03	·17					·10	6
7	·27	·17	·20	·02	·11	·10						·20	7
8					·07	·46		·18					8
9				·07		·48							9
10	·42	·14		·03					·05				10
11			·30	·23	·06	·04			·10		·27	·21	11
12	·05						·03		·18			·35	12
13	·06	·06	·15								·12	·13	13
14	·02						·03			·14	·35	·08	14
15	·04		·16								·29	·47	15
16			·04				·06		·10				16
17		·02							·28			·17	17
18			·04								·09	·11	18
19			·09									·32	19
20		·05				·90				·09			20
21			·11					·35				·13	21
22				·02	·96		·21	·07		·11	·10		22
23		·11	·07		·17	·10	·02					·22	23
24				·10							·17	·31	24
25		·09						·08		·74	·08	·10	25
26							·05	·16		·13	·10	·18	26
27												·47	27
28	·06	·03								·10		·86	28
29	·04		·14		·03					·71	·03		29
30											·14	·24	30
31							·27			·06			31
Total	1·07	·74	1·70	·85	2·16	2·13	2·35	1·39	·71	2·08	2·01	4·94	YEAR'S TOTAL 22·13
Rain Days.	10	9	13	9	10	8	12	9	5	8	14	21	~~128~~

W.7,000, XI. 13

8L

completeness from B

REGISTER OF RAINFALL IN 1915

2707
2/32

FORM A.
BRITISH RAINFALL.
17 APR 1916

Kept at Market Rasen Ex 8L
in the County of Lincolnshire
by F. C. Burrell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	·30	·22		·71	·04		·37	·16		·10		1
2		·03		·24				·28	·26			·06	2
3	·27		·04	·08			·99	·25			·13		3
4	·19						·98	·03			·02	·20	4
5		·05			·12			·14		·05	·09	·03	5
6	·06	·23	·07	·09	·17		·77					·10	6
7	·33	·30	·19				·61	·18			·04	·20	7
8		·03					·03	·13			·06		8
9		·09					·01		·03				9
10	·31		·02					·37					10
11			·02		·33		·19				·13	·21	11
12	·10			·23	·05						·70	·35	12
13		·55			·10							·13	13
14		·19						·13				·08	14
15	·30							·40			·65	·47	15
16		·42			·03		·57	·04					16
17	·07	·16					·20					·17	17
18		·19	·25				·09					·11	18
19												·32	19
20													20
21	·23				·05		·19					·13	21
22			·10	·04									22
23		·06					·21		·10			·22	23
24							·06		·31	·16		·31	24
25						·24				·13		·10	25
26		·16				·05		·14		·02		·18	26
27	·12	·10					·01	·06		·51		·47	27
28		·10								·14		·86	28
29					·10						·51		29
30		✕		·03								·24	30
31	·14	✕		✕		✕		·16	✕	·12	✕		31
Total	2·36	2·96	·91	·71	1·66	·33	4·91	2·68	·86	1·13	2·43	~~4 94~~ ~~3·99~~ 3·99	YEAR'S TOTAL ~~25·88~~ ~~24·93~~ 24 93
Rain Days.	12	16	8	6	9	3	14	14	5	7	10	15	119

W. 8,000. X. 14.

Dl

2643
2/32

REGISTER OF ~~RAINFALL~~ Ex: Dl RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Market Rasen

in the County of Lincolnshire

by F. C. Burrell

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		04			·25	·28				·32		1
2	·10		·25		·44				·14				2
3		·38					·05		·42	·07	·08		3
4		·18			·32	·78			·18	·20	·22		4
5			·15			·20				·15	·09	·16	5
6	·27	·30	·42	·03	·18		·13			·21	·33		6
7			·38	·08	·20					·10	·12	·15	7
8			·09		·15				·16			·13	8
9			·17	·17	·73	·31							9
10			·07			·10	·13						10
11	·05	·31	·36			·25	·04					·16	11
12		·18	·16			·38				·03		·09	12
13		·05			·56		·13	·09		·05			13
14			·08		·10			·10					14
15		·26						·22		·10			15
16			·47	·20			·02	·07					16
17				·50				·74	·19	·16			17
18				·19				·56		·13	1·04		18
19	·22			·16					14		·20	·22	19
20	·04		·27					·21	·14			·02	20
21			·17									·67	21
22		·56				·06				·10		·09	22
23											·18		23
24		·74		·05				·18		·08		·35	24
25			·14							·21	·13	·06	25
26		·40	·03					·09		·10			26
27		·10	·55							·18			27
28										·18		·05	28
29		·23				·60		·82				·26	29
30		×	·41			·05		·08					30
31		×		×		×		·05	×	·02	×		31
Total	·86	3·69	4·23	1·38	2·68	2·98	·78	3·21	1·37	2·07	2·71	2·41	YEAR'S TOTAL 28·37
Rain Days.	6	12	18	8	8	10	7	12	7	17	10	13	~~128~~

W. 6,000. X. 15.

8

2511
2/32

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Market Rasen
in the County of Lincolnshire
by F. C. Burrell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.91			.05		1
2	.10			.11		.09		.21	.05				2
3			.16	.06				.28		.09			3
4				.17						.38			4
5													5
6	.19		.09							.09	.09		6
7	.40					.16				.48	.05		7
8	.26			.16				.91		.66	.09		8
9	.14		.04	.14				.07			.07		9
10	.22		.43	.21	.38			.09			.03		10
11	.04			.79				.07		.31			11
12	.16				.15			.34		.10			12
13	.20							.08		.06			13
14	.39			.15				.03					14
15								.91			.04	.09	15
16		.20		.17								.43	16
17	.04	.05	.06	.22	.40			.07	.07	.07		.07	17
18	.26			.03				.06	.40				18
19		.09	.11						.06				19
20	.15	.30	.09						.14		.53		20
21			.14										21
22			.11					.07		.08			22
23		.07			.15		.03	.15					23
24						.50				.33			24
25			.07								.16	.10	25
26			.10			.12		.55	.08		.33	.16	26
27			.06			.04				.27	.14	.07	27
28			.04			.11		.20				.22	28
29							.08					.05	29
30	.05	X					.12	.12				.04	30
31		X	.17	X		X			X		X		31
													YEAR'S TOTAL
Total	2.60	.71	1.67	2.21 2.25	1.08	1.02	.23	5.12	.80	2.92	1.58	1.23	21.21
Rain Days.	14	5	14	11	4	6	3	18	6	12	11	9	21.17 ~~113~~

W. 8,000, VIII. 16

160

DL

61

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

23.1.19

Kept at Market Rasen

in the County of Lincolnshire

by F. C. Burrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				-			-						1
2		·22											2
3	·09	·04			·32								3
4			·05										4
5					·03								5
6		·10				·05							6
7	·11					·07							7
8													8
9		·43				·03							9
10	·09	·10											10
11	·07	·09			·34								11
12		·21											12
13					·23								13
14													14
15	·19		·05			·06							15
16	·32												16
17	·17				·14	·03							17
18	·27					·04							18
19	·06	·03											19
20						·06							20
21	·02				·06	·08							21
22	·08				·08								22
23	·19				1·02								23
24						·10							24
25		·18											25
26						·03							26
27													27
28		·32											28
29													29
30		✕											30
31		✕	·35	✕		✕			✕		✕		31
Total	1·66	1·72	·40		2·22	·55							YEAR'S TOTAL
Rain Days.	12	10	3		8	10							

W. 8,000, VIII. 16

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

RE

B A T C H S L I P

STD JOB:
MET-ARCH

BATCH :
METZ007B

ENTRY ~~~~ VERIFY ~~~~

1911 - 1920 (10

Kept at Newhea

in the County of L

by J. Healey John

l
8 in.
Ground 1 ft. 0 in.
nance Datum ~~Sea Level~~ 10 ft.
girl = ...m.
Name Oldheake
Distance 1⅛ miles. Direction S.

✲ IMPORTANT NO… the result entered to the previous day. If an O… …ersal rule, he is earnestly requested to add the rea… …ear in the space provided for it at the end of th… …ment of rain, the selection and placi… …ritish Rainfall Organization are given i… …application to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.

✲ General rule adopted as from Jany 1st 1911.

Date	Jan.	Feb.	Marc							Oct.	Nov.	Dec.	Date.
1	·30	—	—	—	—	—	·05	—	—	·02	·06	—	1
2	·20	—	·02	—	—	·16	—	—	—	·03	·04	—	2
3	·02	—	—	·05	—	—	—	·06	—	·05	—	—	3
4	·06	—	·12	·14	—	—	—	—	·06	·58	·11	·23	4
5	·03	—	—	·02	—	—	—	·02	—	—	—	·21	5
6	·36	—	·02	—	—	—	—	—	—	·14	·03	·20	6
7	—	·02	—	—	—	—	—	—	—	—	·18	·27	7
8	·26	—	·12	—	—	—	—	—	·01	—	·06	·12	8
9	·03	—	—	—	—	—	—	—	—	—	·02	·02	9
10	·02	·06	·09	—	—	—	—	—	—	—	·48	·15	10
11	·28	·10	—	—	—	—	—	—	—	—	·32	—	11
12	·29	—	·35	—	—	—	—	—	·38	—	·05	—	12
13	·01	—	·44	—	·08	·01	—	—	·06	—	—	·36	13
14	—	·02	·11	—	·38	—	—	—	—	—	·06	·49	14
15	—	—	·14	—	—	—	—	—	—	·07	·15	·04	15
16	—	—	—	—	—	—	—	—	—	—	·21	·09	16
17	—	—	—	—	—	—	—	—	—	—	·10	·09	17
18	—	·07	—	—	—	·39	—	—	—	—	·32	·08	18
19	—	—	—	—	—	·04	—	·12	—	—	·15	·01	19
20	—	·01	—	—	—	—	·07	·57	·62	—	—	·05	20
21	·05	·49	—	·06	—	—	—	·59	—	—	·04	·05	21
22	—	—	·10	—	—	·02	—	·10	—	·26	—	·20	22
23	—	—	·41	—	—	1·65	—	·05	·54	—	—	·05	23
24	—	·09	·05	·05	—	·95	—	—	—	·43	—	·08	24
25	—	—	—	·16	—	·08	·01	—	—	—	·04	·10	25
26	—	—	—	·09	—	—	—	—	—	·38	·32	·38	26
27	—	·10	·08	·22	—	—	—	·18	·24	·06	—	·03	27
28	—	·18	—	·24	—	·06	—	·11	—	—	·04	·06	28
29	—		—	—	·23	·09	·13	—	·37	·30	—	·01	29
30	—		—	—	—	—	·06	—	·17	·15	—	—	30
31	—		—		—		—	—		—		·02	31
Total	1·91	1·14	2·05	1·03	·69	3·45	·32	1·80	2·45	2·47	2·78	3·39	TOTAL for year 23·48 23·48
No. of Rain Days.	13	10	13	9	3	10	5	9	9	12	20	25	138

W. 8,000, X. '11.

4 13.IV.12

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

R 1911.

LINCOLNSHIRE
2544
NEW LEAKE – LADE BANK ENGINE

1911 – 1920 (10

Kept at Newhe ul
8 in.
e Ground 1 ft. 0 in.
~~Sea Level~~ Ordnance Datum 10 ft.

in the County of

by J. Healey Joh 9 a.m.

Name Oldleake
Distance 1⅛ miles. Direction S.

* IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add t ng year in the space provided for it at the end asurement of rain, the selection and he British Rainfall Organization are ee on application to Dr. H. R. Mill,

Jan. 1, following.

* General rule adopted as from Jany 1st 1911.

Date	Jan.	Feb.	March.	April.	May.				Sept.	Oct.	Nov.	Dec.	Date.
1	·30	—	—	—	—	—	·05	—	—	·02	·06	—	1
2	·20	—	·02	—	—	·16	—	—	—	·03	·04	—	2
3	·02	—	—	·05	—	—	—	·06	—	·05	—	—	3
4	·06	—	·12	·14	—	—	—	—	·06	·58	·11	·23	4
5	·03	—	—	·02	—	—	—	·02	—	—	—	·21	5
6	·36	—	·02	—	—	—	—	—	—	·14	·03	·20	6
7	—	·02	—	—	—	—	—	—	—	—	·18	·27	7
8	·26	—	·12	—	—	—	—	—	·01	—	·06	·12	8
9	·03	—	—	—	—	—	—	—	—	—	·02	·02	9
10	·02	·06	·09	—	—	—	—	—	—	—	·48	·15	10
11	·28	·10	—	—	—	—	—	—	—	—	·32	—	11
12	·29	—	·35	—	—	—	—	—	·38	—	·05	—	12
13	·01	—	·44	—	·08	·01	—	—	·06	—	—	·36	13
14	—	·02	·11	—	·38	—	—	—	—	—	·06	·49	14
15	—	—	·14	—	—	—	—	—	—	·07	·15	·04	15
16	—	—	—	—	—	—	—	—	—	—	·21	·09	16
17	—	—	—	—	—	—	—	—	—	—	·10	·09	17
18	—	·07	—	—	—	·39	—	—	—	—	·32	·08	18
19	—	—	—	—	—	·04	—	·12	—	—	·15	·01	19
20	—	·01	—	—	—	—	·07	·57	·62	—	—	·05	20
21	·05	·49	—	·06	—	—	—	·59	—	—	·04	·05	21
22	—	—	·10	—	—	·02	—	·10	—	·26	—	·20	22
23	—	—	·41	—	—	1·65	—	·05	·54	—	—	·05	23
24	—	·09	·05	·05	—	·95	—	—	—	·43	—	·08	24
25	—	—	—	·16	—	·08	·01	—	—	—	·04	·10	25
26	—	—	—	·09	—	—	—	—	—	·38	·32	·38	26
27	—	·10	·08	·22	—	—	—	·18	·24	·06	—	·03	27
28	—	·18	—	·24	—	·06	—	·11	—	—	·04	·06	28
29	—		—	—	·23	·09	·13	—	·37	·30	—	·01	29
30	—		—	—	—	—	·06	—	·17	·15	—	—	30
31	—		—		—		—	—		—		·02	31
Total	1·91	1·14	2·05	1·03	·69	3·45	·32	1·80	2·45	2·47	2·78	3·39	TOTAL for year 23·48 23·48
No. of Rain Days.	13	10	13	9	3	10	5	9	9	12	20	25	138

W. 8,000, X. '11.

REGISTER OF RAINFALL IN .

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at New Leake (Lade Bank)

in the County of Lincoln 3

by J. Healey Johnson, M. Inst. C. E.

RAIN GAUGE
Pattern Funnel
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Ordnance Datum ~~Sea-Level~~ 10 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Old Leake
Distance 1⅛ miles. Direction S.

* General rule adopted as from Jany 1st 1911.

*. IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	—	—	—	—	—	·05	—	—	·02	·06	—	1
2	·20	—	·02	—	—	·16	—	—	—	·03	·04	—	2
3	·02	—	—	·05	—	—	—	·06	—	·05	—	—	3
4	·06	—	·12	·14	—	—	—	—	·06	·58	·11	·23	4
5	·03	—	—	·02	—	—	—	·02	—	—	—	·21	5
6	·36	—	·02	—	—	—	—	—	—	·14	·03	·20	6
7	—	·02	—	—	—	—	—	—	—	—	·18	·27	7
8	·26	—	·12	—	—	—	—	—	·01	—	·06	·12	8
9	·03	—	—	—	—	—	—	—	—	—	·02	·02	9
10	·02	·06	·09	—	—	—	—	—	—	—	·48	·15	10
11	·28	·10	—	—	—	—	—	—	—	—	·32	—	11
12	·29	—	·35	—	—	—	—	—	·38	—	·05	—	12
13	·01	—	·44	—	·08	·01	—	—	·06	—	—	·36	13
14	—	·02	·11	—	·38	—	—	—	—	—	·06	·49	14
15	—	—	·14	—	—	—	—	—	—	·07	·15	·04	15
16	—	—	—	—	—	—	—	—	—	—	·21	·09	16
17	—	—	—	—	—	—	—	—	—	—	·10	·09	17
18	—	·07	—	—	—	·39	—	—	—	—	·32	·08	18
19	—	—	—	—	—	·04	—	·12	—	—	·15	·01	19
20	—	·01	—	—	—	—	·07	·57	·62	—	—	·05	20
21	·05	·49	—	·06	—	—	—	·59	—	—	·04	·05	21
22	—	—	·10	—	—	·02	—	·10	—	·26	—	·20	22
23	—	—	·41	—	—	1·65	—	·05	·54	—	—	·05	23
24	—	·09	·05	·05	—	·95	—	—	—	·43	—	·08	24
25	—	—	—	·16	—	·08	·01	—	—	—	·04	·10	25
26	—	—	—	·09	—	—	—	—	—	·38	·32	·38	26
27	—	·10	·08	·22	—	—	—	·18	·24	·06	—	·03	27
28	—	·18	—	·24	—	·06	—	·11	—	—	·04	·06	28
29	—		—	—	·23	·09	·13	—	·37	·30	—	·01	29
30	—		—	—	—	—	·06	—	·17	·15	—	—	30
31	—		—		—		—	—		—		·02	31
Total	1·91	1·14	2·05	1·03	·69	3·45	·32	1·80	2·45	2·47	2·78	3·39	TOTAL for year 23·48 23·48
No. of Rain Days.	13	10	13	9	3	10	5	9	9	12	20	25	138

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

30 MAY 1913

REGISTER OF RAINFALL IN 1912.

Kept at New Leake (Lade Bank)
in the County of Lincoln. 3
by J. Healey Johnson, M. Inst: C.E.

Lat. 53° 4′ Long. 0° 4′ E
Time of Observation 9 a: m:
Nearest Railway Station Old Leake
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " ~~Sea~~ Level O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·21	·05			·29		·60	1
2		·03					·36						2
3	·25		·24		·05	·30		·38	·11			·13	3
4	·04				·07	·11					·31		4
5	·03	·03				·29							5
6	·60	·08			·08	·01	·40	·17				·03	6
7			·01			·18	·23	·08	·08			·01	7
8	·35	·01	·09	·18		·15			·40				8
9	·02	·13				·29			·02			·22	9
10						·06		·25	·08		·09		10
11	·11	·01							·03			·45	11
12		·25	·18		·03			·02			·50		12
13	·04	·06	·02								·46		13
14	·02		·06			·14		·12					14
15	·03	·02			·57	·10						·02	15
16	·11		·20		·10	·28		·15		·15			16
17	·07		·19			·26		·11				·16	17
18			·10				·02	·03		·05		·08	18
19	·31	·17					·05	·16		·04	·04		19
20	·12				·10		·71	·35		·22			20
21	·01		·25		·35		·36					·19	21
22		·08			·33	·06	·22	·19				·09	22
23	·12	·05	·18				·19	·57			·13	·12	23
24	·12	·01				·14	·07	·08				·19	24
25						·42	·06	·57			·21		25
26	·01	·01	·03					2·25		·45	·11		26
27								·03		·36		·07	27
28				·03	·02		·05	·46		·31		·41	28
29						·05	·57			·18			29
30			·04		·06	·18			·46	·06			30
31			·01		·06		·34	·24					31
Total	2·36	·94	1·60	·21	1·76	3·23	3·62	6·15	1·18	2·11	1·85	2·77	YEAR'S TOTAL 27·78
Rain Days.	18	14	14	2	12	18	15	19	7	10	8	15	152

✓ Fox. 1806

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at New Leake (Lade Bank)
in the County of Lincoln 3
by J. Haley Johnson, M. Inst. C.E.

Lat. 53° 4′ Long. 0° 4′ E
Time of Observation 9 a.m.
Nearest Railway Station Old Leake
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " O.D. ~~Sea Level~~ 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·05					·90				1
2		·02	·03				·08		·06				2
3			·10		·40								3
4	·36				·11					·17	·48	·12	4
5								·02	·10	1·34			5
6					·43	·16				·54			6
7		·02			·13	·09	·04			·69			7
8			·03		·50						·11		8
9		·27			·06						·08		9
10					·21						·31		10
11	·66			·47	·04						·03		11
12											·09		12
13			·06								·26		13
14	·07		·45				·03			·09			14
15	·09		·11	·25							·16		15
16	·03	·05	·48						·50		·05		16
17			·16	·02		·35			·12			·07	17
18			·12										18
19	·12		·10						·13				19
20	·42								·15	·34	·14		20
21			·11				·28						21
22	·18		·10				·14		·08				22
23				·28				·01	·04				23
24				·11		·10							24
25													25
26		·20	·05	·02						·44	·10	·15	26
27						·04					·01		27
28	·27		·09	·15						·11			28
29	·11		·11	·35						·03		·28	29
30				·01	·26								30
31					·01								31
Total	2·31	·56	2·18	1·71	2·15	·74	·57	·03	2·08	3·75	1·82	·62	YEAR'S TOTAL 18·52 ✓
Rain Days.	10	5	16	10	10	5	5	2	9	9	12	4	97 ✓

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at New Leake (Lade Bank)

in the County of Lincoln 3

by J. Healey Johnson, M. Inst: C.E.

Lat. 53° 4' Long. 0° 4' E.
Time of Observation 9 a: m:
Nearest Railway Station Old Leake
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " O.D ~~Sea Level~~ 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·12	·42			·11		1
2							·03						2
3			·19		·17		·02					·05	3
4	·14		·05	·18				·17			·31	·03	4
5											·17		5
6		·06		·12	·10		·12					·06	6
7		·05	·29					·31					7
8	·30					·67							8
9	·40			·12		1·01			·19				9
10	·53	·02							·05				10
11		·01	·43	·20		·06			·13		·30	·23	11
12	·08						·17		·18			·27	12
13	·03	·11	·25							·09	·08	·14	13
14	·06		·11							·14	·26	·20	14
15			·15									·44	15
16			·05				·03						16
17		·15							·26				17
18			·03									·17	18
19			·06			·05	·15		·16	·02	·11		19
20		·06	·35			·03				·09			20
21		·08	·17					·27		·10		·49	21
22					·36			·03		·12	·01	·15	22
23							·21						23
24							·03			·09	·20		24
25							·04			·58			25
26										·16		·34	26
27							·11	·39		·06		·15	27
28	·10									·32	·17	1·34	28
29			·07							·10			29
30										·02	·34	·24	30
31							·14					·11	31
Total	1·64	·54	2·20	·62	·63	1·82	1·17	1·59	·97	1·89	2·06	4·41	YEAR'S TOTAL 19·54
Rain Days.	8	8	13	4	3	5	12	6	6	13	11	16	~~105~~

W. 8,000. X. 14.

2673

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4. JAN 1916

Kept at New Leake (Lade Bank)

in the County of Lincoln

by J. Healey Johnson, M. Inst. C.E.

Lat. 53°4′ Long. 0°4′ E

Time of Observation 9 a.m.

Nearest Railway Station Old Leake

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15			·40				·10		·25	·14	1
2		·04	·20	·10				·95	·05		·05		2
3	·22		·03	·02			·32				·01	·22	3
4							1·53	·03			·11	·78	4
5					·07								5
6	·10	·18	·03	·06			·85					·26	6
7	·24		·29	—			1·21	·23				·76	7
8	·01	·21					·03				·04		8
9	·05	·03						·29				·34	9
10	·27												10
11					·14						·32		11
12	·08			·09	·14			·36		·04	·90	·14	12
13	·02				·34			·01					13
14		·42										·25	14
15	·25	·23					·18	·04				·07	15
16	·18	·18					·77				·70	·11	16
17		·07					·07					·04	17
18		·04											18
19			·01				·11			·04			19
20	·20											·34	20
21	·24						·13					·05	21
22	·31		·20				·23					·19	22
23							·65		·03	·10	·02	·20	23
24		·22	·16						·22	·04		·18	24
25						·16						·07	25
26							·03				·04	·39	26
27		·10					·52			·58		·03	27
28		·08	·13			·26		·14		·30			28
29											·42	·24	29
30	·07	X											30
31	·09	X		X		X		·23	X	·09	X	·11	31
Total	2·33	1·95	1·05	·27	1·09	·42	6·63	2·28	·40	1·19	2·86	4·91	YEAR'S TOTAL 25·38
Rain Days.	15	13	8	4	5	2	14	9	4	7	11	21	~~113~~

W. 8,000. X. 15.

extrap

2609

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at New Leake (Lade Bank)

in the County of Lincoln

by J Healey Johnson, M. Inst. C.E.

Lat. 53°4′ Long. 0°4′ E

Time of Observation 9a.m.

Nearest Railway Station Old Leake

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·02			·12	·14				·33		1
2		·06	·05		·26					·17	·12		2
3		·05					·74		·28	·27	·02		3
4	·24	·24			·18	·27			·19	·21	·22	·03	4
5		·09	·03			·12	·01			·18	·05	·15	5
6			·26		·06						·25		6
7			·11								·72	·12	7
8			·15		·36							·09	8
9			·07		·29	·13	·37					·15	9
10			·04	·04		·47			·05	·15		·04	10
11		·48	·12	·22		·45	·04	·05	·01				11
12	·05	·05	·03	·10	·16	·05		·16					12
13		·10	·04				·33	·04					13
14		·08			·23		·02						14
15		·19	·44				·08		·02	·15		·11	15
16		·08		·26			·04					·06	16
17	·01			·43					·22	·12			17
18		·13		·07					·06	·16	·46		18
19	·08		·08	·38		·03			·01		·25	·06	19
20				·26							·17	·21	20
21			·08				·04					·02	21
22		·20			·06					·02		·57	22
23		·23				·16						·37	23
24		·22				·08		·04		·22		·09	24
25		snow ·22	·13					·18		·05	·22	·01	25
26		·04						·02		·01	·10		26
27										·10			27
28		·18	·19			·03				·01			28
29		·13	·28					·77		·10		·16	29
30		×						·19		·02		·16	30
31		×		×		×		·04	×		×	·01	31
Total	·52	2·77	2·12	1·76	1·60	1·91	1·81	1·49	·84	1·94	2·91	2·41	YEAR'S TOTAL 22·08
Rain Days.	5	18	17	8	8	11	10	9	8	16	12	18	140

W. 8,000, VIII. 16

2476

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

10 JAN 1918

Kept at New Leake (Lade Bank)

in the County of Lincoln

by J. Kealey Johnson, M. Inst: C.E. M.C.I., F.R. Met: Soc:

Lat. 53°4' Long. 0°4' E.

Time of Observation 9 a.m.

Nearest Railway Station Old Leake

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09				·71	·05				1
2	·08			·07		·11		·21					2
3		·21		·08				·65		·35			3
4										·65			4
5	·02		·02	·13							·19		5
6						·09							6
7	·34		·02			·21				·44			7
8	·58			·11			·14	·38		·31	·10		8
9	·09			·06				·11			·14		9
10	·17		·27	·09				·16		·04	·06		10
11	·05			1·13				·05		·18			11
12	·20	·14			·46			·03		·12			12
13	·09			·02		·30	·09	·29	·08				13
14	·16			·04				·05					14
15	·08						·05	·46		·10	·02	·09	15
16	·07	·22		·22			·14			·08		·15	16
17	·01		·06	·20	·78	·10	·02		·03	·08			17
18	·06			·02			·49		·39				18
19	·05	·07	·06						·07				19
20	·03	·27	·09					·02	·15		·21		20
21		·02	·12								·05		21
22		·07	·05					·02		·13			22
23					·14			·10					23
24						·26				·31	·04		24
25			~~·02~~				·10		·04			·15	25
26			·16					·37			·60	·19	26
27								·36				·04	27
28			·07		·09	·40		·20				·10	28
29	·01				·23	·08	·08			·34			29
30	·05	☒	·04				·04	·16					30
31	·01	☒		☒		☒	·02	·12	☒	·03	☒	·10	31
Total	2·15	1·00	·98	2·26	1·70	1·55	1·17	4·45	·81	3·16	1·41	·82	YEAR'S TOTAL 21·46
Rain Days.	19	7	12	13	5	8	10	19	7	14	9	7	~~129~~ 130

171

W. 8,000, IX. 17.

26

FORM A. BRITISH RAINFALL.

8. 19

REGISTER OF RAINFALL IN 1918

Kept at New Leake (Lade Bank)

in the County of Lincoln

by J. Heatley Johnson, M. Inst: C.E., M. C. I. F. R. Met: Soc:

Lat. 53° 4′ Long. 0° 4′ E

Time of Observation 9 a.m.

Nearest Railway Station Old Leake

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07							·04	·07	1
2		·11		·15				·28		·02	·02	·40	2
3	·02							·05			·87		3
4	·10		·08				·11		·46		·33		4
5				·04				·45	·14	·09			5
6		·08		·13				·03					6
7						·10				·07	·07		7
8	·09						·04		·20				8
9	·11	·28		·06			·03		·24	·35		·13	9
10	·06	·02		·01			·32			·10			10
11	·10	·03		·03	·40		·02		·03	·52		·18	11
12		·07	·02		·14		·16					·01	12
13							·22		·10			·04	13
14	·26								·10	·08			14
15	·45			·58			·42		·13			·13	15
16				·16					·51				16
17	·13			·02	·34		·76					·21	17
18	·24		·06	·07					·31			·18	18
19	·09			·02		·03				·10			19
20		·09					·26						20
21						·09			·15	·15			21
22	·08				·02		·12					·36	22
23	·11				1·09								23
24		·20			·19		·33		·09	·02			24
25						·23	·24	·17					25
26							·08				·04		26
27			·02	·02		·03		·55	·03		·16	·10	27
28		·09	·06						·05		·10		28
29									·60			·27	29
30		×	·31						·11		·09	·15	30
31		×		×		×		·12	×	·04	×	·03	31
Total	1·84	1·07	·55	1·36	2·18	·48	3·11	1·65	3·25	1·54	1·72	2·26	YEAR'S TOTAL 21·01
Rain Days.	13	9	6	13	6	5	14	7	16	11	9	14	123

W 6,500. VII. 18. w w c

East 6B

2330

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

28 FEB 20

Kept at New Leake (Lade Bank)
in the County of Lincoln
by J. Healey Johnson, M. Inst: C.E.
M.C.I., F.R. Met: Soc:

Lat. 53° 4′ Long. 0° 4′ E
Time of Observation 9 a.m.
Nearest Railway Station Old Leake
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " ~~Sea Level~~ O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20		·01		·16		·30			·07	·14	·48	1
2							·19				·17	·16	2
3	·12		·04			·10	·31		·07		·31		3
4	·34		·34									·16	4
5	·12								1·02			·15	5
6			·05								·08	·10	6
7			·11	·07									7
8										·05			8
9	·04										·04		9
10			·20							·05	snow ·22	·03	10
11	·06		·15	·04			·50						11
12			·41	·02		·06	·05						12
13	·22			·10						·10	·04		13
14	·44			·25					·04		·05		14
15	·31		·03	·30						·08	·19	·25	15
16		1·23											16
17		·40					·01				·30		17
18							·02	·15					18
19		·16	·17				·47	·58			·01	·02	19
20	·16		·11			·10	·55	·29	·03			·06	20
21	·44	·46	·08			·02	·24						21
22		·25							·52		·04	·58	22
23				·04			·09			·12		·02	23
24				·02	·24	·14					·08		24
25	·11	·03		·13	·06			·63					25
26	·07		·17							·05	·01		26
27		·09		·52						·39			27
28				·02				·71		·55		·27	28
29								·23		·14	·30	·12	29
30	·07			·18		·25				·13	·05	·22	30
31							·05						31
TOTAL	2·70	2·62	1·87	1·69	·46	·67	2·78	2·59	1·68	1·73	2·03	2·62	YEAR'S TOTAL 23·44
Days with ·01 in. or more	14	7	13	12	3	6	12	6	5	11	16	14	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~119~~

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

3 JAN 1921

Kept at NEW LEAKE (Lade Bank)

in the County of L I N C O L N.

by J. Healey Johnson, M.Inst:C.E., M.C.I F.R.Met:Soc:

Lat. 53.4' Long. 0.4'E.

Time of Observation 9 a.m.

Nearest Railway Station Old Leake.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " ~~Sea Level~~ O.D. 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.23		.28			.29		.01	1
2				.04			.26		.14			.13	2
3							.24		.06	.05		.10	3
4				.09			.01	.38		.09		.02	4
5					.51		.14	.10	.09			.03	5
6					.05		.08					.19	6
7			.07	.14			.08					.04	7
8				.30									8
9	.31			.54				.16					9
10	.18			.15									10
11	.09	.03	.09	.19	.09							.23	11
12			.06	.10								.14	12
13				.16		.40			.10			.07	13
14			.33	.21		.21			.21		.12		14
15			.55	.01					.23		.01	.03	15
16				.05	.04				.06			.09	16
17					.14	.26			.19			.03	17
18	.08				.04			.10	.04			.02	18
19	.09	.27		.12				.66					19
20	.10	.40		.13		.45						.02	20
21							.47	.02	.11			.01	21
22				.01					.11				22
23							.18					.15	23
24			.22									.06	24
25	.13			.09	.03		.50						25
26	.06	.06		.06	.19		.06						26
27				.18	.01	.37					.11	.09	27
28	.34			.26	.23		.03				.08		28
29	.04		.26		.18		.10				.05	.19	29
30		X				.05			.05		.08	.31	30
31	.27	X		X		X	.34		X		X	.12	31
TOTAL	1.69	.76	1.58	2.83	1.74	1.74	2.77	1.42	1.39	.43	.45	2.08	YEAR'S TOTAL 18.88
Days with ·01 in. or more	11	4	7	19	12	6	14	6	12	3	6	22	~~122~~
Days with ·04 in. or more	11	3	7	17	10	6	12	5	12	3	5	14	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN.

NORTH OWERSBY.

1911

REG 911

FORM A2.
BRITISH RAINFALL.
3 JUL 1912

Kept at North Cu

in the County of Li

by Reuben Dr

5 in.

bove Ground ft. 6 in.

,, Sea Level ft.

.a.m

Name ~~Ha~~ Usselby

Distance 2½ m Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

* two days.

↑ 6 days

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												.04	1
2												.06	2
3													3
4											*.20		4
5													5
6													6
7											.21		7
8											.02	↑.97	8
9											.04		9
10											.04		10
11											.20		11
12												.34	12
13													13
14											*.07	.60	14
15												.04	15
16											.20		16
17												.07	17
18											.35	.07	18
19											.32		19
20												.45	20
21											.06		21
22											.16	.15	22
23												.11	23
24										.21		.04	24
25												.10	25
26										.23	*.55	.24	26
27										.05		.03	27
28											.06	.10	28
29										.29		.04	29
30										.26		.03	30
31										.04			31
Total											2.48	3.48	TOTAL for year
No. of Rain Days.													

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 JUL 1912

REG 11

Kept at North Cwersby
in the County of Lincoln
by Reuben Drakes.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level ft.

Time of Observation 9. a. m

Nearest Railway Station
Name ~~Hoe~~ Usselby
Distance 2½ m Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·04	1
2												·06	2
3													3
4			* two days.								*·20		4
5													5
6													6
7											·21		7
8		↑ 6 days									·02	↑·97	8
9											·04		9
10											·04		10
11											·20		11
12												·34	12
13													13
14											*·07	·60	14
15												·04	15
16											·20		16
17												·07	17
18											·35	·07	18
19											·32		19
20												·45	20
21											·06		21
22											·16	·15	22
23												·11	23
24										·21		·04	24
25												·10	25
26										·23	*·55	·24	26
27										·05		·03	27
28											·06	·10	28
29										·29		·04	29
30										·26		·03	30
31										·04			31
Total											2.48	3.48	TOTAL for year
No. of Rain Days.													

W. 8,000, X. '11.

FORM A. 1. **METEO** **ORGANIZATION.**

9 20.

002571

2571 .

NORTH WILLINGHAM HOUSE

1920 -

Kept at North W

in the County of

by J. H. Slampo

g

9. am

n Market Rasen

Rain Gauge 5 in.

above Ground 3 ft. 4 in.

,, Sea Level ft.

IMPORTANT NO entered to the previous day.

If an Observer prefers requested to add the reading at 9 a.m. on year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.38

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.0	.6	.0	.8	.23	.0	.36	.5	.0	.73	.10	.2	1
2	.0	.0	.3	.11	.0	.0	.4	.0	.6	.11	.0	.24	2
3	.0	.3	.1	.12	.0	.5	.32	.0	.11	.9	.0	.7	3
4	.3	.0	.1	.34	.13	.0	.16	.53	.2	.17	.0	.3	4
5	.0	.4	.2	.9	.55	.0	.20	.14	.8	.0	.0	.7	5
6	.0	.0	.14	.6	.7	.0	.24	.1	.1	.0	.2	.12	6
7	.3	.3	x .9	.5	.0	.0	.21	.0	.0	d .1	.0	.2	7
8	.0	.6	.0	.35	.6	.0	.03	.0	.0	.3	.3	.0	8
9	.28	.4	.0	.38	.0	.0	.1	.18	.3	.1	.0	.0	9
10	.29	.10	.15	.3	.0	.0	.5	.0	.0	.0	.0	.12	10
11	.23	.3	.9	.19	.5	.0	.2	.0	.0	d. 2	.2	x .16	11
12	.4	.0	.5	.18	.0	.0	.2	.2	.0	d. 3	.3	x .19	12
13	.2	.7	.11	.24	.0	.40	.0	.0	.3	d .1	.0	.10	13
14	.3	.2	.52	.36	.0	.9	.7	.0	.26	d .3	x .13	.3	14
15	.2	.5	x 1.04	.19	.0	.0	.3	.0	.12	.51	.0	x .5	15
16	.0	.3	.0	.3	.2	.0	.3	.0	.5	.3	.0	.10	16
17		.1	.0	.0	.17	.0	.3	.0	.43	.7	.1	.4	17
18	.19	.2	.0	.0	.8	.34	.4	.0	.11	.1	.1	.2	18
19	.9	1.73	.0	.19	.0	.0	.0	.19	.3	.0	.3	.2	19
20	.7	.24	.0	.42	.0	.0	.3	.1	.1	.3	.0	.3	20
21	.0	.3	.0	.20	.0	.50	.3	.10	.2	d. 2	.0	.2	21
22	.4	.0	.0	.18	.0	.0	.33	.2	.11	d. 2	.0	.0	22
23	.0	.2	.0	.0	.0	.0	.3	.0	.3	d. 2	d. 2	.24	23
24	.4	.2	.26	.4	.0	.0	.8	.0	.0	d .2	.1	.13	24
25	.2	.3	.4	.6	.0	.6	.5	.0	.1	d .2	.1	.1	25
26	.10	0	.4	.6	.7	.0	.58	.0	.3	d .3	.0	.2	26
27	.18	.0	.0	.17	.26	.28	.5	.0	.1	d .1	.10	.15	27
28	.69	.9	.10	.7	.15	.0	.0	.0	.0	d .2	.5	.4	28
29	.7	.0	.24	.3	.79	.0	.3	.0	.0	d .2	.5	.42	29
30	.2		.0	.12	.7	.4	.3	.0	.12	d .1	.9	.27	30
31	.35		.0		.3		2 .44	.0		.12		.21	31
TOTAL	2.83 ~~2.48~~	2.69	2.94 ~~2.74~~	4.34 ~~4.04~~	2.73 ~~2.72~~	1.76 ~~1.81~~	3.53	1.25	1.68 ~~1.62~~	2.20 ~~2.19~~	0.71	2.94	YEAR'S TOTAL 29.60 ~~28.77~~
Days with ·01 in. or more	.21	.20	.17	.27	.15	.8	.28	.10	.21	.26	.16	.28	2.37
	14	9	13	24	13	8	16	5	10	12	6	18	144

(283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

d for dew. X. for Snow

15.3.21

002571

FORM A. 1. METEOROLOGICAL OFFICE.— ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at North Willingham House Market Rasen
in the County of Lincoln
by J. H. Stamforth for Mrs. B. Wright

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Market Rasen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.38

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.0	.6	.0	.8	.23	.0	.36	.5	.0	.73	.10	.2	1
2	.0	.0	.3	.11	.0	.0	.4	.0	.6	.11	.0	.24	2
3	.0	.3	.1	.12	.0	.5	.32	.0	.11	.9	.0	.7	3
4	.3	.0	.1	.34	.13	.0	.16	.53	.2	.17	.0	.3	4
5	.0	.4	.2	.9	.55	.0	.20	.14	.8	.0	.0	.7	5
6	.0	.0	.14	.6	.7	.0	.24	.1	.1	.0	.2	.12	6
7	.3	.3	x .9	.5	.0	.0	.21	.0	.0	d .1	.0	.2	7
8	.0	.6	.0	.35	.6	.0	.03	.0	.0	.3	.3	.0	8
9	.28	.4	.0	.38	.0	.0	.1	.18	.3	.1	.0	.0	9
10	.29	.10	.15	.3	.0	.0	.5	.0	.0	.0	.0	.12	10
11	.23	.3	.2	.19	.5	.0	.2	.0	.0	d .2	.2	x .16	11
12	.4	.0	.5	.18	.0	.0	.2	.2	.0	d .3	.3	x .19	12
13	.2	.7	.11	.24	.0	.40	.0	.0	.3	d .1	.0	.10	13
14	.3	.2	.52	.36	.0	.9	.7	.0	.26	d .3	x .13	.3	14
15	.2	.5	x 1.04	.19	.0	.0	.3	.0	.12	.51	.0	x .5	15
16	.0	.3	.0	.3	.2	.0	.3	.0	.5	.3	.0	.10	16
17		.1	.0	.0	.17	.0	~~3~~	.0	.43	.7	.1	.4	17
18	.19	.2	.0	.0	.8	.34	.4	.0	.11	.1	.1	.2	18
19	.9	1.73	.0	.19	.0	.0	.0	.19	.3	.0	.3	.2	19
20	.7	.24	.0	.42	.0	.0	.3	.1	.1	.3	.0	.3	20
21	.0	.3	.0	.20	.0	.50	.3	.10	.2	d .2	.0	.2	21
22	.4	.0	.0	.18	.0	.0	.33	.2	.11	d .2	.0	.0	22
23	.0	.2	.0	.0	.0	.0	.3	.0	.3	d .2	d .2	.24	23
24	.4	.2	.26	.4	.0	.0	.8	.0	.0	d .2	.1	.13	24
25	.2	.3	.4	.6	.0	.6	.5	.0	.1	d .2	.1	.1	25
26	.10	0	.4	.6	.7	.0	.58	.0	.3	d .3	.0	.2	26
27	.18	.0	.0	.17	.26	.28	.5	.0	.1	d .1	.10	.15	27
28	.69	.9	.10	.7	.15	.0	.0	.0	.0	d .2	.5	.4	28
29	.7	.0	.24	.3	.79	.0	.3	.0	.0	d .2	.5	.42	29
30	.2		.0	.12	.7	.4	.3	.0	.12	d .1	.9	.27	30
31	.35		.0		.3		.2 .44	.0		.12		.21	31
TOTAL	2.83 ~~2.48~~	2.69	2.94 ~~2.74~~	4.34 ~~4.04~~	2.73 ~~2.72~~	1.76 ~~1.81~~	3.53	1.25	1.68 ~~1.61~~	2.20 ~~2.19~~	0.71	2.94	29.60 YEAR'S TOTAL ~~28.77~~
Days with ·01 in. or more	.21 14	.20 9	.17 11	.27 24	.15 13	.8 8	.28 16	.10 5	.21 13	.26 7	.16 6	.28 18	2.37 144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

d for dew. X. for Snow

FORM A2.
BRITISH RAINFALL.

19 FEB 1912

LINCOLNSHIRE
REVESBY RES

1911 — 1920

RE

Kept at Revesby

in the County of Lin

by John St

don

in.

Ground ft. in.

Sea Level 130 ft.

am

Name Horncastle

Distance 6 mile Direction N.

IMPORTANT NOT he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26									.06		.05	1
2	.19		.02		.19	.11					.04	.08	2
3		.09		.07	.11			.09		.06			3
4	.04		.11	.05					.06	.25	.13	.21	4
5				.10				.07				.20	5
6	.36		.06					.04		.18	.05	.09	6
7											.10	.20	7
8	.24		.16									.14	8
9			.04	.03									9
10		.02	.09					.10			.35	.29	10
11	.41	.02									.45		11
12	.17		.31						.50				12
13			.39		.08	.13				.04		.51	13
14			.39		.60						.03	.29	14
15			.09								.05	.09	15
16		.17	.10									.06	16
17	.07					.07					.23	.15	17
18		.03	.03			.25					.39		18
19					.03	.28	.08	.25		.06	.23		19
20				.10			.03	.79	.36			.33	20
21		.33						.39		.06	.07	~~33~~	21
22	.02		.03					.05		.06	.10	.23	22
23			.34			1.51			.70			.07	23
24		.10	.03			1.20				.55		.08	24
25			.12	.33		.07				.06	.07	.11	25
26				.10					.23	.28	.37	.35	26
27		.04	.15	.33				.41		.08		.04	27
28		.35		.07							.04	.05	28
29				.23		.11	.12		.50	.26		.04	29
30					.16				.20	.17			30
31			.04									.03	31
Total	1.76	1.15	2.50	1.41	1.17	3.73	.23	2.19	2.55	2.17	2.70	3.69	TOTAL for year 26.25
No. of Rain Days.	9	9	18	10	6	9	3	9	7	14	16	23	133

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
19 FEB 1912

RE

Kept at Revesby (Boston Waterworks)

in the County of Lincoln 3

by John Shaw

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level 130 ft.

Time of Observation 9 am

Nearest Railway Station
Name Horncastle
Distance 6 miles Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.26									.06		.05	1
2	.19		.02		.19	.11					.04	.08	2
3		.09		.07	.11			.09		.06			3
4	.04		.11	.05					.06	.25	.13	.21	4
5				.10				.07				.20	5
6	.36		.06					.04		.18	.05	.09	6
7											.10	.20	7
8	.24		.16									.14	8
9			.04	.03									9
10		.02	.09					.10			.35	.29	10
11	.41	.02									.45		11
12	.17		.31						.50				12
13			.39		.08	.13				.04		.51	13
14			.39		.60						.03	.29	14
15			.09								.05	.09	15
16		.17	.10									.06	16
17	.07					.07					.23	.15	17
18		.03	.03			.25					.39		18
19					.03	.28	.08	.25		.06	.23		19
20				.10			.03	.79	.36			.33	20
21		.33						.39		.06	.07	~~.33~~	21
22	.02		.03					.05		.06	.10	.23	22
23			.34			1.51			.70			.07	23
24		.10	.03			1.20				.55		.08	24
25			.12	.33		.07				.06	.07	.11	25
26				.10					.23	.28	.37	.35	26
27		.04	.15	.33				.41		.08		.04	27
28		.35		.07							.04	.05	28
29				.23		.11	.12		.50	.26		.04	29
30					.16				.20	.17			30
31			.04									.03	31
Total	1.76	1.15	2.50	1.41	1.17	3.73	.23	2.19	2.55	2.17	2.70	3.69	TOTAL for year 25.25
No. of Rain Days.	9	9	18	10	6	9	3	9	7	14	16	23	133

W. 8,000, X. '11.

6X 4119

FORM A.
BRITISH RAINFALL.

5 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Revesby
in the County of Lincoln 3
by John Shaw

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.05			.14	.12	.10			.63	1
2		.04					.65					.13	2
3	.22				.06	.28		.29	.08				3
4	.03		.25			.46		.05			.44		4
5	.08					.13							5
6	.47	.14			.06		.44	.16	.12			.04	6
7	.09		.05			.17	.07		.13			.05	7
8	.25	.06		.02		.12	.11		.29				8
9		.21		.14		.16						.31	9
10						.25		.38	.18		.13		10
11	.09				.02				.02			.52	11
12	.11	.36	.18			.14					.58		12
13		.04									.34		13
14	.05		.14			.10		.17					14
15			.14		.37	.14							15
16	.15		.12		.14	.15		.15		.19			16
17	.29		.20			.29		.19					17
18	.15		.08				.09			.07		.13	18
19	.24	.21					.06	.23		.02	.03	.07	19
20	.10				.03		.54	.07		.18			20
21			.41		.38		.31				.05	.16	21
22		.15	.17		.57	.02	.32	.09					22
23	.11	.06	.03				.10	.65			.12	.14	23
24	.13					.04	.29					.38	24
25	.07					.66	.08	.03			.17	.11	25
26		.02	.05				.13	2.51		.50	.09	.07	26
27						.10	.07			.28		.16	27
28					.06			.50		.27	.13	.41	28
29				.05		.02	.16	.13	.57	.19	.59		29
30					.05	.10	.02		.15	.33			30
31			.06		.06		.50	.29					31
													YEAR'S TOTAL
Total	2.63	1.29	1.88	.26	1.80	3.33	4.08	6.01	1.64	2.03	2.67	3.31	30.93
Rain Days.	17	10	13 ~~12~~	4	11	18	18	17	9	9	11	15	152 ~~151~~

13

152

W. 7,500, XI. 12

[illegible] 4.V.14

REGISTER OF RAINFALL IN 1913

[illegible]

FORM A.
BRITISH RAINFALL.

10 FEB 1914

Kept at Boston Water Works Revesby
in the County of Lincoln 3
by John Shaw

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.09	.07							.06		1
2				.02			.13		(.43)				2
3			.10		.36								3
4	.47				.08	.02	.04		.03	.48	.30		4
5							.02		.02	1.02			5
6					.40	.19				.71			6
7	.02				.10	.06				.84			7
8					.60	.15					.09		8
9			.04			.02					.13	.09	9
10		.32		.14			.18				.55		10
11	.63			.55							.06		11
12											.28		12
13			.40					.03			.24		13
14	.05			.03						.08			14
15	~~.05~~		.18	.25					.03		.09		15
16	.05	.05	.03	.11					.37		.05		16
17		.05	.70	.04		.09							17
18	.02		.15	.02			.02						18
19	.10							.02	.27			.10	19
20	.20		.06						.08	.33	.05		20
21	.10		.06				.27	.02			.20		21
22	.09		.15				.11	.23	.04				22
23	.07					.04	.04	.04	.16		.03		23
24				.06		.16		.10					24
25				.13								.02	25
26		.20		.05	.16	.02				.48		.19	26
27		.05		.02		.04					.10		27
28	.23		.07	.21		.09		(.30) ~~.73~~		.06			28
29	.09		.13	.46								.19	29
30	.23		.02							.08			30
31													31
Total	2.35	.67	2.18	2.16	1.70	.88	.81	~~1.17~~	1.00	4.08	2.23	.59	YEAR'S TOTAL 19.82 ✓
Rain Days.	14	5	14	15	6	11	8	7	8	9	14	5	116 ✓

(.74) (1.43)

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL
19 FEB 1915 R

REGISTER OF RAINFALL IN 1914

Kept at Revesby
in the County of Lincoln 3
by J Shaw

Lat. Long.
Time of Observation
Nearest Railway Station New Bolingbroke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.44	.32					1
2								.12			.19	.10	2
3					.14		.08						3
4	.18		.19	.27							.30	.10	4
5			.03	.02	.11		.04	.27					5
6		.05	.14		.10		.14				.02	.03	6
7			.26		.10						.05		7
8	.28	.10	.03		.16	.09		.15	.20			.04	8
9	.38		.10	.13		.95			.02	.03			9
10	.50	.06		.08		.89			.06				10
11	.06	.03	.26	.28	.05				.13		.29	.21	11
12						.03			.20			.33	12
13	.05	.11	.25							.08	.14	.20	13
14		.02	.12							.11	.28	.12	14
15	.03		.25								.21	.58	15
16			.10								.05	.07	16
17		.23					.03		.20			.22	17
18			.03				.08					.19	18
19			.14			.04	.12		.21		.19	.05	19
20			.20			~~.04~~				.20			20
21		.22	.21									.23	21
22				.04	.23		.17	.08		.24		.10	22
23		.04			.03	.04	.08					.12	23
24				.09				.05		.12	.20		24
25										.62	.07		25
26							.08	.25		.08	.37	.44	26
27											~~.29~~	.19	27
28	.04									.02	.29	1.34	28
29	.10	.04	.14							.67			29
30		×								.13	.25	.23	30
31		×		×		×	.33	~~[illegible]~~	×	.09	×	.08	31
Total	1.62	.90	2.45	.86	.92	2.04	1.59	1.24	1.02	2.29	2.90	4.97	YEAR'S TOTAL 22.80
Rain Days.	9	10	16	7	8	6	11	7	7	12	15	21	~~129~~

W. 8,000. X. 14.

2448

FORM A.
BRITISH RAINFALL.
10 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Revesby, Boston Water Works

in the County of Lincoln

by J Shaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station New Bolingbroke

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27	.35			.40				.06		.16	.07	1
2		.03	.32	.10		.02		.37	.04		.14	.02	2
3	.37		.08	.14			42	.02	.03		.08	.21	3
4	.17						~~.42~~ 1.39	.12				.82	4
5	.05				.15		~~1.39~~	.26		.02		.28	5
6	.08	.25	.11	.07				.15				.03	6
7	.28	.26	.29				.79	.15			.04	.58	7
8	.06					.04	37 ~~.79~~	.14					8
9		.09					~~.37~~	.21			.04	.37	9
10	.33							.07					10
11					.19		.09	.09			.36	.19	11
12	.17			.18	.18			.20			.92		12
13		.52			.35			.18		.04			13
14		.28			.10		.06	.20				.28	14
15	.32						.13	.14			.69	.07	15
16		.23					.80					.02	16
17	.09	.18					.10			.09			17
18		.08	.27								.13		18
19	.20						.09			.43			19
20										.04			20
21	.15	.07			.05		.27					.40	21
22	.16	.15	.16	.09			.21					.03	22
23	.08						.21		.05		.03	.27	23
24			.14				.03		.34			.23	24
25						.25	.15			.08	.04	.12	25
26	.04	.10	.03									.42	26
27		.08								.50		.06	27
28		.04	.05			.08		.08		.32			28
29						.04		.07			.34	.29	29
30	.10	✕					.02				.02	.04	30
31	.11	✕		✕		✕		.25	✕	.15	✕	.13	31
Total	3.03	2.71	1.45	.58	1.42	.43	5.13	2.70	.52	1.67	2.99	4.93	YEAR'S TOTAL 27.56
Rain Days.	18	15	9	5	7	5	16	17	5	9	13	22	141

W. 8,000. X. 15.

2614

FORM A.
BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Revesby

in the County of Lincoln

by John Shaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station New Bolingbroke

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.09	.14				.21		1
2	.19	.07	.12		.29		.22		.05	.16	.03		2
3			.02		.		.62		1.39	.15	.02		3
4	.20	.35			.20	.37			.12	.19	.21		4
5	.05		.09	.12	.12	.14				.23	.08	.06	5
6	.03	.09	.36		.26		.13				.26		6
7		.02	.27		.04		.16				.61	.16	7
8			.14		.37							.23	8
9			.13			.10					.03	.17	9
10	.04		.13	.04		.48	.04		.11	.18		.03	10
11		.48	.22	.20		.38	.03						11
12	.03	.02	.15		.15	.36	.05			.02			12
13		.10	.05				.03	.20					13
14		.06			.14		.24	.05					14
15		.11	.67	.28			.09	.28		.13			15
16		.07	.04	.48			.06	.56				.14	16
17		.12		.10			.10	.02	.27	.12			17
18		.02		.25				.36	.09	.17	1.02		18
19	.20								.07		.31	.42	19
20	.08		.12								.08	.33	20
21		.04	.16	.30			.05						21
22		.12			.10	.02				.05		.55	22
23		.23				.49		.02			.11	.31	23
24		.49						.08		.10		.12	24
25		.31	.15					.30		.12	.11		25
26		.05									.13		26
27			.22					.02		.23			27
28		.22	1.56							.02		.10	28
29		.13				.31		.52		.28		.27	29
30		×				.02		.14		.04			30
31		×		×		×			×		×	.03	31
Total	.82	3.10	4.60	1.77	1.67	2.76	1.96	2.55	2.10	2.21	3.21	2.92	YEAR'S TOTAL 29.67
Rain Days.	8	20	18	8	9	11	14	12	7	16	14	14	151

W. 8,000, VIII. 16

May 6, 7, 8, 9 put ~~[illegible]~~ previous day

2480

FORM A.
BRITISH RAINFALL
FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Revesby
in the County of Lincoln
by John Shaw

Lat. 53.9 N Long. 0.3 W
Time of Observation 9 am
Nearest Railway Station New Bolingbroke (GNR)
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.15				.82	.11		.04		1
2	.14	.05		.04		.17		.21					2
3		.20		.04				.62					3
4			.07	.02						.70			4
5	.23	.03		.20					.12		.23		5
6						.32							6
7	.37					.04	.08			.59			7
8	.89		.09	.10				.44		.47	.16		8
9				.10				.04			.15		9
10	.54		.39	.11	.02			.13		.06	.06	.05	10
11			.02	1.02				.35		.21			11
12	.11			.07	.41			1.15		.06			12
13	.16							.21	.12	.11			13
14	.12			.16				.34					14
15	.16						.20	.81				.12	15
16	.11	.25		.33			.08			.04		.57	16
17			.06	.25	.73	.06		.10		.18			17
18	.06					.27	.50	.25	.45				18
19	.09	.15	.07	.03									19
20		.46	.18						.08		.31		20
21			.15								.04		21
22		.05	.03					.07		.14			22
23					.14			.37					23
24						.38	.05			.21	.08		24
25												.26	25
26			.19					.41	.09		.58		26
27			[illegible]					.50					27
28			.11		.12	.33		.16				.29	28
29								.		.29		.04	29
30	.09	X	.14				.06	.16					30
31		X	.10	X		X		.10	X		X	.06	31
Total	3.07	1.19	1.60	2.62	1.42	1.57	.97	7.24	.97	3.06	1.65	139	YEAR'S TOTAL 26.75
Rain Days	13	7	13	14	5	7	6	20	6	12	9	7	119

W. 8,000, IX. 17.

171

Ex D L

33

FORM A.
BRITISH RAINFALL

12 2. 19

REGISTER OF RAINFALL IN 1918

Kept at Revesby (Boston Water Works)
in the County of Lincoln
by John Shaw

Lat. ______ Long. ______
Time of Observation 9am
Nearest Railway Station New Bolingbroke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. ___ in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.09							.18		.17	.10	1
2	.10	.15		.09				.22	.03	.05		.46	2
3					.29			.08			.85		3
4		.06	.10				.02	.05	.48		.30		4
5								.38	.07			.04	5
6				.26						.05			6
7	.30			.05		.09					.15		7
8							.05		.19			.26	8
9		.23		.06					.29	.50		.10	9
10							.33			.14			10
11	.10	.06		.03	.45		.05		.17	.32		.19	11
12				.08	.21		.07		.10				12
13		.23			.14				.16				13
14				.07			.20		.13	.14		.19	14
15	.63			.49			.07		.19			.15	15
16				.16					.40				16
17	.14				.16		.87		.06			.17	17
18	.20			.09			.11		.28	.05			18
19	.07			.11						.09		.69	19
20		.15				.09	.07			.11			20
21	.11					.09			.20	.07			21
22					.18							.44	22
23	.20				.92		.18						23
24		.21			.14			.16	.07	.05			24
25						.76	.26	.17	.11				25
26							.15	.31			.18	.05	26
27				.07		.02					.14	.10	27
28		.15	.19									.28	28
29									.58				29
30		×	.29	.04					.03		.08	.12	30
31		×		×		×			×	.02	×		31
Total	1.85	1.33	.58	1.60	2.49	1.05	2.43	1.37	3.72	1.59	1.87	3.34	YEAR'S TOTAL 23.22
Rain Days.	9	9	3	13	8	5	13	7	19	12	7	15	120

[illegible]

2327

10 [illegible] 20

Noted 25.4.20

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Revesby (Boston Waterworks)
in the County of Lincoln
by John Shaw

Lat. 53° 9′ Long. 0° 3
Time of Observation 9 am
Nearest Railway Station New Bolingbroke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	·05			·15		·45				·07	·46	1
2	.16						·25		·14	·06	·17	·06	2
3	.55						·24		·07		·40	·04	3
4			·49			·15		·06			·02	·10	4
5	.11								·93			·14	5
6											·11	·13	6
7			·19										7
8	.09			·11								·15	8
9													9
10			·18	·02							·17	·04	10
11	·08		·33	·04			·42			·03		·02	11
12			·33			·13	·05			·04			12
13	·15			·13					·05	·11			13
14	·64			·22					·23	·02	·14		14
15	·17			·37							·04	~~·15~~ 32	15
16		1.51		·05							·18		16
17		·29				·11					·27		17
18		·20						·14			·12	·12	18
19	·31	·07	·40	·06			1·00	·83	·05			·06	19
20	·30		·20			·09	·65	·33				·08	20
21		·56	·10				·18				·03	·15	21
22		·20	·04								·02	·45	22
23			·05				·08	·07	·67	·25	·03		23
24				·03	·28	·21					·10		24
25	·12			·13	·06			·67	·04			·03	25
26	·10	·07	·27	·04				·37		·04		·63	26
27				·44		·02				~~·44~~ ·66			27
28								·59	·15	~~·66~~ ·54		·36	28
29								·20		~~·54~~ ·34	·31	·30	29
30	·12	X	·05	·31		·25				~~·34~~ ·05	·10	·11	30
31		X		X		X	·09		X	·34	X	·14	31
TOTAL	3.00	2.95	2·58	2.00	0·49	0.96	3·41	3·26	2·33	2·48	2·28	3.89	YEAR'S TOTAL 29.43
Days with ·01 in. or more	14	8	11	14	3	7	10	9	3 9	12	17	21	135

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max fall 1.51 on Feb. 16

2239

5 MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Revesby (Boston Waterworks)
in the County of Lincoln
by Boston Waterworks Co per T Shaw

Lat. Long.
Time of Observation 9 am
Nearest Railway Station New Bolingbroke
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·32		·44			·77		·02	1
2							~~·44~~		·08	·28		·21	2
3				·05		·05	·09		·17	·04		·05	3
4				·10	·04		·03	·48		·12		·08	4
5				·06	·56		·14	·20	·14			·06	5
6			·05		·12		·24					·19	6
7	·05		·08	·08			·35					·04	7
8		·06		·25							·02		8
9	·26			·58				·06					9
10	·18		·10	·07			·02					·10	10
11	·18		·10	·27	·08							·20	11
12		·03		·17			·03					·12	12
13				·39		·27			·10			·10	13
14	·05		·15	·26		·31			·26		·02		14
15		·08	1·01	·09			·03		·14	·51	·02	·05	15
16	·04			·02	·04				·05	·02	·14	·14	16
17					·28				·43			·04	17
18	·15				·02	·18		·10				·04	18
19		·34		·11				·36				·03	19
20	·09	·39		·16		·47							20
21				·05			·25	·05	·20			·03	21
22				·15				·03	·14				22
23	·02						·22					·25	23
24			·25	·05								·10	24
25	·02	·06	(·02)	·14	·02	·06	·69					·02	25
26	·08			·07	·23	·44	·13						26
27	·07	·09		·14	·05						·12	·17	27
28	·46		·30	·12	·14		·07				·11	·02	28
29	·05		·02		1·65		·06				·10	·34	29
30		×		·13		·03	·04		·15		·09	·32	30
31	·17	×		×		×	·06		×	·14	×	·16	31
Total	1·87	1·07	2·18	3·51	3·55	1·81	2·89	1·28	1·86	1·88	·62	2·88	Year's Total 25·40
Days with ·01 in. or more	15	7	10	23	13	8	17	7	11	7	8	25	151
Days with ·04 in. or more	13	6	8	22	11	8	163	6	11	6	5	20	~~132~~ 129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2266

8 JAN

21

LINCOLN.

RIBY.

"THE GROVE GDNS:

1920

FORM A. 1. **METEOROLOGIC** … **GANIZATION.**

REGIS … 20.

Kept at Riby (The … 0° 12'. 38" W.
… I & B.S.I
… Stallingborough
in the County of Lin … ain Gauge 5 in.
… ove Ground 1 ft. 11 in.
by Thomas … ,, Sea Level 117 ft.
sent in by Wats…

IMPORTANT NOTE.—Rai… entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10	·31		·27			1·04	·05		1
2				·10					·09			·28	2
3				·18			·20		·04	·14		·05	3
4				·18			·34	·46		·15			4
5			·03		·46		·30	·06				·04	5
6			·16		·17		·24					·10	6
7				·27			·08					·10	7
8	·10	·07		·48	·10		·02						8
9	·21	·05		·50				·09	·03	·04			9
10	·17	·28	·14	·19			·10					·06	10
11	·38		·08	·14									11
12	·03			·15							·02	·45	12
13	·02	·03	·12	·20					·09			·12	13
14			·56	·27		·26	·10		·39	·10	·10		14
15	·01	·07	·83	·24					·22	·65			15
16				·02					·05				16
17					·20				·39	·08			17
18	·18					·03	·18		·03				18
19	·05	1·40		·30	·03			·40					19
20	·14	·17		·19		·48						·22	20
21				·17			·32	·12					21
22	·05			·11			·07		·07				22
23							·17					·22	23
24			·26									·12	24
25	·02		·14	·05			·70						25
26	·08	·04	·04	·23	·75		·13						26
27	·14	·05	·10	·19	·75	·42					·12	·16	27
28	·84		·33	·25	·10						·05	·06	28
29	·10			·02	1·03		·29				·05	·53	29
30	·08	✕		·02					·23		·09	·24	30
31	·17	✕	·02	✕		✕	·25		✕		✕	·29	31
TOTAL	2·77	2·16	2·81	4·55	3·90	1·19	3·76	1·13	1·63	2·20	0·48	3·04	YEAR'S TOTAL 29·62
Days with ·01 in. or more	18	9	13	24	10	4	17	5	11	7	7	16	141
	14	8	11	21	9	3	16	5	9	7	6	16	125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2266

8 JAN 21

FORM A. 1. METEOROLOGIC[illegible]GANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Riby (The Grove Gardens)
in the County of Lincoln
by Thomas Evison
sent in by Watson Stratton

Lat. 53° 35' 6" N. Long. 0° 12' 38" W.
Time of Observation G.M.T. & B.S.T.
Nearest Railway Station Stallingborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10	·31		·27			1·04	·05		1
2				·10					·09			·28	2
3				·18			·20		·04	·14		·05	3
4				·18			·34	·46		·15			4
5			·03		·46		·30	·06				·04	5
6			·16		·17		·24					·10	6
7				·27			·08					·10	7
8	·10	·07		·48	·10		·02						8
9	·21	·05		·50				·09	·03	·04			9
10	·17	·28	·14	·19			·10					·06	10
11	·38		·08	·14									11
12	·03			·15							·02	·45	12
13	·02	·03	·12	·20					·09			·12	13
14			·56	·27		·26	·10		·39	·10	·10		14
15	·01	·07	·83	·24					·22	·65			15
16				·02					·05				16
17					·20				·39	·08			17
18	·18					·03	·18		·03				18
19	·05	1·40		·30	·03			·40					19
20	·14	·17		·19		·48						·22	20
21				·17			·32	·12					21
22	·05			·11			·07		·07				22
23							·17					·22	23
24			·26									·12	24
25	·02		·14	·05			·70						25
26	·08	·04	·04	·23	·75		·13						26
27	·14	·05	·10	·19	·75	·42	[illegible]				·12	·16	27
28	·84		·33	·25	·10						·05	·06	28
29	·10			·02	1·03		·29				·05	·53	29
30	·08	╳		·02					·23		·09	·24	30
31	·17	╳	·02	╳		╳	·25		╳		╳	·29	31
TOTAL	2·77	2·16	2·81	4·55	3·90	1·19	3·76	1·13	1·63	2·20	0·48	3·04	YEAR'S TOTAL 29·62
Days with ·01 in. or more	18	9	13	24	10	4	17	5	11	7	7	16	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14 8 11 [illegible] 9 3 16 5 9 7 6 15 125